



# Full wwPDB X-ray Structure Validation Report i

Feb 27, 2014 – 02:13 PM GMT

PDB ID : 3A1Y  
Title : The structure of archaeal ribosomal stalk P1/P0 complex  
Authors : Naganuma, T.; Yao, M.; Nomura, N.; Yu, J.; Uchiumi, T.; Tanaka, I.  
Deposited on : 2009-04-25  
Resolution : 2.13 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	1116 (2.16-2.12)
Clashscore	79885	1302 (2.16-2.12)
Ramachandran outliers	78287	1281 (2.16-2.12)
Sidechain outliers	78261	1281 (2.16-2.12)
RSRZ outliers	66119	1116 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	58	
1	B	58	
1	C	58	
1	D	58	
1	E	58	
1	F	58	
2	G	284	

## 2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 4727 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein P1 (L12P).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	58	437	278	71	87	1	0	0	0
1	B	58	437	278	71	87	1	0	0	0
1	C	58	437	278	71	87	1	0	0	0
1	D	58	437	278	71	87	1	0	0	0
1	E	58	437	278	71	87	1	0	0	0
1	F	58	437	278	71	87	1	0	0	0

- Molecule 2 is a protein called Acidic ribosomal protein P0.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	G	211	1676	1086	278	305	7	0	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	37	Total 37	O 37	0	0
3	B	56	Total 56	O 56	0	0
3	C	26	Total 26	O 26	0	0
3	D	47	Total 47	O 47	0	0
3	E	59	Total 59	O 59	0	0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
3	F	48	Total 48	O 48	0	0
3	G	156	Total 156	O 156	0	0

### 3 Residue-property plots i

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 50S ribosomal protein P1 (L12P)

Chain A:



- Molecule 1: 50S ribosomal protein P1 (L12P)

Chain B:



- Molecule 1: 50S ribosomal protein P1 (L12P)

Chain C:



- Molecule 1: 50S ribosomal protein P1 (L12P)

Chain D:



- Molecule 1: 50S ribosomal protein P1 (L12P)

Chain E:




- Molecule 1: 50S ribosomal protein P1 (L12P)

Chain F:



- Molecule 2: Acidic ribosomal protein P0



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	54.88Å 104.43Å 136.22Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.99 – 2.13 34.99 – 2.13	Depositor EDS
% Data completeness (in resolution range)	99.0 (34.99-2.13) 99.0 (34.99-2.13)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	0.11	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.89 (at 2.14Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.220 , 0.260 0.218 , 0.259	Depositor DCC
$R_{free}$ test set	3131 reflections (7.64%)	DCC
Wilson B-factor (Å <sup>2</sup> )	39.4	Xtrriage
Anisotropy	0.069	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 55.8	EDS
Estimated twinning fraction	No twinning to report.	Xtrriage
L-test for twinning	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Outliers	0 of 44130 reflections	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	4727	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	45.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.38% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

### 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.53	0/440	0.72	2/595 (0.3%)
1	B	0.57	0/440	0.71	0/595
1	C	0.49	0/440	0.63	0/595
1	D	0.63	0/440	0.75	0/595
1	E	0.62	0/440	0.85	2/595 (0.3%)
1	F	0.66	0/440	0.80	1/595 (0.2%)
2	G	0.53	0/1704	0.75	1/2306 (0.0%)
All	All	0.56	0/4344	0.75	6/5876 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	G	0	1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	90	LEU	CA-CB-CG	7.02	131.45	115.30
1	F	1	MET	CA-CB-CG	-6.25	102.68	113.30
1	E	1	MET	CG-SD-CE	5.92	109.67	100.20
1	E	1	MET	CA-CB-CG	-5.61	103.77	113.30
1	A	8	LEU	CA-CB-CG	5.47	127.88	115.30
1	A	8	LEU	CB-CG-CD1	5.20	119.84	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	G	61	GLU	Peptide

## 5.2 Close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	437	0	451	9	0
1	B	437	0	451	8	0
1	C	437	0	451	12	0
1	D	437	0	451	7	0
1	E	437	0	451	7	0
1	F	437	0	451	9	0
2	G	1676	0	1754	84	0
3	A	37	0	0	0	0
3	B	56	0	0	0	0
3	C	26	0	0	0	0
3	D	47	0	0	1	0
3	E	59	0	0	0	0
3	F	48	0	0	0	0
3	G	156	0	0	6	0
All	All	4727	0	4460	122	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 14.

All (122) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:G:69:LYS:HG3	2:G:71:LEU:HD21	1.29	1.08
2:G:98:LYS:HE3	2:G:101:LYS:NZ	1.71	1.06
2:G:61:GLU:O	2:G:65:LYS:HE2	1.57	1.03
2:G:9:LYS:H	2:G:12:VAL:HG13	1.24	1.03
2:G:5:ALA:HA	2:G:6:GLU:HB2	1.38	1.02
2:G:69:LYS:HG3	2:G:71:LEU:CD2	2.01	0.90
2:G:18:LEU:HD21	2:G:51:LEU:HD21	1.56	0.87
2:G:98:LYS:HE3	2:G:101:LYS:HZ1	1.38	0.85
2:G:61:GLU:HG2	2:G:65:LYS:HZ3	1.38	0.85

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:13:VAL:HG21	1:B:31:VAL:HG11	1.57	0.85
2:G:16:ALA:HA	2:G:65:LYS:HD2	1.58	0.84
2:G:98:LYS:CE	2:G:101:LYS:NZ	2.44	0.81
2:G:16:ALA:HA	2:G:65:LYS:CD	2.15	0.77
2:G:65:LYS:HD3	2:G:65:LYS:N	1.99	0.76
2:G:265:ILE:O	2:G:269:ILE:HG23	1.85	0.76
1:B:54:ILE:HG13	2:G:269:ILE:HD11	1.67	0.76
2:G:78:LYS:HG2	2:G:79:LEU:H	1.50	0.75
2:G:98:LYS:HA	2:G:98:LYS:HE2	1.70	0.73
2:G:73:LYS:N	2:G:74:PRO:HD3	2.05	0.72
2:G:74:PRO:O	2:G:78:LYS:HD3	1.89	0.72
2:G:98:LYS:CE	2:G:101:LYS:HZ3	2.03	0.71
2:G:16:ALA:HA	2:G:65:LYS:CE	2.20	0.71
2:G:5:ALA:HA	2:G:6:GLU:CB	2.16	0.71
2:G:56:ARG:HG3	3:G:436:HOH:O	1.90	0.70
1:F:18:ASN:ND2	1:F:21:ASN:H	1.88	0.70
1:E:19:GLU:HG3	1:E:23:LYS:HE3	1.74	0.69
1:B:18:ASN:ND2	1:B:21:ASN:H	1.90	0.68
2:G:69:LYS:CG	2:G:71:LEU:HD21	2.15	0.68
1:D:18:ASN:HB2	3:D:61:HOH:O	1.94	0.67
2:G:61:GLU:HG2	2:G:65:LYS:NZ	2.10	0.66
1:E:1:MET:CE	1:E:1:MET:H3	2.09	0.66
1:C:29:ALA:O	1:D:15:LYS:CD	2.44	0.66
2:G:4:VAL:HG13	2:G:5:ALA:H	1.60	0.66
2:G:71:LEU:HD22	2:G:71:LEU:H	1.61	0.66
2:G:16:ALA:CA	2:G:65:LYS:HD2	2.25	0.66
2:G:70:GLU:O	2:G:70:GLU:HG2	1.95	0.64
1:C:18:ASN:C	1:C:18:ASN:HD22	2.00	0.63
2:G:61:GLU:HG2	2:G:64:ILE:HG23	1.81	0.63
2:G:16:ALA:HB2	2:G:65:LYS:NZ	2.13	0.63
1:C:29:ALA:O	1:D:15:LYS:HD3	2.01	0.61
1:F:18:ASN:C	1:F:18:ASN:HD22	2.05	0.60
1:F:22:LEU:HD11	1:F:41:LEU:HD12	1.82	0.60
2:G:16:ALA:HA	2:G:65:LYS:HE3	1.83	0.60
1:E:57:ALA:HB2	2:G:226:ASN:OD1	2.02	0.59
1:C:18:ASN:ND2	1:C:21:ASN:H	2.00	0.59
1:C:29:ALA:O	1:D:15:LYS:HD2	2.03	0.59
1:A:51:ASP:O	1:A:55:GLU:HG3	2.04	0.58
2:G:73:LYS:HB3	2:G:195:TYR:CE1	2.38	0.58
1:C:39:LYS:HE3	1:C:43:ALA:HB2	1.86	0.58
2:G:80:VAL:O	2:G:81:GLU:C	2.42	0.57
1:A:54:ILE:HD12	2:G:275:ALA:HB1	1.86	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:50:ILE:O	1:C:54:ILE:HG12	2.05	0.57
2:G:64:ILE:HG23	2:G:65:LYS:HZ3	1.70	0.56
1:B:18:ASN:HD22	1:B:18:ASN:C	2.08	0.56
2:G:19:ILE:HB	2:G:65:LYS:HG3	1.86	0.56
2:G:237:GLU:HG2	3:G:348:HOH:O	2.06	0.56
2:G:60:ILE:O	2:G:61:GLU:HB3	2.05	0.56
2:G:74:PRO:HD2	2:G:78:LYS:HB2	1.87	0.56
1:B:18:ASN:HD21	1:B:21:ASN:H	1.55	0.54
2:G:4:VAL:HG13	2:G:5:ALA:N	2.21	0.54
2:G:60:ILE:O	2:G:61:GLU:CB	2.56	0.54
1:C:22:LEU:HD23	1:C:38:ILE:HG23	1.90	0.53
1:A:2:GLU:HB2	1:B:9:LEU:CD1	2.39	0.52
2:G:61:GLU:C	2:G:63:ALA:N	2.63	0.52
1:E:19:GLU:CG	1:E:23:LYS:HE3	2.38	0.51
1:F:18:ASN:HD21	1:F:21:ASN:H	1.56	0.51
2:G:71:LEU:HD22	2:G:71:LEU:N	2.26	0.51
2:G:57:ASN:O	2:G:60:ILE:HG12	2.10	0.51
2:G:16:ALA:HB2	2:G:65:LYS:HZ2	1.74	0.51
1:E:57:ALA:O	1:E:58:ALA:CB	2.58	0.50
2:G:13:GLU:O	2:G:16:ALA:HB3	2.10	0.50
1:C:34:GLU:HB2	1:C:37:ARG:HG3	1.94	0.50
2:G:73:LYS:N	2:G:74:PRO:CD	2.74	0.50
2:G:5:ALA:HB1	2:G:7:TRP:N	2.26	0.50
1:E:1:MET:HG2	2:G:235:THR:HG21	1.93	0.50
2:G:72:GLY:C	2:G:74:PRO:HD3	2.32	0.49
2:G:108:GLN:HB3	3:G:361:HOH:O	2.11	0.49
2:G:75:GLU:HA	2:G:81:GLU:OE1	2.12	0.49
1:F:4:VAL:HG13	2:G:217:LEU:HD12	1.95	0.49
2:G:18:LEU:HG	2:G:91:VAL:HG21	1.95	0.49
2:G:56:ARG:HH22	2:G:83:ILE:HG12	1.77	0.49
1:B:1:MET:SD	1:B:3:TYR:HB2	2.52	0.48
1:C:18:ASN:HD21	1:C:21:ASN:H	1.61	0.48
1:E:23:LYS:O	1:E:27:GLN:HG3	2.15	0.47
1:D:1:MET:SD	1:D:3:TYR:HB2	2.54	0.47
1:D:1:MET:HG3	1:D:37:ARG:HH22	1.79	0.47
2:G:71:LEU:HD12	3:G:376:HOH:O	2.14	0.47
2:G:78:LYS:HG2	2:G:79:LEU:N	2.25	0.46
1:A:3:TYR:HB3	1:A:41:LEU:HD22	1.97	0.46
2:G:43:ARG:NH1	2:G:47:GLU:OE2	2.42	0.45
1:F:8:LEU:HD12	1:F:8:LEU:HA	1.82	0.45
1:A:1:MET:CE	2:G:276:MET:SD	3.04	0.45
1:F:13:VAL:HG23	1:F:15:LYS:HG2	1.98	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:G:107:ARG:O	2:G:109:PRO:C	2.55	0.44
2:G:98:LYS:HE2	2:G:101:LYS:HZ3	1.79	0.44
2:G:40:GLN:CB	2:G:109:PRO:HD3	2.47	0.44
2:G:108:GLN:HA	2:G:109:PRO:HA	1.85	0.44
1:A:8:LEU:HD13	2:G:279:LEU:HD22	1.99	0.44
2:G:210:GLU:O	2:G:214:ILE:HG12	2.19	0.43
2:G:61:GLU:OE2	2:G:61:GLU:C	2.56	0.43
2:G:57:ASN:HB2	3:G:436:HOH:O	2.18	0.43
2:G:277:LEU:O	2:G:281:GLN:HG2	2.18	0.43
1:F:22:LEU:CD1	1:F:41:LEU:HD12	2.49	0.43
1:D:1:MET:CG	1:D:37:ARG:HH12	2.32	0.43
2:G:66:LYS:HG3	2:G:74:PRO:HG3	2.01	0.43
2:G:61:GLU:CG	2:G:65:LYS:HZ3	2.21	0.42
1:C:17:ILE:HG23	1:C:22:LEU:HD11	2.00	0.42
1:C:18:ASN:C	1:C:18:ASN:ND2	2.72	0.42
2:G:40:GLN:HB2	2:G:109:PRO:HD3	2.01	0.42
2:G:61:GLU:HG2	2:G:64:ILE:CG2	2.49	0.42
2:G:12:VAL:HG23	2:G:61:GLU:HG3	2.00	0.42
1:B:1:MET:HB2	1:B:2:GLU:OE1	2.20	0.42
1:A:49:ASN:ND2	1:A:52:GLU:OE2	2.53	0.42
2:G:59:LEU:O	2:G:62:LEU:HD13	2.19	0.41
2:G:79:LEU:HA	3:G:399:HOH:O	2.20	0.41
1:A:1:MET:HE3	2:G:276:MET:SD	2.61	0.41
2:G:208:ILE:HD12	2:G:208:ILE:HA	1.87	0.41
2:G:81:GLU:C	2:G:83:ILE:H	2.23	0.41
2:G:12:VAL:CG2	2:G:61:GLU:HG3	2.50	0.41
1:F:53:VAL:HG11	2:G:217:LEU:HD23	2.03	0.41
2:G:5:ALA:CA	2:G:6:GLU:HB2	2.26	0.41
2:G:230:ASN:ND2	2:G:245:LYS:HE2	2.36	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	56/58 (97%)	56 (100%)	0	0	100	100
1	B	56/58 (97%)	56 (100%)	0	0	100	100
1	C	56/58 (97%)	54 (96%)	2 (4%)	0	100	100
1	D	56/58 (97%)	56 (100%)	0	0	100	100
1	E	56/58 (97%)	55 (98%)	1 (2%)	0	100	100
1	F	56/58 (97%)	54 (96%)	2 (4%)	0	100	100
2	G	207/284 (73%)	182 (88%)	17 (8%)	8 (4%)	5	0
All	All	543/632 (86%)	513 (94%)	22 (4%)	8 (2%)	15	6

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	G	61	GLU
2	G	76	LEU
2	G	4	VAL
2	G	74	PRO
2	G	81	GLU
2	G	80	VAL
2	G	184	PRO
2	G	73	LYS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	44/44 (100%)	36 (82%)	8 (18%)	2	1
1	B	44/44 (100%)	36 (82%)	8 (18%)	2	1
1	C	44/44 (100%)	36 (82%)	8 (18%)	2	1
1	D	44/44 (100%)	38 (86%)	6 (14%)	5	2
1	E	44/44 (100%)	36 (82%)	8 (18%)	2	1
1	F	44/44 (100%)	37 (84%)	7 (16%)	4	1
2	G	179/234 (76%)	151 (84%)	28 (16%)	4	1
All	All	443/498 (89%)	370 (84%)	73 (16%)	3	1

All (73) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	LEU
1	A	10	LEU
1	A	13	VAL
1	A	25	VAL
1	A	26	LEU
1	A	42	VAL
1	A	45	LEU
1	A	49	ASN
1	B	1	MET
1	B	8	LEU
1	B	13	VAL
1	B	16	GLU
1	B	18	ASN
1	B	22	LEU
1	B	26	LEU
1	B	45	LEU
1	C	10	LEU
1	C	16	GLU
1	C	18	ASN
1	C	22	LEU
1	C	26	LEU
1	C	45	LEU
1	C	55	GLU
1	C	56	LYS
1	D	1	MET
1	D	8	LEU
1	D	10	LEU
1	D	13	VAL
1	D	18	ASN
1	D	56	LYS
1	E	1	MET
1	E	9	LEU
1	E	10	LEU
1	E	22	LEU
1	E	26	LEU
1	E	45	LEU
1	E	46	GLU
1	E	56	LYS
1	F	1	MET
1	F	8	LEU
1	F	10	LEU
1	F	18	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	F	26	LEU
1	F	45	LEU
1	F	46	GLU
2	G	6	GLU
2	G	12	VAL
2	G	27	LEU
2	G	44	LEU
2	G	51	LEU
2	G	56	ARG
2	G	59	LEU
2	G	60	ILE
2	G	61	GLU
2	G	62	LEU
2	G	64	ILE
2	G	66	LYS
2	G	71	LEU
2	G	73	LYS
2	G	76	LEU
2	G	80	VAL
2	G	81	GLU
2	G	90	LEU
2	G	98	LYS
2	G	103	LEU
2	G	104	GLN
2	G	185	LEU
2	G	191	VAL
2	G	192	LEU
2	G	208	ILE
2	G	269	ILE
2	G	277	LEU
2	G	283	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	18	ASN
1	B	21	ASN
1	C	18	ASN
1	C	21	ASN
1	D	18	ASN
1	E	21	ASN
1	F	18	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	F	21	ASN
2	G	48	ASN
2	G	105	GLN
2	G	230	ASN

### 5.3.3 RNA [i](#)

There are no RNA chains in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	58/58 (100%)	0.42	3 (5%) 26 28	37, 43, 47, 48	0
1	B	58/58 (100%)	0.42	2 (3%) 43 45	34, 39, 47, 50	0
1	C	58/58 (100%)	0.64	9 (15%) 3 2	40, 46, 72, 78	0
1	D	58/58 (100%)	0.59	2 (3%) 43 45	38, 43, 59, 68	0
1	E	58/58 (100%)	0.75	6 (10%) 7 8	32, 38, 57, 66	0
1	F	58/58 (100%)	0.40	3 (5%) 26 28	29, 36, 49, 59	0
2	G	211/284 (74%)	1.43	41 (19%) 2 2	31, 43, 69, 85	0
All	All	559/632 (88%)	0.87	66 (11%) 5 6	29, 42, 65, 85	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	G	2	ALA	18.4
2	G	4	VAL	15.9
2	G	5	ALA	15.4
2	G	76	LEU	11.8
2	G	79	LEU	10.0
2	G	3	HIS	9.2
2	G	75	GLU	8.8
1	D	58	ALA	8.6
1	E	57	ALA	8.4
2	G	185	LEU	7.3
1	E	58	ALA	7.0
2	G	77	GLU	6.6
2	G	7	TRP	6.1
1	F	58	ALA	5.9
2	G	184	PRO	5.8
2	G	1	MET	5.8
1	C	58	ALA	5.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	G	8	LYS	5.4
2	G	80	VAL	5.2
2	G	65	LYS	4.5
1	C	47	GLY	4.4
2	G	108	GLN	4.3
2	G	109	PRO	4.3
2	G	186	GLU	3.9
2	G	284	PRO	3.7
1	F	33	PRO	3.5
1	E	56	LYS	3.4
2	G	67	ALA	3.4
2	G	58	THR	3.3
2	G	78	LYS	3.3
2	G	269	ILE	3.2
2	G	183	GLN	3.2
2	G	17	LYS	3.0
1	C	16	GLU	2.9
2	G	70	GLU	2.9
2	G	9	LYS	2.8
1	C	48	VAL	2.8
2	G	13	GLU	2.8
2	G	14	GLU	2.8
1	C	46	GLU	2.7
1	A	39	LYS	2.7
1	A	46	GLU	2.7
1	B	1	MET	2.6
2	G	74	PRO	2.6
1	A	42	VAL	2.5
1	C	55	GLU	2.5
1	C	56	LYS	2.5
1	C	17	ILE	2.5
1	C	57	ALA	2.4
2	G	63	ALA	2.4
1	B	31	VAL	2.4
2	G	283	LEU	2.4
2	G	187	VAL	2.4
2	G	10	LYS	2.4
1	E	1	MET	2.4
2	G	239	ILE	2.4
2	G	60	ILE	2.3
1	E	8	LEU	2.3
2	G	62	LEU	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	1	MET	2.2
1	E	4	VAL	2.2
1	F	47	GLY	2.2
2	G	6	GLU	2.2
2	G	235	THR	2.2
2	G	64	ILE	2.1
2	G	194	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.