



# Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 01:02 AM GMT

PDB ID : 4A3M  
Title : RNA POLYMERASE II INITIAL TRANSCRIBING COMPLEX WITH A  
4NT DNA-RNA HYBRID AND SOAKED WITH AMPCPP  
Authors : Cheung, A.C.M.; Sainsbury, S.; Cramer, P.  
Deposited on : 2011-09-30  
Resolution : 3.90 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	1022 (4.38-3.42)
Clashscore	79885	1173 (4.30-3.50)
Ramachandran outliers	78287	1118 (4.30-3.50)
Sidechain outliers	78261	1107 (4.30-3.50)
RSRZ outliers	66119	1000 (4.36-3.44)
RNA backbone	1838	1018 (5.00-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	1732	
2	B	1224	
3	C	318	
4	D	221	
5	E	215	
6	F	155	
7	G	171	
8	H	146	
9	I	122	
10	J	70	
11	K	120	
12	L	70	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
13	N	14	
14	P	4	
15	T	26	

## 2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 31868 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-DIRECTED RNA POLYMERASE II SUBUNIT RPB1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1425	Total	C	N	O	S	0	0	0
			11197	7051	1958	2126	62			

- Molecule 2 is a protein called DNA-DIRECTED RNA POLYMERASE II SUBUNIT RPB2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	1115	Total	C	N	O	S	0	0	0
			8859	5609	1554	1641	55			

- Molecule 3 is a protein called DNA-DIRECTED RNA POLYMERASE II SUBUNIT RPB3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	266	Total	C	N	O	S	0	0	0
			2095	1317	348	417	13			

- Molecule 4 is a protein called DNA-DIRECTED RNA POLYMERASE II SUBUNIT RPB4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	178	Total	C	N	O	S	0	0	0
			1434	887	257	288	2			

- Molecule 5 is a protein called DNA-DIRECTED RNA POLYMERASES I, II, AND III SUBUNIT RPABC1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	214	Total	C	N	O	S	0	0	0
			1752	1111	309	321	11			

- Molecule 6 is a protein called DNA-DIRECTED RNA POLYMERASES I, II, AND III SUBUNIT RPABC2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	84	Total	C	N	O	S	0	0	0
			679	434	115	127	3			

- Molecule 7 is a protein called DNA-DIRECTED RNA POLYMERASE II SUBUNIT RPB7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	171	Total	C	N	O	S	0	0	0
			1340	861	222	249	8			

- Molecule 8 is a protein called DNA-DIRECTED RNA POLYMERASES I, II, AND III SUBUNIT RPABC3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	133	Total	C	N	O	S	0	0	0
			1068	673	180	211	4			

- Molecule 9 is a protein called DNA-DIRECTED RNA POLYMERASE II SUBUNIT RPB9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	119	Total	C	N	O	S	0	0	0
			971	596	179	186	10			

- Molecule 10 is a protein called DNA-DIRECTED RNA POLYMERASES I, II, AND III SUBUNIT RPABC5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	65	Total	C	N	O	S	0	0	0
			532	339	93	94	6			

- Molecule 11 is a protein called DNA-DIRECTED RNA POLYMERASE II SUBUNIT RPB11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	115	Total	C	N	O	S	0	0	1
			920	590	157	171	2			

- Molecule 12 is a protein called DNA-DIRECTED RNA POLYMERASES I, II, AND III SUBUNIT RPABC4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	46	Total	C	N	O	S	0	0	0
			363	224	72	63	4			

- Molecule 13 is a DNA chain called 5'-D(\*AP\*AP\*GP\*TP\*AP\*CP\*TP)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	N	9	Total	C	N	O	P	0	0	0
			183	89	34	52	8			


- Molecule 14 is a RNA chain called 5'-R(\*AP\*GP\*GP\*A)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	P	4	Total	C	N	O	P	0	0	0
			90	40	20	26	4			

- Molecule 15 is a DNA chain called 5'-D(\*AP\*GP\*CP\*TP\*CP\*AP\*AP\*GP\*TP\*AP\*CP\*TP\*TP\*TP\*TP\*CP\*CP\*BRUP\*GP\*GP\*TP\*CP\*AP\*TP\*T)-3'.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
15	T	17	Total	Br	C	N	O	P	0	0	0
			345	1	165	56	106	17			

- Molecule 16 is DIPHOSPHOMETHYLPHOSPHONICACID ADENOSYL ESTER (three-letter code: APC) (formula: C<sub>11</sub>H<sub>18</sub>N<sub>5</sub>O<sub>12</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
16	A	1	Total	C	N	O	P	0	0
			31	11	5	12	3		

- Molecule 17 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	J	1	Total 1	Zn 1	0	0
17	B	1	Total 1	Zn 1	0	0
17	I	2	Total 2	Zn 2	0	0
17	C	1	Total 1	Zn 1	0	0
17	A	2	Total 2	Zn 2	0	0
17	L	1	Total 1	Zn 1	0	0


- Molecule 18 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	A	1	Total 1	Mg 1	0	0











• Molecule 4: DNA-DIRECTED RNA POLYMERASE II SUBUNIT RPB4

Chain D:




• Molecule 5: DNA-DIRECTED RNA POLYMERASES I, II, AND III SUBUNIT RPABC1

Chain E:




• Molecule 6: DNA-DIRECTED RNA POLYMERASES I, II, AND III SUBUNIT RPABC2

Chain F:




• Molecule 7: DNA-DIRECTED RNA POLYMERASE II SUBUNIT RPB7

Chain G:




• Molecule 8: DNA-DIRECTED RNA POLYMERASES I, II, AND III SUBUNIT RPABC3

Chain H:



• Molecule 9: DNA-DIRECTED RNA POLYMERASE II SUBUNIT RPB9

Chain I: 



- Molecule 10: DNA-DIRECTED RNA POLYMERASES I, II, AND III SUBUNIT RPABC5

Chain J: 



- Molecule 11: DNA-DIRECTED RNA POLYMERASE II SUBUNIT RPB11

Chain K: 




- Molecule 12: DNA-DIRECTED RNA POLYMERASES I, II, AND III SUBUNIT RPABC4

Chain L: 



- Molecule 13: 5'-D(\*AP\*AP\*GP\*TP\*AP\*CP\*TP)-3'

Chain N: 




- Molecule 14: 5'-R(\*AP\*GP\*GP\*A)-3'

Chain P: 



- Molecule 15: 5'-D(\*AP\*GP\*CP\*TP\*CP\*AP\*AP\*GP\*TP\*AP\*CP\*TP\*TP\*TP\*TP\*TP\*CP\*CP\*BRUP\*GP\*GP\*TP\*CP\*AP\*TP\*T)-3'

Chain T: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	222.27 Å   392.99 Å   282.16 Å 90.00°   90.00°   90.00°	Depositor
Resolution (Å)	58.65 – 3.90 58.65 – 3.90	Depositor EDS
% Data completeness (in resolution range)	99.2 (58.65-3.90) 99.2 (58.65-3.90)	Depositor EDS
$R_{merge}$	0.87	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.85 (at 3.88 Å)	Xtriage
Refinement program	BUSTER 2.11.2	Depositor
R, $R_{free}$	0.154 , 0.190 0.179 , 0.213	Depositor DCC
$R_{free}$ test set	2245 reflections (2.02%)	DCC
Wilson B-factor (Å <sup>2</sup> )	131.7	Xtriage
Anisotropy	0.184	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 137.8	EDS
Estimated twinning fraction	0.057 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.047 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.42$ , $\langle L^2 \rangle = 0.24$	Xtriage
Outliers	0 of 111193 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	31868	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	157.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.81% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, APC, ZN, BRU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.54	0/11397	0.86	7/15415 (0.0%)
2	B	0.52	0/9029	0.82	1/12171 (0.0%)
3	C	0.50	0/2133	0.80	0/2891
4	D	0.54	0/1444	0.85	0/1935
5	E	0.46	0/1788	0.73	0/2406
6	F	0.59	0/691	0.83	0/933
7	G	0.52	0/1368	0.82	1/1844 (0.1%)
8	H	0.53	0/1086	0.87	0/1470
9	I	0.45	0/989	0.78	0/1331
10	J	0.55	0/541	0.83	0/727
11	K	0.50	0/938	0.76	0/1267
12	L	0.51	0/365	0.91	0/485
13	N	1.32	1/205 (0.5%)	1.16	0/315
14	P	0.85	0/101	0.83	0/156
15	T	1.35	0/361	1.10	1/552 (0.2%)
All	All	0.55	1/32436 (0.0%)	0.84	10/43898 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	N	3	DA	C3'-O3'	5.74	1.51	1.44

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	56	PRO	C-N-CA	6.96	139.11	121.70
1	A	34	LYS	C-N-CA	5.83	136.27	121.70
1	A	399	HIS	N-CA-CB	5.59	120.66	110.60
1	A	35	ILE	N-CA-CB	5.49	123.43	110.80
1	A	194	ALA	C-N-CA	5.49	135.42	121.70
7	G	63	PRO	N-CA-C	5.48	126.35	112.10
2	B	338	GLY	C-N-CA	5.38	135.16	121.70
1	A	55	ASP	N-CA-CB	5.20	119.96	110.60
1	A	35	ILE	CB-CA-C	5.07	121.75	111.60
15	T	23	DG	O4'-C4'-C3'	-5.01	102.50	104.50

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	34	LYS	Mainchain

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	11197	0	0	16	0
2	B	8859	0	0	6	0
3	C	2095	0	0	5	0
4	D	1434	0	0	3	0
5	E	1752	0	0	0	0
6	F	679	0	0	3	0
7	G	1340	0	0	3	0
8	H	1068	0	0	6	0
9	I	971	0	0	0	0
10	J	532	0	0	3	0
11	K	920	0	0	2	0
12	L	363	0	0	0	0
13	N	183	0	7	0	0
14	P	90	0	44	0	0
15	T	345	0	40	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
16	A	31	0	14	1	0
17	A	2	0	0	0	0
17	B	1	0	0	0	0
17	C	1	0	0	0	0
17	I	2	0	0	0	0
17	J	1	0	0	0	0
17	L	1	0	0	0	0
18	A	1	0	0	0	0
All	All	31868	0	105	40	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 1.

All (40) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:822:ASN:O	10:J:48:ARG:NH1	2.28	0.67
7:G:1:MET:SD	7:G:2:PHE:N	2.74	0.61
1:A:246:VAL:O	1:A:328:ARG:NH1	2.39	0.56
2:B:788:ARG:O	2:B:967:ARG:NH1	2.41	0.54
3:C:66:ARG:NH2	10:J:3:VAL:O	2.41	0.53
1:A:1215:ARG:NE	1:A:1272:THR:O	2.43	0.51
3:C:125:MET:N	3:C:125:MET:SD	2.84	0.51
3:C:165:LYS:O	11:K:6:ARG:NH1	2.44	0.51
6:F:79:ARG:NH2	6:F:150:GLU:OE2	2.44	0.50
7:G:1:MET:CG	7:G:2:PHE:N	2.75	0.50
1:A:16:GLU:OE1	4:D:14:ARG:NH2	2.46	0.49
1:A:1444:MET:O	6:F:133:VAL:N	2.46	0.49
1:A:871:ASP:OD1	1:A:1366:ARG:NH2	2.45	0.49
2:B:969:ARG:NH1	3:C:61:GLU:OE1	2.47	0.48
8:H:89:LEU:O	8:H:91:ASP:N	2.47	0.47
2:B:998:ASP:OD1	3:C:35:ARG:NH2	2.47	0.47
1:A:448:PRO:CG	16:A:2455:APC:H2	2.45	0.47
6:F:76:LYS:O	6:F:79:ARG:NH1	2.48	0.47
1:A:130:ASP:OD2	1:A:133:LYS:N	2.48	0.46
1:A:70:CYS:SG	1:A:70:CYS:O	2.74	0.45
2:B:199:MET:N	2:B:199:MET:SD	2.90	0.45
1:A:365:GLY:N	1:A:469:ARG:O	2.51	0.44
1:A:1035:TYR:N	1:A:1035:TYR:CD1	2.86	0.43
10:J:48:ARG:O	10:J:52:THR:CG2	2.66	0.43
1:A:418:SER:O	1:A:420:ARG:N	2.52	0.43
8:H:82:PRO:C	8:H:84:ALA:N	2.72	0.43
8:H:89:LEU:C	8:H:91:ASP:N	2.71	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:378:GLU:OE1	1:A:387:ARG:NH2	2.52	0.42
1:A:980:ASP:OD1	1:A:980:ASP:N	2.52	0.42
15:T:16:DT:C2'	15:T:17:DT:C5'	2.97	0.42
8:H:13:SER:N	8:H:27:GLU:O	2.53	0.42
11:K:85:ASP:O	11:K:89:ASN:N	2.53	0.41
1:A:802:ASN:ND2	1:A:812:GLU:OE1	2.54	0.41
1:A:1340:GLY:O	1:A:1342:GLU:N	2.54	0.41
8:H:26:ILE:N	8:H:40:LEU:O	2.53	0.41
8:H:82:PRO:O	8:H:84:ALA:N	2.54	0.41
4:D:40:HIS:ND1	7:G:73:LYS:NZ	2.68	0.41
1:A:1143:LEU:O	1:A:1147:THR:OG1	2.38	0.41
4:D:187:THR:C	4:D:189:ASP:N	2.74	0.40
2:B:642:ASP:O	2:B:644:GLU:N	2.54	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1417/1732 (82%)	1198 (84%)	145 (10%)	74 (5%)	3	42
2	B	1095/1224 (90%)	916 (84%)	127 (12%)	52 (5%)	4	45
3	C	264/318 (83%)	236 (89%)	20 (8%)	8 (3%)	7	59
4	D	174/221 (79%)	146 (84%)	19 (11%)	9 (5%)	3	42
5	E	212/215 (99%)	192 (91%)	15 (7%)	5 (2%)	9	64
6	F	82/155 (53%)	74 (90%)	7 (8%)	1 (1%)	19	77
7	G	169/171 (99%)	152 (90%)	14 (8%)	3 (2%)	13	70
8	H	129/146 (88%)	99 (77%)	19 (15%)	11 (8%)	1	26
9	I	117/122 (96%)	94 (80%)	20 (17%)	3 (3%)	8	61
10	J	63/70 (90%)	52 (82%)	5 (8%)	6 (10%)	1	22
11	K	113/120 (94%)	106 (94%)	7 (6%)	0	100	100

Continued on next page...



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	L	44/70 (63%)	21 (48%)	13 (30%)	10 (23%)	0	2
All	All	3879/4564 (85%)	3286 (85%)	411 (11%)	182 (5%)	4	45

All (182) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	54	ASN
1	A	57	ARG
1	A	58	LEU
1	A	69	THR
1	A	78	PRO
1	A	169	ASN
1	A	193	ASP
1	A	286	HIS
1	A	311	GLN
1	A	318	SER
1	A	331	GLY
1	A	335	ARG
1	A	384	ASN
1	A	775	ILE
1	A	1206	ASP
1	A	1341	ILE
1	A	1405	THR
2	B	108	VAL
2	B	208	SER
2	B	229	ALA
2	B	282	ILE
2	B	340	ALA
2	B	344	LYS
2	B	368	GLU
2	B	473	MET
2	B	629	ASP
2	B	643	ASP
2	B	707	PRO
2	B	711	GLU
2	B	731	VAL
2	B	751	VAL
2	B	879	ARG
2	B	880	THR
2	B	883	LEU
2	B	1046	PRO
2	B	1107	ALA

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
4	D	16	LYS
4	D	18	VAL
6	F	73	ALA
7	G	2	PHE
7	G	63	PRO
7	G	154	VAL
8	H	90	ALA
9	I	9	ASP
10	J	6	ARG
12	L	28	LYS
12	L	45	ALA
12	L	50	ASP
1	A	41	MET
1	A	43	GLU
1	A	167	CYS
1	A	189	ARG
1	A	224	PHE
1	A	257	ARG
1	A	409	SER
1	A	419	LYS
1	A	449	SER
1	A	569	LYS
1	A	639	PRO
1	A	922	ASP
1	A	1124	HIS
1	A	1175	SER
1	A	1242	VAL
1	A	1255	GLU
1	A	1365	TYR
1	A	1366	ARG
1	A	1394	THR
1	A	1401	SER
2	B	322	PHE
2	B	338	GLY
2	B	341	LEU
2	B	343	ILE
2	B	371	GLU
2	B	526	GLU
2	B	772	ALA
2	B	867	GLY
2	B	1096	ARG
2	B	1157	ALA

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	C	215	GLU
3	C	237	SER
4	D	27	LEU
4	D	53	SER
8	H	17	PRO
8	H	81	PRO
8	H	83	GLN
9	I	95	THR
10	J	13	VAL
10	J	57	ILE
12	L	39	SER
12	L	55	ILE
12	L	56	LEU
1	A	73	GLY
1	A	76	GLU
1	A	155	GLU
1	A	195	ASP
1	A	197	PRO
1	A	312	PRO
1	A	332	LYS
1	A	418	SER
1	A	421	ALA
1	A	465	TYR
1	A	916	GLY
1	A	1002	GLY
1	A	1403	GLU
2	B	531	GLN
2	B	648	HIS
2	B	655	LYS
2	B	667	GLN
2	B	734	HIS
2	B	792	MET
2	B	831	SER
2	B	1155	SER
2	B	1156	ASP
2	B	1188	LYS
3	C	90	ASP
3	C	184	ASN
3	C	214	ASN
4	D	119	ARG
4	D	198	LEU
4	D	199	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
5	E	48	ASP
8	H	32	THR
8	H	78	SER
8	H	82	PRO
8	H	128	ASN
10	J	3	VAL
12	L	26	THR
12	L	59	ALA
1	A	187	LYS
1	A	448	PRO
1	A	466	SER
1	A	870	GLU
2	B	476	ARG
3	C	117	ASP
3	C	150	GLY
4	D	15	LEU
5	E	36	GLU
5	E	50	MET
8	H	19	ARG
8	H	60	ALA
8	H	89	LEU
10	J	64	ASN
12	L	53	HIS
1	A	35	ILE
1	A	62	ASP
1	A	196	GLU
1	A	567	LYS
1	A	599	SER
1	A	629	LEU
1	A	958	VAL
2	B	764	SER
2	B	1143	ALA
2	B	1221	SER
5	E	145	THR
5	E	174	GLN
9	I	47	GLU
10	J	2	ILE
12	L	38	LEU
1	A	117	GLU
1	A	479	ASN
1	A	672	ASP
1	A	1122	PRO

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	305	VAL
2	B	395	GLN
2	B	466	TRP
2	B	870	ILE
2	B	1181	GLU
4	D	218	GLU
1	A	178	GLY
1	A	283	GLY
2	B	907	GLY
1	A	61	ILE
2	B	436	VAL
2	B	743	ILE
3	C	38	ILE
1	A	51	GLY
1	A	244	PRO
1	A	310	GLY
2	B	364	ILE
1	A	385	ILE
1	A	1388	GLY
1	A	910	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1243/1519 (82%)	1020 (82%)	223 (18%)	2	20
2	B	966/1061 (91%)	803 (83%)	163 (17%)	3	24
3	C	234/274 (85%)	194 (83%)	40 (17%)	3	23
4	D	160/200 (80%)	131 (82%)	29 (18%)	2	19
5	E	196/197 (100%)	170 (87%)	26 (13%)	6	37
6	F	74/137 (54%)	62 (84%)	12 (16%)	3	26
7	G	152/152 (100%)	128 (84%)	24 (16%)	4	28
8	H	117/128 (91%)	98 (84%)	19 (16%)	3	26
9	I	113/116 (97%)	99 (88%)	14 (12%)	7	41
10	J	60/65 (92%)	45 (75%)	15 (25%)	1	8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
11	K	99/102 (97%)	82 (83%)	17 (17%)	3 22
12	L	40/57 (70%)	28 (70%)	12 (30%)	0 5
All	All	3454/4008 (86%)	2860 (83%)	594 (17%)	3 22

All (594) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	ARG
1	A	22	PHE
1	A	23	SER
1	A	28	ARG
1	A	34	LYS
1	A	39	GLU
1	A	41	MET
1	A	42	ASP
1	A	43	GLU
1	A	53	LEU
1	A	58	LEU
1	A	61	ILE
1	A	63	ARG
1	A	65	LEU
1	A	67	CYS
1	A	81	PHE
1	A	93	VAL
1	A	96	ILE
1	A	106	VAL
1	A	117	GLU
1	A	126	LEU
1	A	132	LYS
1	A	143	LYS
1	A	144	THR
1	A	147	VAL
1	A	157	ASP
1	A	159	THR
1	A	164	ARG
1	A	174	ILE
1	A	175	ARG
1	A	188	ASP
1	A	195	ASP
1	A	204	THR
1	A	208	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	220	THR
1	A	227	VAL
1	A	236	LEU
1	A	237	THR
1	A	238	CYS
1	A	250	ILE
1	A	252	PHE
1	A	261	ASP
1	A	270	LEU
1	A	279	LEU
1	A	290	GLU
1	A	293	GLU
1	A	295	LEU
1	A	307	ASP
1	A	308	ILE
1	A	335	ARG
1	A	343	LYS
1	A	344	ARG
1	A	369	SER
1	A	375	THR
1	A	383	TYR
1	A	385	ILE
1	A	386	ASP
1	A	391	LEU
1	A	393	ARG
1	A	398	GLU
1	A	403	LYS
1	A	408	ASP
1	A	412	ARG
1	A	423	ASP
1	A	425	GLN
1	A	431	LYS
1	A	434	ARG
1	A	436	ILE
1	A	437	MET
1	A	438	ASP
1	A	443	LEU
1	A	450	LEU
1	A	451	HIS
1	A	454	SER
1	A	455	MET
1	A	461	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	463	ILE
1	A	466	SER
1	A	472	LEU
1	A	476	SER
1	A	481	ASP
1	A	485	ASP
1	A	493	GLN
1	A	498	ARG
1	A	500	GLU
1	A	504	LEU
1	A	518	LYS
1	A	526	ASP
1	A	527	THR
1	A	536	LEU
1	A	538	ASP
1	A	544	ASP
1	A	566	ILE
1	A	571	LEU
1	A	577	ILE
1	A	584	ASN
1	A	588	LEU
1	A	597	LEU
1	A	598	LEU
1	A	603	ASN
1	A	618	GLU
1	A	626	ASN
1	A	629	LEU
1	A	634	THR
1	A	635	ARG
1	A	645	LEU
1	A	646	PHE
1	A	657	LEU
1	A	670	ILE
1	A	680	THR
1	A	685	GLU
1	A	691	LEU
1	A	701	LEU
1	A	711	ARG
1	A	719	VAL
1	A	734	GLU
1	A	738	LYS
1	A	754	SER

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	756	ILE
1	A	758	ILE
1	A	768	GLN
1	A	770	VAL
1	A	773	LYS
1	A	774	ARG
1	A	782	ARG
1	A	783	THR
1	A	788	SER
1	A	791	ASP
1	A	795	GLU
1	A	801	GLU
1	A	811	GLN
1	A	821	ARG
1	A	826	ASP
1	A	827	THR
1	A	831	THR
1	A	839	ARG
1	A	842	VAL
1	A	871	ASP
1	A	886	ILE
1	A	890	ASP
1	A	896	ARG
1	A	898	ARG
1	A	905	ASP
1	A	908	LEU
1	A	915	SER
1	A	919	ILE
1	A	930	ASP
1	A	948	VAL
1	A	980	ASP
1	A	982	THR
1	A	993	LEU
1	A	998	LEU
1	A	1001	ARG
1	A	1005	GLU
1	A	1009	ASN
1	A	1024	SER
1	A	1030	ARG
1	A	1036	ARG
1	A	1038	THR
1	A	1040	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1058	VAL
1	A	1064	VAL
1	A	1067	LEU
1	A	1080	THR
1	A	1098	VAL
1	A	1111	MET
1	A	1113	THR
1	A	1116	LEU
1	A	1124	HIS
1	A	1134	ILE
1	A	1135	ARG
1	A	1142	THR
1	A	1145	SER
1	A	1146	VAL
1	A	1147	THR
1	A	1170	ILE
1	A	1173	HIS
1	A	1176	LEU
1	A	1188	GLN
1	A	1193	LEU
1	A	1195	LEU
1	A	1197	LEU
1	A	1207	LEU
1	A	1218	GLN
1	A	1223	ASP
1	A	1234	GLU
1	A	1237	ILE
1	A	1255	GLU
1	A	1260	LEU
1	A	1264	GLU
1	A	1274	ARG
1	A	1289	ARG
1	A	1290	LYS
1	A	1291	VAL
1	A	1295	THR
1	A	1297	GLU
1	A	1299	VAL
1	A	1309	ASP
1	A	1314	SER
1	A	1329	THR
1	A	1333	ILE
1	A	1334	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1336	MET
1	A	1341	ILE
1	A	1366	ARG
1	A	1387	HIS
1	A	1391	ARG
1	A	1400	CYS
1	A	1403	GLU
1	A	1405	THR
1	A	1419	ASP
1	A	1420	ASP
1	A	1425	SER
1	A	1426	GLU
1	A	1432	GLN
1	A	1436	ILE
1	A	1442	ASP
1	A	1443	VAL
1	A	1444	MET
1	A	1445	ILE
1	A	1447	GLU
1	A	1453	TYR
1	A	1454	MET
2	B	25	ILE
2	B	35	SER
2	B	44	VAL
2	B	46	GLN
2	B	56	ASP
2	B	64	CYS
2	B	91	SER
2	B	97	VAL
2	B	102	VAL
2	B	108	VAL
2	B	118	ARG
2	B	126	SER
2	B	167	ILE
2	B	169	ARG
2	B	170	LEU
2	B	188	ASP
2	B	199	MET
2	B	222	ILE
2	B	223	VAL
2	B	240	ILE
2	B	241	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	261	ARG
2	B	267	ARG
2	B	272	THR
2	B	278	GLN
2	B	279	ASP
2	B	287	ARG
2	B	294	ASP
2	B	305	VAL
2	B	309	GLN
2	B	324	ILE
2	B	339	THR
2	B	341	LEU
2	B	343	ILE
2	B	344	LYS
2	B	348	ARG
2	B	365	THR
2	B	368	GLU
2	B	370	PHE
2	B	387	LEU
2	B	393	LYS
2	B	395	GLN
2	B	398	ARG
2	B	401	PHE
2	B	408	LEU
2	B	412	LEU
2	B	416	LEU
2	B	418	LYS
2	B	423	LYS
2	B	429	PHE
2	B	446	LEU
2	B	454	THR
2	B	469	GLN
2	B	470	LYS
2	B	481	GLN
2	B	482	VAL
2	B	485	ARG
2	B	489	SER
2	B	502	ILE
2	B	527	THR
2	B	529	GLU
2	B	531	GLN
2	B	544	CYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	547	VAL
2	B	552	MET
2	B	554	ILE
2	B	567	GLU
2	B	570	VAL
2	B	574	SER
2	B	576	ASP
2	B	595	ARG
2	B	602	THR
2	B	603	LEU
2	B	604	ARG
2	B	615	MET
2	B	619	ILE
2	B	620	ARG
2	B	628	THR
2	B	653	VAL
2	B	657	HIS
2	B	658	ILE
2	B	680	THR
2	B	708	GLU
2	B	731	VAL
2	B	736	THR
2	B	743	ILE
2	B	754	SER
2	B	766	ARG
2	B	775	LYS
2	B	776	GLN
2	B	786	ASN
2	B	787	VAL
2	B	790	ASP
2	B	792	MET
2	B	815	ARG
2	B	816	GLU
2	B	839	MET
2	B	844	SER
2	B	854	LEU
2	B	871	THR
2	B	875	GLU
2	B	878	GLN
2	B	879	ARG
2	B	882	THR
2	B	885	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	889	THR
2	B	891	ASP
2	B	894	ASP
2	B	895	ASP
2	B	899	ILE
2	B	904	ARG
2	B	906	SER
2	B	908	GLU
2	B	909	ASP
2	B	934	LYS
2	B	935	ARG
2	B	944	THR
2	B	945	GLU
2	B	946	ASN
2	B	953	LEU
2	B	954	VAL
2	B	956	THR
2	B	973	ILE
2	B	975	GLN
2	B	976	ILE
2	B	986	GLN
2	B	987	LYS
2	B	999	MET
2	B	1002	THR
2	B	1006	ILE
2	B	1007	VAL
2	B	1010	LEU
2	B	1017	ILE
2	B	1026	LEU
2	B	1045	SER
2	B	1049	ASP
2	B	1050	ILE
2	B	1060	ARG
2	B	1065	GLN
2	B	1071	VAL
2	B	1072	MET
2	B	1084	GLN
2	B	1098	MET
2	B	1112	GLN
2	B	1122	ARG
2	B	1123	SER
2	B	1133	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	1135	ARG
2	B	1137	CYS
2	B	1138	MET
2	B	1145	SER
2	B	1147	LEU
2	B	1148	LYS
2	B	1149	GLU
2	B	1155	SER
2	B	1159	ARG
2	B	1170	THR
2	B	1182	CYS
2	B	1183	LYS
2	B	1186	ASP
2	B	1188	LYS
2	B	1189	ILE
2	B	1212	ILE
3	C	23	SER
3	C	25	VAL
3	C	26	ASP
3	C	27	LEU
3	C	34	ARG
3	C	43	THR
3	C	46	ILE
3	C	52	GLU
3	C	53	THR
3	C	56	THR
3	C	58	LEU
3	C	60	ASP
3	C	62	PHE
3	C	76	ASP
3	C	78	GLU
3	C	81	GLU
3	C	84	ARG
3	C	89	GLU
3	C	108	GLU
3	C	111	THR
3	C	121	VAL
3	C	122	SER
3	C	125	MET
3	C	133	ILE
3	C	142	VAL
3	C	145	CYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	C	148	ARG
3	C	158	VAL
3	C	163	ILE
3	C	186	LEU
3	C	197	SER
3	C	215	GLU
3	C	226	ASP
3	C	238	ILE
3	C	240	VAL
3	C	260	LEU
3	C	262	LEU
3	C	263	THR
3	C	264	GLN
3	C	265	MET
4	D	5	THR
4	D	7	THR
4	D	9	GLN
4	D	10	THR
4	D	11	ARG
4	D	13	ARG
4	D	18	VAL
4	D	19	GLU
4	D	23	ASN
4	D	27	LEU
4	D	37	GLN
4	D	38	ILE
4	D	43	GLU
4	D	47	LEU
4	D	67	ARG
4	D	123	LEU
4	D	134	THR
4	D	137	ASN
4	D	139	LYS
4	D	148	LEU
4	D	156	ASP
4	D	159	THR
4	D	173	HIS
4	D	183	LEU
4	D	187	THR
4	D	197	SER
4	D	200	ASN
4	D	208	GLU

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
4	D	221	TYR
5	E	3	GLN
5	E	31	THR
5	E	40	GLU
5	E	41	ASP
5	E	46	TYR
5	E	56	LYS
5	E	60	PHE
5	E	65	THR
5	E	67	GLU
5	E	69	ILE
5	E	75	MET
5	E	84	ASP
5	E	92	THR
5	E	94	LYS
5	E	95	THR
5	E	126	SER
5	E	144	ILE
5	E	150	VAL
5	E	175	LEU
5	E	182	ASP
5	E	184	VAL
5	E	190	LEU
5	E	191	LYS
5	E	192	ARG
5	E	196	VAL
5	E	202	SER
6	F	72	LYS
6	F	77	ASP
6	F	97	ARG
6	F	110	ASP
6	F	111	LEU
6	F	118	LEU
6	F	119	ARG
6	F	129	LYS
6	F	152	ILE
6	F	153	VAL
6	F	154	ASP
6	F	155	LEU
7	G	13	LEU
7	G	21	ARG
7	G	26	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
7	G	31	LEU
7	G	37	SER
7	G	39	THR
7	G	55	ASP
7	G	64	THR
7	G	65	ASP
7	G	75	ARG
7	G	80	LYS
7	G	96	GLN
7	G	106	MET
7	G	110	VAL
7	G	112	LYS
7	G	118	ASP
7	G	120	THR
7	G	134	GLU
7	G	138	THR
7	G	141	SER
7	G	143	ILE
7	G	152	SER
7	G	155	SER
7	G	160	ILE
8	H	14	GLU
8	H	26	ILE
8	H	31	THR
8	H	39	THR
8	H	49	VAL
8	H	54	SER
8	H	56	THR
8	H	76	THR
8	H	86	ASP
8	H	89	LEU
8	H	91	ASP
8	H	92	ASP
8	H	103	LYS
8	H	107	VAL
8	H	109	LYS
8	H	112	ILE
8	H	123	MET
8	H	124	ARG
8	H	130	ARG
9	I	4	PHE
9	I	8	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
9	I	26	LEU
9	I	31	THR
9	I	42	LEU
9	I	43	VAL
9	I	50	THR
9	I	51	ASN
9	I	52	ILE
9	I	94	ASP
9	I	104	LEU
9	I	109	ILE
9	I	114	GLN
9	I	118	ARG
10	J	3	VAL
10	J	13	VAL
10	J	14	VAL
10	J	17	LYS
10	J	19	GLU
10	J	24	LEU
10	J	26	GLN
10	J	41	LEU
10	J	42	LYS
10	J	48	ARG
10	J	51	LEU
10	J	55	ASP
10	J	56	LEU
10	J	57	ILE
10	J	62	ARG
11	K	1	MET
11	K	5	ASP
11	K	20	LYS
11	K	21	ILE
11	K	25	THR
11	K	33	ILE
11	K	35	PHE
11	K	47	ARG
11	K	51	LEU
11	K	79	GLU
11	K	91	CYS
11	K	95	ILE
11	K	101	LEU
11	K	102	LYS
11	K	103	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
11	K	108	GLU
11	K	114	LEU
12	L	27	LEU
12	L	28	LYS
12	L	38	LEU
12	L	44	ASP
12	L	54	ARG
12	L	55	ILE
12	L	56	LEU
12	L	61	THR
12	L	63	ARG
12	L	64	LEU
12	L	68	GLU
12	L	70	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
14	P	3/4 (75%)	2 (66%)	0

All (2) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
14	P	8	G
14	P	10	A

There are no RNA pucker outliers to report.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
15	BRU	T	22	15,14	19,21,22	0.95	0	22,30,33	2.83	3 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	BRU	T	22	15,14	-	0/5/21/22	0/2/2/2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	T	22	BRU	C6-N1-C2	-11.41	119.17	122.41
15	T	22	BRU	N3-C2-N1	4.42	119.66	115.97
15	T	22	BRU	C5-C6-N1	3.44	121.94	119.67

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.5 Carbohydrates

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 10 ligands modelled in this entry, 9 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
16	APC	A	2455	-	33,33,33	2.22	10 (30%)	52,52,52	1.94	12 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	APC	A	2455	-	-	0/20/38/38	0/1/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
16	A	2455	APC	PA-C3A	5.45	1.84	1.79
16	A	2455	APC	PB-C3A	5.23	1.84	1.79
16	A	2455	APC	O4'-C1'	3.79	1.47	1.41
16	A	2455	APC	PA-O1A	3.60	1.60	1.51
16	A	2455	APC	PA-O2A	-3.55	1.47	1.56
16	A	2455	APC	PG-O1G	3.34	1.62	1.51
16	A	2455	APC	PG-O3B	3.16	1.65	1.60
16	A	2455	APC	PB-O2B	2.38	1.61	1.56
16	A	2455	APC	C8-N7	-2.34	1.30	1.34
16	A	2455	APC	PG-O2G	2.06	1.62	1.54

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	A	2455	APC	N3-C4-N9	5.20	134.83	125.43
16	A	2455	APC	PG-O3B-PB	-5.15	114.20	131.81
16	A	2455	APC	N3-C2-N1	-4.57	124.89	128.71
16	A	2455	APC	PA-C3A-PB	-4.21	111.57	117.62
16	A	2455	APC	C4-C5-N7	-3.77	106.29	109.52
16	A	2455	APC	C5-C4-N3	-3.06	119.04	125.70
16	A	2455	APC	C3'-C2'-C1'	2.69	105.12	100.91
16	A	2455	APC	PA-O5'-C5'	-2.61	114.90	122.43
16	A	2455	APC	O5'-PA-C3A	2.59	110.39	103.97
16	A	2455	APC	O2A-PA-O1A	-2.23	104.00	110.93
16	A	2455	APC	O5'-C5'-C4'	2.07	116.55	108.94
16	A	2455	APC	C4'-O4'-C1'	2.05	111.98	109.75

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	1425/1732 (82%)	0.21	12 (0%) 83 69	84, 142, 199, 264	0
2	B	1115/1224 (91%)	0.26	8 (0%) 84 71	87, 157, 218, 237	0
3	C	266/318 (83%)	0.11	0 100 100	107, 144, 187, 216	0
4	D	178/221 (80%)	0.27	1 (0%) 86 74	115, 159, 205, 225	0
5	E	214/215 (99%)	0.23	3 (1%) 72 56	116, 177, 224, 237	0
6	F	84/155 (54%)	0.05	0 100 100	85, 121, 151, 168	0
7	G	171/171 (100%)	0.39	0 100 100	111, 139, 176, 198	0
8	H	133/146 (91%)	0.64	8 (6%) 21 19	151, 186, 222, 233	0
9	I	119/122 (97%)	0.28	2 (1%) 67 51	144, 192, 223, 236	0
10	J	65/70 (92%)	0.17	0 100 100	119, 137, 182, 189	0
11	K	115/120 (95%)	0.02	1 (0%) 81 67	112, 138, 180, 193	0
12	L	46/70 (65%)	0.68	4 (8%) 10 12	143, 208, 222, 231	0
13	N	9/14 (64%)	0.54	2 (22%) 1 3	271, 282, 299, 300	0
14	P	4/4 (100%)	1.09	0 100 100	208, 215, 222, 235	0
15	T	17/26 (65%)	-0.03	1 (5%) 22 19	200, 237, 295, 296	0
All	All	3961/4608 (85%)	0.24	42 (1%) 77 61	84, 151, 215, 300	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
12	L	27	LEU	4.2
1	A	1083	THR	3.2
5	E	110	PHE	3.2
2	B	566	LEU	3.0
1	A	1176	LEU	2.9
15	T	24	DG	2.9
1	A	1082	ASN	2.9

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	340	ALA	2.9
8	H	146	ARG	2.9
12	L	29	TYR	2.8
12	L	26	THR	2.8
4	D	9	GLN	2.8
1	A	257	ARG	2.6
1	A	1257	ASP	2.5
9	I	120	GLN	2.5
2	B	715	ALA	2.5
12	L	28	LYS	2.5
8	H	125	LEU	2.4
1	A	1256	GLU	2.4
1	A	1092	LYS	2.4
2	B	865	LYS	2.4
5	E	109	ILE	2.4
1	A	1194	ARG	2.4
8	H	142	LEU	2.4
8	H	55	LEU	2.3
1	A	194	ALA	2.3
1	A	1080	THR	2.2
8	H	116	TYR	2.2
2	B	864	LYS	2.2
13	N	9	DT	2.2
5	E	82	PHE	2.2
1	A	1317	MET	2.2
1	A	908	LEU	2.1
8	H	140	ALA	2.1
11	K	115	ALA	2.1
2	B	92	PHE	2.1
2	B	339	THR	2.1
8	H	144	ILE	2.1
8	H	56	THR	2.1
2	B	303	TYR	2.0
9	I	84	VAL	2.0
13	N	8	DT	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
15	BRU	T	22	20/21	0.14	-1.83	222,232,237,237	0

### 6.3 Carbohydrates

There are no carbohydrates in this entry.

### 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
16	APC	A	2455	31/31	0.44	1.96	265,268,278,278	0
17	ZN	I	1121	1/1	0.15	0.40	155,155,155,155	0
17	ZN	J	1066	1/1	0.25	0.12	124,124,124,124	0
17	ZN	C	1269	1/1	0.16	-0.02	129,129,129,129	0
17	ZN	B	2225	1/1	0.23	-0.19	112,112,112,112	0
17	ZN	A	2457	1/1	0.19	-0.76	101,101,101,101	0
17	ZN	I	1122	1/1	0.07	-1.20	248,248,248,248	0
17	ZN	L	1071	1/1	0.08	-1.35	235,235,235,235	0
18	MG	A	2458	1/1	0.15	-3.03	230,230,230,230	0
17	ZN	A	2456	1/1	0.05	-3.92	177,177,177,177	0

### 6.5 Other polymers

There are no such residues in this entry.