



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 05:31 AM GMT

PDB ID : 3A8X
Title : Crystal Structure of PKC α kinase domain
Authors : Takimura, T.; Kamata, K.
Deposited on : 2009-10-11
Resolution : 2.00 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	4888 (2.00-2.00)
Clashscore	79885	6188 (2.00-2.00)
Ramachandran outliers	78287	6102 (2.00-2.00)
Sidechain outliers	78261	6100 (2.00-2.00)
RSRZ outliers	66119	4890 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	345	
1	B	345	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	SO4	B	603	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5651 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein kinase C iota type.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	336	Total	C	N	O	P	S	0	0	0
			2740	1749	458	517	2	14			
1	B	331	Total	C	N	O	P	S	0	0	0
			2702	1730	452	504	2	14			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	235	GLY	-	EXPRESSION TAG	UNP P41743
A	236	ALA	-	EXPRESSION TAG	UNP P41743
A	237	MET	-	EXPRESSION TAG	UNP P41743
A	238	ASP	-	EXPRESSION TAG	UNP P41743
A	239	PRO	-	EXPRESSION TAG	UNP P41743
B	235	GLY	-	EXPRESSION TAG	UNP P41743
B	236	ALA	-	EXPRESSION TAG	UNP P41743
B	237	MET	-	EXPRESSION TAG	UNP P41743
B	238	ASP	-	EXPRESSION TAG	UNP P41743
B	239	PRO	-	EXPRESSION TAG	UNP P41743

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	120	Total	O	0	0
			120	120		
3	B	69	Total	O	0	0
			69	69		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Protein kinase C iota type

Chain A: 



- Molecule 1: Protein kinase C iota type

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	84.90Å 89.15Å 204.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.40 – 2.00 30.40 – 2.00	Depositor EDS
% Data completeness (in resolution range)	91.9 (30.40-2.00) 91.9 (30.40-2.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.52 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.223 , 0.271 0.223 , 0.271	Depositor DCC
R_{free} test set	2448 reflections (5.33%)	DCC
Wilson B-factor (Å ²)	34.4	Xtriage
Anisotropy	0.029	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 39.0	EDS
Estimated twinning fraction	0.034 for -k,-h,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 48414 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5651	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/2782	0.46	0/3752
1	B	0.31	0/2743	0.43	0/3698
All	All	0.33	0/5525	0.45	0/7450

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	2
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	404	PHE	Peptide
1	B	300	ALA	Peptide
1	B	404	PHE	Peptide

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit,

and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2740	0	2660	49	0
1	B	2702	0	2636	58	0
2	A	15	0	0	2	0
2	B	5	0	0	0	0
3	A	120	0	0	3	0
3	B	69	0	0	3	0
All	All	5651	0	5296	107	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 10.

All (107) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:292:THR:HG23	1:A:393:GLU:HG2	1.50	0.94
1:A:302:ASN:HD22	1:A:302:ASN:H	1.22	0.88
1:A:299:GLN:C	1:A:301:SER:H	1.75	0.85
1:B:341:LEU:CD1	1:B:437:MET:HE1	2.06	0.85
1:B:474:ARG:HE	1:B:474:ARG:H	1.32	0.77
1:A:299:GLN:O	1:A:301:SER:N	2.18	0.77
1:A:299:GLN:C	1:A:301:SER:N	2.41	0.75
1:A:256:TYR:CE2	1:A:289:TRP:HH2	2.05	0.74
1:A:302:ASN:ND2	1:A:302:ASN:H	1.85	0.73
1:A:359:TYR:CE1	1:A:363:ARG:NH2	2.57	0.73
1:A:302:ASN:N	1:A:302:ASN:HD22	1.86	0.70
1:B:364:GLY:HA3	1:B:395:LEU:H	1.56	0.70
1:A:266:LYS:HG3	3:A:736:HOH:O	1.93	0.68
1:A:447:VAL:O	1:A:447:VAL:HG23	1.95	0.67
1:B:365:ILE:HA	1:B:392:LYS:O	1.95	0.67
1:B:472:ILE:HD11	1:B:485:LYS:HG2	1.77	0.67
1:B:341:LEU:HD12	1:B:437:MET:HE1	1.76	0.66
1:A:414:GLU:HG2	1:A:492:PRO:HG3	1.77	0.65
1:B:364:GLY:CA	1:B:395:LEU:H	2.10	0.65
1:B:278:LYS:HZ2	1:B:567:GLN:HE22	1.43	0.64
1:A:486:SER:HB2	1:A:496:LEU:HB2	1.79	0.64
1:B:472:ILE:CD1	1:B:485:LYS:HG2	2.28	0.63
1:A:457:THR:HB	1:A:460:TYR:CB	2.28	0.63
1:B:298:GLU:HG3	1:B:299:GLN:N	2.15	0.62
1:A:332:MET:O	1:A:336:GLN:HG3	2.00	0.61
1:A:256:TYR:CE2	1:A:289:TRP:CH2	2.87	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:364:GLY:O	1:B:395:LEU:HB2	2.00	0.60
1:A:414:GLU:CG	1:A:492:PRO:HG3	2.33	0.59
1:B:297:PHE:O	1:B:301:SER:OG	2.09	0.59
1:B:417:ARG:NH2	1:B:490:LYS:O	2.36	0.58
1:A:471:ARG:HD3	2:A:604:SO4:O3	2.03	0.58
1:A:457:THR:HB	1:A:460:TYR:HB2	1.86	0.57
1:B:306:LEU:HD23	1:B:385:LEU:HB2	1.87	0.57
1:B:341:LEU:CD1	1:B:437:MET:CE	2.80	0.57
1:B:474:ARG:H	1:B:474:ARG:NE	2.02	0.56
1:B:401:THR:OG1	1:B:403:TPO:O3P	2.18	0.56
1:A:457:THR:HB	1:A:460:TYR:HB3	1.88	0.55
1:A:249:ARG:HG3	1:A:540:LEU:HD11	1.88	0.55
1:B:497:GLY:HA3	1:B:507:ILE:HD11	1.90	0.54
1:B:491:ASP:OD2	1:B:493:LYS:HG2	2.07	0.54
1:B:349:TYR:O	1:B:353:ILE:HG13	2.06	0.54
1:B:396:ARG:O	1:B:398:GLY:N	2.42	0.53
1:B:332:MET:HG3	1:B:336:GLN:HE21	1.74	0.53
1:A:260:LEU:HD22	1:A:260:LEU:N	2.23	0.53
1:B:341:LEU:HD12	1:B:437:MET:CE	2.39	0.52
1:A:299:GLN:HE21	1:A:299:GLN:HA	1.75	0.51
1:A:287:ILE:HG21	1:A:569:GLU:HG3	1.92	0.51
1:A:256:TYR:CD2	1:A:289:TRP:HH2	2.28	0.51
1:B:265:LYS:NZ	3:B:901:HOH:O	2.43	0.51
1:B:301:SER:CB	3:B:813:HOH:O	2.58	0.50
1:B:399:ASP:OD1	1:B:399:ASP:N	2.44	0.50
1:A:250:VAL:HG22	1:A:260:LEU:CD1	2.42	0.50
1:A:540:LEU:HD12	2:A:602:SO4:S	2.52	0.49
1:A:261:LEU:HD21	1:A:270:ILE:CG2	2.42	0.49
1:A:478:VAL:HG23	3:A:837:HOH:O	2.12	0.49
1:A:359:TYR:HE1	1:A:363:ARG:NH2	2.11	0.49
1:B:338:GLN:O	1:B:339:ARG:HB2	2.13	0.48
1:B:278:LYS:NZ	1:B:567:GLN:HE22	2.08	0.48
1:B:561:ILE:N	1:B:561:ILE:HD12	2.28	0.48
1:B:297:PHE:HB3	1:B:309:LEU:HB2	1.95	0.48
1:B:499:HIS:HE1	1:B:501:GLN:HB2	1.79	0.48
1:B:486:SER:HB3	1:B:496:LEU:HB2	1.96	0.47
1:A:458:GLU:HG2	1:A:458:GLU:O	2.13	0.47
1:A:447:VAL:O	1:A:447:VAL:CG2	2.62	0.47
1:B:559:ASP:O	1:B:563:ARG:HB2	2.15	0.47
1:A:390:MET:HG3	1:A:405:CYS:SG	2.55	0.47
1:B:347:ARG:NH2	1:B:512:PHE:O	2.46	0.47
1:B:263:ARG:HG3	1:B:263:ARG:HH21	1.81	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:412:ALA:HB3	1:B:425:VAL:HG12	1.96	0.46
1:A:417:ARG:HG3	1:A:466:LEU:HD21	1.98	0.46
1:B:511:PRO:O	1:B:514:ARG:HB2	2.15	0.46
1:A:312:CYS:HB3	1:A:573:PHE:CE2	2.51	0.45
1:A:339:ARG:HA	1:A:339:ARG:HD2	1.83	0.45
1:A:359:TYR:CE1	1:A:363:ARG:CZ	3.00	0.45
1:A:363:ARG:HG2	1:A:363:ARG:HH11	1.81	0.45
1:B:414:GLU:HG3	1:B:492:PRO:HG3	1.98	0.45
1:B:359:TYR:OH	1:B:363:ARG:NH1	2.50	0.45
1:B:396:ARG:O	1:B:397:PRO:C	2.55	0.44
1:B:563:ARG:HB3	1:B:563:ARG:HH11	1.82	0.44
1:B:414:GLU:CG	1:B:492:PRO:HG3	2.48	0.44
1:B:531:LYS:HD3	1:B:532:PRO:O	2.18	0.44
1:A:250:VAL:HA	1:A:260:LEU:HD13	2.00	0.43
1:B:300:ALA:O	1:B:302:ASN:N	2.51	0.43
1:B:517:ASP:OD1	1:B:520:MET:HB2	2.18	0.43
1:B:341:LEU:HD11	1:B:437:MET:CE	2.48	0.43
1:B:359:TYR:CZ	1:B:363:ARG:NH1	2.87	0.43
1:B:361:HIS:C	1:B:363:ARG:H	2.22	0.43
1:A:263:ARG:HD2	1:A:268:ASP:OD1	2.19	0.42
1:B:306:LEU:HD21	1:B:360:LEU:HD21	2.01	0.42
1:B:341:LEU:HD11	1:B:437:MET:HE1	1.93	0.42
1:B:499:HIS:CE1	1:B:501:GLN:HB2	2.53	0.42
1:A:300:ALA:O	1:A:301:SER:C	2.58	0.42
1:B:347:ARG:NE	3:B:875:HOH:O	2.26	0.42
1:B:250:VAL:O	1:B:548:THR:HA	2.20	0.42
1:B:555:TPO:HA	1:B:556:PRO:HD3	1.93	0.42
1:A:447:VAL:HG11	1:A:461:LEU:HA	2.01	0.42
1:B:331:LEU:HD13	1:B:437:MET:HE3	2.01	0.41
1:A:248:LEU:O	1:A:249:ARG:HD3	2.20	0.41
1:A:510:HIS:CG	1:A:511:PRO:HD2	2.56	0.41
1:A:280:LEU:HD12	3:A:770:HOH:O	2.21	0.41
1:A:272:ALA:HB3	1:A:323:ILE:HG13	2.03	0.41
1:A:306:LEU:HD23	1:A:385:LEU:HB2	2.03	0.41
1:B:561:ILE:N	1:B:561:ILE:CD1	2.83	0.41
1:A:297:PHE:CZ	1:A:323:ILE:HG21	2.56	0.40
1:A:365:ILE:HA	1:A:392:LYS:O	2.20	0.40
1:B:306:LEU:HD21	1:B:360:LEU:CD2	2.51	0.40
1:B:403:TPO:HG23	1:B:404:PHE:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	330/345 (96%)	321 (97%)	6 (2%)	3 (1%)	25	14
1	B	323/345 (94%)	315 (98%)	7 (2%)	1 (0%)	50	44
All	All	653/690 (95%)	636 (97%)	13 (2%)	4 (1%)	33	24

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	284	ASP
1	A	300	ALA
1	A	301	SER
1	B	397	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	299/306 (98%)	278 (93%)	21 (7%)	21	14
1	B	294/306 (96%)	275 (94%)	19 (6%)	24	17
All	All	593/612 (97%)	553 (93%)	40 (7%)	23	16

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	253	ARG
1	A	255	SER
1	A	261	LEU
1	A	284	ASP
1	A	299	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	301	SER
1	A	302	ASN
1	A	316	GLU
1	A	360	LEU
1	A	373	ASP
1	A	385	LEU
1	A	393	GLU
1	A	433	LEU
1	A	458	GLU
1	A	459	ASP
1	A	486	SER
1	A	493	LYS
1	A	514	ARG
1	A	531	LYS
1	A	535	SER
1	A	569	GLU
1	B	261	LEU
1	B	264	LEU
1	B	266	LYS
1	B	268	ASP
1	B	287	ILE
1	B	298	GLU
1	B	309	LEU
1	B	360	LEU
1	B	363	ARG
1	B	392	LYS
1	B	395	LEU
1	B	396	ARG
1	B	399	ASP
1	B	469	GLN
1	B	474	ARG
1	B	515	ASN
1	B	517	ASP
1	B	520	MET
1	B	563	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	299	GLN
1	A	302	ASN
1	A	469	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	542	ASN
1	B	302	ASN
1	B	336	GLN
1	B	463	GLN
1	B	533	ASN
1	B	567	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	TPO	A	403	1	10,10,11	5.84	1 (10%)	12,14,16	0.96	0
1	TPO	A	555	1	10,10,11	5.88	1 (10%)	12,14,16	0.96	0
1	TPO	B	403	1	10,10,11	5.62	1 (10%)	12,14,16	1.06	0
1	TPO	B	555	1	10,10,11	5.76	1 (10%)	12,14,16	1.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	403	1	-	0/9/11/13	0/0/0/0
1	TPO	A	555	1	-	0/9/11/13	0/0/0/0
1	TPO	B	403	1	-	0/9/11/13	0/0/0/0
1	TPO	B	555	1	-	0/9/11/13	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	555	TPO	O-C	18.47	1.24	1.11
1	A	403	TPO	O-C	18.29	1.24	1.11
1	B	555	TPO	O-C	18.09	1.23	1.11
1	B	403	TPO	O-C	17.60	1.23	1.11

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	601	-	4,4,4	0.28	0	6,6,6	0.15	0
2	SO4	A	602	-	4,4,4	0.21	0	6,6,6	0.07	0
2	SO4	A	604	-	4,4,4	0.13	0	6,6,6	0.08	0
2	SO4	B	603	-	4,4,4	0.18	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	601	-	-	0/0/0/0	0/0/0/0
2	SO4	A	602	-	-	0/0/0/0	0/0/0/0
2	SO4	A	604	-	-	0/0/0/0	0/0/0/0
2	SO4	B	603	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	336/345 (97%)	0.30	18 (5%) 25 24	19, 32, 51, 65	0
1	B	331/345 (95%)	0.51	29 (8%) 10 9	24, 40, 63, 82	0
All	All	667/690 (96%)	0.41	47 (7%) 16 15	19, 35, 59, 82	0

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	396	ARG	6.2
1	B	256	TYR	4.6
1	B	457	THR	4.5
1	B	398	GLY	4.3
1	A	449	SER	4.2
1	A	448	GLY	4.1
1	B	236	ALA	3.9
1	A	457	THR	3.9
1	A	446	ILE	3.9
1	A	287	ILE	3.7
1	B	525	GLN	3.6
1	A	288	ASP	3.4
1	A	460	TYR	3.3
1	A	285	GLU	3.0
1	A	289	TRP	3.0
1	B	463	GLN	2.9
1	B	459	ASP	2.9
1	B	446	ILE	2.8
1	B	286	ASP	2.8
1	B	397	PRO	2.8
1	B	526	VAL	2.7
1	B	541	ASP	2.6
1	B	289	TRP	2.6
1	B	416	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	302	ASN	2.5
1	B	460	TYR	2.5
1	A	284	ASP	2.5
1	A	447	VAL	2.4
1	B	523	GLN	2.4
1	B	535	SER	2.4
1	B	514	ARG	2.3
1	B	471	ARG	2.3
1	B	288	ASP	2.3
1	A	290	VAL	2.2
1	B	502	THR	2.2
1	B	520	MET	2.2
1	A	256	TYR	2.2
1	B	445	ASP	2.2
1	B	376	LEU	2.2
1	B	534	ILE	2.2
1	B	420	ASP	2.2
1	B	430	LEU	2.2
1	A	370	LEU	2.1
1	B	287	ILE	2.1
1	A	536	GLY	2.1
1	A	459	ASP	2.1
1	A	243	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	TPO	B	555	11/12	0.10	-0.40	32,36,39,40	0
1	TPO	A	555	11/12	0.09	-0.90	32,34,36,38	0
1	TPO	A	403	11/12	0.10	-1.20	36,41,44,44	0
1	TPO	B	403	11/12	0.11	-3.06	52,55,56,59	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	SO4	B	603	5/5	0.23	6.53	73,74,75,75	0
2	SO4	A	602	5/5	0.24	1.24	76,78,79,83	0
2	SO4	A	604	5/5	0.17	-0.03	56,56,58,58	0
2	SO4	A	601	5/5	0.07	-2.38	44,44,52,52	0

6.5 Other polymers ⓘ

There are no such residues in this entry.