



Full wwPDB X-ray Structure Validation Report

(i)

Feb 28, 2014 – 11:59 AM GMT

PDB ID : 3A9R

Title : X-ray Structures of Bacillus pallidus D-Arabinose IsomeraseComplex with (4R)-2-METHYL PENTANE-2,4-DIOL

Authors : Takeda, K.; Yoshida, H.; Izumori, K.; Kamitori, S.

Deposited on : 2009-11-05

Resolution : 1.77 Å (reported)

This is a full wwPDB validation report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.15 2013

Xtriage (Phenix) : dev-1323

EDS : stable22639

Percentile statistics : 21963

Refmac : 5.8.0049

CCP4 : 6.3.0 (Settle)

Ideal geometry (proteins) : Engh & Huber (2001)


Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)

Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance (i)

The reported resolution of this entry is 1.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	4987 (1.80-1.76)
Clashscore	79885	6152 (1.80-1.76)
Ramachandran outliers	78287	6074 (1.80-1.76)
Sidechain outliers	78261	6073 (1.80-1.76)
RSRZ outliers	66119	4990 (1.80-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.



The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	MRD	B	601	-	X
2	MRD	C	601	-	X
3	MN	A	801	-	X
3	MN	B	801	-	X
3	MN	C	801	-	X

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 15048 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called D-arabinose isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	589	Total	C 4604	N 2922	O 779	S 877	26	0	0
1	B	589	Total	C 4604	N 2922	O 779	S 877	26	0	0
1	C	589	Total	C 4604	N 2922	O 779	S 877	26	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	225	GLY	GLU	ENGINEERED	UNP COSSE7
A	589	LYS	ASN	ENGINEERED	UNP COSSE7
A	590	LEU	PHE	ENGINEERED	UNP COSSE7
B	225	GLY	GLU	ENGINEERED	UNP COSSE7
B	589	LYS	ASN	ENGINEERED	UNP COSSE7
B	590	LEU	PHE	ENGINEERED	UNP COSSE7
C	225	GLY	GLU	ENGINEERED	UNP COSSE7
C	589	LYS	ASN	ENGINEERED	UNP COSSE7
C	590	LEU	PHE	ENGINEERED	UNP COSSE7

- Molecule 2 is (4R)-2-METHYL PENTANE-2,4-DIOL (three-letter code: MRD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 8 6 2	0	0
2	B	1	Total C O 8 6 2	0	0
2	C	1	Total C O 8 6 2	0	0

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn²⁺).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	2	Total Mn 2 2	0	0
3	A	2	Total Mn 2 2	0	0
3	C	2	Total Mn 2 2	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	412	Total O 412 412	0	0
4	B	424	Total O 424 424	0	0
4	C	370	Total O 370 370	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: D-arabinose isomerase

Chain A:




- Molecule 1: D-arabinose isomerase

Chain B:



- Molecule 1: D-arabinose isomerase

Chain C:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	144.75Å 127.45Å 110.89Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.83 – 1.77 41.83 – 1.77	Depositor EDS
% Data completeness (in resolution range)	93.7 (41.83-1.77) 93.5 (41.83-1.77)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	5.40 (at 1.77Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R , R_{free}	0.178 , 0.200 0.178 , 0.200	Depositor DCC
R_{free} test set	18563 reflections (9.95%)	DCC
Wilson B-factor (Å ²)	16.2	Xtriage
Anisotropy	0.237	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 31.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$< L > = 0.50$, $< L^2 > = 0.33$	Xtriage
Outliers	0 of 198884 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	15048	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MRD, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/4706	0.59	1/6368 (0.0%)
1	B	0.30	0/4706	0.58	0/6368
1	C	0.30	0/4706	0.57	1/6368 (0.0%)
All	All	0.30	0/14118	0.58	2/19104 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	182	TYR	N-CA-C	-5.18	97.00	111.00
1	A	182	TYR	N-CA-C	-5.02	97.45	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbit. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4604	0	4515	38	0
1	B	4604	0	4515	37	0
1	C	4604	0	4515	62	0
2	A	8	0	14	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	8	0	14	1	0
2	C	8	0	14	2	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
4	A	412	0	0	2	0
4	B	424	0	0	1	0
4	C	370	0	0	4	0
All	All	15048	0	13587	136	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 5.

All (136) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:531:ASN:H	1:C:531:ASN:HD22	1.19	0.90
1:C:283:LYS:HD3	1:C:283:LYS:H	1.36	0.90
1:A:531:ASN:HD22	1:A:531:ASN:H	1.26	0.81
1:C:552:ARG:HB2	1:C:552:ARG:HH11	1.45	0.80
1:B:531:ASN:HD22	1:B:531:ASN:H	1.27	0.79
1:C:283:LYS:CD	1:C:283:LYS:H	1.92	0.78
1:C:396:ILE:HD11	1:C:503:TRP:HB2	1.65	0.78
1:C:341:THR:HG22	1:C:342:GLU:HG3	1.67	0.76
1:B:396:ILE:HD11	1:B:503:TRP:HB2	1.69	0.74
1:A:396:ILE:HD11	1:A:503:TRP:HB2	1.69	0.74
1:C:283:LYS:HD3	1:C:283:LYS:N	2.03	0.73
1:C:552:ARG:HB2	1:C:552:ARG:NH1	2.04	0.72
1:A:27:VAL:HG23	4:A:917:HOH:O	1.90	0.72
1:C:230:GLU:OE1	1:C:284:LYS:HE2	1.91	0.69
1:B:493:ASP:O	1:B:497:LYS:HG2	1.93	0.69
1:B:429:LYS:HD3	1:B:433:GLU:OE1	1.93	0.68
1:A:531:ASN:HB2	1:B:124:VAL:HG13	1.76	0.67
1:C:588:LYS:HD3	1:C:589:LYS:NZ	2.09	0.67
1:B:341:THR:HG22	1:B:342:GLU:HG3	1.76	0.67
1:B:531:ASN:HB2	1:C:124:VAL:HG13	1.78	0.66
1:C:43:ALA:O	1:C:47:GLU:HG3	1.96	0.66
1:A:251:ARG:O	1:A:253:GLY:N	2.30	0.64
1:C:588:LYS:HD3	1:C:589:LYS:HZ1	1.63	0.63
1:A:305:GLN:HE22	1:A:309:GLN:NE2	1.96	0.63
1:C:305:GLN:HE22	1:C:309:GLN:NE2	1.98	0.62
1:C:307:GLN:HE22	2:C:601:MRD:H1C2	1.65	0.61
2:A:601:MRD:H5C3	2:A:601:MRD:HMC1	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:531:ASN:H	1:C:531:ASN:ND2	1.96	0.60
1:B:45:LEU:HD11	1:B:161:LYS:HE3	1.83	0.60
1:A:124:VAL:HG13	1:C:531:ASN:HB2	1.83	0.59
1:C:585:ARG:O	1:C:589:LYS:HD3	2.03	0.59
1:C:93:PRO:HA	1:C:115:PHE:HB3	1.85	0.58
1:B:490:GLU:CD	1:B:490:GLU:H	2.06	0.58
1:B:44:LYS:O	1:B:48:GLU:HG3	2.04	0.58
1:C:96:CYS:HB2	1:C:125:TYR:CE1	2.39	0.57
1:A:44:LYS:O	1:A:48:GLU:HG3	2.04	0.57
1:A:531:ASN:H	1:A:531:ASN:ND2	2.00	0.57
1:C:44:LYS:O	1:C:48:GLU:HG3	2.04	0.57
1:C:96:CYS:HB2	1:C:125:TYR:CD1	2.40	0.56
1:B:531:ASN:ND2	1:B:531:ASN:H	2.01	0.56
1:C:430:LYS:HE2	4:C:1081:HOH:O	2.06	0.55
1:B:96:CYS:HB2	1:B:125:TYR:CE1	2.41	0.54
1:A:341:THR:HG22	1:A:342:GLU:HG3	1.90	0.54
1:A:96:CYS:HB2	1:A:125:TYR:CE1	2.43	0.53
1:A:493:ASP:O	1:A:497:LYS:HG2	2.08	0.53
1:B:96:CYS:HB2	1:B:125:TYR:CD1	2.44	0.53
1:A:156:ILE:O	1:A:161:LYS:HE3	2.09	0.53
1:B:18:PRO:HB2	1:B:35:THR:HG22	1.91	0.52
1:A:95:TRP:CZ3	1:A:124:VAL:HG12	2.45	0.52
1:C:18:PRO:HB2	1:C:35:THR:HG22	1.90	0.52
2:C:601:MRD:HMC1	2:C:601:MRD:H5C3	1.91	0.52
1:C:24:ARG:HG2	1:C:24:ARG:HH11	1.76	0.51
1:B:557:MET:HA	4:C:1079:HOH:O	2.11	0.51
1:B:20:ILE:HD13	1:B:28:ARG:HG3	1.93	0.51
1:C:531:ASN:N	1:C:531:ASN:HD22	1.99	0.50
1:C:577:LYS:NZ	4:C:1079:HOH:O	2.41	0.50
1:B:93:PRO:HA	1:B:115:PHE:HB3	1.94	0.50
1:B:365:ALA:HA	1:B:397:ASN:HB2	1.92	0.50
1:C:333:LYS:HD2	1:C:420:TYR:O	2.12	0.50
1:A:322:THR:HG23	1:A:401:ALA:O	2.12	0.50
1:A:43:ALA:O	1:A:47:GLU:HG3	2.12	0.50
1:C:366:ASP:HB2	1:C:396:ILE:O	2.12	0.49
1:C:202:PHE:HB2	1:C:210:ASN:HD21	1.77	0.49
1:A:93:PRO:HA	1:A:115:PHE:HB3	1.95	0.49
1:A:237:LYS:O	1:A:241:GLU:HG3	2.12	0.49
1:A:96:CYS:HB2	1:A:125:TYR:CD1	2.47	0.48
1:C:552:ARG:CB	1:C:552:ARG:HH11	2.21	0.48
1:B:236:LEU:O	1:B:240:LYS:HG2	2.13	0.48
1:A:202:PHE:HB2	1:A:210:ASN:HD21	1.79	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:503:TRP:HB3	1:C:504:PRO:HD2	1.96	0.48
1:C:242:ASN:HB3	1:C:432:LEU:HD13	1.96	0.47
1:B:202:PHE:HB2	1:B:210:ASN:HD21	1.79	0.47
1:A:254:PHE:HB3	1:A:442:THR:OG1	2.13	0.47
1:B:362:GLN:OE1	1:B:536:SER:HB2	2.15	0.47
1:B:237:LYS:O	1:B:241:GLU:HG3	2.14	0.47
1:B:71:LYS:O	1:B:75:GLU:HG3	2.16	0.46
1:C:219:VAL:O	1:C:223:GLU:HG2	2.16	0.46
1:A:363:ILE:HB	1:A:535:ILE:HB	1.96	0.46
1:B:446:ARG:NH1	4:B:1127:HOH:O	2.49	0.45
2:B:601:MRD:HMC1	2:B:601:MRD:H5C3	1.98	0.45
1:A:577:LYS:HG2	4:C:904:HOH:O	2.15	0.45
1:C:322:THR:HG23	1:C:401:ALA:O	2.16	0.45
1:A:182:TYR:HD1	1:A:301:VAL:HG13	1.82	0.45
1:A:305:GLN:HE22	1:A:309:GLN:HE22	1.65	0.45
1:C:201:PHE:CZ	1:C:467:LEU:HD21	2.52	0.45
1:C:429:LYS:C	1:C:429:LYS:HD2	2.36	0.44
1:B:251:ARG:O	1:B:252:ASP:C	2.55	0.44
1:C:464:ILE:HA	1:C:534:SER:O	2.18	0.44
1:C:221:ARG:HD2	1:C:274:ILE:HG23	1.99	0.44
1:A:120:ARG:HA	1:A:121:PRO:HD3	1.87	0.44
1:C:20:ILE:HD13	1:C:28:ARG:HG3	1.99	0.44
1:B:79:LYS:O	1:B:83:GLU:HG3	2.18	0.43
1:B:244:LYS:HE3	1:B:433:GLU:HA	1.99	0.43
1:C:454:PHE:CD1	1:C:454:PHE:C	2.92	0.43
1:C:11:LEU:HD13	1:C:52:TYR:CG	2.53	0.43
1:A:452:THR:O	1:A:504:PRO:HD3	2.18	0.43
1:C:225:GLY:HA2	1:C:227:TYR:CE2	2.54	0.43
1:C:257:THR:OG1	1:C:260:GLN:HG3	2.18	0.43
1:C:213:VAL:O	1:C:213:VAL:HG13	2.19	0.43
1:C:409:GLN:HG2	1:C:427:ASP:HB3	2.01	0.43
1:A:464:ILE:HA	1:A:534:SER:O	2.19	0.43
1:B:263:LYS:HE2	1:B:267:ILE:HD11	2.00	0.43
1:C:362:GLN:OE1	1:C:536:SER:HB2	2.19	0.43
1:A:92:THR:HG21	1:A:125:TYR:CD2	2.54	0.43
1:A:567:ARG:HD3	1:A:571:TRP:CD1	2.54	0.43
4:A:861:HOH:O	1:B:577:LYS:HE2	2.19	0.42
1:A:201:PHE:CZ	1:A:467:LEU:HD21	2.54	0.42
1:C:363:ILE:HB	1:C:535:ILE:HB	2.00	0.42
1:A:102:MET:HE3	1:A:133:TYR:CD2	2.55	0.42
1:B:157:PRO:HG2	1:B:160:VAL:CG2	2.48	0.42
1:C:358:THR:O	1:C:359:ASN:HB2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:201:PHE:CZ	1:B:467:LEU:HD21	2.54	0.42
1:A:503:TRP:HB3	1:A:504:PRO:HD2	2.02	0.42
1:A:20:ILE:HD13	1:A:28:ARG:HG3	2.02	0.42
1:A:105:ASP:HB3	1:A:108:ILE:HG22	2.01	0.42
1:A:133:TYR:HB3	1:A:138:LEU:O	2.19	0.42
1:C:552:ARG:HD3	1:C:590:LEU:O	2.20	0.41
1:B:531:ASN:HD22	1:B:531:ASN:N	2.07	0.41
1:C:464:ILE:HG22	1:C:535:ILE:HG12	2.02	0.41
1:B:322:THR:HG23	1:B:401:ALA:O	2.20	0.41
1:C:479:ILE:O	1:C:558:HIS:HA	2.20	0.41
1:A:362:GLN:OE1	1:A:536:SER:HB2	2.21	0.41
1:B:464:ILE:HA	1:B:534:SER:O	2.20	0.41
1:C:24:ARG:HG2	1:C:24:ARG:NH1	2.35	0.41
1:C:108:ILE:O	1:C:108:ILE:HG13	2.21	0.41
1:C:230:GLU:CD	1:C:230:GLU:H	2.24	0.41
1:C:429:LYS:O	1:C:433:GLU:HG3	2.21	0.41
1:B:284:LYS:O	1:B:287:GLU:HG2	2.21	0.41
1:C:452:THR:O	1:C:504:PRO:HD3	2.21	0.41
1:B:254:PHE:HB3	1:B:442:THR:OG1	2.20	0.41
1:B:213:VAL:O	1:B:213:VAL:HG13	2.20	0.41
1:C:188:VAL:HG13	1:C:195:SER:OG	2.20	0.40
1:C:102:MET:HE3	1:C:133:TYR:CD2	2.56	0.40
1:A:118:THR:HG21	1:C:371:TRP:CZ2	2.57	0.40
1:C:106:PRO:HG2	1:C:107:HIS:CE1	2.57	0.40
1:C:156:ILE:O	1:C:161:LYS:HE3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	587/595 (99%)	566 (96%)	18 (3%)	3 (0%)	38 18
1	B	587/595 (99%)	563 (96%)	21 (4%)	3 (0%)	38 18
1	C	587/595 (99%)	565 (96%)	19 (3%)	3 (0%)	38 18

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1761/1785 (99%)	1694 (96%)	58 (3%)	9 (0%)	38 18

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	252	ASP
1	C	252	ASP
1	A	98	GLY
1	C	98	GLY
1	B	98	GLY
1	B	252	ASP
1	A	396	ILE
1	B	93	PRO
1	C	93	PRO

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	482/487 (99%)	477 (99%)	5 (1%)	85 78
1	B	482/487 (99%)	476 (99%)	6 (1%)	82 72
1	C	482/487 (99%)	476 (99%)	6 (1%)	82 72
All	All	1446/1461 (99%)	1429 (99%)	17 (1%)	82 72

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	88	SER
1	A	385	GLU
1	A	490	GLU
1	A	531	ASN
1	A	552	ARG
1	B	88	SER
1	B	236	LEU
1	B	244	LYS
1	B	251	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	531	ASN
1	B	552	ARG
1	C	236	LEU
1	C	283	LYS
1	C	418	LYS
1	C	454	PHE
1	C	490	GLU
1	C	531	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	ASN
1	A	135	GLN
1	A	198	GLN
1	A	203	GLN
1	A	204	ASN
1	A	210	ASN
1	A	309	GLN
1	A	436	GLN
1	A	531	ASN
1	B	37	ASN
1	B	135	GLN
1	B	198	GLN
1	B	203	GLN
1	B	210	ASN
1	B	436	GLN
1	B	531	ASN
1	C	37	ASN
1	C	135	GLN
1	C	155	ASN
1	C	198	GLN
1	C	203	GLN
1	C	210	ASN
1	C	309	GLN
1	C	531	ASN

5.3.3 RNA (i)

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

Of 9 ligands modelled in this entry, 6 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	MRD	A	601	3	7,7,7	0.21	0	10,10,10	0.23	0
2	MRD	B	601	3	7,7,7	0.26	0	10,10,10	0.18	0
2	MRD	C	601	3	7,7,7	0.26	0	10,10,10	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MRD	A	601	3	-	0/5/5/5	0/0/0/0
2	MRD	B	601	3	-	0/5/5/5	0/0/0/0
2	MRD	C	601	3	-	0/5/5/5	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	589/595 (98%)	-0.15	9 (1%) 70 70	10, 15, 29, 56	0
1	B	589/595 (98%)	-0.12	9 (1%) 70 70	10, 16, 30, 60	0
1	C	589/595 (98%)	-0.06	14 (2%) 56 54	11, 18, 32, 54	0
All	All	1767/1785 (98%)	-0.11	32 (1%) 62 65	10, 16, 31, 60	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	590	LEU	7.1
1	B	590	LEU	7.0
1	A	590	LEU	7.0
1	A	252	ASP	6.1
1	C	252	ASP	5.6
1	B	251	ARG	5.5
1	A	589	LYS	5.5
1	C	251	ARG	5.2
1	C	253	GLY	5.1
1	A	251	ARG	5.0
1	C	589	LYS	4.4
1	B	252	ASP	4.3
1	B	254	PHE	3.9
1	A	254	PHE	3.5
1	B	589	LYS	3.5
1	C	254	PHE	3.4
1	A	515	GLU	3.1
1	B	253	GLY	3.1
1	A	446	ARG	2.8
1	C	515	GLU	2.7
1	B	154	THR	2.7
1	C	444	TYR	2.7
1	C	107	HIS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	107	HIS	2.5
1	C	516	GLY	2.4
1	A	121	PRO	2.3
1	C	490	GLU	2.3
1	B	516	GLY	2.2
1	B	107	HIS	2.2
1	C	259	GLU	2.1
1	C	82	ARG	2.1
1	C	552	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	MN	A	801	1/1	0.32	39.40	44,44,44,44	0
3	MN	C	801	1/1	0.27	29.22	48,48,48,48	0
3	MN	B	801	1/1	0.30	16.39	49,49,49,49	0
2	MRD	C	601	8/8	0.24	3.13	27,29,32,32	0
2	MRD	B	601	8/8	0.16	2.66	23,26,30,32	0
2	MRD	A	601	8/8	0.12	1.06	19,22,25,27	0
3	MN	C	701	1/1	0.07	-1.28	44,44,44,44	0
3	MN	A	701	1/1	0.06	-2.07	47,47,47,47	0
3	MN	B	701	1/1	0.05	-3.63	48,48,48,48	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.