



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 11:02 AM GMT

PDB ID : 4A92  
Title : Full-length HCV NS3-4A protease-helicase in complex with a macrocyclic protease inhibitor.  
Authors : Schiering, N.; D'Arcy, A.; Simic, O.; Eder, J.; Raman, P.; Svergun, D.I.; Bodendorf, U.  
Deposited on : 2011-11-23  
Resolution : 2.73 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	2164 (2.78-2.70)
Clashscore	79885	2639 (2.78-2.70)
Ramachandran outliers	78287	2594 (2.78-2.70)
Sidechain outliers	78261	2595 (2.78-2.70)
RSRZ outliers	66119	2166 (2.78-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	666	
1	B	666	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9848 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SERINE PROTEASE NS3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	639	Total	C	N	O	S	0	0	0
			4761	2997	828	906	30			
1	B	639	Total	C	N	O	S	0	0	0
			4761	2997	828	906	30			

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-34	MET	-	EXPRESSION TAG	UNP P26663
A	-33	GLY	-	EXPRESSION TAG	UNP P26663
A	-32	SER	-	EXPRESSION TAG	UNP P26663
A	-31	SER	-	EXPRESSION TAG	UNP P26663
A	-30	HIS	-	EXPRESSION TAG	UNP P26663
A	-29	HIS	-	EXPRESSION TAG	UNP P26663
A	-28	HIS	-	EXPRESSION TAG	UNP P26663
A	-27	HIS	-	EXPRESSION TAG	UNP P26663
A	-26	HIS	-	EXPRESSION TAG	UNP P26663
A	-25	HIS	-	EXPRESSION TAG	UNP P26663
A	-24	SER	-	EXPRESSION TAG	UNP P26663
A	-23	SER	-	EXPRESSION TAG	UNP P26663
A	-22	GLY	-	EXPRESSION TAG	UNP P26663
A	-21	LEU	-	EXPRESSION TAG	UNP P26663
A	-20	VAL	-	EXPRESSION TAG	UNP P26663
A	-19	PRO	-	EXPRESSION TAG	UNP P26663
A	-18	ARG	-	EXPRESSION TAG	UNP P26663
A	-17	GLY	-	EXPRESSION TAG	UNP P26663
A	-16	SER	-	EXPRESSION TAG	UNP P26663
A	-15	HIS	-	EXPRESSION TAG	UNP P26663
A	-14	MET	-	EXPRESSION TAG	UNP P26663
A	0	SER	-	LINKER	UNP P26663
A	1	GLY	-	LINKER	UNP P26663
A	2	SER	-	LINKER	UNP P26663
A	66	GLY	ALA	CONFLICT	UNP P26663

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	86	GLN	PRO	CONFLICT	UNP P26663
A	87	ALA	LYS	CONFLICT	UNP P26663
A	147	SER	PHE	CONFLICT	UNP P26663
A	628	ALA	GLU	ENGINEERED MUTATION	UNP P26663
A	631	LEU	THR	ENGINEERED MUTATION	UNP P26663
B	-34	MET	-	EXPRESSION TAG	UNP P26663
B	-33	GLY	-	EXPRESSION TAG	UNP P26663
B	-32	SER	-	EXPRESSION TAG	UNP P26663
B	-31	SER	-	EXPRESSION TAG	UNP P26663
B	-30	HIS	-	EXPRESSION TAG	UNP P26663
B	-29	HIS	-	EXPRESSION TAG	UNP P26663
B	-28	HIS	-	EXPRESSION TAG	UNP P26663
B	-27	HIS	-	EXPRESSION TAG	UNP P26663
B	-26	HIS	-	EXPRESSION TAG	UNP P26663
B	-25	HIS	-	EXPRESSION TAG	UNP P26663
B	-24	SER	-	EXPRESSION TAG	UNP P26663
B	-23	SER	-	EXPRESSION TAG	UNP P26663
B	-22	GLY	-	EXPRESSION TAG	UNP P26663
B	-21	LEU	-	EXPRESSION TAG	UNP P26663
B	-20	VAL	-	EXPRESSION TAG	UNP P26663
B	-19	PRO	-	EXPRESSION TAG	UNP P26663
B	-18	ARG	-	EXPRESSION TAG	UNP P26663
B	-17	GLY	-	EXPRESSION TAG	UNP P26663
B	-16	SER	-	EXPRESSION TAG	UNP P26663
B	-15	HIS	-	EXPRESSION TAG	UNP P26663
B	-14	MET	-	EXPRESSION TAG	UNP P26663
B	0	SER	-	LINKER	UNP P26663
B	1	GLY	-	LINKER	UNP P26663
B	2	SER	-	LINKER	UNP P26663
B	66	GLY	ALA	CONFLICT	UNP P26663
B	86	GLN	PRO	CONFLICT	UNP P26663
B	87	ALA	LYS	CONFLICT	UNP P26663
B	147	SER	PHE	CONFLICT	UNP P26663
B	628	ALA	GLU	ENGINEERED MUTATION	UNP P26663
B	631	LEU	THR	ENGINEERED MUTATION	UNP P26663

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Zn 1 1	0	0
2	A	1	Total Zn 1 1	0	0

- Molecule 3 is (1'R,2R,2'S,6S,24AS)-17-FLUORO-6-(1-METHYL-2-OXOPIPERIDINE-3-CARBOXAMIDO)-19,19-DIOXIDO-5,21,24-TRIOXO-2'-VINYL-1,2,3,5,6,7,8,9,10,11,12,13,14,20,21,23,24,24A-OCTADECALHYDROSPIRO[BENZO[S]PYRROLO[2,1-G][1,2,5,8,18]THIATETRAAZACYCLOICOSINE-22,1'-CYCLOPRO-2-CARBOXYLATEPAN]-2-Y L4-FLUOROISINDOLINE (three-letter code: F9K) (formula: C<sub>42</sub>H<sub>51</sub>F<sub>2</sub>N<sub>7</sub>O<sub>9</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	S	0	0
			61	42	2	7	9	1		
3	B	1	Total	C	F	N	O	S	0	0
			61	42	2	7	9	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	109	Total	O	0	0
			109	109		
4	B	93	Total	O	0	0
			93	93		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: SERINE PROTEASE NS3

Chain A: 



#### • Molecule 1: SERINE PROTEASE NS3

Chain B: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	91.97Å 110.47Å 137.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	76.40 – 2.73 76.40 – 2.73	Depositor EDS
% Data completeness (in resolution range)	99.8 (76.40-2.73) 99.8 (76.40-2.73)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.15 (at 2.73Å)	Xtriage
Refinement program	BUSTER 2.9.6	Depositor
R, $R_{free}$	0.178 , 0.231 0.178 , 0.230	Depositor DCC
$R_{free}$ test set	1890 reflections (5.26%)	DCC
Wilson B-factor (Å <sup>2</sup> )	45.6	Xtriage
Anisotropy	0.266	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 34.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 37797 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	9848	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.38% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: F9K, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.50	0/4870	0.71	1/6650 (0.0%)
1	B	0.50	0/4870	0.72	1/6650 (0.0%)
All	All	0.50	0/9740	0.71	2/13300 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	557	PHE	N-CA-C	6.58	128.76	111.00
1	B	556	ASN	N-CA-C	5.09	124.73	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4761	0	0	8	0
1	B	4761	0	0	7	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	61	0	50	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	61	0	50	0	0
4	A	109	0	0	0	0
4	B	93	0	0	0	0
All	All	9848	0	100	15	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 2.

All (15) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:421:ASP:OD1	1:A:421:ASP:C	2.30	0.70
1:A:441:ASP:O	1:A:601:ARG:NH1	2.37	0.58
1:A:421:ASP:OD1	1:A:421:ASP:O	2.30	0.50
1:A:187:ASN:O	1:A:203:HIS:N	2.46	0.49
1:A:130:ARG:CG	1:A:130:ARG:NH1	2.77	0.48
1:B:185:THR:O	1:B:185:THR:OG1	2.29	0.47
1:B:364:HIS:ND1	1:B:424:SER:OG	2.49	0.44
1:B:211:SER:OG	1:B:290:ASP:OD2	2.36	0.44
1:B:13:LEU:CD1	1:B:17:ILE:CD1	2.96	0.43
1:A:418:TYR:CE2	1:A:420:GLY:CA	3.02	0.42
1:B:293:HIS:CD2	1:B:322:THR:OG1	2.73	0.42
1:A:42:SER:OG	1:A:109:ARG:NH2	2.53	0.41
1:A:293:HIS:CD2	1:A:322:THR:OG1	2.73	0.41
1:B:421:ASP:OD1	1:B:467:ARG:NE	2.54	0.41
1:B:452:PRO:O	1:B:481:ARG:NE	2.53	0.41

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	637/666 (96%)	617 (97%)	19 (3%)	1 (0%)	56	85
1	B	637/666 (96%)	619 (97%)	18 (3%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1274/1332 (96%)	1236 (97%)	37 (3%)	1 (0%)	59 88

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	557	PHE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	520/543 (96%)	493 (95%)	27 (5%)	32 62
1	B	520/543 (96%)	494 (95%)	26 (5%)	34 64
All	All	1040/1086 (96%)	987 (95%)	53 (5%)	33 63

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-4	ILE
1	A	24	ARG
1	A	28	GLN
1	A	109	ARG
1	A	128	SER
1	A	130	ARG
1	A	187	ASN
1	A	211	SER
1	A	229	ASN
1	A	242	MET
1	A	249	ASP
1	A	337	GLU
1	A	341	LEU
1	A	344	THR
1	A	414	LEU
1	A	419	THR
1	A	421	ASP
1	A	431	CYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	470	ARG
1	A	474	ARG
1	A	477	THR
1	A	481	ARG
1	A	557	PHE
1	A	583	LYS
1	A	600	TYR
1	A	602	LEU
1	A	623	MET
1	B	28	GLN
1	B	83	VAL
1	B	128	SER
1	B	160	THR
1	B	185	THR
1	B	186	ASP
1	B	187	ASN
1	B	249	ASP
1	B	346	GLU
1	B	359	ILE
1	B	373	LYS
1	B	414	LEU
1	B	415	MET
1	B	419	THR
1	B	421	ASP
1	B	431	CYS
1	B	477	THR
1	B	481	ARG
1	B	504	LEU
1	B	514	ARG
1	B	572	GLN
1	B	586	ILE
1	B	587	ARG
1	B	600	TYR
1	B	602	LEU
1	B	623	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	F9K	A	1721	-	67,67,67	1.66	16 (23%)	99,99,99	2.14	33 (33%)
3	F9K	B	1721	-	67,67,67	1.71	13 (19%)	99,99,99	2.53	41 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	F9K	A	1721	-	-	0/63/105/105	0/1/7/7
3	F9K	B	1721	-	-	0/63/105/105	0/1/7/7

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1721	F9K	O59-S28	-5.11	1.37	1.43
3	A	1721	F9K	O59-S28	-4.74	1.38	1.43
3	B	1721	F9K	C26-N27	-4.63	1.33	1.38
3	A	1721	F9K	C26-N27	-4.45	1.33	1.38
3	B	1721	F9K	O58-S28	-4.38	1.38	1.43
3	B	1721	F9K	C50-C48	-3.86	1.47	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1721	F9K	C21-C26	-3.85	1.48	1.53
3	B	1721	F9K	C21-C26	-3.61	1.48	1.53
3	A	1721	F9K	O58-S28	-3.47	1.39	1.43
3	B	1721	F9K	S28-N27	-3.20	1.57	1.64
3	B	1721	F9K	C21-N20	-3.14	1.40	1.45
3	A	1721	F9K	O13-C14	-3.14	1.38	1.46
3	A	1721	F9K	S28-N27	-3.11	1.57	1.64
3	B	1721	F9K	F35-C33	-3.11	1.29	1.36
3	A	1721	F9K	F35-C33	-2.83	1.30	1.36
3	A	1721	F9K	C50-C48	-2.69	1.49	1.53
3	A	1721	F9K	C21-N20	-2.65	1.41	1.45
3	A	1721	F9K	C29-S28	-2.51	1.73	1.77
3	A	1721	F9K	O46-C45	-2.47	1.17	1.22
3	A	1721	F9K	O13-C11	-2.44	1.29	1.34
3	B	1721	F9K	O13-C14	-2.43	1.40	1.46
3	B	1721	F9K	O46-C45	-2.31	1.18	1.22
3	B	1721	F9K	C29-S28	-2.30	1.73	1.77
3	A	1721	F9K	C15-N16	-2.27	1.43	1.47
3	B	1721	F9K	O60-C26	-2.22	1.18	1.22
3	B	1721	F9K	O49-C48	-2.17	1.19	1.23
3	A	1721	F9K	C44-C45	-2.10	1.48	1.53
3	A	1721	F9K	O60-C26	-2.10	1.19	1.22
3	A	1721	F9K	C44-N47	-2.09	1.41	1.45

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1721	F9K	C4-C8-N9	-9.69	98.14	102.70
3	B	1721	F9K	C23-C21-N20	-9.64	105.87	117.67
3	A	1721	F9K	C22-C21-C26	7.19	129.19	116.94
3	A	1721	F9K	C4-C8-N9	-6.74	99.53	102.70
3	B	1721	F9K	C22-C21-C26	6.31	127.69	116.94
3	A	1721	F9K	C23-C21-N20	-6.06	110.25	117.67
3	A	1721	F9K	C23-C21-C26	-5.76	107.74	116.62
3	A	1721	F9K	C23-C22-C24	4.37	124.80	119.36
3	B	1721	F9K	C23-C22-C24	4.37	124.80	119.36
3	B	1721	F9K	C45-C44-N47	4.35	118.94	108.76
3	B	1721	F9K	C26-C21-N20	4.29	121.02	117.23
3	B	1721	F9K	C23-C21-C26	-4.14	110.23	116.62
3	B	1721	F9K	C43-C44-N47	-3.81	103.56	110.83
3	B	1721	F9K	C34-C29-S28	-3.75	110.72	118.56
3	B	1721	F9K	C30-C29-S28	3.69	129.62	122.71

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1721	F9K	F1-C2-C3	3.69	122.70	117.52
3	B	1721	F9K	C22-C21-N20	-3.60	110.67	117.79
3	B	1721	F9K	C31-C30-N36	-3.57	115.44	121.74
3	B	1721	F9K	C10-N9-C8	3.48	118.69	112.07
3	B	1721	F9K	C21-C22-C24	-3.46	115.39	121.75
3	A	1721	F9K	C22-C21-N20	-3.43	111.01	117.79
3	B	1721	F9K	C18-C14-C15	-3.32	100.19	103.55
3	B	1721	F9K	O59-S28-O58	-3.32	115.08	119.55
3	B	1721	F9K	O58-S28-C29	3.27	113.08	107.77
3	A	1721	F9K	C45-C44-N47	3.21	116.28	108.76
3	B	1721	F9K	C29-C30-N36	3.19	125.37	122.25
3	B	1721	F9K	C3-C10-N9	-3.12	99.13	102.73
3	A	1721	F9K	C7-C2-C3	-3.11	116.84	124.10
3	A	1721	F9K	C15-N16-C17	3.07	116.46	111.58
3	A	1721	F9K	C10-N9-C8	3.05	117.88	112.07
3	B	1721	F9K	C7-C2-C3	-2.95	117.20	124.10
3	B	1721	F9K	C44-C45-N16	2.88	123.89	118.70
3	A	1721	F9K	C34-C29-S28	-2.81	112.68	118.56
3	A	1721	F9K	C3-C10-N9	-2.81	99.48	102.73
3	A	1721	F9K	F1-C2-C3	2.77	121.41	117.52
3	B	1721	F9K	C18-C17-N16	-2.76	98.83	103.19
3	A	1721	F9K	C53-N54-C55	-2.75	121.00	125.19
3	B	1721	F9K	C55-C50-C48	2.72	112.61	109.78
3	A	1721	F9K	O60-C26-N27	2.67	123.86	120.95
3	A	1721	F9K	C31-C30-N36	-2.62	117.11	121.74
3	A	1721	F9K	C55-C50-C48	2.61	112.49	109.78
3	A	1721	F9K	C21-C22-C24	-2.59	116.98	121.75
3	A	1721	F9K	C14-C15-N16	-2.58	99.16	102.38
3	A	1721	F9K	C44-C45-N16	2.57	123.33	118.70
3	B	1721	F9K	O60-C26-N27	2.57	123.76	120.95
3	A	1721	F9K	C43-C44-N47	-2.53	106.01	110.83
3	A	1721	F9K	C31-C32-C33	2.45	120.92	118.33
3	B	1721	F9K	C31-C32-C33	2.43	120.90	118.33
3	A	1721	F9K	C18-C17-N16	-2.43	99.35	103.19
3	B	1721	F9K	C6-C5-C4	-2.39	117.13	120.90
3	A	1721	F9K	C5-C4-C3	2.35	123.10	120.99
3	B	1721	F9K	C50-C55-N54	2.33	123.16	116.32
3	A	1721	F9K	C50-C55-N54	2.32	123.13	116.32
3	B	1721	F9K	C33-C34-C29	2.31	119.69	117.25
3	B	1721	F9K	C57-N54-C55	-2.31	116.91	119.50
3	A	1721	F9K	C6-C5-C4	-2.31	117.27	120.90
3	A	1721	F9K	O13-C11-N9	-2.29	109.07	111.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1721	F9K	C44-N47-C48	2.26	126.62	121.63
3	B	1721	F9K	O13-C11-N9	2.25	113.40	111.25
3	A	1721	F9K	C15-N16-C45	-2.21	120.44	127.39
3	B	1721	F9K	C53-N54-C55	-2.20	121.84	125.19
3	A	1721	F9K	C26-C21-N20	2.19	119.17	117.23
3	A	1721	F9K	O46-C45-C44	-2.16	115.38	119.60
3	B	1721	F9K	C57-N54-C53	2.16	121.24	116.20
3	B	1721	F9K	C14-C15-N16	-2.13	99.73	102.38
3	A	1721	F9K	C30-C29-S28	2.12	126.67	122.71
3	B	1721	F9K	C52-C51-C50	2.11	114.19	111.19
3	B	1721	F9K	C42-C43-C44	-2.10	107.26	114.03
3	A	1721	F9K	C57-N54-C53	2.09	121.10	116.20
3	A	1721	F9K	O59-S28-O58	-2.09	116.74	119.55
3	B	1721	F9K	C52-C53-N54	2.04	115.82	110.93
3	B	1721	F9K	C32-C33-C34	-2.04	120.51	123.32
3	B	1721	F9K	C15-N16-C45	-2.03	121.01	127.39
3	B	1721	F9K	O46-C45-C44	-2.01	115.68	119.60

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	639/666 (95%)	-0.12	3 (0%) 88 93	21, 47, 94, 137	0
1	B	639/666 (95%)	-0.02	8 (1%) 74 80	18, 53, 106, 148	0
All	All	1278/1332 (95%)	-0.07	11 (0%) 81 86	18, 50, 101, 148	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	185	THR	4.2
1	B	183	VAL	3.6
1	B	592	LEU	2.8
1	B	587	ARG	2.6
1	B	180	ARG	2.5
1	B	184	PHE	2.3
1	B	625	ALA	2.3
1	A	246	HIS	2.2
1	B	195	GLN	2.2
1	A	407	VAL	2.1
1	A	241	TYR	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	F9K	A	1721	61/61	0.16	0.24	23,40,54,57	0
3	F9K	B	1721	61/61	0.14	-0.45	45,55,69,71	0
2	ZN	B	999	1/1	0.15	-0.54	143,143,143,143	0
2	ZN	A	999	1/1	0.09	-1.33	54,54,54,54	0

## 6.5 Other polymers

There are no such residues in this entry.