



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 07:14 AM GMT

PDB ID : 3AAD
Title : Structure of the histone chaperone CIA/ASF1-double bromodomain complex linking histone modifications and site-specific histone eviction
Authors : Akai, Y.; Adachi, N.; Hayashi, Y.; Eitoku, M.; Sano, N.; Natsume, R.; Kudo, N.; Tanokura, M.; Senda, T.; Horikoshi, M.
Deposited on : 2009-11-16
Resolution : 3.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1341 (3.40-3.20)
Clashscore	79885	1696 (3.40-3.20)
Ramachandran outliers	78287	1664 (3.40-3.20)
Sidechain outliers	78261	1662 (3.40-3.20)
RSRZ outliers	66119	1342 (3.40-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	292	
2	B	158	
2	D	158	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4617 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transcription initiation factor TFIID subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	264	2164	1369	367	417	11	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1338	GLY	-	EXPRESSION TAG	UNP P21675
A	1339	SER	-	EXPRESSION TAG	UNP P21675
A	1340	HIS	-	EXPRESSION TAG	UNP P21675
A	1341	MET	-	EXPRESSION TAG	UNP P21675


- Molecule 2 is a protein called Histone chaperone ASF1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	153	1231	791	201	235	4	0	0	0
2	D	152	1217	780	199	234	4	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	GLY	-	EXPRESSION TAG	UNP Q9Y294
B	-1	SER	-	EXPRESSION TAG	UNP Q9Y294
B	0	HIS	-	EXPRESSION TAG	UNP Q9Y294
D	-2	GLY	-	EXPRESSION TAG	UNP Q9Y294
D	-1	SER	-	EXPRESSION TAG	UNP Q9Y294
D	0	HIS	-	EXPRESSION TAG	UNP Q9Y294

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Transcription initiation factor TFIID subunit 1

Chain A:




- Molecule 2: Histone chaperone ASF1A

Chain B:



- Molecule 2: Histone chaperone ASF1A

Chain D:



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	102.12Å 102.12Å 271.92Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	31.65 – 3.30 31.65 – 3.30	Depositor EDS
% Data completeness (in resolution range)	(Not available) (31.65-3.30) 97.4 (31.65-3.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	14.12 (at 3.31Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.237 , 0.293 0.235 , 0.291	Depositor DCC
R_{free} test set	646 reflections (4.97%)	DCC
Wilson B-factor (Å ²)	85.6	Xtriage
Anisotropy	0.088	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 1.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 12991 reflections	Xtriage
F_o, F_c correlation	0.81	EDS
Total number of atoms	4617	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.62	0/2206	0.71	0/2985
2	B	0.98	7/1264 (0.6%)	0.93	4/1729 (0.2%)
2	D	0.58	1/1248 (0.1%)	0.67	2/1706 (0.1%)
All	All	0.72	8/4718 (0.2%)	0.76	6/6420 (0.1%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	150	HIS	CE1-NE2	11.51	1.59	1.32
2	B	150	HIS	CG-ND1	9.68	1.60	1.38
2	B	150	HIS	CG-CD2	9.50	1.51	1.35
2	B	51	GLU	CD-OE2	7.49	1.33	1.25
2	B	51	GLU	CD-OE1	6.17	1.32	1.25
2	D	152	ASN	C-O	5.72	1.34	1.23
2	B	150	HIS	C-O	5.55	1.33	1.23
2	B	148	ARG	NE-CZ	5.08	1.39	1.33

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	137	ARG	NE-CZ-NH1	6.71	123.66	120.30
2	B	137	ARG	NE-CZ-NH2	-6.45	117.07	120.30
2	B	148	ARG	NE-CZ-NH1	5.97	123.29	120.30
2	D	145	ARG	NE-CZ-NH2	-5.54	117.53	120.30
2	B	150	HIS	CG-CD2-NE2	-5.53	98.69	109.20
2	D	145	ARG	NE-CZ-NH1	5.18	122.89	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2164	0	2165	65	0
2	B	1231	0	1188	55	0
2	D	1217	0	1178	40	0
3	A	5	0	0	2	0
All	All	4617	0	4531	158	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 17.

All (158) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:104:GLN:HG2	2:B:151:ILE:CG1	1.76	1.16
2:B:104:GLN:HG2	2:B:151:ILE:HG12	1.07	1.06
2:B:104:GLN:CG	2:B:151:ILE:HG12	1.93	0.98
2:B:95:VAL:O	2:B:96:LEU:HD23	1.69	0.91
2:B:47:SER:O	2:B:49:GLU:N	2.08	0.86
2:B:92:VAL:HA	2:B:113:VAL:O	1.80	0.81
1:A:1548:MET:O	1:A:1549:ASP:HB3	1.84	0.77
2:B:15:PRO:HB2	2:B:136:GLN:HE22	1.53	0.73
1:A:1487:LYS:HA	1:A:1490:ARG:HB3	1.69	0.72
2:D:111:TYR:CE2	2:D:144:PRO:HG3	2.26	0.71
2:B:151:ILE:HG13	2:B:152:ASN:H	1.55	0.71
2:D:38:LEU:HD12	2:D:65:VAL:HG11	1.73	0.71
1:A:1472:SER:HA	1:A:1475:ASP:HB2	1.74	0.69
2:D:23:GLN:OE1	2:D:75:GLN:NE2	2.25	0.69
2:B:14:ASN:OD1	2:B:139:ILE:HB	1.94	0.67
2:B:16:SER:HB2	2:B:17:PRO:HD2	1.78	0.66
2:D:14:ASN:C	2:D:14:ASN:ND2	2.49	0.65
2:D:37:ASP:HB3	2:D:63:GLY:HA3	1.78	0.65
2:D:119:GLU:O	2:D:121:GLU:N	2.30	0.64
2:D:81:PRO:HA	2:D:84:ILE:HD12	1.79	0.64
1:A:1607:TYR:CE2	2:D:145:ARG:HD3	2.33	0.64
2:B:79:PRO:HB2	2:B:84:ILE:HD11	1.80	0.64
1:A:1597:VAL:HG13	1:A:1601:TYR:CE1	2.32	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:1389:LEU:O	1:A:1393:ILE:HG13	1.98	0.64
2:B:22:PHE:HE2	2:B:79:PRO:HD3	1.63	0.63
2:D:20:ASN:O	2:D:137:ARG:NH2	2.25	0.63
1:A:1519:MET:HE2	1:A:1550:LEU:HD21	1.81	0.62
2:D:38:LEU:CD1	2:D:65:VAL:HG11	2.30	0.62
1:A:1438:LEU:O	1:A:1440:PRO:HD3	2.01	0.61
1:A:1588:GLN:HA	1:A:1588:GLN:HE21	1.66	0.61
2:B:24:PHE:CG	2:B:97:ILE:HD11	2.35	0.60
2:D:47:SER:HB2	2:D:85:PRO:HG2	1.84	0.59
2:B:3:LYS:HE2	2:B:153:TRP:HB3	1.85	0.59
2:B:42:ILE:HA	2:B:96:LEU:O	2.04	0.58
1:A:1472:SER:C	1:A:1474:LEU:H	2.07	0.58
2:D:8:ASN:ND2	2:D:10:VAL:HG23	2.19	0.57
1:A:1497:PRO:C	1:A:1499:LEU:H	2.08	0.57
1:A:1419:LYS:O	2:B:140:LEU:HD13	2.05	0.56
2:D:37:ASP:CB	2:D:63:GLY:HA3	2.35	0.56
2:B:4:VAL:HG21	2:B:38:LEU:HD21	1.88	0.56
2:B:15:PRO:HB2	2:B:136:GLN:NE2	2.21	0.56
2:D:8:ASN:HD21	2:D:10:VAL:HG23	1.69	0.56
2:D:44:TYR:HB2	2:D:57:LEU:HD11	1.88	0.55
2:B:39:GLU:OE2	2:B:39:GLU:HA	2.05	0.55
1:A:1417:TYR:HA	1:A:1459:TYR:CE1	2.41	0.55
1:A:1403:TYR:HA	1:A:1406:HIS:CG	2.42	0.55
1:A:1624:ALA:C	1:A:1626:LEU:H	2.10	0.55
1:A:1545:VAL:C	1:A:1546:ASN:HD22	2.11	0.54
2:B:151:ILE:CG1	2:B:152:ASN:H	2.21	0.53
2:D:46:GLY:H	2:D:54:ASP:HA	1.72	0.53
1:A:1564:SER:HA	1:A:1615:GLU:HG2	1.89	0.53
2:D:7:ASN:HB2	2:D:27:THR:O	2.07	0.53
2:B:14:ASN:ND2	2:B:15:PRO:HA	2.24	0.52
2:B:43:ILE:HG22	2:B:45:VAL:HG22	1.91	0.52
1:A:1472:SER:C	1:A:1474:LEU:N	2.63	0.52
2:D:120:THR:HG22	2:D:123:ARG:HD2	1.91	0.52
1:A:1466:LEU:HA	1:A:1469:ILE:HG12	1.92	0.52
2:B:45:VAL:HA	2:B:54:ASP:HB3	1.91	0.52
1:A:1588:GLN:CA	1:A:1588:GLN:HE21	2.23	0.51
1:A:1397:ARG:HG3	1:A:1406:HIS:CE1	2.44	0.51
1:A:1430:LEU:O	1:A:1434:VAL:HG23	2.11	0.51
1:A:1421:ILE:HG23	1:A:1455:ASN:OD1	2.10	0.51
1:A:1449:LEU:HB3	1:A:1474:LEU:HD12	1.92	0.51
2:B:95:VAL:C	2:B:96:LEU:HD23	2.31	0.51
2:B:46:GLY:HA2	2:B:93:THR:HB	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:1519:MET:CE	1:A:1550:LEU:HD21	2.41	0.50
2:D:20:ASN:N	2:D:20:ASN:HD22	2.08	0.50
2:B:55:GLN:HE22	2:B:80:ASN:HB3	1.75	0.50
2:B:32:GLU:C	2:B:33:ASP:O	2.47	0.50
1:A:1599:VAL:HA	1:A:1602:GLN:NE2	2.27	0.50
1:A:1508:SER:OG	1:A:1560:HIS:HD2	1.95	0.50
1:A:1403:TYR:N	1:A:1404:PRO:CD	2.75	0.49
2:D:14:ASN:OD1	2:D:139:ILE:N	2.44	0.49
1:A:1396:MET:SD	1:A:1477:CYS:SG	3.11	0.49
1:A:1504:GLN:HE22	1:A:1563:GLN:HG2	1.78	0.49
2:B:100:THR:HA	2:B:104:GLN:O	2.13	0.49
2:D:14:ASN:ND2	2:D:14:ASN:O	2.46	0.49
2:B:51:GLU:HA	2:B:54:ASP:OD1	2.13	0.49
1:A:1466:LEU:HD23	1:A:1469:ILE:HD11	1.94	0.49
2:B:93:THR:N	2:B:113:VAL:O	2.44	0.48
2:D:14:ASN:C	2:D:14:ASN:HD22	2.14	0.48
1:A:1442:ARG:HG3	1:A:1443:GLU:N	2.28	0.48
2:B:75:GLN:HE21	2:B:76:ALA:N	2.12	0.48
1:A:1429:THR:HA	1:A:1432:GLU:HG2	1.96	0.48
1:A:1381:PRO:HG2	1:A:1494:ALA:O	2.14	0.48
2:B:95:VAL:HG22	2:B:113:VAL:HG21	1.96	0.48
2:D:78:ALA:HB1	2:D:79:PRO:HD2	1.95	0.47
2:B:101:TYR:N	2:B:104:GLN:O	2.40	0.47
1:A:1508:SER:OG	1:A:1560:HIS:CD2	2.68	0.47
1:A:1616:LYS:O	1:A:1619:CYS:HB2	2.14	0.47
2:B:21:PRO:HB3	2:B:77:ASP:HA	1.95	0.47
1:A:1420:ILE:O	1:A:1420:ILE:HG22	2.15	0.47
2:B:104:GLN:HE21	2:B:104:GLN:N	2.13	0.47
2:D:93:THR:HB	2:D:94:VAL:H	1.56	0.47
1:A:1587:SER:OG	1:A:1588:GLN:N	2.47	0.46
1:A:1565:ARG:CD	1:A:1604:LEU:HD13	2.46	0.46
1:A:1556:ASN:HB3	1:A:1561:LYS:HB3	1.97	0.46
1:A:1477:CYS:O	1:A:1481:LEU:HG	2.16	0.46
2:D:31:ILE:O	2:D:31:ILE:HG22	2.16	0.46
2:B:24:PHE:CD2	2:B:97:ILE:HD11	2.51	0.46
1:A:1588:GLN:HB2	3:A:400:SO4:O1	2.15	0.46
2:B:39:GLU:OE2	2:B:61:LEU:HG	2.16	0.45
2:B:54:ASP:OD1	2:B:54:ASP:N	2.49	0.45
1:A:1514:ILE:O	1:A:1518:LYS:HB2	2.16	0.45
2:D:13:ASP:HB3	2:D:23:GLN:HG3	1.99	0.45
3:A:400:SO4:O1	2:B:69:ARG:NH1	2.49	0.45
2:D:94:VAL:HG12	2:D:95:VAL:N	2.32	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:D:34:LEU:HD12	2:D:65:VAL:HG13	1.99	0.44
2:D:37:ASP:N	2:D:37:ASP:OD2	2.50	0.44
1:A:1529:HIS:O	1:A:1551:GLU:HB2	2.18	0.44
1:A:1532:VAL:HG11	1:A:1540:TYR:CG	2.52	0.44
1:A:1446:ARG:HG3	1:A:1478:ASP:OD1	2.18	0.44
2:B:44:TYR:HB2	2:B:57:LEU:HD11	1.99	0.43
2:B:95:VAL:HG22	2:B:113:VAL:CG2	2.48	0.43
2:B:143:ASN:OD1	2:B:143:ASN:O	2.36	0.43
1:A:1504:GLN:NE2	1:A:1563:GLN:HG2	2.33	0.43
2:D:100:THR:HA	2:D:105:GLU:HA	2.00	0.43
1:A:1526:TRP:N	1:A:1527:PRO:CD	2.81	0.43
2:B:107:ILE:CD1	2:B:109:VAL:HG23	2.48	0.43
1:A:1548:MET:HG3	1:A:1549:ASP:H	1.84	0.43
2:D:121:GLU:C	2:D:123:ARG:N	2.72	0.43
2:B:51:GLU:O	2:B:54:ASP:OD1	2.36	0.43
1:A:1383:VAL:HA	1:A:1386:SER:HB2	2.00	0.43
1:A:1526:TRP:O	1:A:1526:TRP:CE3	2.72	0.43
1:A:1450:GLU:HG2	1:A:1474:LEU:HD11	1.99	0.42
2:B:126:PRO:HA	2:B:127:PRO:HD2	1.70	0.42
1:A:1548:MET:HG3	1:A:1549:ASP:N	2.34	0.42
2:B:86:ASP:C	2:B:88:ASP:H	2.22	0.42
2:B:129:LYS:HA	2:B:130:PRO:HD3	1.88	0.42
2:B:10:VAL:HB	2:B:25:GLU:HB3	2.00	0.42
1:A:1380:ASP:HA	1:A:1381:PRO:HD3	1.91	0.42
2:D:55:GLN:NE2	2:D:80:ASN:H	2.17	0.42
2:D:22:PHE:O	2:D:23:GLN:HG2	2.19	0.42
1:A:1565:ARG:HD2	1:A:1604:LEU:HD13	2.00	0.42
2:B:86:ASP:C	2:B:88:ASP:N	2.73	0.42
1:A:1550:LEU:HD23	1:A:1550:LEU:HA	1.66	0.41
1:A:1619:CYS:O	1:A:1620:THR:C	2.59	0.41
2:B:33:ASP:OD1	2:B:66:PRO:HA	2.19	0.41
2:D:54:ASP:N	2:D:54:ASP:OD1	2.51	0.41
2:B:44:TYR:CE2	2:B:79:PRO:HG3	2.55	0.41
1:A:1403:TYR:HA	1:A:1406:HIS:CD2	2.56	0.41
2:D:87:ALA:C	2:D:89:ALA:H	2.22	0.41
1:A:1391:SER:HA	1:A:1394:ASN:OD1	2.21	0.41
2:B:33:ASP:HA	2:B:67:ALA:N	2.35	0.41
2:D:100:THR:HG23	2:D:105:GLU:N	2.35	0.41
2:B:95:VAL:CG2	2:B:113:VAL:CG2	2.98	0.41
2:D:126:PRO:HA	2:D:127:PRO:HD2	1.94	0.41
2:B:151:ILE:HD12	2:B:151:ILE:HA	1.85	0.41
2:B:47:SER:O	2:B:48:ALA:C	2.57	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:1432:GLU:O	1:A:1436:LYS:HB2	2.21	0.41
1:A:1402:THR:C	1:A:1404:PRO:HD2	2.41	0.41
2:D:47:SER:C	2:D:49:GLU:H	2.23	0.40
2:D:31:ILE:HD12	2:D:31:ILE:H	1.86	0.40
1:A:1441:SER:HB3	1:A:1444:GLU:OE2	2.20	0.40
1:A:1355:LYS:H	1:A:1355:LYS:HG3	1.75	0.40
1:A:1556:ASN:O	1:A:1560:HIS:N	2.54	0.40
1:A:1356:ARG:O	1:A:1356:ARG:HG3	2.22	0.40
2:D:45:VAL:HA	2:D:54:ASP:HB3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	260/292 (89%)	218 (84%)	32 (12%)	10 (4%)	5	37
2	B	151/158 (96%)	124 (82%)	19 (13%)	8 (5%)	3	26
2	D	150/158 (95%)	125 (83%)	22 (15%)	3 (2%)	11	58
All	All	561/608 (92%)	467 (83%)	73 (13%)	21 (4%)	5	39

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1523	PRO
2	B	33	ASP
2	B	36	GLU
2	B	48	ALA
2	B	86	ASP
2	D	120	THR
1	A	1415	LYS
1	A	1498	LEU
1	A	1499	LEU
1	A	1520	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1549	ASP
2	D	88	ASP
2	B	39	GLU
2	D	62	VAL
1	A	1400	PRO
1	A	1566	GLU
1	A	1473	MET
1	A	1596	ILE
2	B	87	ALA
2	B	102	ARG
2	B	107	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	250/276 (91%)	222 (89%)	28 (11%)	9	37
2	B	138/142 (97%)	106 (77%)	32 (23%)	1	5
2	D	137/142 (96%)	120 (88%)	17 (12%)	7	31
All	All	525/560 (94%)	448 (85%)	77 (15%)	4	22

All (77) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1353	LYS
1	A	1354	LYS
1	A	1355	LYS
1	A	1365	ASP
1	A	1379	THR
1	A	1382	MET
1	A	1423	ARG
1	A	1426	ASP
1	A	1430	LEU
1	A	1438	LEU
1	A	1441	SER
1	A	1446	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1465	SER
1	A	1475	ASP
1	A	1486	ASP
1	A	1496	ASN
1	A	1524	ASP
1	A	1535	LYS
1	A	1545	VAL
1	A	1546	ASN
1	A	1549	ASP
1	A	1555	LYS
1	A	1559	LYS
1	A	1567	SER
1	A	1588	GLN
1	A	1597	VAL
1	A	1616	LYS
1	A	1626	LEU
2	B	1	MET
2	B	14	ASN
2	B	27	THR
2	B	30	CYS
2	B	35	SER
2	B	45	VAL
2	B	51	GLU
2	B	54	ASP
2	B	55	GLN
2	B	56	VAL
2	B	58	ASP
2	B	60	VAL
2	B	73	VAL
2	B	74	PHE
2	B	75	GLN
2	B	77	ASP
2	B	86	ASP
2	B	88	ASP
2	B	95	VAL
2	B	104	GLN
2	B	107	ILE
2	B	108	ARG
2	B	116	GLU
2	B	120	THR
2	B	122	LEU
2	B	125	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	136	GLN
2	B	138	ASN
2	B	140	LEU
2	B	149	PHE
2	B	150	HIS
2	B	151	ILE
2	D	12	LEU
2	D	14	ASN
2	D	20	ASN
2	D	35	SER
2	D	36	GLU
2	D	37	ASP
2	D	56	VAL
2	D	58	ASP
2	D	74	PHE
2	D	83	LEU
2	D	88	ASP
2	D	90	VAL
2	D	92	VAL
2	D	118	THR
2	D	137	ARG
2	D	147	THR
2	D	152	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1406	HIS
1	A	1448	HIS
1	A	1464	HIS
1	A	1468	GLN
1	A	1496	ASN
1	A	1504	GLN
1	A	1529	HIS
1	A	1546	ASN
1	A	1560	HIS
1	A	1588	GLN
1	A	1602	GLN
2	B	20	ASN
2	B	55	GLN
2	B	75	GLN
2	B	104	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	136	GLN
2	B	138	ASN
2	B	143	ASN
2	D	7	ASN
2	D	8	ASN
2	D	20	ASN
2	D	55	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	400	-	4,4,4	0.79	0	6,6,6	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SO4	A	400	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	264/292 (90%)	0.15	0	100 100	40, 40, 40, 40	0
2	B	153/158 (96%)	0.29	0	100 100	40, 40, 40, 40	0
2	D	152/158 (96%)	0.26	2 (1%)	74 27	40, 40, 40, 40	0
All	All	569/608 (93%)	0.22	2 (0%)	90 57	40, 40, 40, 40	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	2	ALA	2.2
2	D	134	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	SO4	A	400	5/5	0.16	-	40,40,40,40	0

6.5 Other polymers ⓘ

There are no such residues in this entry.