



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 12:39 AM GMT

PDB ID : 2AB5  
Title : bI3 LAGLIDADG Maturase  
Authors : Longo, A.; Leonard, C.W.; Bassi, G.S.; Berndt, D.; Krahn, J.M.; Hall, T.M.;  
Weeks, K.M.  
Deposited on : 2005-07-14  
Resolution : 2.20 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	2938 (2.20-2.20)
Clashscore	79885	3751 (2.20-2.20)
Ramachandran outliers	78287	3681 (2.20-2.20)
Sidechain outliers	78261	3682 (2.20-2.20)
RSRZ outliers	66119	2939 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	269	
1	B	269	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4582 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called mRNA maturase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	261	Total	C	N	O	S	Se	0	0	0
			2172	1432	346	380	2	12			
1	B	257	Total	C	N	O	S	Se	0	0	0
			2122	1396	337	376	2	11			

There are 38 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	249	MET	-	EXPRESSION TAG	UNP Q36758
A	250	GLY	-	EXPRESSION TAG	UNP Q36758
A	251	HIS	-	EXPRESSION TAG	UNP Q36758
A	252	HIS	-	EXPRESSION TAG	UNP Q36758
A	253	HIS	-	EXPRESSION TAG	UNP Q36758
A	254	HIS	-	EXPRESSION TAG	UNP Q36758
A	255	HIS	-	EXPRESSION TAG	UNP Q36758
A	295	MSE	MET	MODIFIED RESIDUE	UNP Q36758
A	322	MSE	MET	MODIFIED RESIDUE	UNP Q36758
A	330	MSE	MET	MODIFIED RESIDUE	UNP Q36758
A	354	MSE	MET	MODIFIED RESIDUE	UNP Q36758
A	421	MSE	MET	MODIFIED RESIDUE	UNP Q36758
A	425	MSE	MET	MODIFIED RESIDUE	UNP Q36758
A	434	MSE	MET	MODIFIED RESIDUE	UNP Q36758
A	438	MSE	MET	MODIFIED RESIDUE	UNP Q36758
A	441	MSE	MET	MODIFIED RESIDUE	UNP Q36758
A	456	MSE	MET	MODIFIED RESIDUE	UNP Q36758
A	464	MSE	MET	MODIFIED RESIDUE	UNP Q36758
A	477	MSE	MET	MODIFIED RESIDUE	UNP Q36758
B	249	MET	-	MODIFIED RESIDUE	UNP Q36758
B	250	GLY	-	EXPRESSION TAG	UNP Q36758
B	251	HIS	-	EXPRESSION TAG	UNP Q36758
B	252	HIS	-	EXPRESSION TAG	UNP Q36758
B	253	HIS	-	EXPRESSION TAG	UNP Q36758
B	254	HIS	-	EXPRESSION TAG	UNP Q36758

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	255	HIS	-	EXPRESSION TAG	UNP Q36758
B	295	MSE	MET	MODIFIED RESIDUE	UNP Q36758
B	322	MSE	MET	MODIFIED RESIDUE	UNP Q36758
B	330	MSE	MET	MODIFIED RESIDUE	UNP Q36758
B	354	MSE	MET	MODIFIED RESIDUE	UNP Q36758
B	421	MSE	MET	MODIFIED RESIDUE	UNP Q36758
B	425	MSE	MET	MODIFIED RESIDUE	UNP Q36758
B	434	MSE	MET	MODIFIED RESIDUE	UNP Q36758
B	438	MSE	MET	MODIFIED RESIDUE	UNP Q36758
B	441	MSE	MET	MODIFIED RESIDUE	UNP Q36758
B	456	MSE	MET	MODIFIED RESIDUE	UNP Q36758
B	464	MSE	MET	MODIFIED RESIDUE	UNP Q36758
B	477	MSE	MET	MODIFIED RESIDUE	UNP Q36758

- Molecule 2 is SULFATE ION (three-letter code: SO<sub>4</sub>) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	132	Total	O	0	0
			132	132		
3	B	116	Total	O	0	0
			116	116		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: mRNA maturase

Chain A: 



#### • Molecule 1: mRNA maturase

Chain B: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	63.60Å 80.20Å 66.40Å 90.00° 115.50° 90.00°	Depositor
Resolution (Å)	50.00 – 2.20 24.89 – 2.20	Depositor EDS
% Data completeness (in resolution range)	95.2 (50.00-2.20) 95.4 (24.89-2.20)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.77 (at 2.19Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.208 , 0.265 0.212 , 0.266	Depositor DCC
$R_{free}$ test set	1440 reflections (4.93%)	DCC
Wilson B-factor (Å <sup>2</sup> )	29.0	Xtriage
Anisotropy	0.339	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.40 , 54.0	EDS
Estimated twinning fraction	0.027 for l,-k,h	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 30075 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4582	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.26% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.39	0/2210	0.62	1/2953 (0.0%)
1	B	0.40	0/2161	0.63	0/2898
All	All	0.39	0/4371	0.62	1/5851 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	291	LEU	N-CA-C	-5.02	97.44	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2172	0	2225	47	0
1	B	2122	0	2128	47	0
2	A	25	0	0	0	0
2	B	15	0	0	0	0
3	A	132	0	0	9	0
3	B	116	0	0	5	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	4582	0	4353	93	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 11.

All (93) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:476:VAL:HG12	1:B:477:MSE:HE2	1.43	0.99
1:B:477:MSE:HE3	1:B:511:PHE:HE2	1.32	0.91
1:A:262:ASN:OD1	1:B:262:ASN:ND2	2.05	0.89
1:B:477:MSE:HE1	1:B:514:PRO:HD3	1.56	0.86
1:A:434:MSE:HE1	1:A:438:MSE:HE2	1.64	0.78
1:B:477:MSE:HE3	1:B:511:PHE:CE2	2.17	0.76
1:B:477:MSE:HE1	1:B:514:PRO:CD	2.16	0.76
1:A:308:ASN:HB3	3:A:650:HOH:O	1.86	0.74
1:B:346:ILE:HB	1:B:347:PRO:HD3	1.70	0.73
1:B:275:ASP:OD2	1:B:411:ALA:HB1	1.90	0.72
1:A:499:LYS:HA	1:A:502:ARG:HH11	1.55	0.71
1:B:287:LEU:HD21	1:B:376:TYR:HA	1.72	0.70
1:B:320:LEU:HD12	1:B:328:LYS:HE2	1.75	0.69
1:A:262:ASN:HD22	1:A:263:PRO:HD2	1.58	0.68
1:B:262:ASN:ND2	1:B:264:ILE:HG22	2.08	0.68
1:B:485:LYS:HE2	3:B:683:HOH:O	1.93	0.67
1:A:458:GLU:O	1:A:461:ASN:HB2	1.95	0.67
1:A:346:ILE:HB	1:A:347:PRO:HD3	1.77	0.66
1:A:434:MSE:HG3	1:A:463:LYS:HA	1.77	0.65
1:B:458:GLU:HG3	1:B:461:ASN:HB3	1.80	0.64
1:A:420:PRO:HG2	1:A:423:LYS:HB2	1.78	0.63
1:B:414:CYS:HB3	1:B:431:GLU:HG2	1.80	0.63
1:A:262:ASN:HD22	1:A:263:PRO:CD	2.11	0.63
1:A:498:LEU:O	1:A:502:ARG:HG3	2.01	0.60
1:A:470:ASN:ND2	3:A:733:HOH:O	2.35	0.59
1:B:438:MSE:HE3	1:B:442:LEU:HG	1.85	0.59
1:B:476:VAL:HG12	1:B:477:MSE:CE	2.26	0.56
1:A:434:MSE:HB2	1:A:462:SER:C	2.26	0.56
1:A:414:CYS:HB3	1:A:431:GLU:CG	2.35	0.56
1:B:357:ASN:ND2	1:B:384:ARG:HD3	2.21	0.56
1:A:287:LEU:HD21	1:A:376:TYR:HA	1.88	0.55
1:A:434:MSE:HB2	1:A:462:SER:O	2.07	0.54
1:A:364:TYR:OH	1:A:379:LEU:HG	2.08	0.53
1:A:278:ILE:HG23	1:A:278:ILE:O	2.09	0.52
1:B:393:GLU:HB2	3:B:719:HOH:O	2.10	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:498:LEU:O	1:B:502:ARG:HG3	2.09	0.52
1:B:476:VAL:CG1	1:B:477:MSE:HE2	2.28	0.51
1:A:506:LYS:HG2	3:A:655:HOH:O	2.11	0.51
1:B:312:ILE:HD11	1:B:345:ILE:HD11	1.91	0.51
1:B:465:THR:HG22	1:B:466:THR:N	2.26	0.51
1:A:262:ASN:ND2	1:A:264:ILE:H	2.10	0.50
1:A:367:ASP:OD1	1:A:371:LYS:HE3	2.12	0.50
1:A:262:ASN:HD22	1:A:263:PRO:N	2.10	0.50
1:B:302:LEU:O	1:B:306:ILE:HG12	2.11	0.49
1:A:322:MSE:HG2	1:A:326:THR:O	2.12	0.49
1:A:391:THR:O	1:A:395:ILE:HG12	2.13	0.48
1:B:445:LYS:HE3	1:B:453:ASN:OD1	2.14	0.48
1:B:398:LYS:HA	3:B:627:HOH:O	2.15	0.47
1:B:262:ASN:HD21	1:B:264:ILE:HG22	1.78	0.47
1:A:318:LYS:HE3	3:A:615:HOH:O	2.13	0.47
1:A:318:LYS:HE3	3:A:662:HOH:O	2.14	0.47
1:A:382:TYR:HA	3:A:639:HOH:O	2.14	0.46
1:B:499:LYS:HA	1:B:502:ARG:NH1	2.31	0.46
1:B:439:GLU:HG2	1:B:440:VAL:N	2.30	0.46
1:A:428:ALA:HB3	1:A:507:TYR:CZ	2.50	0.46
1:A:262:ASN:CG	1:A:264:ILE:HG22	2.36	0.46
1:A:288:LEU:HD11	1:A:336:ARG:HD3	1.97	0.46
1:B:437:ASN:HB2	3:B:608:HOH:O	2.16	0.45
1:B:450:ILE:HG23	1:B:471:ASP:OD2	2.16	0.45
1:A:375:TYR:HB2	1:A:378:ASP:OD2	2.16	0.45
1:B:374:LYS:HG3	1:B:375:TYR:CD1	2.51	0.45
1:A:456:MSE:HB3	1:A:463:LYS:HG2	1.98	0.45
1:B:453:ASN:HA	1:B:465:THR:O	2.16	0.45
1:A:288:LEU:HD12	3:A:739:HOH:O	2.17	0.44
1:A:414:CYS:HB3	1:A:431:GLU:HG2	2.00	0.44
1:B:320:LEU:HD12	1:B:328:LYS:CE	2.45	0.44
1:B:278:ILE:HG23	1:B:278:ILE:O	2.18	0.44
1:A:405:LEU:HD23	1:A:478:PHE:CZ	2.53	0.43
1:B:357:ASN:ND2	1:B:384:ARG:CD	2.81	0.43
1:A:499:LYS:HA	1:A:502:ARG:NH1	2.27	0.43
1:B:271:LEU:HD12	1:B:411:ALA:HB2	2.00	0.43
1:B:263:PRO:HB2	1:B:484:ILE:HD11	2.01	0.43
1:B:431:GLU:HA	1:B:464:MSE:O	2.19	0.43
1:B:338:LYS:O	1:B:342:LYS:HG3	2.18	0.43
1:B:499:LYS:HA	1:B:502:ARG:HH11	1.84	0.42
1:B:505:THR:HB	3:B:631:HOH:O	2.19	0.42
1:A:341:LEU:O	1:A:346:ILE:HG12	2.20	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:458:GLU:O	1:B:459:PHE:HB2	2.20	0.42
1:A:485:LYS:HD2	1:A:517:TYR:CZ	2.54	0.42
1:B:262:ASN:HA	1:B:263:PRO:HD3	1.78	0.42
1:A:512:LYS:HE2	3:A:693:HOH:O	2.19	0.41
1:B:445:LYS:CE	1:B:453:ASN:OD1	2.69	0.41
1:B:273:GLU:OE2	1:B:354:MSE:HB3	2.20	0.41
1:A:414:CYS:HB3	1:A:431:GLU:HG3	2.01	0.41
1:A:458:GLU:O	1:A:459:PHE:HB2	2.20	0.41
1:B:360:TYR:CZ	1:B:389:PHE:HD1	2.39	0.41
1:A:431:GLU:HA	1:A:464:MSE:O	2.21	0.41
1:B:359:HIS:O	1:B:362:TYR:HB3	2.21	0.41
1:A:357:ASN:OD1	1:A:387:LYS:O	2.38	0.41
1:A:449:LYS:O	1:A:474:ASN:ND2	2.54	0.40
1:A:262:ASN:HD22	1:A:262:ASN:C	2.25	0.40
1:A:262:ASN:ND2	1:A:263:PRO:HD2	2.31	0.40
1:A:391:THR:HA	3:A:672:HOH:O	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	259/269 (96%)	248 (96%)	11 (4%)	0	100	100
1	B	253/269 (94%)	243 (96%)	10 (4%)	0	100	100
All	All	512/538 (95%)	491 (96%)	21 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain

conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	240/242 (99%)	238 (99%)	2 (1%)	89	95
1	B	232/242 (96%)	229 (99%)	3 (1%)	80	89
All	All	472/484 (98%)	467 (99%)	5 (1%)	84	92

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	262	ASN
1	A	399	ASN
1	B	261	ASP
1	B	452	ASN
1	B	490	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	509	ASN
1	B	470	ASN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	A	602	-	4,4,4	0.25	0	6,6,6	0.11	0
2	SO4	A	603	-	4,4,4	0.15	0	6,6,6	0.16	0
2	SO4	A	605	-	4,4,4	0.33	0	6,6,6	0.20	0
2	SO4	A	607	-	4,4,4	0.31	0	6,6,6	0.06	0
2	SO4	A	608	-	4,4,4	0.22	0	6,6,6	0.07	0
2	SO4	B	601	-	4,4,4	0.19	0	6,6,6	0.17	0
2	SO4	B	604	-	4,4,4	0.17	0	6,6,6	0.10	0
2	SO4	B	606	-	4,4,4	0.29	0	6,6,6	0.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	602	-	-	0/0/0/0	0/0/0/0
2	SO4	A	603	-	-	0/0/0/0	0/0/0/0
2	SO4	A	605	-	-	0/0/0/0	0/0/0/0
2	SO4	A	607	-	-	0/0/0/0	0/0/0/0
2	SO4	A	608	-	-	0/0/0/0	0/0/0/0
2	SO4	B	601	-	-	0/0/0/0	0/0/0/0
2	SO4	B	604	-	-	0/0/0/0	0/0/0/0
2	SO4	B	606	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	261/269 (97%)	0.23	15 (5%) 23 23	17, 35, 64, 97	0
1	B	257/269 (95%)	0.18	14 (5%) 25 25	18, 35, 71, 105	0
All	All	518/538 (96%)	0.20	29 (5%) 24 23	17, 35, 68, 105	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	459	PHE	9.4
1	A	459	PHE	8.7
1	A	460	ASN	6.5
1	A	461	ASN	6.2
1	A	284	GLY	5.9
1	B	460	ASN	5.8
1	B	425	MSE	4.7
1	B	461	ASN	4.5
1	A	285	LYS	4.4
1	B	436	ASN	4.0
1	A	286	TYR	4.0
1	B	418	TYR	4.0
1	B	457	ASN	3.9
1	B	455	TYR	3.7
1	B	257	LYS	3.6
1	B	462	SER	3.4
1	A	257	LYS	3.4
1	B	458	GLU	3.3
1	A	455	TYR	3.3
1	B	256	HIS	2.8
1	B	456	MSE	2.7
1	A	258	LEU	2.7
1	A	377	ASN	2.7
1	A	457	ASN	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	268	ILE	2.5
1	A	427	THR	2.4
1	A	421	MSE	2.4
1	A	458	GLU	2.1
1	B	427	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	B	606	5/5	0.14	0.60	78,78,79,79	0
2	SO4	A	607	5/5	0.17	0.25	57,58,58,58	0
2	SO4	A	608	5/5	0.25	-0.27	91,91,91,91	0
2	SO4	B	604	5/5	0.09	-1.00	32,32,35,39	0
2	SO4	B	601	5/5	0.08	-1.12	36,37,41,41	0
2	SO4	A	602	5/5	0.07	-1.25	39,39,42,44	0
2	SO4	A	605	5/5	0.09	-1.67	32,33,35,37	0
2	SO4	A	603	5/5	0.08	-1.75	28,29,30,31	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.