



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 02:05 PM GMT

PDB ID : 3AD8
Title : Heterotetrameric Sarcosine Oxidase from Corynebacterium sp. U-96 in complex with pyrrole 2-carboxylate
Authors : Suzuki, H.; Moriguchi, T.; Ida, K.
Deposited on : 2010-01-15
Resolution : 2.20 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2938 (2.20-2.20)
Clashscore	79885	3751 (2.20-2.20)
Ramachandran outliers	78287	3681 (2.20-2.20)
Sidechain outliers	78261	3682 (2.20-2.20)
RSRZ outliers	66119	2939 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	964	
2	B	404	
3	C	203	
4	D	99	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
6	SO4	A	2502	-	X
6	SO4	A	2506	-	X
6	SO4	B	2505	-	X
6	SO4	D	2503	-	X

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 13736 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SARCOSINE OXIDASE ALPHA SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	963	Total	C	N	O	S	0	0	0
			7229	4507	1287	1413	22			

- Molecule 2 is a protein called SARCOSINE OXIDASE BETA SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	404	Total	C	N	O	S	0	0	0
			3108	1981	541	576	10			

- Molecule 3 is a protein called SARCOSINE OXIDASE GAMMA SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	195	Total	C	N	O	S	0	0	0
			1433	902	257	271	3			

- Molecule 4 is a protein called SARCOSINE OXIDASE DELTA SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	91	Total	C	N	O	S	0	0	0
			749	476	135	133	5			

- Molecule 5 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 6 is SULFATE ION (three-letter code: SO₄) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	N	O	P	
			53	27	9	15	2	

- Molecule 8 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: $C_{17}H_{21}N_4O_9P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
8	B	1	31	17	4	9	1	0	0

- Molecule 9 is PYRROLE-2-CARBOXYLATE (three-letter code: PYC) (formula: $C_5H_4NO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
9	B	1	8	5	1	2	0	0

- Molecule 10 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	D	1	Total 1	Zn 1	0	0

- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	631	Total 631	O 631	0	0
11	B	189	Total 189	O 189	0	0
11	C	133	Total 133	O 133	0	0
11	D	67	Total 67	O 67	0	0

- Molecule 4: SARCOSINE OXIDASE DELTA SUBUNIT

Chain D: 

M1	I4	R12	F53	E77	F78	K79	L91	ASP	SER	THR	GLU	GLY	GLY	THR	ARG
----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	198.80Å 198.80Å 196.82Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	61.31 – 2.20 61.31 – 2.20	Depositor EDS
% Data completeness (in resolution range)	100.0 (61.31-2.20) 100.0 (61.31-2.20)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.18 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.161 , 0.206 0.166 , 0.210	Depositor DCC
R_{free} test set	5799 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	24.4	Xtriage
Anisotropy	0.054	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 30.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 115665 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13736	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, NAD, FMN, SO4, PYC, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.04	5/7361 (0.1%)	0.93	19/10017 (0.2%)
2	B	1.01	2/3189 (0.1%)	0.91	6/4340 (0.1%)
3	C	1.11	3/1461 (0.2%)	1.00	6/1998 (0.3%)
4	D	1.03	1/772 (0.1%)	0.88	1/1040 (0.1%)
All	All	1.04	11/12783 (0.1%)	0.93	32/17395 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
3	C	0	1
All	All	0	2

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	477	HIS	CB-CG	9.30	1.66	1.50
1	A	477	HIS	CA-CB	8.05	1.71	1.53
1	A	477	HIS	CA-C	6.84	1.70	1.52
4	D	53	PHE	CE1-CZ	6.38	1.49	1.37
1	A	249	ALA	CA-CB	-5.99	1.39	1.52
3	C	130	ALA	CA-CB	5.88	1.64	1.52
3	C	125	GLU	CB-CG	-5.67	1.41	1.52
1	A	445	GLU	CG-CD	5.64	1.60	1.51
3	C	169	GLN	CB-CG	5.41	1.67	1.52
2	B	387	ARG	CG-CD	5.31	1.65	1.51
2	B	334	ALA	CA-CB	5.17	1.63	1.52

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	387	ARG	NE-CZ-NH1	-14.34	113.13	120.30
1	A	15	ARG	NE-CZ-NH2	-12.63	113.98	120.30
1	A	819	ARG	NE-CZ-NH2	-12.61	113.99	120.30
1	A	819	ARG	NE-CZ-NH1	10.36	125.48	120.30
3	C	176	ARG	NE-CZ-NH2	-8.83	115.88	120.30
2	B	387	ARG	NE-CZ-NH2	8.37	124.49	120.30
1	A	477	HIS	CB-CA-C	8.22	126.83	110.40
1	A	918	ARG	NE-CZ-NH1	8.10	124.35	120.30
3	C	176	ARG	NE-CZ-NH1	8.08	124.34	120.30
3	C	165	ARG	NE-CZ-NH1	8.05	124.33	120.30
1	A	770	ARG	NE-CZ-NH2	-7.04	116.78	120.30
1	A	15	ARG	NE-CZ-NH1	6.93	123.77	120.30
2	B	117	ARG	NE-CZ-NH2	-6.77	116.91	120.30
1	A	214	LEU	CA-CB-CG	-6.67	99.95	115.30
3	C	28	ARG	NE-CZ-NH2	-6.57	117.02	120.30
1	A	918	ARG	NE-CZ-NH2	-6.45	117.08	120.30
1	A	819	ARG	CG-CD-NE	-6.43	98.30	111.80
3	C	28	ARG	NE-CZ-NH1	6.39	123.49	120.30
1	A	214	LEU	CB-CG-CD1	6.09	121.36	111.00
2	B	181	ARG	NE-CZ-NH2	-6.08	117.26	120.30
1	A	819	ARG	CD-NE-CZ	6.01	132.01	123.60
1	A	566	ARG	NE-CZ-NH2	-5.87	117.36	120.30
1	A	235	ARG	NE-CZ-NH2	-5.73	117.44	120.30
1	A	12	ALA	C-N-CA	-5.72	110.29	122.30
1	A	474	ASP	CB-CG-OD2	-5.68	113.19	118.30
2	B	286	ILE	CG1-CB-CG2	5.47	123.44	111.40
1	A	18	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	A	819	ARG	CB-CG-CD	5.28	125.33	111.60
4	D	12	ARG	NE-CZ-NH1	5.11	122.86	120.30
3	C	200	ALA	N-CA-C	5.11	124.80	111.00
2	B	173	ASP	CB-CG-OD1	5.09	122.88	118.30
1	A	68	VAL	CG1-CB-CG2	5.03	118.95	110.90

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	227	SER	Peptide
3	C	199	VAL	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7229	0	7104	101	1
2	B	3108	0	3035	54	0
3	C	1433	0	1434	17	0
4	D	749	0	706	3	0
5	A	44	0	26	4	0
6	A	35	0	0	3	0
6	B	15	0	0	0	0
6	C	5	0	0	0	0
6	D	5	0	0	0	0
7	B	53	0	31	4	0
8	B	31	0	18	9	0
9	B	8	0	4	0	0
10	D	1	0	0	0	0
11	A	631	0	0	13	1
11	B	189	0	0	5	0
11	C	133	0	0	2	0
11	D	67	0	0	0	0
All	All	13736	0	12358	173	2

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 7.

All (173) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:172:HIS:NE2	8:B:406:FMN:C8M	1.71	1.50
1:A:830:ASP:OD1	1:A:909:HIS:CE1	1.88	1.26
1:A:696:ALA:HB3	6:A:2509:SO4:O3	1.41	1.17
2:B:384:ALA:O	2:B:387:ARG:HD3	1.44	1.12
2:B:387:ARG:HH11	2:B:387:ARG:HG3	0.98	1.11
1:A:830:ASP:CG	1:A:909:HIS:HE1	1.56	1.09
2:B:387:ARG:HH11	2:B:387:ARG:CG	1.66	1.06
1:A:885:GLU:HG2	1:A:909:HIS:HA	1.37	1.05
1:A:696:ALA:HB1	11:A:1461:HOH:O	1.57	1.04
2:B:387:ARG:NH1	2:B:387:ARG:HG3	1.76	0.98

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:736:ARG:NH2	1:A:963:ASP:O	1.99	0.95
1:A:696:ALA:CB	6:A:2509:SO4:O3	2.14	0.95
3:C:169:GLN:HE21	3:C:171:TRP:HE1	1.13	0.94
1:A:830:ASP:OD1	1:A:909:HIS:HE1	1.36	0.92
1:A:226:PRO:HB2	11:A:1256:HOH:O	1.70	0.90
3:C:169:GLN:NE2	3:C:171:TRP:HE1	1.72	0.88
1:A:15:ARG:CD	1:A:161:GLU:OE2	2.22	0.87
3:C:37:PHE:O	3:C:93:GLU:HG2	1.75	0.87
2:B:100:LEU:HD12	2:B:171:LYS:HD2	1.57	0.87
1:A:689:MET:HE2	1:A:699:VAL:HG11	1.56	0.87
1:A:15:ARG:HD2	1:A:161:GLU:OE2	1.75	0.85
1:A:868:ARG:O	1:A:926:LYS:O	1.95	0.84
1:A:689:MET:CE	1:A:699:VAL:HG11	2.08	0.83
1:A:819:ARG:HH22	1:A:909:HIS:CE1	1.98	0.81
1:A:830:ASP:CG	1:A:909:HIS:CE1	2.44	0.79
1:A:888:ALA:O	1:A:938:THR:HG23	1.83	0.79
2:B:172:HIS:HD1	2:B:173:ASP:H	1.32	0.78
1:A:249:ALA:HB1	11:A:978:HOH:O	1.83	0.78
1:A:830:ASP:OD2	1:A:909:HIS:HE1	1.66	0.78
1:A:510:ARG:HH21	8:B:406:FMN:H5'1	1.50	0.76
2:B:172:HIS:CD2	8:B:406:FMN:C8M	2.68	0.76
2:B:387:ARG:CG	2:B:387:ARG:NH1	2.37	0.75
1:A:892:ALA:HA	1:A:937:LYS:HD2	1.68	0.75
3:C:50:THR:HG22	11:C:482:HOH:O	1.87	0.74
2:B:269:HIS:CE1	2:B:403:ALA:H	2.06	0.73
1:A:292:ASN:HD22	1:A:294:SER:H	1.34	0.73
1:A:816:HIS:O	1:A:819:ARG:HD3	1.89	0.72
1:A:736:ARG:NH1	11:A:1486:HOH:O	2.21	0.72
2:B:202:ASP:OD1	2:B:203:GLY:N	2.22	0.72
1:A:909:HIS:NE2	1:A:922:LEU:HD12	2.05	0.72
1:A:901:THR:CG2	11:A:1118:HOH:O	2.39	0.71
1:A:15:ARG:HD3	1:A:161:GLU:OE2	1.89	0.70
1:A:510:ARG:HH21	8:B:406:FMN:C5'	2.04	0.70
1:A:918:ARG:HG3	1:A:918:ARG:HH11	1.57	0.70
2:B:153:ASN:HD22	2:B:153:ASN:H	1.38	0.70
1:A:696:ALA:HB3	6:A:2509:SO4:S	2.31	0.69
2:B:93:GLU:HG2	11:B:655:HOH:O	1.92	0.69
3:C:73:ASP:OD2	3:C:75:SER:HB2	1.92	0.69
1:A:292:ASN:ND2	1:A:294:SER:H	1.90	0.68
1:A:860:ARG:HH21	1:A:863:ASN:HD21	1.42	0.67
1:A:819:ARG:NH2	1:A:909:HIS:NE2	2.42	0.67
1:A:125:HIS:HD2	11:A:1191:HOH:O	1.77	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:736:ARG:HG2	1:A:748:VAL:HG23	1.78	0.65
3:C:37:PHE:O	3:C:93:GLU:CG	2.44	0.65
1:A:937:LYS:NZ	1:A:946:ASP:OD2	2.29	0.65
2:B:210:LYS:HE3	2:B:211:THR:O	1.97	0.65
2:B:149:ASN:HD21	2:B:153:ASN:HD21	1.45	0.64
1:A:830:ASP:OD2	1:A:909:HIS:CE1	2.48	0.64
2:B:269:HIS:HE1	2:B:403:ALA:H	1.46	0.64
1:A:243:GLN:OE1	1:A:413:HIS:HE1	1.80	0.64
1:A:901:THR:HG23	11:A:1118:HOH:O	1.98	0.63
1:A:223:LEU:HD23	1:A:226:PRO:HB3	1.80	0.63
2:B:171:LYS:HE2	2:B:174:HIS:CD2	2.34	0.62
1:A:632:GLY:HA3	1:A:696:ALA:HB2	1.81	0.61
3:C:157:ALA:O	3:C:182:HIS:HE1	1.84	0.60
1:A:750:ASN:HD22	1:A:773:ARG:HH12	1.49	0.60
2:B:142:LYS:HE2	2:B:146:PRO:O	2.02	0.59
1:A:945:VAL:HG13	11:A:1127:HOH:O	2.02	0.59
1:A:816:HIS:HA	1:A:819:ARG:HD2	1.85	0.59
2:B:172:HIS:HD1	2:B:173:ASP:N	1.98	0.58
1:A:842:MET:O	1:A:845:VAL:HG12	2.03	0.58
11:A:1227:HOH:O	3:C:182:HIS:HD2	1.86	0.58
1:A:582:HIS:CD2	1:A:601:TYR:OH	2.57	0.58
2:B:111:HIS:HD2	2:B:156:TYR:O	1.87	0.58
2:B:114:GLY:O	2:B:118:GLU:HG2	2.03	0.58
1:A:382:PRO:HG2	1:A:404:VAL:HG12	1.86	0.58
1:A:635:GLU:OE2	1:A:686:ARG:NH1	2.32	0.57
1:A:540:ASN:O	1:A:543:GLN:HB2	2.05	0.56
1:A:474:ASP:OD2	1:A:477:HIS:CD2	2.58	0.56
2:B:7:HIS:HE1	11:B:426:HOH:O	1.86	0.56
2:B:172:HIS:CE1	8:B:406:FMN:C8M	2.76	0.56
2:B:172:HIS:NE2	8:B:406:FMN:C8	2.63	0.55
1:A:510:ARG:NH2	8:B:406:FMN:C5'	2.70	0.55
1:A:888:ALA:O	1:A:938:THR:CG2	2.51	0.55
1:A:249:ALA:HB2	5:A:965:NAD:O3	2.07	0.55
1:A:750:ASN:ND2	1:A:773:ARG:HH12	2.06	0.54
2:B:64:ASN:HA	7:B:405:FAD:C6	2.37	0.54
1:A:746:LEU:HD13	1:A:748:VAL:HG12	1.89	0.54
2:B:39:LEU:HD13	2:B:368:ALA:HA	1.91	0.53
1:A:510:ARG:NH2	8:B:406:FMN:H5'1	2.22	0.53
2:B:286:ILE:HD11	2:B:328:VAL:HG21	1.90	0.53
2:B:360:THR:HB	2:B:361:PRO:HD3	1.91	0.53
1:A:249:ALA:HB2	5:A:965:NAD:PA	2.48	0.52
2:B:123:VAL:HG23	2:B:162:THR:HG22	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:945:VAL:CG1	11:A:1127:HOH:O	2.56	0.52
1:A:736:ARG:HG2	1:A:748:VAL:CG2	2.40	0.52
2:B:4:LEU:HD22	2:B:96:GLU:HA	1.91	0.52
3:C:11:PRO:HG2	3:C:120:SER:HB3	1.91	0.52
1:A:249:ALA:CB	5:A:965:NAD:O2A	2.58	0.52
2:B:118:GLU:OE2	11:B:802:HOH:O	2.19	0.51
2:B:26:VAL:HG13	2:B:223:LEU:HD23	1.92	0.51
1:A:114:PRO:HA	2:B:314:ILE:HG13	1.91	0.51
2:B:126:ASN:HB3	2:B:131:VAL:HG22	1.93	0.51
1:A:495:LEU:HD21	1:A:535:VAL:HG22	1.92	0.51
1:A:508:ILE:N	1:A:508:ILE:HD13	2.26	0.51
1:A:248:THR:O	1:A:249:ALA:HB3	2.12	0.50
1:A:486:GLN:HE22	1:A:518:ASN:ND2	2.10	0.49
1:A:871:LEU:HD13	1:A:952:LEU:HD11	1.93	0.49
4:D:77:GLU:CD	4:D:79:LYS:NZ	2.66	0.49
1:A:582:HIS:HE1	1:A:627:ASP:OD2	1.96	0.48
1:A:249:ALA:HB2	5:A:965:NAD:O2A	2.14	0.48
2:B:13:ASN:ND2	2:B:184:ASN:HD21	2.13	0.47
2:B:265:SER:O	2:B:269:HIS:HD2	1.98	0.47
1:A:689:MET:HE1	1:A:699:VAL:HG11	1.90	0.47
1:A:938:THR:HG22	1:A:939:PRO:HD2	1.97	0.47
1:A:736:ARG:HB2	1:A:780:LEU:HD21	1.98	0.46
3:C:169:GLN:NE2	3:C:171:TRP:NE1	2.53	0.46
1:A:64:PHE:HB3	1:A:71:PRO:HD2	1.97	0.46
1:A:901:THR:HG22	11:A:1118:HOH:O	2.10	0.46
2:B:111:HIS:CE1	2:B:265:SER:OG	2.69	0.46
3:C:40:GLN:HA	3:C:89:LEU:O	2.14	0.46
1:A:689:MET:HE2	1:A:699:VAL:CG1	2.37	0.46
2:B:265:SER:O	2:B:269:HIS:HA	2.16	0.46
1:A:510:ARG:NH2	8:B:406:FMN:H5'2	2.31	0.46
2:B:349:ASN:HB2	2:B:367:LEU:HD22	1.98	0.46
1:A:405:PRO:HB2	1:A:414:LEU:HD13	1.98	0.45
1:A:253:ARG:HB2	1:A:254:PRO:HD2	1.98	0.45
1:A:905:GLY:HA3	1:A:924:LEU:O	2.16	0.45
1:A:289:ALA:HB2	1:A:374:LEU:HD11	1.97	0.45
3:C:136:SER:OG	3:C:156:LEU:HD22	2.17	0.45
2:B:69:ARG:HD2	2:B:71:ASN:OD1	2.14	0.45
1:A:898:GLU:HG3	11:A:1298:HOH:O	2.16	0.45
1:A:815:MET:HE2	1:A:816:HIS:HD2	1.82	0.45
2:B:118:GLU:OE1	11:B:809:HOH:O	2.20	0.45
1:A:901:THR:HA	1:A:902:PRO:HD3	1.77	0.45
2:B:96:GLU:O	2:B:181:ARG:NH2	2.50	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:486:GLN:HE22	1:A:518:ASN:HD22	1.64	0.45
1:A:387:HIS:HD2	11:A:968:HOH:O	1.98	0.45
4:D:77:GLU:OE2	4:D:79:LYS:NZ	2.49	0.44
2:B:210:LYS:NZ	2:B:214:GLY:HA2	2.33	0.44
3:C:51:GLY:HA3	11:C:223:HOH:O	2.17	0.44
1:A:123:HIS:HE1	1:A:560:ALA:O	2.01	0.44
1:A:668:LYS:HD3	1:A:702:TRP:CH2	2.53	0.44
1:A:819:ARG:NH2	1:A:830:ASP:OD2	2.51	0.44
1:A:134:GLY:O	1:A:139:GLY:HA3	2.18	0.44
1:A:860:ARG:NH2	1:A:863:ASN:HD21	2.13	0.44
2:B:153:ASN:HD22	2:B:153:ASN:N	2.06	0.43
1:A:387:HIS:HE1	1:A:393:LYS:O	2.01	0.43
1:A:479:LYS:HE2	1:A:479:LYS:HB3	1.87	0.43
4:D:77:GLU:CD	4:D:79:LYS:HZ2	2.22	0.43
1:A:249:ALA:HB1	1:A:250:ALA:H	1.66	0.43
1:A:648:MET:HE2	1:A:648:MET:HA	2.01	0.43
1:A:689:MET:CE	1:A:699:VAL:CG1	2.88	0.43
2:B:149:ASN:HD21	2:B:153:ASN:ND2	2.13	0.43
1:A:616:CYS:HB2	1:A:914:PRO:HG2	2.01	0.43
2:B:39:LEU:HD13	2:B:368:ALA:CA	2.49	0.42
1:A:776:PHE:CE2	1:A:819:ARG:HG3	2.53	0.42
2:B:111:HIS:HE1	2:B:265:SER:OG	2.02	0.42
3:C:71:ALA:O	3:C:78:ALA:HA	2.20	0.42
2:B:182:LYS:HD3	2:B:182:LYS:HA	1.80	0.42
3:C:151:ALA:HA	3:C:163:LEU:O	2.20	0.42
2:B:210:LYS:HD2	2:B:211:THR:H	1.85	0.41
2:B:6:GLU:HB2	11:B:790:HOH:O	2.20	0.41
2:B:357:PHE:HB3	7:B:405:FAD:C2	2.50	0.41
2:B:64:ASN:HA	7:B:405:FAD:C5X	2.51	0.41
1:A:792:LEU:HD12	3:C:9:ARG:HD3	2.03	0.41
1:A:18:ARG:HA	1:A:34:PHE:CD1	2.55	0.41
2:B:64:ASN:HB2	7:B:405:FAD:C4X	2.50	0.41
1:A:887:ALA:HB1	1:A:938:THR:HG21	2.03	0.41
1:A:76:THR:HA	1:A:88:SER:HA	2.02	0.40
1:A:656:LEU:HD23	1:A:681:ARG:HB2	2.04	0.40
2:B:332:MET:HA	2:B:332:MET:CE	2.52	0.40
3:C:149:ASN:N	3:C:165:ARG:O	2.50	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:477:HIS:NE2	1:A:477:HIS:NE2[11_555]	1.27	0.93
11:A:1080:HOH:O	11:A:1080:HOH:O[9_555]	1.63	0.57

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	961/964 (100%)	941 (98%)	18 (2%)	2 (0%)	56	62
2	B	402/404 (100%)	387 (96%)	15 (4%)	0	100	100
3	C	193/203 (95%)	187 (97%)	6 (3%)	0	100	100
4	D	89/99 (90%)	87 (98%)	2 (2%)	0	100	100
All	All	1645/1670 (98%)	1602 (97%)	41 (2%)	2 (0%)	59	66

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	227	SER
1	A	406	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	747/747 (100%)	709 (95%)	38 (5%)	33	38
2	B	319/319 (100%)	305 (96%)	14 (4%)	39	45
3	C	143/151 (95%)	134 (94%)	9 (6%)	25	27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	D	75/81 (93%)	74 (99%)	1 (1%)	80	89
All	All	1284/1298 (99%)	1222 (95%)	62 (5%)	35	41

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	SER
1	A	68	VAL
1	A	123	HIS
1	A	214	LEU
1	A	218	ARG
1	A	223	LEU
1	A	333	LEU
1	A	353	LEU
1	A	466	LEU
1	A	474	ASP
1	A	508	ILE
1	A	518	ASN
1	A	535	VAL
1	A	541	PRO
1	A	578	MET
1	A	590	GLU
1	A	619	VAL
1	A	645	LEU
1	A	684	GLU
1	A	746	LEU
1	A	753	PHE
1	A	761	VAL
1	A	786	ILE
1	A	789	TRP
1	A	792	LEU
1	A	815	MET
1	A	819	ARG
1	A	843	GLU
1	A	848	LYS
1	A	850	LYS
1	A	871	LEU
1	A	874	VAL
1	A	889	LEU
1	A	890	VAL
1	A	901	THR
1	A	918	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	938	THR
1	A	949	VAL
2	B	4	LEU
2	B	26	VAL
2	B	39	LEU
2	B	97	TYR
2	B	142	LYS
2	B	153	ASN
2	B	172	HIS
2	B	202	ASP
2	B	232	LEU
2	B	267	HIS
2	B	286	ILE
2	B	311	LEU
2	B	378	LYS
2	B	387	ARG
3	C	50	THR
3	C	73	ASP
3	C	93	GLU
3	C	97	LEU
3	C	98	LEU
3	C	146	PHE
3	C	156	LEU
3	C	169	GLN
3	C	170	SER
4	D	4	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	GLN
1	A	82	GLN
1	A	123	HIS
1	A	125	HIS
1	A	181	GLN
1	A	238	HIS
1	A	292	ASN
1	A	387	HIS
1	A	413	HIS
1	A	477	HIS
1	A	518	ASN
1	A	540	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	582	HIS
1	A	750	ASN
1	A	816	HIS
1	A	863	ASN
1	A	912	ASN
2	B	7	HIS
2	B	13	ASN
2	B	14	ASN
2	B	111	HIS
2	B	153	ASN
2	B	267	HIS
2	B	269	HIS
2	B	344	GLN
2	B	369	HIS
3	C	6	GLN
3	C	158	ASN
3	C	169	GLN
3	C	182	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 17 ligands modelled in this entry, 1 is monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	SO4	A	2500	-	4,4,4	0.33	0	6,6,6	0.22	0
6	SO4	A	2501	-	4,4,4	0.46	0	6,6,6	0.43	0
6	SO4	A	2502	-	4,4,4	0.25	0	6,6,6	0.26	0
6	SO4	A	2504	-	4,4,4	0.44	0	6,6,6	0.51	0
6	SO4	A	2506	-	4,4,4	0.39	0	6,6,6	0.41	0
6	SO4	A	2507	-	4,4,4	0.12	0	6,6,6	0.40	0
6	SO4	A	2509	-	4,4,4	0.42	0	6,6,6	0.76	0
5	NAD	A	965	-	48,48,48	1.49	7 (14%)	73,73,73	2.15	15 (20%)
6	SO4	B	2505	-	4,4,4	0.16	0	6,6,6	0.20	0
6	SO4	B	2510	-	4,4,4	0.52	0	6,6,6	0.73	0
6	SO4	B	2511	-	4,4,4	0.18	0	6,6,6	0.39	0
7	FAD	B	405	-	58,58,58	1.47	11 (18%)	85,89,89	1.89	18 (21%)
8	FMN	B	406	-	33,33,33	2.06	10 (30%)	46,50,50	2.49	12 (26%)
9	PYC	B	801	-	5,8,8	2.59	2 (40%)	5,10,10	1.00	0
6	SO4	C	2508	-	4,4,4	0.82	0	6,6,6	0.27	0
6	SO4	D	2503	-	4,4,4	0.08	0	6,6,6	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	SO4	A	2500	-	-	0/0/0/0	0/0/0/0
6	SO4	A	2501	-	-	0/0/0/0	0/0/0/0
6	SO4	A	2502	-	-	0/0/0/0	0/0/0/0
6	SO4	A	2504	-	-	0/0/0/0	0/0/0/0
6	SO4	A	2506	-	-	0/0/0/0	0/0/0/0
6	SO4	A	2507	-	-	0/0/0/0	0/0/0/0
6	SO4	A	2509	-	-	0/0/0/0	0/0/0/0
5	NAD	A	965	-	-	0/30/62/62	0/3/5/5
6	SO4	B	2505	-	-	0/0/0/0	0/0/0/0
6	SO4	B	2510	-	-	0/0/0/0	0/0/0/0
6	SO4	B	2511	-	-	0/0/0/0	0/0/0/0
7	FAD	B	405	-	-	0/34/50/50	0/1/6/6
8	FMN	B	406	-	-	0/18/18/18	0/0/3/3
9	PYC	B	801	-	-	0/0/4/4	0/1/1/1
6	SO4	C	2508	-	-	0/0/0/0	0/0/0/0
6	SO4	D	2503	-	-	0/0/0/0	0/0/0/0

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	B	406	FMN	O5'-C5'	-5.80	1.20	1.44
8	B	406	FMN	C1'-C2'	5.40	1.56	1.51
5	A	965	NAD	O7N-C7N	5.18	1.36	1.24
5	A	965	NAD	C2N-N1N	4.32	1.40	1.35
9	B	801	PYC	C3-C2	-4.09	1.32	1.40
7	B	405	FAD	C4X-N5	4.05	1.44	1.36
9	B	801	PYC	C2-N6	-3.68	1.33	1.36
7	B	405	FAD	C9A-N10	3.55	1.44	1.38
7	B	405	FAD	C1'-C2'	3.49	1.54	1.51
5	A	965	NAD	C2B-C1B	-3.29	1.48	1.53
5	A	965	NAD	C4A-N9A	-3.29	1.32	1.37
8	B	406	FMN	C9A-C5A	-3.05	1.36	1.42
7	B	405	FAD	PA-O3P	-3.05	1.54	1.59
8	B	406	FMN	C8M-C8	2.82	1.57	1.51
8	B	406	FMN	C4-N3	2.59	1.41	1.37
8	B	406	FMN	C10-N10	-2.46	1.33	1.38
5	A	965	NAD	C5A-N7A	-2.45	1.31	1.40
8	B	406	FMN	C4-C4A	-2.44	1.37	1.41
7	B	405	FAD	C5X-N5	2.41	1.39	1.35
7	B	405	FAD	C4-N3	2.35	1.41	1.37
5	A	965	NAD	C5B-C4B	2.35	1.59	1.51
7	B	405	FAD	C10-N1	2.24	1.39	1.35
7	B	405	FAD	C2-N3	2.21	1.41	1.37
7	B	405	FAD	C4A-N9A	-2.18	1.34	1.37
8	B	406	FMN	C4A-C10	-2.18	1.37	1.40
8	B	406	FMN	C4'-C3'	2.15	1.58	1.53
7	B	405	FAD	C9-C8	2.14	1.43	1.37
8	B	406	FMN	C7M-C7	2.07	1.55	1.51
7	B	405	FAD	O3B-C3B	2.06	1.47	1.43
5	A	965	NAD	PN-O5D	-2.00	1.53	1.60

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	406	FMN	C5'-C4'-C3'	-9.44	94.25	112.06
5	A	965	NAD	O4B-C1B-N9A	-8.47	100.56	108.44
5	A	965	NAD	N3A-C2A-N1A	-7.72	122.25	128.71
8	B	406	FMN	O4'-C4'-C5'	-6.81	96.13	110.12
7	B	405	FAD	N3A-C2A-N1A	-6.28	123.45	128.71
7	B	405	FAD	O4B-C1B-N9A	-6.10	102.77	108.44
5	A	965	NAD	C2D-C1D-N1N	-6.07	103.58	113.86
7	B	405	FAD	C4B-O4B-C1B	-5.43	103.85	109.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	965	NAD	O4B-C1B-C2B	-5.32	98.61	106.77
5	A	965	NAD	O4D-C1D-N1N	-5.00	102.84	107.95
8	B	406	FMN	O5'-P-O1P	4.91	121.09	106.71
7	B	405	FAD	C4X-N5-C5X	4.69	121.96	116.69
8	B	406	FMN	C4A-C10-N10	-4.49	118.27	120.51
7	B	405	FAD	N3A-C4A-N9A	4.39	133.36	125.43
7	B	405	FAD	C2-N1-C10	4.32	119.34	114.98
7	B	405	FAD	C1'-N10-C9A	4.02	122.79	118.87
5	A	965	NAD	C4A-C5A-N7A	-3.85	106.22	109.52
8	B	406	FMN	C2-N1-C10	3.73	118.74	114.98
8	B	406	FMN	C5A-C9A-N10	3.58	120.32	116.80
5	A	965	NAD	C5B-C4B-C3B	-3.26	102.17	115.21
8	B	406	FMN	C4'-C3'-C2'	3.24	120.58	113.25
5	A	965	NAD	N3A-C4A-N9A	3.20	131.21	125.43
8	B	406	FMN	C4A-N5-C5A	3.09	120.16	116.69
7	B	405	FAD	C4-N3-C2	-3.07	119.10	125.39
7	B	405	FAD	O4B-C1B-C2B	-2.84	102.42	106.77
7	B	405	FAD	C4A-C5A-N7A	-2.84	107.09	109.52
7	B	405	FAD	C4X-C10-N10	-2.82	119.10	120.51
7	B	405	FAD	C5X-C9A-N10	2.76	119.52	116.80
7	B	405	FAD	C5A-C4A-N3A	-2.67	119.88	125.70
8	B	406	FMN	O2P-P-O5'	-2.61	99.45	106.65
5	A	965	NAD	C5A-C4A-N3A	-2.61	120.02	125.70
8	B	406	FMN	C9A-C5A-N5	-2.54	118.47	122.37
5	A	965	NAD	O4D-C1D-C2D	-2.47	102.98	106.77
7	B	405	FAD	C6-C5X-C9A	2.42	122.37	119.02
5	A	965	NAD	C2N-C3N-C4N	2.40	121.03	118.31
7	B	405	FAD	C9A-C5X-N5	-2.36	118.75	122.37
5	A	965	NAD	N7A-C8A-N9A	-2.33	107.76	114.36
7	B	405	FAD	C8A-N9A-C4A	2.22	108.59	106.90
8	B	406	FMN	P-O5'-C5'	2.21	124.58	118.19
5	A	965	NAD	C2A-N3A-C4A	2.06	119.88	114.01
7	B	405	FAD	C5'-C4'-C3'	-2.04	108.21	112.06
5	A	965	NAD	C8A-N7A-C5A	2.03	109.88	103.58
7	B	405	FAD	N7A-C8A-N9A	-2.02	108.64	114.36
5	A	965	NAD	C6N-N1N-C2N	-2.02	119.76	122.04
8	B	406	FMN	O2P-P-O1P	2.02	117.03	110.44

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	963/964 (99%)	-0.55	7 (0%) 84 86	11, 24, 41, 59	0
2	B	404/404 (100%)	-0.55	6 (1%) 70 71	13, 25, 39, 84	0
3	C	195/203 (96%)	-0.73	0 100 100	14, 22, 42, 49	0
4	D	91/99 (91%)	-0.75	0 100 100	15, 22, 42, 54	0
All	All	1653/1670 (98%)	-0.58	13 (0%) 83 85	11, 24, 41, 84	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	1	ALA	9.7
2	B	2	ASP	8.1
2	B	3	LEU	7.8
1	A	909	HIS	3.8
2	B	4	LEU	3.0
2	B	5	PRO	2.9
1	A	226	PRO	2.8
2	B	202	ASP	2.7
1	A	327	THR	2.4
1	A	848	LYS	2.3
1	A	694	GLY	2.2
1	A	866	GLU	2.1
1	A	225	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
6	SO4	A	2502	5/5	0.30	9.72	76,76,77,78	0
6	SO4	A	2506	5/5	0.24	7.51	65,65,67,68	0
6	SO4	B	2505	5/5	0.20	6.31	56,57,58,60	0
6	SO4	D	2503	5/5	0.16	2.38	82,82,83,83	0
6	SO4	A	2509	5/5	0.12	1.85	44,46,49,52	0
9	PYC	B	801	8/8	0.11	1.84	44,44,46,48	0
6	SO4	C	2508	5/5	0.15	1.71	30,33,35,35	0
6	SO4	A	2507	5/5	0.18	1.63	59,60,62,64	0
6	SO4	B	2510	5/5	0.26	1.55	52,53,57,57	0
6	SO4	B	2511	5/5	0.12	0.56	73,73,75,76	0
6	SO4	A	2500	5/5	0.12	0.44	65,66,67,68	0
8	FMN	B	406	31/31	0.09	-0.07	11,15,19,23	0
10	ZN	D	100	1/1	0.07	-0.24	19,19,19,19	0
5	NAD	A	965	44/44	0.10	-0.34	8,14,19,25	0
6	SO4	A	2501	5/5	0.13	-0.38	46,47,50,51	0
7	FAD	B	405	53/53	0.07	-0.42	11,22,27,28	0
6	SO4	A	2504	5/5	0.07	-1.13	29,30,35,37	0

6.5 Other polymers ⓘ

There are no such residues in this entry.