



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 26, 2014 – 03:13 PM GMT

PDB ID : 1AMU
Title : PHENYLALANINE ACTIVATING DOMAIN OF GRAMICIDIN SYN-
THETASE 1 IN A COMPLEX WITH AMP AND PHENYLALANINE
Authors : Conti, E.; Stachelhaus, T.; Marahiel, M.A.; Brick, P.
Deposited on : 1997-06-18
Resolution : 1.90 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	4465 (1.90-1.90)
Ramachandran outliers	78287	4413 (1.90-1.90)
Sidechain outliers	78261	4414 (1.90-1.90)
RSRZ outliers	66119	3686 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	563	
1	B	563	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	MG	A	564	-	X
2	MG	B	564	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8548 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GRAMICIDIN SYNTHETASE 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	509	Total	C	N	O	S	0	0	0
			3948	2543	646	746	13			
1	B	508	Total	C	N	O	S	0	0	0
			3949	2542	639	755	13			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	VAL	LEU	CONFLICT	UNP P14687
B	2	VAL	LEU	CONFLICT	UNP P14687

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Mg	0	0
			1	1		
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is PHENYLALANINE (three-letter code: PHE) (formula: $C_9H_{11}NO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			12	9	1	2		
4	B	1	Total	C	N	O	0	0
			12	9	1	2		

- Molecule 5 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: $C_{10}H_{14}N_5O_7P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
5	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	292	Total	O	0	0
			292	292		
6	B	277	Total	O	0	0
			277	277		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: GRAMICIDIN SYNTHETASE 1



• Molecule 1: GRAMICIDIN SYNTHETASE 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	61.68Å 154.77Å 65.30Å 90.00° 93.91° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90 19.96 – 1.90	Depositor EDS
% Data completeness (in resolution range)	95.3 (20.00-1.90) 95.2 (19.96-1.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.49 (at 1.90Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.213 , 0.246 0.230 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	26.9	Xtriage
Anisotropy	0.082	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 48.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 91144 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8548	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AMP, MG, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/4034	0.61	1/5490 (0.0%)
1	B	0.35	0/4033	0.59	1/5487 (0.0%)
All	All	0.36	0/8067	0.60	2/10977 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	165	ASP	N-CA-C	-5.76	95.44	111.00
1	B	165	ASP	N-CA-C	-5.50	96.14	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3948	0	3834	48	0
1	B	3949	0	3819	53	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	5	0	0	0	0
4	A	12	0	8	0	0
4	B	12	0	8	0	0
5	A	23	0	12	0	0
5	B	23	0	12	0	0
6	A	292	0	0	3	0
6	B	277	0	0	5	0
All	All	8548	0	7693	101	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 6.

All (101) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:291:ARG:HG2	1:A:291:ARG:HH11	1.37	0.86
1:B:163:GLU:HG3	6:B:728:HOH:O	1.78	0.82
1:A:433:VAL:HG11	1:A:462:VAL:HG21	1.63	0.79
1:B:433:VAL:HG11	1:B:462:VAL:HG21	1.64	0.78
1:B:82:ILE:HD11	1:B:175:LEU:HD23	1.65	0.78
1:A:291:ARG:CG	1:A:291:ARG:HH11	2.03	0.71
1:B:52:ARG:HD2	6:B:747:HOH:O	1.90	0.71
1:A:116:TYR:CE2	1:A:118:PRO:HG3	2.26	0.70
1:A:162:PHE:O	1:A:162:PHE:CD1	2.47	0.68
1:B:36:PRO:HB3	1:B:39:LYS:HD2	1.80	0.64
1:A:291:ARG:NH1	1:A:291:ARG:HG2	2.04	0.64
1:B:269:ILE:HD11	1:B:292:ILE:HG23	1.80	0.62
1:A:198:LYS:HD3	1:A:392:LEU:HD21	1.81	0.61
1:A:83:GLU:CD	1:A:170:ARG:HH22	2.04	0.60
1:B:126:GLU:O	1:B:129:GLN:HB3	2.02	0.60
1:B:120:ASP:O	1:B:123:TYR:HB2	2.03	0.59
1:A:252:TYR:CE2	1:A:272:LYS:HD2	2.38	0.58
1:A:82:ILE:CD1	1:A:175:LEU:HD23	2.34	0.58
1:B:261:ASP:HB3	1:B:264:LYS:HB2	1.87	0.56
1:A:396:LYS:HE2	6:A:790:HOH:O	2.05	0.56
1:A:82:ILE:HD11	1:A:175:LEU:HD23	1.87	0.56
1:B:139:MET:SD	1:B:160:GLU:HG3	2.47	0.55
1:A:351:PRO:HB3	1:A:357:ILE:HG12	1.88	0.55
1:B:454:TYR:CE1	1:B:480:LYS:HE2	2.42	0.55
1:B:443:GLU:HG2	6:B:780:HOH:O	2.06	0.55
1:A:95:MET:HG2	1:A:121:ILE:HG22	1.88	0.54
1:B:262:PHE:O	1:B:266:GLU:HG3	2.08	0.54
1:B:529:THR:HG22	6:B:814:HOH:O	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:411:THR:O	1:A:428:ARG:NH2	2.42	0.53
1:B:351:PRO:HB3	1:B:357:ILE:HG12	1.91	0.52
1:A:261:ASP:OD1	1:A:263:VAL:HG22	2.09	0.52
1:A:130:TYR:OH	1:A:389:ARG:NH2	2.43	0.52
1:A:239:TRP:HB2	1:A:330:ILE:HG21	1.92	0.51
1:B:269:ILE:HD13	1:B:295:ILE:HG12	1.93	0.51
1:B:82:ILE:CD1	1:B:175:LEU:HD23	2.38	0.50
1:A:162:PHE:HD1	1:A:162:PHE:O	1.93	0.50
1:A:261:ASP:HB3	1:A:264:LYS:HB2	1.94	0.50
1:A:302:GLY:O	1:A:517:LYS:HE2	2.12	0.50
1:B:164:GLU:CB	1:B:167:ILE:CB	2.89	0.50
1:A:36:PRO:HB3	1:A:39:LYS:HD2	1.93	0.49
1:B:236:ALA:O	1:B:240:GLU:HG3	2.13	0.48
1:A:79:ARG:NH2	1:A:173:THR:O	2.46	0.48
1:A:367:LYS:HE2	1:A:372:ALA:O	2.14	0.48
1:B:22:GLU:O	1:B:26:PHE:HD1	1.96	0.48
1:B:120:ASP:HB3	1:B:123:TYR:CD1	2.48	0.48
1:B:42:HIS:H	1:B:42:HIS:CD2	2.31	0.48
1:B:39:LYS:HG2	1:B:43:GLN:NE2	2.29	0.48
1:A:175:LEU:HD12	1:A:175:LEU:N	2.28	0.48
1:B:234:PHE:HB2	1:B:515:ASN:OD1	2.14	0.48
1:B:130:TYR:OH	1:B:389:ARG:NH2	2.47	0.47
1:B:130:TYR:CE2	1:B:197:PRO:HG2	2.49	0.47
1:B:279:LEU:O	1:B:300:THR:HA	2.14	0.47
1:A:164:GLU:CB	1:A:167:ILE:H	2.27	0.47
1:B:511:PRO:HB2	1:B:522:GLN:HE21	1.79	0.47
1:B:239:TRP:HB2	1:B:330:ILE:HG21	1.96	0.47
1:B:135:SER:HB3	1:B:189:TYR:OH	2.14	0.47
1:B:435:ILE:CD1	1:B:472:LEU:HG	2.45	0.47
1:B:528:LEU:HA	1:B:530:PHE:CE2	2.51	0.46
1:A:279:LEU:O	1:A:300:THR:HA	2.16	0.46
1:B:269:ILE:CD1	1:B:292:ILE:HG23	2.45	0.46
1:B:412:GLY:HA3	1:B:428:ARG:NH2	2.32	0.45
1:B:367:LYS:HE2	1:B:372:ALA:O	2.16	0.45
1:A:18:THR:HB	1:A:20:GLU:CD	2.37	0.45
1:B:196:ASN:N	1:B:197:PRO:HD2	2.31	0.45
1:B:432:GLN:HG2	1:B:441:GLU:HG2	1.99	0.44
1:A:252:TYR:HE2	1:A:272:LYS:HD2	1.81	0.44
1:A:51:LYS:O	1:A:52:ARG:HD3	2.18	0.43
1:A:391:GLU:O	1:A:395:GLN:HG3	2.19	0.43
1:A:320:ILE:HG12	1:A:336:VAL:HG22	2.00	0.43
1:B:354:ASN:HB3	1:B:380:GLU:HG2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:130:TYR:HE2	1:B:197:PRO:O	2.02	0.42
1:B:139:MET:HG2	1:B:140:LEU:N	2.34	0.42
1:B:518:ILE:HG21	6:B:779:HOH:O	2.19	0.42
1:B:190:THR:O	1:B:197:PRO:HA	2.20	0.42
1:B:284:VAL:HG21	1:B:300:THR:HG22	2.01	0.42
1:B:463:HIS:O	1:B:470:PRO:HA	2.19	0.42
1:B:45:PHE:O	1:B:49:VAL:HG23	2.20	0.42
1:B:442:LEU:HD21	1:B:462:VAL:CG2	2.49	0.42
1:B:433:VAL:HG21	1:B:462:VAL:HG21	2.01	0.42
1:A:269:ILE:HG23	1:A:274:ILE:HB	2.02	0.42
1:A:98:LYS:HG2	1:A:253:ILE:CG2	2.50	0.42
1:B:125:LYS:O	1:B:129:GLN:HB2	2.20	0.41
1:A:42:HIS:CD2	1:A:42:HIS:H	2.36	0.41
1:A:103:PHE:CE2	1:A:253:ILE:HD12	2.56	0.41
1:B:278:THR:HA	1:B:299:ILE:O	2.20	0.41
1:A:198:LYS:N	1:A:198:LYS:HE3	2.36	0.41
1:A:45:PHE:O	1:A:49:VAL:HG23	2.21	0.41
1:B:529:THR:O	1:B:530:PHE:C	2.59	0.41
1:A:433:VAL:HG21	1:A:462:VAL:HG21	2.03	0.41
1:A:252:TYR:CD2	1:A:272:LYS:HD2	2.55	0.41
1:B:412:GLY:HA3	1:B:428:ARG:HH22	1.86	0.41
1:A:278:THR:HA	1:A:299:ILE:O	2.21	0.41
1:A:82:ILE:HD12	1:A:175:LEU:HD23	2.03	0.41
1:A:473:CYS:SG	1:A:505:ILE:HD12	2.61	0.41
1:A:234:PHE:HB2	1:A:515:ASN:OD1	2.21	0.41
1:A:453:MET:HG2	6:A:730:HOH:O	2.20	0.40
1:B:121:ILE:HG13	1:B:122:GLU:N	2.36	0.40
1:A:72:VAL:O	1:A:76:GLN:HG3	2.22	0.40
1:A:128:ILE:O	1:A:132:LEU:HB2	2.20	0.40
1:A:488:ARG:HD2	6:A:701:HOH:O	2.22	0.40
1:B:459:ALA:CB	1:B:518:ILE:HD13	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	505/563 (90%)	491 (97%)	14 (3%)	0	100	100
1	B	502/563 (89%)	483 (96%)	17 (3%)	2 (0%)	43	29
All	All	1007/1126 (89%)	974 (97%)	31 (3%)	2 (0%)	56	44

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	163	GLU
1	B	89	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	415/503 (82%)	406 (98%)	9 (2%)	64	57
1	B	416/503 (83%)	411 (99%)	5 (1%)	82	80
All	All	831/1006 (83%)	817 (98%)	14 (2%)	73	68

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	132	LEU
1	A	191	SER
1	A	198	LYS
1	A	228	GLN
1	A	291	ARG
1	A	342	ILE
1	A	345	SER
1	A	416	ARG
1	A	528	LEU
1	B	223	LYS
1	B	228	GLN
1	B	428	ARG
1	B	522	GLN
1	B	529	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	HIS
1	A	48	GLN
1	A	76	GLN
1	A	158	GLN
1	A	344	HIS
1	B	42	HIS
1	B	158	GLN
1	B	438	HIS
1	B	463	HIS
1	B	522	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	565	-	4,4,4	3.18	3 (75%)	6,6,6	0.14	0
4	PHE	A	566	-	12,12,12	0.65	0	15,15,15	0.21	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	AMP	A	567	2	25,25,25	1.05	1 (4%)	38,38,38	2.27	9 (23%)
3	SO4	B	565	-	4,4,4	3.78	3 (75%)	6,6,6	0.13	0
4	PHE	B	566	-	12,12,12	0.62	0	15,15,15	0.19	0
5	AMP	B	567	2	25,25,25	1.14	3 (12%)	38,38,38	2.77	9 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SO4	A	565	-	-	0/0/0/0	0/0/0/0
4	PHE	A	566	-	-	0/8/8/8	0/1/1/1
5	AMP	A	567	2	-	0/10/26/26	0/1/3/3
3	SO4	B	565	-	-	0/0/0/0	0/0/0/0
4	PHE	B	566	-	-	0/8/8/8	0/1/1/1
5	AMP	B	567	2	-	0/10/26/26	0/1/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	565	SO4	O4-S	-6.02	1.26	1.47
3	A	565	SO4	O1-S	-3.58	1.35	1.47
3	A	565	SO4	O4-S	-3.58	1.35	1.47
3	A	565	SO4	O3-S	-3.35	1.35	1.47
5	A	567	AMP	C4-N9	-3.23	1.33	1.37
3	B	565	SO4	O1-S	-3.21	1.36	1.47
3	B	565	SO4	O2-S	-3.03	1.37	1.47
5	B	567	AMP	C4-N9	-2.93	1.33	1.37
5	B	567	AMP	O4'-C1'	2.06	1.44	1.41
5	B	567	AMP	P-O3P	-2.00	1.47	1.54

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	567	AMP	O4'-C1'-N9	10.20	117.93	108.44
5	A	567	AMP	N3-C2-N1	-8.55	121.56	128.71
5	B	567	AMP	N3-C2-N1	-8.09	121.95	128.71
5	B	567	AMP	N3-C4-N9	6.70	137.52	125.43
5	A	567	AMP	N3-C4-N9	5.95	136.18	125.43
5	B	567	AMP	C5-C4-N3	-3.72	117.60	125.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	567	AMP	C4-C5-N7	3.42	112.45	109.52
5	A	567	AMP	O2P-P-O5'	-3.13	98.01	106.65
5	A	567	AMP	C5-C4-N3	-2.89	119.40	125.70
5	B	567	AMP	O2P-P-O5'	-2.82	98.88	106.65
5	A	567	AMP	C8-N9-C4	2.67	108.94	106.90
5	B	567	AMP	C6-C5-C4	2.55	121.93	117.25
5	B	567	AMP	C8-N9-C4	2.38	108.72	106.90
5	A	567	AMP	C1'-N9-C4	-2.34	122.60	126.64
5	B	567	AMP	C4-C5-N7	2.33	111.52	109.52
5	B	567	AMP	C2-N3-C4	2.31	120.59	114.01
5	A	567	AMP	C2-N1-C6	2.21	122.75	118.77
5	A	567	AMP	C6-C5-C4	2.17	121.24	117.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	509/563 (90%)	0.20	31 (6%) 21 20	15, 28, 64, 89	0
1	B	508/563 (90%)	0.23	26 (5%) 27 27	16, 29, 64, 82	0
All	All	1017/1126 (90%)	0.22	57 (5%) 23 24	15, 28, 64, 89	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	152	ASN	7.7
1	B	17	GLY	5.2
1	B	154	GLN	5.1
1	A	341	THR	4.8
1	B	155	PHE	4.4
1	B	163	GLU	4.2
1	B	151	HIS	4.2
1	A	163	GLU	4.2
1	A	167	ILE	3.9
1	B	466	HIS	3.5
1	A	17	GLY	3.5
1	B	18	THR	3.4
1	A	130	TYR	3.4
1	B	169	ILE	3.2
1	A	529	THR	3.1
1	B	176	HIS	3.0
1	B	130	TYR	2.9
1	B	468	GLU	2.8
1	B	196	ASN	2.8
1	B	437	GLY	2.7
1	A	404	PRO	2.7
1	B	156	ASN	2.7
1	A	166	THR	2.7
1	A	151	HIS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	466	HIS	2.6
1	B	152	ASN	2.6
1	A	155	PHE	2.6
1	A	528	LEU	2.5
1	B	123	TYR	2.5
1	B	167	ILE	2.5
1	A	437	GLY	2.5
1	A	176	HIS	2.5
1	A	162	PHE	2.4
1	A	342	ILE	2.4
1	A	530	PHE	2.4
1	A	191	SER	2.4
1	A	435	ILE	2.4
1	A	469	GLN	2.4
1	B	19	HIS	2.3
1	A	128	ILE	2.3
1	B	404	PRO	2.3
1	A	291	ARG	2.3
1	B	438	HIS	2.3
1	A	344	HIS	2.2
1	B	129	GLN	2.2
1	B	149	LEU	2.2
1	B	62	ASN	2.2
1	A	438	HIS	2.2
1	A	436	ARG	2.1
1	B	469	GLN	2.1
1	B	150	ILE	2.1
1	A	18	THR	2.1
1	A	164	GLU	2.1
1	A	293	LEU	2.1
1	A	154	GLN	2.1
1	A	468	GLU	2.0
1	B	436	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	MG	B	564	1/1	0.29	5.65	31,31,31,31	1
2	MG	A	564	1/1	0.22	5.09	27,27,27,27	1
4	PHE	A	566	12/12	0.09	0.14	17,19,25,25	0
4	PHE	B	566	12/12	0.08	-0.18	17,19,21,24	1
3	SO4	A	565	5/5	0.13	-0.48	35,36,37,38	5
5	AMP	B	567	23/23	0.09	-0.53	16,21,25,30	4
3	SO4	B	565	5/5	0.13	-0.69	32,33,35,37	5
5	AMP	A	567	23/23	0.08	-0.72	18,22,25,30	4

6.5 Other polymers

There are no such residues in this entry.