



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 26, 2014 – 04:42 PM GMT

PDB ID : 2AOV
Title : Histamine Methyltransferase Complexed with the Antifolate Drug Metoprine
Authors : Horton, J.R.; Sawada, K.; Nishibori, M.; Cheng, X.
Deposited on : 2005-08-14
Resolution : 2.48 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : NOT EXECUTED
EDS : NOT EXECUTED
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	4136 (2.50-2.46)
Ramachandran outliers	78287	4052 (2.50-2.46)
Sidechain outliers	78261	4054 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	292	
1	B	292	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	C2M	A	401	X	-
3	C2M	B	400	X	-

2 Entry composition i


There are 4 unique types of molecules in this entry. The entry contains 4676 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histamine N-methyltransferase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	288	Total	C	N	O	S	0	4	0
			2254	1435	370	433	16			
1	B	288	Total	C	N	O	S	0	2	0
			2275	1454	369	437	15			

- Molecule 2 is 4-(DIMETHYLAMINO)BUTYLIMIDOTHIOCARBAMATE (three-letter code: 4DI) (formula: C₇H₁₇N₃S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	S	0	0
			11	7	3	1		
2	A	1	Total	C	N	S	0	0
			11	7	3	1		

- Molecule 3 is 5-(3,4-DICHLOROPHENYL)-6-METHYLPYRIMIDINE-2,4-DIAMINE (three-letter code: C2M) (formula: C₁₁H₁₀Cl₂N₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	Cl	N	0	0
			17	11	2	4		
3	A	1	Total	C	Cl	N	0	0
			17	11	2	4		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	47	Total	O	0	0
			47	47		
4	B	44	Total	O	0	0
			44	44		

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 6	Depositor
Cell constants a, b, c, α , β , γ	132.89Å 132.89Å 65.05Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	28.00 – 2.48	Depositor
% Data completeness (in resolution range)	(Not available) (28.00-2.48)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.211 , 0.254	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4676	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 4DI, C2M

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/2299	0.58	0/3108
1	B	0.36	0/2324	0.55	0/3140
All	All	0.37	0/4623	0.56	0/6248

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2254	0	2151	55	0
1	B	2275	0	2186	43	0
2	A	11	0	17	0	0
2	B	11	0	17	1	0
3	A	17	0	10	0	0
3	B	17	0	10	0	0
4	A	47	0	0	5	0
4	B	44	0	0	0	0
All	All	4676	0	4391	97	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 11.

All (97) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:86:GLU:HG3	1:A:136:TRP:HH2	1.39	0.87
1:B:86:GLU:HG2	1:B:114:ALA:HB3	1.59	0.84
1:A:86:GLU:HG3	1:A:136:TRP:CH2	2.18	0.79
1:A:8:LEU:C	1:A:10:SER:H	1.86	0.76
1:B:249:ASN:O	1:B:253:THR:HG22	1.85	0.76
1:A:272:SER:OG	1:A:281:PHE:HA	1.87	0.74
1:B:225:ASP:OD2	1:B:278:LYS:HD2	1.87	0.74
1:B:11:ASP:HB3	1:B:14:LYS:HB2	1.73	0.71
1:A:236:ASN:HA	1:A:239:LEU:HD12	1.74	0.69
1:A:11:ASP:HA	4:A:425:HOH:O	1.94	0.67
1:A:185:LYS:HD3	1:A:186:TYR:CE1	2.30	0.66
1:A:10:SER:O	1:A:11:ASP:CB	2.44	0.66
1:B:249:ASN:HB3	1:B:252:ALA:HB3	1.78	0.65
1:A:63:ALA:O	1:A:98:TYR:HA	1.97	0.64
1:B:226:ILE:HG13	1:B:279:VAL:HG13	1.81	0.63
1:A:19:PHE:O	1:A:22:PHE:HB3	1.97	0.63
1:A:185:LYS:HD3	1:A:186:TYR:HE1	1.66	0.60
1:A:21:ARG:O	1:A:25:HIS:HB2	2.01	0.60
1:B:151:ILE:HB	1:B:152:PRO:HD3	1.85	0.59
1:A:112:LYS:HB3	1:A:112:LYS:NZ	2.18	0.58
1:A:8:LEU:C	1:A:10:SER:N	2.57	0.58
1:B:89:GLU:O	1:B:117:LYS:HA	2.04	0.57
1:A:100:GLU:O	1:A:104:LYS:HG3	2.04	0.57
1:B:21:ARG:HD2	1:B:236:ASN:ND2	2.20	0.57
1:B:86:GLU:CG	1:B:114:ALA:HB3	2.32	0.56
1:A:245:THR:O	1:A:246:GLU:HB3	2.05	0.56
1:A:226:ILE:HB	1:A:229:CYS:SG	2.45	0.56
1:B:46:ARG:HG2	1:B:49:ASP:OD1	2.05	0.56
1:A:8:LEU:O	1:A:10:SER:N	2.39	0.55
1:A:24:ASN:OD1	1:A:25:HIS:ND1	2.37	0.55
1:A:167:LYS:HE2	1:A:291:GLU:OE1	2.07	0.55
1:A:123:TYR:O	1:A:127:MET:HG2	2.07	0.55
1:A:265:ASP:C	1:A:267:GLN:H	2.11	0.55
1:A:246:GLU:O	1:A:246:GLU:HG3	2.07	0.54
1:A:151:ILE:HB	1:A:152:PRO:HD3	1.89	0.54
1:B:219:ASP:O	1:B:220:LEU:HD23	2.09	0.53
1:A:179:TRP:CH2	1:A:244:LEU:HD23	2.43	0.53
1:A:89:GLU:O	1:A:117:LYS:HA	2.08	0.53
1:A:288:ILE:HD12	1:A:288:ILE:N	2.24	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:60:GLY:O	2:B:300:4DI:H52	2.10	0.52
1:B:265:ASP:C	1:B:267:GLN:H	2.13	0.52
1:A:44:ILE:HD12	1:A:74:VAL:HA	1.91	0.51
1:B:11:ASP:HB3	1:B:14:LYS:CB	2.41	0.50
1:A:68:LEU:HD12	1:A:101:LEU:HD21	1.93	0.50
1:A:68:LEU:HD11	1:A:101:LEU:HG	1.94	0.50
1:A:122:GLU:HG2	4:A:446:HOH:O	2.12	0.49
1:B:123:TYR:O	1:B:127:MET:HG2	2.12	0.49
1:A:254:ALA:HB1	1:A:258:LEU:HD23	1.96	0.48
1:A:5:MET:HG2	1:A:191:PRO:HG3	1.95	0.48
1:A:223:THR:HB	1:A:280:LEU:HB3	1.95	0.48
1:B:226:ILE:HG13	1:B:279:VAL:CG1	2.43	0.48
1:A:198:TYR:O	1:A:199:ILE:HG13	2.14	0.48
1:B:124:GLN:HG3	1:B:157:PHE:CD2	2.49	0.47
1:B:119:THR:OG1	1:B:122:GLU:HG3	2.15	0.47
1:B:46:ARG:CG	1:B:49:ASP:OD1	2.62	0.47
1:A:238:ASP:O	1:A:241:TRP:HB2	2.14	0.47
1:A:140:HIS:HE1	4:A:414:HOH:O	1.97	0.47
1:A:99:LYS:NZ	1:B:202:ASP:OD2	2.47	0.47
1:A:16:VAL:HG23	1:A:17:GLU:N	2.30	0.47
1:A:222:SER:HB3	1:A:283:ASN:O	2.15	0.47
1:B:279:VAL:HG13	1:B:279:VAL:O	2.15	0.47
1:A:122:GLU:O	1:A:126[B]:ARG:HB3	2.14	0.47
1:B:106:SER:O	1:B:107:ASN:HB2	2.16	0.46
1:B:204:LEU:HD23	1:B:207:MET:HE3	1.98	0.46
1:A:206:GLN:HB2	4:A:418:HOH:O	2.17	0.45
1:B:250:PHE:C	1:B:252:ALA:H	2.19	0.45
1:A:8:LEU:HB3	1:A:246:GLU:OE1	2.17	0.45
1:A:236:ASN:O	1:A:239:LEU:HB2	2.17	0.45
1:B:259:ARG:NH1	1:B:259:ARG:HB3	2.32	0.44
1:B:201:SER:O	1:B:205:THR:HG23	2.17	0.44
1:B:124:GLN:HG3	1:B:157:PHE:CG	2.54	0.43
1:A:71:LEU:HD21	1:A:85:ASN:OD1	2.19	0.43
1:B:280:LEU:N	1:B:280:LEU:HD22	2.33	0.43
1:B:130:LYS:HB3	1:B:131:LYS:H	1.70	0.43
1:B:228:ASP:O	1:B:237:GLY:HA3	2.19	0.43
1:A:135:LYS:HE2	1:A:160:SER:O	2.18	0.43
1:B:191:PRO:CG	1:B:247:THR:HG22	2.48	0.43
1:B:245:THR:OG1	1:B:247:THR:HG23	2.19	0.42
1:B:242:ASP:O	1:B:246:GLU:N	2.52	0.42
1:A:119:THR:OG1	1:A:122:GLU:HG3	2.19	0.42
1:A:23:LEU:C	1:A:25:HIS:H	2.23	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:224:MET:HB3	1:B:281:PHE:HB3	2.00	0.42
1:B:226:ILE:O	1:B:229:CYS:HB2	2.20	0.42
1:B:36:MET:O	1:B:41:PRO:HD3	2.19	0.42
1:A:36:MET:O	1:A:41:PRO:HD3	2.19	0.41
1:B:146:TYR:O	1:B:196:CYS:HA	2.20	0.41
1:A:140:HIS:HD2	4:A:402:HOH:O	2.02	0.41
1:A:189[A]:ARG:CZ	1:A:258:LEU:HD13	2.50	0.41
1:B:265:ASP:C	1:B:267:GLN:N	2.74	0.41
1:B:237:GLY:O	1:B:241:TRP:HD1	2.02	0.41
1:A:255:PRO:HA	1:A:256:PRO:HD3	1.98	0.41
1:B:124:GLN:HG3	1:B:157:PHE:CE2	2.55	0.41
1:A:66:ILE:HA	1:A:66:ILE:HD13	1.91	0.41
1:A:85:ASN:C	1:A:85:ASN:HD22	2.24	0.41
1:A:193:ASP:C	1:A:195:LEU:H	2.24	0.41
1:B:56:ILE:HD12	1:B:71:LEU:CD2	2.51	0.40
1:B:191:PRO:HD2	1:B:247:THR:HG22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	290/292 (99%)	266 (92%)	18 (6%)	6 (2%)	11	15
1	B	288/292 (99%)	267 (93%)	20 (7%)	1 (0%)	50	71
All	All	578/584 (99%)	533 (92%)	38 (7%)	7 (1%)	19	31

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	9	PHE
1	A	130	LYS
1	A	11	ASP
1	A	131	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	232	ASP
1	A	24	ASN
1	A	266	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	238/260 (92%)	230 (97%)	8 (3%)	49	74
1	B	245/260 (94%)	240 (98%)	5 (2%)	68	89
All	All	483/520 (93%)	470 (97%)	13 (3%)	57	82

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	SER
1	A	85	ASN
1	A	98	TYR
1	A	112	LYS
1	A	149	LYS
1	A	202	ASP
1	A	216	GLU
1	A	257	ASP
1	B	46	ARG
1	B	67	ASP
1	B	98	TYR
1	B	214	LYS
1	B	216	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	84	ASN
1	A	140	HIS
1	A	251	ASN
1	B	24	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	25	HIS
1	B	75	GLN
1	B	140	HIS
1	B	165	ASN
1	B	206	GLN
1	B	267	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	4DI	A	301	-	10,10,10	2.88	3 (30%)	11,11,11	4.01	7 (63%)
3	C2M	A	401	-	18,18,18	3.76	14 (77%)	26,26,26	2.88	10 (38%)
2	4DI	B	300	-	10,10,10	2.82	3 (30%)	11,11,11	2.49	4 (36%)
3	C2M	B	400	-	18,18,18	3.76	15 (83%)	26,26,26	2.35	8 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical

component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	4DI	A	301	-	-	0/8/8/8	0/0/0/0
3	C2M	A	401	-	-	0/4/4/4	0/2/2/2
2	4DI	B	300	-	-	0/8/8/8	0/0/0/0
3	C2M	B	400	-	-	0/4/4/4	0/2/2/2

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	400	C2M	C5-N1	6.60	1.43	1.34
2	A	301	4DI	C1-S	6.38	1.82	1.75
2	B	300	4DI	C1-S	6.03	1.82	1.75
3	A	401	C2M	C2-N3	5.81	1.46	1.34
3	A	401	C2M	C9-C8	5.58	1.53	1.39
3	B	400	C2M	C11-C6	5.57	1.51	1.39
3	A	401	C2M	C11-C10	5.27	1.48	1.38
2	B	300	4DI	C1-N3	5.25	1.47	1.28
3	B	400	C2M	C9-C8	5.02	1.52	1.39
3	A	401	C2M	C11-C6	4.97	1.50	1.39
2	A	301	4DI	C1-N3	4.89	1.46	1.28
3	A	401	C2M	C7-C6	4.69	1.48	1.39
3	A	401	C2M	C7-C8	4.65	1.46	1.38
3	A	401	C2M	C5-N1	4.53	1.40	1.34
3	B	400	C2M	C2-N3	4.41	1.43	1.34
3	B	400	C2M	C11-C10	4.37	1.47	1.38
3	A	401	C2M	C4-C3	4.23	1.49	1.43
2	A	301	4DI	C1-N2	-4.04	1.26	1.34
3	A	401	C2M	C10-C9	4.02	1.48	1.38
3	B	400	C2M	C3-N4	3.87	1.44	1.34
3	B	400	C2M	C4-C5	3.86	1.48	1.40
3	B	400	C2M	C7-C8	3.80	1.45	1.38
3	B	400	C2M	C4-C3	3.80	1.48	1.43
2	B	300	4DI	C1-N2	-3.75	1.27	1.34
3	B	400	C2M	C7-C6	3.49	1.46	1.39
3	B	400	C2M	C3-N2	3.44	1.40	1.35
3	A	401	C2M	C3-N4	3.42	1.43	1.34
3	B	400	C2M	C2-N2	3.03	1.41	1.35
3	B	400	C2M	C2-N1	2.82	1.40	1.35
3	B	400	C2M	C10-C9	2.58	1.44	1.38
3	A	401	C2M	C4-C5	2.53	1.46	1.40
3	A	401	C2M	C3-N2	2.35	1.38	1.35
3	B	400	C2M	C9-CL1	-2.27	1.67	1.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	C2M	C2-N1	2.16	1.39	1.35
3	A	401	C2M	C8-CL2	-2.10	1.68	1.73

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	401	C2M	C2-N1-C5	8.31	123.22	116.57
2	A	301	4DI	C2-S-C1	7.10	123.36	103.31
3	A	401	C2M	C3-C4-C5	-5.75	111.34	115.91
2	A	301	4DI	C7-N1-C5	5.63	133.94	110.76
3	A	401	C2M	C2-N2-C3	5.48	123.18	116.96
3	B	400	C2M	C2-N2-C3	5.45	123.15	116.96
3	A	401	C2M	N2-C2-N1	-5.07	116.89	125.55
2	B	300	4DI	C4-C3-C2	-5.06	92.19	113.32
2	A	301	4DI	C4-C5-N1	5.01	126.70	113.59
3	B	400	C2M	C2-N1-C5	4.50	120.17	116.57
2	A	301	4DI	C6-N1-C5	-4.36	92.79	110.76
2	B	300	4DI	C6-N1-C5	4.34	128.64	110.76
3	B	400	C2M	C3-C4-C5	-4.31	112.49	115.91
2	A	301	4DI	S-C1-N2	4.28	130.11	119.62
3	B	400	C2M	N3-C2-N1	4.15	124.36	117.19
3	B	400	C2M	N2-C2-N1	-4.01	118.70	125.55
2	A	301	4DI	C3-C2-S	-3.89	93.09	112.94
3	B	400	C2M	C7-C8-CL2	-3.61	112.87	118.55
3	A	401	C2M	C12-C5-N1	-3.37	111.02	116.42
2	B	300	4DI	N2-C1-N3	3.31	128.94	119.95
2	A	301	4DI	C3-C4-C5	3.13	128.24	113.34
3	A	401	C2M	N3-C2-N1	3.02	122.41	117.19
3	A	401	C2M	C6-C4-C5	2.81	125.81	123.52
3	A	401	C2M	C7-C8-CL2	-2.40	114.77	118.55
3	B	400	C2M	C9-C8-CL2	2.35	127.73	120.90
3	B	400	C2M	C10-C9-CL1	-2.23	113.41	118.37
3	A	401	C2M	C12-C5-C4	2.22	126.62	122.50
2	B	300	4DI	C2-S-C1	2.17	109.43	103.31
3	A	401	C2M	N3-C2-N2	2.03	120.69	117.19

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.