



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 03:10 PM GMT

PDB ID : 8API
Title : THE S VARIANT OF HUMAN ALPHA1-ANTITRYPSIN, STRUCTURE
AND IMPLICATIONS FOR FUNCTION AND METABOLISM
Authors : Loebermann, H.; Tokuoka, R.; Deisenhofer, J.; Huber, R.
Deposited on : 1988-09-08
Resolution : 3.10 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	1078 (3.16-3.04)
Ramachandran outliers	78287	1044 (3.16-3.04)
Sidechain outliers	78261	1044 (3.16-3.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	347	
2	B	36	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 3286 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALPHA-1 ANTITRYPSIN (CHAIN A).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	340	Total	C	N	O	S	7	0	0
			2698	1730	442	518	8			

- Molecule 2 is a protein called ALPHA-1 ANTITRYPSIN (CHAIN B).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	36	Total	C	N	O	S	5	0	0
			291	193	46	50	2			


- Molecule 3 is a polymer of unknown type called SUGAR (6-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	6	Total	C	N	O	44	0
			75	42	3	30		

- Molecule 4 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	2	Total	C	N	O	14	0
			28	16	2	10		
4	A	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 5 is CYSTEINE (three-letter code: CYS) (formula: C₃H₇NO₂S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
5	A	1	7	3	1	2	1	0	0

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	137	Total	O	0	0
			137	137		
6	B	22	Total	O	0	0
			22	22		

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: ALPHA-1 ANTITRYPSIN (CHAIN A)



• Molecule 2: ALPHA-1 ANTITRYPSIN (CHAIN B)



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	119.70Å 119.70Å 216.30Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	(Not available) – 3.10	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-3.10)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	EREF	Depositor
R, R_{free}	0.215 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3286	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.94	3/2752 (0.1%)	1.45	9/3718 (0.2%)
2	B	0.93	0/299	1.35	0/402
All	All	0.94	3/3051 (0.1%)	1.44	9/4120 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	28
4	A	1	0
All	All	1	28

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	194	TRP	NE1-CE2	-7.63	1.27	1.37
1	A	238	TRP	NE1-CE2	-7.36	1.27	1.37
1	A	231	HIS	CE1-NE2	5.09	1.44	1.32

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	39	ARG	NE-CZ-NH1	7.93	124.26	120.30
1	A	183	ALA	CB-CA-C	-6.55	100.28	110.10
1	A	278	ASN	CA-CB-CG	-6.50	99.11	113.40
1	A	39	ARG	NE-CZ-NH2	-6.33	117.14	120.30
1	A	237	SER	CB-CA-C	-6.28	98.17	110.10
1	A	292	SER	N-CA-CB	5.90	119.35	110.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	338	LEU	N-CA-CB	-5.57	99.27	110.40
1	A	292	SER	CB-CA-C	-5.55	99.55	110.10
1	A	288	LEU	N-CA-CB	-5.39	99.62	110.40

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	520	NAG	C1

All (28) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	112	LEU	Mainchain
1	A	127	VAL	Mainchain
1	A	144	THR	Mainchain
1	A	159	ASP	Mainchain
1	A	162	GLU	Mainchain
1	A	169	ILE	Mainchain
1	A	180	THR	Mainchain
1	A	183	ALA	Mainchain
1	A	196	ARG	Mainchain
1	A	203	THR	Mainchain
1	A	21	PRO	Mainchain,Peptide
1	A	226	MET	Mainchain
1	A	231	HIS	Mainchain
1	A	237	SER	Mainchain
1	A	24	ASN	Mainchain
1	A	255	PRO	Mainchain
1	A	289	PRO	Mainchain
1	A	290	LYS	Mainchain
1	A	291	LEU	Mainchain
1	A	298	ASP	Mainchain,Peptide
1	A	300	LYS	Mainchain
1	A	308	ILE	Mainchain
1	A	342	GLU	Mainchain
1	A	345	THR	Mainchain
1	A	46	ASN	Sidechain
1	A	63	MET	Mainchain

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2698	0	2689	87	0
2	B	291	0	306	22	0
3	A	75	0	64	0	0
4	A	56	0	50	1	0
5	A	7	0	3	1	0
6	A	137	0	0	0	1
6	B	22	0	0	0	0
All	All	3286	0	3112	99	1

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 16.

All (99) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:162:GLU:HG3	1:A:170:VAL:HG12	1.67	0.77
1:A:110:LEU:HD11	1:A:190:PHE:HE1	1.52	0.75
1:A:93:HIS:HB3	1:A:137:LEU:HD23	1.69	0.74
1:A:77:LEU:HD23	1:A:84:LEU:HD21	1.69	0.73
1:A:88:PRO:HB2	1:A:91:GLN:HB2	1.70	0.72
1:A:208:PHE:HB2	1:A:218:VAL:HG21	1.73	0.68
1:A:195:GLU:HA	1:A:245:LEU:CD2	2.26	0.65
1:A:195:GLU:HA	1:A:245:LEU:HD21	1.77	0.65
1:A:104:ASN:HD21	1:A:114:THR:H	1.45	0.64
1:A:83:ASN:HD22	1:A:86:GLU:HG3	1.61	0.64
1:A:223:ARG:HB3	1:A:227:PHE:HZ	1.65	0.62
1:A:236:SER:HB2	1:A:262:HIS:HD2	1.63	0.62
1:A:232:CYS:HB3	1:A:234:LYS:HB2	1.82	0.61
1:A:278:ASN:ND2	1:A:280:ASP:HB2	2.16	0.61
1:A:114:THR:HG22	1:A:188:ILE:HB	1.84	0.60
1:A:195:GLU:HG3	1:A:243:LYS:HB2	1.84	0.60
1:A:283:SER:O	2:B:361:PRO:HB3	2.01	0.60
1:A:331:LYS:HB2	1:A:354:GLU:HG2	1.84	0.58
1:A:83:ASN:O	1:A:87:ILE:HG22	2.04	0.58
1:A:49:ASN:H	2:B:393:GLN:HE22	1.51	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:102:THR:HA	1:A:105:GLN:HG3	1.86	0.57
1:A:219:PRO:HG2	1:A:290:LYS:HB3	1.87	0.57
1:A:287:HIS:HB2	2:B:365:LYS:HA	1.86	0.57
1:A:322:THR:HG22	1:A:327:LEU:HD11	1.86	0.56
1:A:255:PRO:HG3	1:A:260:LEU:HD13	1.86	0.56
1:A:53:SER:HB2	2:B:384:PHE:CD1	2.42	0.54
2:B:376:GLU:HB2	2:B:383:LEU:HD13	1.89	0.54
1:A:265:ASN:N	1:A:265:ASN:HD22	2.06	0.54
1:A:74:ASP:O	1:A:78:GLU:HB2	2.08	0.54
1:A:37:LEU:HA	1:A:306:LEU:HD11	1.90	0.53
1:A:285:SER:HB3	2:B:363:GLU:HA	1.90	0.53
1:A:130:PHE:HB2	1:A:320:GLY:O	2.08	0.53
2:B:367:ASN:HD22	2:B:368:LYS:HG2	1.73	0.53
1:A:62:ALA:HB1	1:A:138:TYR:OH	2.09	0.53
1:A:23:PHE:HD2	1:A:98:GLU:HB3	1.75	0.52
1:A:181:VAL:HG23	1:A:357:PRO:HD3	1.92	0.52
1:A:49:ASN:H	2:B:393:GLN:NE2	2.07	0.52
4:A:520:NAG:H62	4:A:521:NAG:N2	2.24	0.51
1:A:20:HIS:CG	1:A:21:PRO:HD3	2.45	0.51
1:A:24:ASN:HA	1:A:27:THR:HB	1.91	0.51
2:B:367:ASN:ND2	2:B:368:LYS:HG2	2.25	0.51
1:A:80:LEU:HB3	1:A:82:PHE:HE1	1.76	0.51
1:A:278:ASN:HD21	1:A:280:ASP:HB2	1.77	0.50
2:B:374:MET:HB2	2:B:384:PHE:HB2	1.94	0.49
1:A:254:LEU:HB2	2:B:366:PHE:CE2	2.48	0.49
1:A:191:LYS:HG3	1:A:346:GLU:HB3	1.95	0.49
1:A:162:GLU:CG	1:A:170:VAL:HG12	2.40	0.48
1:A:173:VAL:HG11	1:A:176:LEU:HD12	1.95	0.48
1:A:110:LEU:HD11	1:A:190:PHE:CE1	2.39	0.48
1:A:35:PHE:O	1:A:39:ARG:HG3	2.13	0.48
1:A:199:GLU:HB3	1:A:201:LYS:HD2	1.96	0.47
1:A:208:PHE:HB3	1:A:216:VAL:HG12	1.97	0.47
1:A:284:ALA:HA	2:B:361:PRO:HB2	1.96	0.47
1:A:168:LYS:HD2	1:A:346:GLU:OE1	2.14	0.47
2:B:373:LEU:HD12	2:B:375:ILE:HG13	1.98	0.46
1:A:53:SER:HB2	2:B:384:PHE:CE1	2.50	0.46
1:A:111:GLN:HG3	1:A:191:LYS:HB3	1.98	0.46
1:A:259:LYS:HD3	1:A:259:LYS:HA	1.68	0.46
1:A:284:ALA:HA	2:B:361:PRO:CB	2.45	0.45
1:A:299:LEU:HD23	1:A:299:LEU:HA	1.63	0.45
1:A:288:LEU:HD12	1:A:289:PRO:HD2	1.98	0.45
1:A:264:GLU:C	1:A:265:ASN:HD22	2.19	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:374:MET:O	2:B:383:LEU:HB2	2.17	0.45
1:A:80:LEU:HB3	1:A:82:PHE:CE1	2.52	0.45
1:A:272:ILE:O	1:A:276:LEU:HD13	2.16	0.45
1:A:121:SER:HB2	1:A:147:PHE:HD2	1.82	0.44
2:B:369:PRO:HB3	2:B:389:VAL:HA	2.00	0.44
1:A:150:THR:O	1:A:154:LYS:HB2	2.17	0.44
1:A:268:THR:HG22	1:A:270:ASP:H	1.82	0.44
1:A:63:MET:HB3	1:A:138:TYR:CG	2.52	0.44
1:A:156:GLN:HE21	1:A:156:GLN:HB2	1.46	0.44
1:A:177:ASP:HB3	1:A:180:THR:OG1	2.17	0.44
1:A:30:LEU:HA	1:A:30:LEU:HD23	1.71	0.44
1:A:254:LEU:HD12	1:A:255:PRO:HD2	2.01	0.43
1:A:111:GLN:H	1:A:111:GLN:HG2	1.46	0.43
1:A:72:THR:HG22	1:A:310:LYS:HB3	2.00	0.43
1:A:342:GLU:H	1:A:342:GLU:HG2	1.39	0.43
2:B:376:GLU:HB3	2:B:379:THR:HG1	1.82	0.42
1:A:64:LEU:HA	1:A:64:LEU:HD12	1.85	0.42
1:A:26:ILE:O	1:A:29:ASN:HB2	2.19	0.42
1:A:107:ASP:HB3	1:A:110:LEU:O	2.19	0.42
1:A:234:LYS:HG3	5:A:395:CYS:SG	2.60	0.42
1:A:281:ARG:HD2	1:A:281:ARG:HH11	1.70	0.42
1:A:53:SER:HA	1:A:54:PRO:HD3	1.76	0.42
1:A:131:LEU:HD21	1:A:135:LYS:HE3	2.02	0.42
1:A:124:LEU:HD23	1:A:126:LEU:HD21	2.02	0.42
1:A:40:GLN:HB3	1:A:302:VAL:HG13	2.00	0.41
2:B:381:SER:HA	2:B:382:PRO:HD2	1.72	0.41
1:A:114:THR:HG22	1:A:188:ILE:CB	2.48	0.41
1:A:122:GLU:HB3	1:A:144:THR:HG22	2.02	0.41
1:A:285:SER:OG	2:B:363:GLU:HG3	2.21	0.41
1:A:63:MET:HB3	1:A:138:TYR:CD2	2.56	0.41
1:A:318:LEU:HD13	1:A:327:LEU:HB2	2.02	0.41
1:A:229:ILE:HG21	1:A:229:ILE:HD13	1.84	0.41
2:B:360:ILE:HG21	2:B:360:ILE:HD13	1.81	0.41
1:A:253:PHE:O	1:A:255:PRO:HD3	2.21	0.40
2:B:367:ASN:C	2:B:367:ASN:HD22	2.25	0.40
1:A:293:ILE:HG21	1:A:293:ILE:HD13	1.86	0.40
1:A:221:MET:HG3	1:A:288:LEU:O	2.20	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
--------	--------	-------------	----------

Atom-1	Atom-2	Distance(Å)	Clash(Å)
6:A:612:HOH:O	6:A:612:HOH:O[12_564]	0.71	1.49

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	338/347 (97%)	317 (94%)	18 (5%)	3 (1%)	25	71
2	B	34/36 (94%)	32 (94%)	2 (6%)	0	100	100
All	All	372/383 (97%)	349 (94%)	20 (5%)	3 (1%)	27	74

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	20	HIS
1	A	81	ASN
1	A	127	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	298/305 (98%)	271 (91%)	27 (9%)	14	45
2	B	35/35 (100%)	32 (91%)	3 (9%)	15	51
All	All	333/340 (98%)	303 (91%)	30 (9%)	14	47

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	HIS
1	A	22	THR
1	A	23	PHE
1	A	45	SER
1	A	59	THR
1	A	68	THR
1	A	91	GLN
1	A	99	LEU
1	A	110	LEU
1	A	111	GLN
1	A	118	LEU
1	A	128	ASP
1	A	131	LEU
1	A	141	GLU
1	A	144	THR
1	A	150	THR
1	A	151	GLU
1	A	186	ASN
1	A	202	ASP
1	A	216	VAL
1	A	221	MET
1	A	265	ASN
1	A	267	LEU
1	A	273	THR
1	A	305	GLN
1	A	306	LEU
1	A	342	GLU
2	B	367	ASN
2	B	368	LYS
2	B	374	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	29	ASN
1	A	97	GLN
1	A	104	ASN
1	A	109	GLN
1	A	111	GLN
1	A	156	GLN
1	A	212	GLN
1	A	261	GLN
1	A	262	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	265	ASN
1	A	287	HIS
2	B	367	ASN
2	B	377	GLN
2	B	378	ASN
2	B	393	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

10 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	501	1,3	12,14,15	0.93	1 (8%)	15,19,21	1.48	2 (13%)
3	NAG	A	502	3	12,14,15	0.94	0	15,19,21	1.42	2 (13%)
3	MAN	A	503	3	10,11,12	0.73	0	11,15,17	1.07	1 (9%)
3	MAN	A	504	3	10,11,12	0.88	0	11,15,17	1.11	0
3	NAG	A	505	3	12,14,15	0.74	0	15,19,21	1.00	1 (6%)
3	MAN	A	506	3	10,11,12	0.58	0	11,15,17	0.85	0
4	NAG	A	510	1,4	12,14,15	0.90	0	15,19,21	1.07	1 (6%)
4	NAG	A	511	4	12,14,15	0.63	0	15,19,21	0.91	0
4	NAG	A	520	1,4	12,14,15	1.08	1 (8%)	15,19,21	2.33	6 (40%)
4	NAG	A	521	4	12,14,15	1.04	1 (8%)	15,19,21	1.24	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	501	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	502	3	-	0/6/23/26	0/1/1/1
3	MAN	A	503	3	-	0/2/19/22	0/1/1/1
3	MAN	A	504	3	-	0/2/19/22	0/1/1/1
3	NAG	A	505	3	-	0/6/23/26	0/1/1/1
3	MAN	A	506	3	-	0/2/19/22	0/1/1/1
4	NAG	A	510	1,4	-	0/6/23/26	0/1/1/1
4	NAG	A	511	4	-	0/6/23/26	0/1/1/1
4	NAG	A	520	1,4	1/1/5/7	0/6/23/26	0/1/1/1
4	NAG	A	521	4	-	0/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	520	NAG	C2-N2	3.04	1.49	1.46
4	A	521	NAG	C2-N2	2.34	1.49	1.46
3	A	501	NAG	C3-C2	2.20	1.57	1.52

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	520	NAG	O5-C5-C6	5.41	112.66	106.98
3	A	502	NAG	C3-C2-N2	-3.79	106.00	111.76
4	A	520	NAG	O5-C5-C4	-3.68	105.98	110.65
4	A	520	NAG	C2-N2-C7	3.21	128.47	123.09
3	A	503	MAN	O5-C5-C6	3.06	110.20	106.98
4	A	520	NAG	O7-C7-C8	-2.98	116.22	122.04
4	A	520	NAG	O7-C7-N2	2.91	127.97	121.90
4	A	521	NAG	C2-N2-C7	2.89	127.94	123.09
3	A	501	NAG	C3-C4-C5	2.76	115.13	110.20
4	A	520	NAG	C3-C2-N2	-2.35	108.18	111.76
4	A	521	NAG	O5-C5-C6	2.26	109.35	106.98
3	A	505	NAG	O5-C5-C4	-2.26	107.79	110.65
4	A	510	NAG	O7-C7-N2	2.13	126.35	121.90
3	A	502	NAG	O7-C7-N2	2.07	126.23	121.90
4	A	521	NAG	O7-C7-N2	2.03	126.14	121.90
3	A	501	NAG	O7-C7-N2	2.01	126.10	121.90

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	520	NAG	C1

There are no torsion outliers.

There are no ring outliers.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	CYS	A	395	1	6,6,6	1.17	1 (16%)	7,7,7	1.31	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	CYS	A	395	1	-	0/6/6/6	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	395	CYS	CB-CA	2.62	1.56	1.53

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	395	CYS	OXT-C-O	-2.78	117.79	124.07

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.