



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 06:26 AM GMT

PDB ID : 2B05
Title : Crystal Structure of 14-3-3 gamma in complex with a phosphoserine peptide
Authors : Papagrigoriou, E.; Elkins, J.; Arrowsmith, C.; Zhao, Y.; Debreczeni, E.J.;
Edwards, A.; Weigelt, J.; Doyle, D.; von Delft, F.; Turnbull, A.; Yang, X.
Deposited on : 2005-09-13
Resolution : 2.55 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3413 (2.58-2.50)
Clashscore	79885	4284 (2.58-2.50)
Ramachandran outliers	78287	4193 (2.58-2.50)
Sidechain outliers	78261	4195 (2.58-2.50)
RSRZ outliers	66119	3414 (2.58-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	246	
1	B	246	
1	C	246	
1	D	246	
1	E	246	
1	F	246	
2	G	6	
2	H	6	
2	I	6	
2	J	6	
2	K	6	
2	L	6	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11088 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 14-3-3 protein gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	233	Total	C	N	O	S	0	2	0
			1823	1149	309	356	9			
1	B	233	Total	C	N	O	S	0	0	0
			1803	1134	303	357	9			
1	C	233	Total	C	N	O	S	0	0	0
			1802	1132	307	354	9			
1	D	233	Total	C	N	O	S	0	0	0
			1763	1107	303	344	9			
1	E	231	Total	C	N	O	S	0	0	0
			1729	1089	297	335	8			
1	F	232	Total	C	N	O	S	0	0	0
			1781	1122	300	350	9			

- Molecule 2 is a protein called peptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	G	6	Total	C	N	O	P	0	0	0
			44	26	6	11	1			
2	H	6	Total	C	N	O	P	0	0	0
			44	26	6	11	1			
2	I	6	Total	C	N	O	P	0	0	0
			44	26	6	11	1			
2	J	6	Total	C	N	O	P	0	0	0
			44	26	6	11	1			
2	K	5	Total	C	N	O	P	0	0	0
			39	23	5	10	1			
2	L	6	Total	C	N	O	P	0	0	0
			44	26	6	11	1			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	32	Total 35	O 35	0	3
3	B	20	Total 20	O 20	0	0
3	C	37	Total 37	O 37	0	0
3	D	19	Total 19	O 19	0	0
3	E	7	Total 7	O 7	0	0
3	G	2	Total 2	O 2	0	0
3	H	3	Total 3	O 3	0	0
3	I	2	Total 2	O 2	0	0
3	J	2	Total 2	O 2	0	0
3	K	1	Total 1	O 1	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 14-3-3 protein gamma




- Molecule 1: 14-3-3 protein gamma



- Molecule 1: 14-3-3 protein gamma




- Molecule 1: 14-3-3 protein gamma




- Molecule 1: 14-3-3 protein gamma

Chain E:




- Molecule 1: 14-3-3 protein gamma

Chain F:



- Molecule 2: peptide

Chain G:



- Molecule 2: peptide

Chain H:




- Molecule 2: peptide

Chain I:




- Molecule 2: peptide

Chain J:




- Molecule 2: peptide

Chain K: 



- Molecule 2: peptide

Chain L: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	121.57Å 121.57Å 313.16Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.20 – 2.55 48.22 – 2.55	Depositor EDS
% Data completeness (in resolution range)	99.6 (48.20-2.55) 99.6 (48.22-2.55)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.73 (at 2.54Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.258 , 0.302 0.333 , 0.357	Depositor DCC
R_{free} test set	2297 reflections (2.98%)	DCC
Wilson B-factor (Å ²)	53.7	Xtriage
Anisotropy	0.282	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 31.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 77107 reflections	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	11088	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.58	0/1859	0.62	1/2519 (0.0%)
1	B	0.63	0/1831	0.68	0/2484
1	C	0.60	0/1829	0.70	0/2479
1	D	0.54	0/1788	0.63	0/2428
1	E	0.53	0/1755	0.65	0/2387
1	F	0.37	0/1809	0.49	0/2455
2	G	0.47	0/33	0.40	0/42
2	H	0.63	0/33	0.60	0/42
2	I	1.64	1/33 (3.0%)	0.81	0/42
2	J	0.60	0/33	0.76	0/42
2	K	0.66	0/28	0.77	0/35
2	L	0.35	0/33	0.35	0/42
All	All	0.56	1/11064 (0.0%)	0.63	1/14997 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	I	507	PRO	C-OXT	8.56	1.39	1.23

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	86	ARG	NE-CZ-NH1	-5.51	117.54	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1823	0	1745	14	0
1	B	1803	0	1700	13	0
1	C	1802	0	1711	15	0
1	D	1763	0	1657	11	0
1	E	1729	0	1608	15	0
1	F	1781	0	1673	6	0
2	G	44	0	38	0	0
2	H	44	0	38	0	0
2	I	44	0	38	0	0
2	J	44	0	38	0	0
2	K	39	0	36	0	0
2	L	44	0	39	0	0
3	A	35	0	0	1	0
3	B	20	0	0	0	0
3	C	37	0	0	1	0
3	D	19	0	0	0	0
3	E	7	0	0	0	0
3	G	2	0	0	0	0
3	H	3	0	0	0	0
3	I	2	0	0	0	0
3	J	2	0	0	0	0
3	K	1	0	0	0	0
All	All	11088	0	10321	67	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 3.

All (67) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:98:GLN:HG3	1:D:2:VAL:HG21	1.32	1.08
1:C:201:PHE:CE2	1:C:205:ILE:HD11	2.07	0.90
1:C:75:ASN:O	1:C:79:ILE:HG13	1.74	0.88
1:A:17:ALA:HB2	1:D:63:ILE:HD11	1.56	0.88
1:B:166:GLN:HE22	1:B:210:THR:HB	1.38	0.87

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:166:GLN:NE2	1:B:210:THR:HB	1.91	0.83
1:A:201:PHE:CE2	1:A:205:ILE:HD12	2.20	0.75
1:E:15:GLU:HA	1:E:23:MET:HE2	1.70	0.74
1:E:20:TYR:CD1	1:E:23:MET:HE3	2.26	0.70
1:D:67:GLU:O	1:D:71:SER:HB2	1.94	0.68
1:A:85:TYR:CD1	1:D:10:LYS:HE2	2.29	0.68
1:E:20:TYR:HD1	1:E:23:MET:HE3	1.59	0.67
1:E:67:GLU:OE1	1:E:86:ARG:HD3	1.99	0.63
1:F:201:PHE:CE2	1:F:205:ILE:HD12	2.34	0.62
1:E:60:TRP:HE1	1:E:90:GLU:HG3	1.65	0.61
1:C:181:VAL:HG13	1:C:185:GLU:HG3	1.82	0.61
1:A:201:PHE:CE2	1:A:205:ILE:CD1	2.83	0.61
1:E:78:LYS:O	1:E:82:VAL:HG23	2.02	0.59
1:E:60:TRP:NE1	1:E:90:GLU:HG3	2.18	0.59
1:E:26:ALA:O	1:E:30:VAL:HG23	2.05	0.56
1:C:208:LEU:O	1:C:211:LEU:HG	2.05	0.56
1:C:201:PHE:CD2	1:C:205:ILE:HD11	2.40	0.55
1:D:187:GLN:HA	1:D:187:GLN:OE1	2.06	0.55
1:E:138:ALA:HB1	1:E:142:LYS:HG2	1.88	0.54
1:A:10:LYS:HD3	3:A:275:HOH:O	2.08	0.53
1:E:15:GLU:CA	1:E:23:MET:HE2	2.38	0.53
1:E:15:GLU:HA	1:E:23:MET:CE	2.37	0.53
1:B:64:SER:O	1:B:68:GLN:HG2	2.08	0.53
1:C:64:SER:O	1:C:68:GLN:HG2	2.08	0.53
1:D:31:THR:HG23	1:D:108:LEU:HD21	1.91	0.51
1:C:202:ASP:HA	1:C:205:ILE:HD12	1.91	0.51
1:F:67:GLU:OE1	1:F:86:ARG:HD3	2.11	0.50
1:C:4:ARG:HH21	1:C:41:GLU:CD	2.16	0.49
1:F:96:VAL:O	1:F:100:VAL:HG23	2.12	0.49
1:A:211:LEU:HD22	1:A:216:TYR:HA	1.95	0.49
1:B:67:GLU:OE1	1:B:86:ARG:HD3	2.13	0.49
1:A:49:TYR:CD1	1:A:100:VAL:HG22	2.48	0.48
1:F:211:LEU:HD22	1:F:216:TYR:HA	1.95	0.48
1:B:205:ILE:HG13	1:B:223:MET:HE1	1.96	0.48
1:D:60:TRP:CE2	1:D:137:VAL:HG12	2.49	0.47
1:E:211:LEU:HD22	1:E:216:TYR:HA	1.94	0.47
1:A:67:GLU:OE1	1:A:86:ARG:HD3	2.14	0.47
1:B:13:LEU:HD11	1:C:82:VAL:HG22	1.95	0.47
1:B:85:TYR:CD1	1:C:10:LYS:HE3	2.50	0.47
1:B:59:SER:O	1:B:63:ILE:HG12	2.14	0.47
1:B:67:GLU:O	1:B:71:SER:HB3	2.15	0.46
1:A:4:ARG:HH21	1:A:41:GLU:CD	2.19	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:82:VAL:HG22	1:D:13:LEU:HD11	1.98	0.46
1:F:201:PHE:CE2	1:F:205:ILE:CD1	2.99	0.45
1:D:59:SER:O	1:D:63:ILE:HG12	2.16	0.45
1:E:46:SER:O	1:E:50:LYS:HB2	2.17	0.45
1:A:187:GLN:OE1	1:A:187:GLN:HA	2.17	0.45
1:B:118:GLU:HA	1:B:165:MET:CE	2.46	0.44
1:C:201:PHE:CZ	1:C:205:ILE:HD11	2.52	0.43
1:C:10:LYS:NZ	3:C:262:HOH:O	2.51	0.43
1:C:205:ILE:HA	1:C:208:LEU:HD13	2.00	0.42
1:B:166:GLN:NE2	1:B:210:THR:CB	2.73	0.42
1:A:4:ARG:NH2	1:A:41:GLU:OE1	2.51	0.42
1:D:151:GLU:O	1:D:155:SER:HB2	2.19	0.42
1:E:30:VAL:HA	1:E:33:LEU:HD12	2.02	0.42
1:D:179:TYR:HB3	1:D:196:LEU:HD21	2.02	0.41
1:B:17:ALA:HB2	1:C:63:ILE:HD11	2.01	0.41
1:A:217:LYS:O	1:A:221[A]:LEU:HG	2.21	0.41
1:F:4:ARG:HH21	1:F:41:GLU:CD	2.23	0.41
1:C:4:ARG:NH2	1:C:41:GLU:OE1	2.48	0.41
1:A:96:VAL:O	1:A:100:VAL:HG23	2.21	0.41
1:E:8:VAL:HG12	1:E:12:ARG:CZ	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	233/246 (95%)	230 (99%)	3 (1%)	0	100	100
1	B	231/246 (94%)	227 (98%)	4 (2%)	0	100	100
1	C	231/246 (94%)	226 (98%)	5 (2%)	0	100	100
1	D	231/246 (94%)	227 (98%)	4 (2%)	0	100	100
1	E	229/246 (93%)	225 (98%)	4 (2%)	0	100	100
1	F	230/246 (94%)	227 (99%)	3 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	G	3/6 (50%)	3 (100%)	0	0	100	100
2	H	3/6 (50%)	3 (100%)	0	0	100	100
2	I	3/6 (50%)	3 (100%)	0	0	100	100
2	J	3/6 (50%)	3 (100%)	0	0	100	100
2	K	2/6 (33%)	2 (100%)	0	0	100	100
2	L	3/6 (50%)	3 (100%)	0	0	100	100
All	All	1402/1512 (93%)	1379 (98%)	23 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/215 (86%)	179 (97%)	6 (3%)	51	77
1	B	180/215 (84%)	172 (96%)	8 (4%)	39	63
1	C	180/215 (84%)	170 (94%)	10 (6%)	30	49
1	D	171/215 (80%)	164 (96%)	7 (4%)	41	66
1	E	164/215 (76%)	154 (94%)	10 (6%)	26	44
1	F	175/215 (81%)	171 (98%)	4 (2%)	63	86
2	G	3/4 (75%)	3 (100%)	0	100	100
2	H	3/4 (75%)	3 (100%)	0	100	100
2	I	3/4 (75%)	3 (100%)	0	100	100
2	J	3/4 (75%)	2 (67%)	1 (33%)	0	0
2	K	3/4 (75%)	2 (67%)	1 (33%)	0	0
2	L	3/4 (75%)	3 (100%)	0	100	100
All	All	1073/1314 (82%)	1026 (96%)	47 (4%)	40	63

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ASN
1	A	40	GLU
1	A	64	SER
1	A	81	MET
1	A	98[A]	GLN
1	A	98[B]	GLN
1	B	37	LEU
1	B	56	ARG
1	B	68	GLN
1	B	71	SER
1	B	81	MET
1	B	119	SER
1	B	179	TYR
1	B	185	GLU
1	C	29	ASN
1	C	40	GLU
1	C	50	LYS
1	C	81	MET
1	C	179	TYR
1	C	185	GLU
1	C	208	LEU
1	C	216	TYR
1	C	221	LEU
1	C	230	LEU
1	D	10	LYS
1	D	29	ASN
1	D	53	VAL
1	D	71	SER
1	D	76	GLU
1	D	81	MET
1	D	155	SER
2	J	504	ILE
1	E	28	LYS
1	E	38	SER
1	E	76	GLU
1	E	81	MET
1	E	99	ASP
1	E	102	SER
1	E	209	ASP
1	E	216	TYR
1	E	227	ARG
1	E	230	LEU
2	K	504	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	39	ASN
1	F	40	GLU
1	F	64	SER
1	F	81	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	29	ASN
1	B	68	GLN
1	B	166	GLN
1	C	68	GLN
1	D	68	GLN
1	F	29	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SEP	G	505	2	9,9,10	5.55	3 (33%)	10,12,14	1.78	1 (10%)
2	SEP	H	505	2	9,9,10	5.50	3 (33%)	10,12,14	1.93	1 (10%)
2	SEP	I	505	2	9,9,10	5.52	2 (22%)	10,12,14	1.98	1 (10%)
2	SEP	J	505	2	9,9,10	5.81	3 (33%)	10,12,14	2.01	1 (10%)
2	SEP	K	505	2	9,9,10	6.14	4 (44%)	10,12,14	2.30	2 (20%)
2	SEP	L	505	2	9,9,10	6.18	3 (33%)	10,12,14	1.93	2 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SEP	G	505	2	-	0/6/8/10	0/0/0/0
2	SEP	H	505	2	-	0/6/8/10	0/0/0/0
2	SEP	I	505	2	-	0/6/8/10	0/0/0/0
2	SEP	J	505	2	-	0/6/8/10	0/0/0/0
2	SEP	K	505	2	-	0/6/8/10	0/0/0/0
2	SEP	L	505	2	-	0/6/8/10	0/0/0/0

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	L	505	SEP	O-C	17.93	1.23	1.11
2	K	505	SEP	O-C	17.77	1.23	1.11
2	J	505	SEP	O-C	16.84	1.23	1.11
2	I	505	SEP	O-C	15.98	1.22	1.11
2	G	505	SEP	O-C	15.96	1.22	1.11
2	H	505	SEP	O-C	15.86	1.22	1.11
2	G	505	SEP	P-O1P	3.31	1.62	1.51
2	K	505	SEP	P-O1P	3.27	1.62	1.51
2	H	505	SEP	P-O1P	2.96	1.61	1.51
2	L	505	SEP	P-O1P	2.88	1.60	1.51
2	I	505	SEP	P-O1P	2.73	1.60	1.51
2	G	505	SEP	CA-C	2.68	1.53	1.48
2	J	505	SEP	P-O1P	2.66	1.60	1.51
2	L	505	SEP	CA-C	2.38	1.52	1.48
2	K	505	SEP	P-O2P	2.31	1.63	1.54
2	H	505	SEP	CA-C	2.25	1.52	1.48
2	J	505	SEP	CA-C	2.19	1.52	1.48
2	K	505	SEP	CA-C	2.05	1.52	1.48

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	505	SEP	C-CA-N	-6.01	107.82	113.83
2	J	505	SEP	C-CA-N	-5.76	108.07	113.83
2	I	505	SEP	C-CA-N	-5.45	108.39	113.83
2	H	505	SEP	C-CA-N	-5.35	108.48	113.83
2	L	505	SEP	C-CA-N	-5.07	108.77	113.83
2	G	505	SEP	C-CA-N	-4.84	109.00	113.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	505	SEP	P-OG-CB	-2.94	109.70	118.19
2	L	505	SEP	P-OG-CB	-2.07	112.19	118.19

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	233/246 (94%)	0.95	22 (9%) 9 8	30, 56, 67, 78	0
1	B	233/246 (94%)	0.85	11 (4%) 30 32	30, 56, 70, 75	0
1	C	233/246 (94%)	0.83	25 (10%) 6 6	30, 56, 72, 76	0
1	D	233/246 (94%)	0.60	13 (5%) 24 24	25, 56, 69, 75	0
1	E	231/246 (93%)	0.79	28 (12%) 5 5	24, 57, 64, 70	0
1	F	232/246 (94%)	3.72	168 (72%) 0 0	30, 58, 67, 72	0
2	G	6/6 (100%)	1.49	2 (33%) 1 1	58, 62, 70, 72	0
2	H	6/6 (100%)	1.40	1 (16%) 2 2	56, 64, 69, 71	0
2	I	6/6 (100%)	0.73	0 100 100	26, 61, 68, 70	0
2	J	6/6 (100%)	1.01	1 (16%) 2 2	57, 60, 65, 68	0
2	K	5/6 (83%)	1.14	0 100 100	54, 56, 61, 64	0
2	L	6/6 (100%)	5.45	6 (100%) 0 0	63, 67, 68, 68	0
All	All	1430/1512 (94%)	1.30	277 (19%) 2 1	24, 57, 69, 78	0

All (277) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	181	VAL	12.9
1	F	211	LEU	12.0
1	F	208	LEU	11.0
1	F	79	ILE	10.8
1	F	179	TYR	10.8
1	F	210	THR	10.7
1	F	85	TYR	10.5
1	F	232	LEU	9.3
1	F	135	ALA	9.2
1	F	204	ALA	8.9
1	F	201	PHE	8.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	117	TYR	8.2
1	F	140	GLY	8.1
2	L	506	LEU	7.9
1	F	78	LYS	7.7
1	B	70	THR	7.6
1	F	76	GLU	7.5
1	F	183	TYR	7.4
2	L	504	ILE	7.2
1	F	209	ASP	7.2
1	F	124	LEU	7.2
1	F	109	ILE	7.2
1	F	115	THR	7.1
1	F	120	LYS	7.0
1	F	223	MET	6.9
1	B	71	SER	6.8
1	F	103	LEU	6.8
1	F	139	THR	6.7
1	F	138	ALA	6.7
2	L	502	ARG	6.6
1	F	163	GLU	6.6
1	F	164	HIS	6.5
1	F	197	ALA	6.5
1	F	96	VAL	6.5
1	F	230	LEU	6.4
1	F	167	PRO	6.3
1	F	72	ALA	6.2
1	F	121	VAL	6.2
1	F	71	SER	6.2
1	F	27	MET	6.1
1	F	206	ALA	6.1
1	F	26	ALA	6.1
1	F	175	LEU	6.0
1	F	141	GLU	6.0
1	F	165	MET	6.0
1	F	118	GLU	6.0
1	F	30	VAL	6.0
1	F	176	ALA	5.8
1	F	101	LEU	5.8
1	F	97	CYS	5.7
1	F	82	VAL	5.7
1	F	168	THR	5.7
1	F	217	LYS	5.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	86	ARG	5.6
1	F	100	VAL	5.6
1	F	122	PHE	5.5
1	C	214	ASP	5.5
1	F	234	THR	5.5
1	F	94	GLU	5.4
1	F	221	LEU	5.4
1	F	105	ASP	5.4
1	F	233	TRP	5.3
1	F	80	GLU	5.3
1	F	215	SER	5.3
1	F	177	LEU	5.2
1	F	123	TYR	5.1
1	F	214	ASP	5.1
1	F	173	LEU	5.1
1	F	226	LEU	5.1
1	C	71	SER	5.1
1	F	98	GLN	5.1
1	F	24	ALA	5.1
1	F	207	GLU	5.0
1	F	172	ARG	4.9
1	F	31	THR	4.9
1	F	171	ILE	4.9
1	F	205	ILE	4.8
1	F	194	CYS	4.7
1	F	60	TRP	4.7
1	F	144	ALA	4.7
1	F	64	SER	4.6
1	F	137	VAL	4.6
1	F	81	MET	4.6
1	F	174	GLY	4.5
1	F	170	PRO	4.5
1	F	202	ASP	4.5
1	F	73	ASP	4.5
1	D	71	SER	4.5
1	F	195	HIS	4.4
2	L	503	ALA	4.4
1	B	72	ALA	4.3
1	F	160	ILE	4.3
2	L	507	PRO	4.2
1	F	169	HIS	4.2
1	F	143	ARG	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	231	THR	4.2
1	F	212	ASN	4.1
1	F	216	TYR	4.1
1	F	190	PRO	4.1
1	C	205	ILE	4.1
1	F	166	GLN	4.1
1	E	8	VAL	4.0
1	F	68	GLN	4.0
1	F	154	TYR	4.0
1	F	33	LEU	4.0
1	F	44	LEU	4.0
1	F	83	ARG	3.9
1	F	108	LEU	3.9
1	F	62	VAL	3.9
1	F	131	TYR	3.9
1	F	187	GLN	3.9
1	E	17	ALA	3.8
1	F	185	GLU	3.8
1	F	188	ASN	3.8
1	A	97	CYS	3.8
1	F	218	ASP	3.8
1	F	75	ASN	3.7
1	A	72	ALA	3.7
1	F	184	TYR	3.7
1	F	36	PRO	3.7
1	F	66	ILE	3.7
1	F	99	ASP	3.7
1	F	70	THR	3.7
1	F	191	GLU	3.7
1	F	119	SER	3.7
1	F	136	GLU	3.6
1	B	206	ALA	3.6
1	F	157	ALA	3.6
1	E	26	ALA	3.5
1	F	61	ARG	3.5
1	F	142	LYS	3.5
1	E	5	GLU	3.5
2	H	502	ARG	3.4
1	F	113	SER	3.4
1	F	104	LEU	3.4
1	A	95	ALA	3.4
1	F	53	VAL	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	112	CYS	3.4
1	F	89	ILE	3.4
1	F	127	LYS	3.4
1	F	7	LEU	3.4
1	F	74	GLY	3.4
1	C	95	ALA	3.3
1	F	180	SER	3.3
1	E	72	ALA	3.3
1	F	152	LYS	3.3
1	F	133	TYR	3.3
1	E	16	GLN	3.2
1	F	130	TYR	3.2
1	C	210	THR	3.2
1	A	73	ASP	3.2
1	F	213	GLU	3.2
1	A	131	TYR	3.2
1	F	224	GLN	3.1
1	F	153	ALA	3.1
1	C	97	CYS	3.1
1	F	126	MET	3.1
1	F	116	GLN	3.0
1	F	158	HIS	3.0
1	D	70	THR	3.0
1	F	37	LEU	3.0
1	F	49	TYR	3.0
1	C	209	ASP	3.0
1	E	85	TYR	3.0
1	F	28	LYS	3.0
1	E	30	VAL	3.0
1	C	208	LEU	3.0
1	A	101	LEU	2.9
1	F	34	ASN	2.9
1	A	100	VAL	2.9
1	B	76	GLU	2.9
1	C	211	LEU	2.8
1	E	7	LEU	2.8
1	F	147	VAL	2.8
1	F	40	GLU	2.8
1	A	96	VAL	2.8
1	C	72	ALA	2.8
1	F	220	THR	2.8
1	F	155	SER	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	22	ASP	2.7
1	F	151	GLU	2.7
1	F	203	ASP	2.7
1	A	98[A]	GLN	2.7
1	B	210	THR	2.7
1	E	4	ARG	2.6
1	F	228	ASP	2.6
1	E	36	PRO	2.6
1	C	100	VAL	2.6
1	E	35	GLU	2.6
1	D	93	LEU	2.6
1	F	69	LYS	2.6
1	F	225	LEU	2.6
1	E	49	TYR	2.6
1	F	146	VAL	2.6
1	E	45	LEU	2.6
1	F	93	LEU	2.6
1	B	73	ASP	2.6
1	D	222	ILE	2.5
1	F	20	TYR	2.5
1	D	233	TRP	2.5
1	E	82	VAL	2.5
1	E	196	LEU	2.5
1	F	32	GLU	2.5
1	C	130	TYR	2.4
1	C	201	PHE	2.4
1	B	52	VAL	2.4
1	E	12	ARG	2.4
1	F	4	ARG	2.4
2	L	505	SEP	2.4
1	C	79	ILE	2.4
1	F	11	ALA	2.4
1	C	233	TRP	2.4
1	E	13	LEU	2.3
1	F	114	GLU	2.3
1	D	72	ALA	2.3
1	A	128	GLY	2.3
1	F	196	LEU	2.3
1	D	79	ILE	2.3
1	F	8	VAL	2.3
1	E	194	CYS	2.3
1	A	99	ASP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	65	SER	2.3
1	F	39	ASN	2.3
1	A	123	TYR	2.3
1	B	97	CYS	2.3
1	F	198	LYS	2.3
1	D	184	TYR	2.3
1	D	63	ILE	2.3
1	A	153	ALA	2.2
1	E	223	MET	2.2
1	C	93	LEU	2.2
1	C	104	LEU	2.2
1	A	135	ALA	2.2
1	F	88	LYS	2.2
1	F	161	SER	2.2
1	F	192	GLN	2.2
1	C	98	GLN	2.2
2	G	504	ILE	2.2
1	F	87	GLU	2.2
1	F	3	ASP	2.2
1	C	55	ALA	2.2
1	E	233	TRP	2.2
1	A	130	TYR	2.2
1	A	93	LEU	2.2
1	C	48	ALA	2.2
1	A	102	SER	2.2
1	B	102	SER	2.2
1	A	45	LEU	2.2
1	D	208	LEU	2.2
1	C	99	ASP	2.2
1	C	102	SER	2.2
1	C	96	VAL	2.2
2	J	504	ILE	2.2
1	E	104	LEU	2.1
1	F	23	MET	2.1
1	A	89	ILE	2.1
1	D	89	ILE	2.1
1	F	229	ASN	2.1
1	F	6	GLN	2.1
1	D	109	ILE	2.1
1	C	215	SER	2.1
1	D	59	SER	2.1
1	F	51	ASN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	108	LEU	2.1
1	A	49	TYR	2.1
1	A	53	VAL	2.1
1	B	211	LEU	2.1
1	C	101	LEU	2.1
1	F	48	ALA	2.0
1	E	44	LEU	2.0
2	G	506	LEU	2.0
1	F	42	ARG	2.0
1	E	101	LEU	2.0
1	F	92	GLU	2.0
1	E	95	ALA	2.0
1	E	126	MET	2.0
1	A	104	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	SEP	I	505	10/11	0.21	0.20	51,55,60,61	0
2	SEP	K	505	10/11	0.20	0.13	48,54,57,58	0
2	SEP	J	505	10/11	0.19	-0.19	54,56,58,60	0
2	SEP	G	505	10/11	0.24	-0.49	53,58,60,62	0
2	SEP	L	505	10/11	0.28	-0.87	58,62,65,66	0
2	SEP	H	505	10/11	0.17	-1.72	56,59,59,61	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.