



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 01:14 PM GMT

PDB ID : 4B3P
Title : Structures of HIV-1 RT and RNA-DNA Complex Reveal a Unique RT Con-
formation and Substrate Interface
Authors : Lapkouski, M.; Tian, L.; Miller, J.T.; Le Grice, S.F.J.; Yang, W.
Deposited on : 2012-07-25
Resolution : 4.84 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 4.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1046 (6.00-3.50)
Clashscore	79885	1320 (6.00-3.50)
Ramachandran outliers	78287	1236 (6.00-3.50)
Sidechain outliers	78261	1216 (6.00-3.50)
RSRZ outliers	66119	1045 (6.00-3.50)
RNA backbone	1838	1036 (6.76-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	560	
2	B	454	
3	D	29	
4	R	34	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8162 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called REVERSE TRANSCRIPTASE/RIBONUCLEASEH.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	519	4054	2612	669	766	7	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	68	GLY	SER	ENGINEERED MUTATION	UNP P04585
A	83	LYS	ARG	ENGINEERED MUTATION	UNP P04585
A	411	VAL	ILE	ENGINEERED MUTATION	UNP P04585
A	447	SER	ASN	ENGINEERED MUTATION	UNP P04585
A	461	LYS	ARG	ENGINEERED MUTATION	UNP P04585
A	483	HIS	TYR	ENGINEERED MUTATION	UNP P04585
A	498	ALA	ASP	ENGINEERED MUTATION	UNP P04585
A	559	ILE	VAL	ENGINEERED MUTATION	UNP P04585

- Molecule 2 is a protein called P51 RT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	404	3230	2102	524	597	7	0	0	0

There are 17 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-13	MET	-	EXPRESSION TAG	UNP P04585
B	-12	ARG	-	EXPRESSION TAG	UNP P04585
B	-11	GLY	-	EXPRESSION TAG	UNP P04585
B	-10	SER	-	EXPRESSION TAG	UNP P04585
B	-9	HIS	-	EXPRESSION TAG	UNP P04585
B	-8	HIS	-	EXPRESSION TAG	UNP P04585
B	-7	HIS	-	EXPRESSION TAG	UNP P04585
B	-6	HIS	-	EXPRESSION TAG	UNP P04585

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-5	HIS	-	EXPRESSION TAG	UNP P04585
B	-4	HIS	-	EXPRESSION TAG	UNP P04585
B	-3	GLY	-	EXPRESSION TAG	UNP P04585
B	-2	SER	-	EXPRESSION TAG	UNP P04585
B	-1	GLN	-	EXPRESSION TAG	UNP P04585
B	0	LEU	-	EXPRESSION TAG	UNP P04585
B	68	GLY	SER	ENGINEERED MUTATION	UNP P04585
B	83	LYS	ARG	ENGINEERED MUTATION	UNP P04585
B	411	VAL	ILE	ENGINEERED MUTATION	UNP P04585

- Molecule 3 is a DNA chain called DNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	21	Total 433	C 207	N 75	O 130	P 21	0	0	0


- Molecule 4 is a RNA chain called RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	R	21	Total 445	C 200	N 81	O 143	P 21	0	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: REVERSE TRANSCRIPTASE/RIBONUCLEASEH




• Molecule 2: P51 RT



● Molecule 3: DNA



● Molecule 4: RNA



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	163.00Å 163.00Å 229.60Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.10 – 4.84 48.38 – 4.84	Depositor EDS
% Data completeness (in resolution range)	99.2 (46.10-4.84) 99.4 (48.38-4.84)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.16	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.25 (at 4.85Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.364 , 0.404 0.402 , 0.294	Depositor DCC
R_{free} test set	1 reflections (0.01%)	DCC
Wilson B-factor (Å ²)	112.9	Xtriage
Anisotropy	0.683	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 114.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.26$, $\langle L^2 \rangle = 0.10$	Xtriage
Outliers	5 of 18091 reflections (0.028%)	Xtriage
F_o, F_c correlation	0.54	EDS
Total number of atoms	8162	wwPDB-VP
Average B, all atoms (Å ²)	189.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	4/4146 (0.1%)	0.47	0/5648
2	B	0.53	4/3315 (0.1%)	0.47	0/4513
3	D	0.30	0/484	0.70	0/746
4	R	0.29	1/497 (0.2%)	0.65	0/771
All	All	0.49	9/8442 (0.1%)	0.50	0/11678

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	410	TRP	CD2-CE2	5.06	1.47	1.41
1	A	383	TRP	CD2-CE2	5.05	1.47	1.41
2	B	426	TRP	CD2-CE2	5.03	1.47	1.41
2	B	24	TRP	CD2-CE2	5.03	1.47	1.41
2	B	212	TRP	CD2-CE2	5.03	1.47	1.41
4	R	21	A	C3'-C2'	5.03	1.58	1.52
1	A	212	TRP	CD2-CE2	5.01	1.47	1.41
1	A	401	TRP	CD2-CE2	5.01	1.47	1.41
2	B	398	TRP	CD2-CE2	5.01	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4054	0	3965	23	0
2	B	3230	0	3186	14	0
3	D	433	0	240	5	0
4	R	445	0	228	2	0
All	All	8162	0	7619	43	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 3.

All (43) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:480:GLN:HG2	1:A:517:LEU:HD11	1.69	0.74
1:A:337:TRP:HE1	1:A:367:GLN:HE21	1.45	0.63
3:D:3:DG:H2'	3:D:4:DG:H8	1.69	0.58
1:A:482:ILE:HD13	1:A:506:ILE:HD11	1.85	0.57
3:D:16:DT:H2'	3:D:17:DA:C8	2.40	0.56
1:A:343:GLN:HG3	1:A:349:LEU:HD11	1.89	0.55
3:D:3:DG:H2'	3:D:4:DG:C8	2.42	0.54
1:A:482:ILE:HD11	1:A:502:ALA:HB1	1.90	0.53
2:B:263:LYS:HE2	2:B:425:LEU:HB3	1.90	0.52
2:B:185:ASP:HB2	2:B:409:THR:HG21	1.90	0.52
4:R:28:C:H2'	4:R:29:G:H8	1.75	0.51
1:A:317:VAL:HG21	1:A:347:LYS:HB3	1.94	0.50
1:A:420:PRO:HB2	1:A:421:PRO:HD3	1.93	0.50
1:A:442:VAL:HG22	1:A:481:ALA:HB1	1.92	0.50
1:A:169:GLU:HB3	1:A:170:PRO:HD3	1.94	0.48
1:A:363:ASN:HD22	1:A:509:GLN:HB2	1.79	0.48
1:A:295:LEU:H	1:A:295:LEU:HD13	1.79	0.47
1:A:479:LEU:HD21	1:A:518:VAL:HG23	1.97	0.46
2:B:156:SER:HB2	2:B:157:PRO:HD3	1.98	0.46
1:A:408:ALA:HB1	2:B:364:ASP:HB3	1.97	0.46
2:B:255:ASN:HB2	2:B:289:LEU:HB3	1.99	0.45
2:B:149:LEU:HA	2:B:150:PRO:HD3	1.85	0.45
4:R:28:C:H2'	4:R:29:G:C8	2.51	0.45
2:B:169:GLU:N	2:B:170:PRO:HD2	2.32	0.45
1:A:253:THR:HA	1:A:292:VAL:HA	1.99	0.44
2:B:306:ASN:HA	2:B:309:ILE:HD12	1.99	0.44
1:A:449:GLU:C	1:A:451:LYS:H	2.21	0.43
1:A:364:ASP:HB3	1:A:423:VAL:HG13	2.00	0.43
1:A:312:GLU:HA	1:A:313:PRO:HD3	1.87	0.43
1:A:515:SER:C	1:A:517:LEU:N	2.72	0.43
2:B:325:LEU:HD23	2:B:387:PRO:HB3	2.02	0.42
2:B:295:LEU:HB3	2:B:300:GLU:HG2	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:54:ASN:HB3	1:A:143:ARG:HH21	1.85	0.41
1:A:180:ILE:HG23	1:A:189:VAL:HG22	2.01	0.41
2:B:264:LEU:HD12	2:B:274:ILE:HG12	2.01	0.41
3:D:11:DG:H2''	3:D:12:DC:H5'	2.03	0.41
1:A:376:THR:O	1:A:380:ILE:HG12	2.21	0.41
3:D:10:DT:H2'	3:D:11:DG:C8	2.56	0.40
2:B:180:ILE:HG22	2:B:189:VAL:HG22	2.03	0.40
2:B:125:ARG:HE	2:B:147:ASN:HA	1.86	0.40
1:A:515:SER:C	1:A:517:LEU:H	2.25	0.40
2:B:341:ILE:HD12	2:B:350:LYS:HB3	2.03	0.40
1:A:97:PRO:HA	1:A:100:LEU:HD12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	507/560 (90%)	473 (93%)	29 (6%)	5 (1%)	22	80
2	B	396/454 (87%)	383 (97%)	11 (3%)	2 (0%)	38	88
All	All	903/1014 (89%)	856 (95%)	40 (4%)	7 (1%)	27	82

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	360	ALA
1	A	6	GLU
1	A	363	ASN
2	B	355	ALA
1	A	184	MET
1	A	421	PRO
1	A	292	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	426/498 (86%)	415 (97%)	11 (3%)	59	89
2	B	344/411 (84%)	339 (98%)	5 (2%)	76	94
All	All	770/909 (85%)	754 (98%)	16 (2%)	66	92

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	185	ASP
1	A	250	ASP
1	A	260	LEU
1	A	295	LEU
1	A	301	LEU
1	A	323	LYS
1	A	353	LYS
1	A	442	VAL
1	A	448	ARG
1	A	516	GLU
1	A	517	LEU
2	B	86	ASP
2	B	113	ASP
2	B	186	ASP
2	B	303	LEU
2	B	305	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	222	GLN
1	A	367	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
4	R	20/34 (58%)	0	0

There are no RNA backbone outliers to report.

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	519/560 (92%)	1.67	162 (31%)	1 3	167, 189, 198, 207	0
2	B	404/454 (88%)	1.24	86 (21%)	1 4	172, 189, 196, 201	0
3	D	21/29 (72%)	2.19	10 (47%)	1 2	187, 193, 197, 201	0
4	R	21/34 (61%)	2.16	11 (52%)	0 2	187, 192, 195, 198	0
All	All	965/1077 (89%)	1.51	269 (27%)	1 3	167, 189, 197, 207	0

All (269) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	16	MET	8.2
2	B	188	TYR	8.0
2	B	231	GLY	7.2
3	D	3	DG	6.3
1	A	28	GLU	6.2
1	A	145	GLN	6.0
1	A	20	LYS	5.8
2	B	189	VAL	5.8
4	R	24	C	5.7
1	A	132	ILE	5.5
1	A	27	THR	5.5
1	A	289	LEU	5.5
2	B	357	MET	5.4
1	A	122	GLU	5.3
1	A	19	PRO	5.3
2	B	208	HIS	5.2
1	A	75	VAL	5.2
1	A	177	ASP	4.9
1	A	332	GLN	4.8
1	A	211	ARG	4.8
1	A	342	TYR	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	215	THR	4.7
1	A	454	LYS	4.7
1	A	290	THR	4.7
1	A	295	LEU	4.6
1	A	104	LYS	4.6
1	A	250	ASP	4.6
1	A	44	GLU	4.6
2	B	98	ALA	4.6
3	D	4	DG	4.5
1	A	49	LYS	4.5
2	B	190	GLY	4.4
1	A	472	THR	4.4
1	A	394	GLN	4.4
1	A	128	THR	4.4
1	A	445	ALA	4.4
2	B	187	LEU	4.4
1	A	192	ASP	4.3
1	A	36	GLU	4.3
1	A	77	PHE	4.2
1	A	279	LEU	4.2
1	A	144	TYR	4.1
1	A	45	GLY	4.1
2	B	294	PRO	4.0
4	R	14	U	4.0
2	B	105	SER	4.0
3	D	7	DG	4.0
1	A	142	ILE	3.9
1	A	307	ARG	3.9
2	B	358	ARG	3.9
1	A	245	VAL	3.9
1	A	146	TYR	3.9
4	R	32	C	3.8
1	A	43	LYS	3.8
1	A	260	LEU	3.8
1	A	103	LYS	3.8
1	A	259	LYS	3.8
1	A	392	PRO	3.8
1	A	396	GLU	3.8
3	D	11	DG	3.8
2	B	293	ILE	3.8
1	A	208	HIS	3.7
1	A	283	LEU	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	125	ARG	3.7
1	A	21	VAL	3.7
1	A	138	GLU	3.7
1	A	40	GLU	3.7
1	A	22	LYS	3.6
1	A	39	THR	3.6
1	A	243	PRO	3.6
1	A	191	SER	3.6
1	A	18	GLY	3.6
1	A	291	GLU	3.6
1	A	109	LEU	3.6
1	A	469	LEU	3.5
1	A	216	THR	3.5
3	D	15	DA	3.5
1	A	304	ALA	3.5
1	A	288	ALA	3.5
1	A	16	MET	3.5
1	A	53	GLU	3.5
1	A	76	ASP	3.4
1	A	326	ILE	3.4
1	A	56	TYR	3.4
1	A	282	LEU	3.4
2	B	73	LYS	3.4
4	R	25	A	3.4
1	A	362	THR	3.3
1	A	536	VAL	3.3
1	A	311	LYS	3.3
1	A	468	THR	3.3
1	A	451	LYS	3.3
2	B	307	ARG	3.2
1	A	37	ILE	3.2
2	B	123	ASP	3.2
1	A	284	ARG	3.2
1	A	310	LEU	3.2
2	B	15	GLY	3.2
2	B	234	LEU	3.2
2	B	13	LYS	3.2
1	A	470	THR	3.2
1	A	529	GLU	3.2
1	A	210	LEU	3.2
3	D	9	DA	3.2
1	A	357	MET	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	275	LYS	3.1
1	A	325	LEU	3.1
1	A	92	LEU	3.1
1	A	300	GLU	3.1
1	A	174	GLN	3.1
1	A	349	LEU	3.1
2	B	180	ILE	3.1
2	B	62	ALA	3.1
1	A	130	PHE	3.1
1	A	207	GLN	3.1
2	B	261	VAL	3.1
1	A	98	ALA	3.1
1	A	198	HIS	3.1
2	B	113	ASP	3.1
1	A	176	PRO	3.1
2	B	374	LYS	3.0
1	A	79	GLU	3.0
2	B	311	LYS	3.0
1	A	446	ALA	3.0
4	R	34	C	3.0
1	A	13	LYS	3.0
1	A	532	TYR	3.0
1	A	428	GLN	3.0
2	B	238	LYS	3.0
1	A	503	LEU	3.0
1	A	256	ASP	3.0
2	B	85	GLN	3.0
2	B	349	LEU	3.0
2	B	325	LEU	3.0
1	A	405	TYR	2.9
2	B	334	GLN	2.9
2	B	214	LEU	2.9
3	D	8	DT	2.9
1	A	175	ASN	2.9
1	A	50	ILE	2.9
1	A	404	GLU	2.9
2	B	211	ARG	2.9
2	B	104	LYS	2.9
1	A	422	LEU	2.9
1	A	303	LEU	2.9
2	B	210	LEU	2.9
1	A	443	ASP	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	212	TRP	2.8
1	A	41	MET	2.8
2	B	205	LEU	2.8
1	A	263	LYS	2.8
2	B	207	GLN	2.8
1	A	97	PRO	2.8
2	B	91	GLN	2.7
1	A	453	GLY	2.7
1	A	102	LYS	2.7
2	B	260	LEU	2.7
2	B	404	GLU	2.7
2	B	127	TYR	2.7
2	B	287	LYS	2.7
2	B	74	LEU	2.7
1	A	483	HIS	2.7
2	B	89	GLU	2.7
2	B	209	LEU	2.7
1	A	154	LYS	2.7
1	A	215	THR	2.7
1	A	452	LEU	2.7
2	B	14	PRO	2.7
2	B	235	HIS	2.7
2	B	295	LEU	2.7
2	B	286	THR	2.7
1	A	17	ASP	2.7
2	B	182	GLN	2.7
2	B	29	GLU	2.7
1	A	197	GLN	2.6
1	A	188	TYR	2.6
1	A	262	GLY	2.6
2	B	97	PRO	2.6
2	B	377	THR	2.6
3	D	10	DT	2.6
2	B	46	LYS	2.6
1	A	55	PRO	2.6
2	B	342	TYR	2.6
4	R	21	A	2.6
1	A	5	ILE	2.6
4	R	15	A	2.6
1	A	537	PRO	2.6
2	B	106	VAL	2.6
3	D	6	DC	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	178	ILE	2.6
1	A	181	TYR	2.6
1	A	395	LYS	2.5
1	A	251	SER	2.5
2	B	264	LEU	2.5
1	A	233	GLU	2.5
2	B	204	GLU	2.5
1	A	426	TRP	2.5
1	A	242	GLN	2.5
1	A	444	GLY	2.5
1	A	280	CYS	2.5
1	A	99	GLY	2.5
1	A	187	LEU	2.5
1	A	306	ASN	2.5
1	A	302	GLU	2.5
1	A	31	ILE	2.5
1	A	274	ILE	2.5
2	B	232	TYR	2.4
2	B	186	ASP	2.4
2	B	383	TRP	2.4
1	A	533	LEU	2.4
2	B	213	GLY	2.4
2	B	96	HIS	2.4
1	A	205	LEU	2.4
2	B	367	GLN	2.4
1	A	485	ALA	2.4
2	B	356	ARG	2.4
1	A	236	PRO	2.4
2	B	28	GLU	2.4
2	B	315	HIS	2.4
1	A	427	TYR	2.4
1	A	437	ALA	2.4
2	B	262	GLY	2.4
1	A	393	ILE	2.4
2	B	169	GLU	2.4
4	R	26	U	2.4
2	B	310	LEU	2.3
2	B	370	GLU	2.3
2	B	20	LYS	2.3
1	A	423	VAL	2.3
1	A	240	THR	2.3
3	D	21	DA	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	135	ILE	2.2
1	A	502	ALA	2.2
2	B	99	GLY	2.2
2	B	297	GLU	2.2
2	B	359	GLY	2.2
2	B	166	LYS	2.2
1	A	185	ASP	2.2
2	B	86	ASP	2.2
1	A	331	LYS	2.2
1	A	363	ASN	2.2
1	A	511	ASP	2.2
2	B	428	GLN	2.2
2	B	348	ASN	2.2
2	B	32	LYS	2.2
1	A	137	ASN	2.2
1	A	285	GLY	2.2
2	B	405	TYR	2.2
1	A	544	GLY	2.1
1	A	105	SER	2.1
2	B	206	ARG	2.1
1	A	296	THR	2.1
4	R	16	A	2.1
1	A	527	LYS	2.1
1	A	471	ASP	2.1
1	A	555	GLY	2.1
1	A	517	LEU	2.1
4	R	22	G	2.1
1	A	196	GLY	2.1
1	A	455	ALA	2.1
2	B	366	LYS	2.1
2	B	191	SER	2.1
1	A	494	ASN	2.1
1	A	554	ALA	2.1
1	A	107	THR	2.1
1	A	204	GLU	2.1
2	B	267	ALA	2.0
4	R	27	A	2.0
1	A	228	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.