



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 08:54 PM GMT

PDB ID : 1B7B
Title : Carbamate kinase from *Enterococcus faecalis*
Authors : Marina, A.; Alzari, P.M.; Bravo, J.; Uriarte, M.; Barcelona, B.; Fita, I.; Rubio, V.
Deposited on : 1999-01-20
Resolution : 2.80 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1799 (2.80-2.80)
Clashscore	79885	2295 (2.80-2.80)
Ramachandran outliers	78287	2252 (2.80-2.80)
Sidechain outliers	78261	2254 (2.80-2.80)
RSRZ outliers	66119	1802 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	310	
1	B	310	
1	C	310	
1	D	310	

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 9512 atoms, of which 280 are hydrogens and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CARBAMATE KINASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	307	Total	C	H	N	O	S	0	0	0
			2356	1441	70	387	449	9			
1	B	307	Total	C	H	N	O	S	0	0	0
			2356	1441	70	387	449	9			
1	C	307	Total	C	H	N	O	S	0	0	0
			2356	1441	70	387	449	9			
1	D	307	Total	C	H	N	O	S	0	0	0
			2356	1441	70	387	449	9			

- Molecule 2 is SULFATE ION (three-letter code: SO₄) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	16	Total	O	0	0
			16	16		
3	B	17	Total	O	0	0
			17	17		
3	C	18	Total	O	0	0
			18	18		
3	D	17	Total	O	0	0
			17	17		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CARBAMATE KINASE

Chain A:




• Molecule 1: CARBAMATE KINASE

Chain B:




• Molecule 1: CARBAMATE KINASE

Chain C:



● Molecule 1: CARBAMATE KINASE

Chain D: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	80.86Å 172.92Å 98.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.80 14.91 – 2.80	Depositor EDS
% Data completeness (in resolution range)	89.5 (15.00-2.80) 82.0 (14.91-2.80)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.224 , 0.283 0.222 , 0.275	Depositor DCC
R_{free} test set	2893 reflections (10.20%)	DCC
Wilson B-factor (Å ²)	37.6	Xtriage
Anisotropy	0.132	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 17.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Outliers	0 of 28366 reflections	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	9512	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 28.17 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.9298e-03.*

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.30	0/2321	0.57	0/3151
1	B	0.30	0/2321	0.57	0/3151
1	C	0.30	0/2321	0.58	0/3151
1	D	0.30	0/2321	0.57	0/3151
All	All	0.30	0/9284	0.57	0/12604

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2286	70	2247	51	0
1	B	2286	70	2247	52	0
1	C	2286	70	2247	42	0
1	D	2286	70	2247	54	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	16	0	0	0	0
3	B	17	0	0	0	0
3	C	18	0	0	0	0
3	D	17	0	0	0	0
All	All	9232	280	8988	197	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 11.

All (197) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:232:ASP:HB2	1:B:302:GLU:HG3	1.50	0.91
1:C:232:ASP:HB2	1:C:302:GLU:HG3	1.69	0.74
1:C:75:LEU:HB3	1:C:204:GLU:HG3	1.70	0.74
1:A:75:LEU:HB3	1:A:204:GLU:HG3	1.70	0.73
1:B:235:CYS:SG	1:B:243:GLU:HG3	2.29	0.73
1:D:75:LEU:HB3	1:D:204:GLU:HG3	1.73	0.70
1:A:234:VAL:HG23	1:A:303:ILE:HG13	1.74	0.70
1:B:234:VAL:HG23	1:B:303:ILE:HG13	1.73	0.70
1:A:246:LEU:HB2	1:A:303:ILE:HD12	1.74	0.69
1:B:75:LEU:HB3	1:B:204:GLU:HG3	1.75	0.68
1:D:269:LEU:HB3	1:D:270:PRO:HD3	1.77	0.67
1:B:234:VAL:H	1:B:303:ILE:HD11	1.61	0.64
1:A:128:LYS:HB2	1:A:163:SER:OG	1.97	0.64
1:C:269:LEU:HB3	1:C:270:PRO:HD3	1.79	0.64
1:B:269:LEU:HB3	1:B:270:PRO:HD3	1.80	0.64
1:D:128:LYS:HB2	1:D:163:SER:OG	1.98	0.64
1:A:75:LEU:CB	1:A:204:GLU:HG3	2.28	0.63
1:C:128:LYS:HB2	1:C:163:SER:OG	1.99	0.63
1:A:233:TYR:CD1	1:A:302:GLU:HB3	2.34	0.62
1:A:269:LEU:HB3	1:A:270:PRO:HD3	1.79	0.62
1:A:267:SER:O	1:A:270:PRO:HD2	1.99	0.61
1:B:249:VAL:HG21	1:B:254:LEU:HD21	1.82	0.61
1:B:128:LYS:HB2	1:B:163:SER:OG	2.00	0.61
1:B:4:LYS:HA	1:B:44:ARG:HB2	1.83	0.60
1:A:232:ASP:HB2	1:A:302:GLU:HG3	1.83	0.60
1:A:233:TYR:HA	1:A:303:ILE:HG12	1.83	0.59
1:B:136:GLU:HG2	1:B:140:LYS:HE3	1.83	0.59
1:D:267:SER:O	1:D:271:LYS:HG2	2.02	0.59
1:B:58:LEU:HA	1:B:61:GLN:HE22	1.66	0.59
1:B:46:ILE:HD13	1:B:220:VAL:HG11	1.84	0.59
1:C:227:ILE:CG2	1:C:271:LYS:HD2	2.32	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:54:GLN:H	1:D:54:GLN:NE2	2.01	0.59
1:C:250:THR:HB	1:C:253:GLU:HG3	1.84	0.59
1:C:246:LEU:HB2	1:C:303:ILE:HD12	1.85	0.58
1:A:136:GLU:HG2	1:A:140:LYS:HE3	1.85	0.58
1:C:233:TYR:CD1	1:C:302:GLU:HB3	2.39	0.58
1:A:226:VAL:HG11	1:A:295:LEU:HD11	1.85	0.58
1:C:247:THR:O	1:C:303:ILE:HA	2.03	0.57
1:D:4:LYS:HA	1:D:44:ARG:HB2	1.85	0.57
1:D:250:THR:HA	1:D:306:THR:O	2.05	0.56
1:D:136:GLU:HG2	1:D:140:LYS:HE3	1.88	0.56
1:C:226:VAL:HG11	1:C:295:LEU:HD11	1.85	0.56
1:A:130:ILE:HD12	1:A:161:VAL:HB	1.87	0.56
1:D:176:ASN:ND2	1:D:220:VAL:HA	2.21	0.56
1:D:227:ILE:CG2	1:D:271:LYS:HD2	2.36	0.55
1:B:233:TYR:CD1	1:B:302:GLU:HB3	2.41	0.55
1:C:267:SER:O	1:C:270:PRO:HD2	2.06	0.55
1:B:226:VAL:HG11	1:B:295:LEU:HD11	1.88	0.55
1:C:118:PRO:HD3	1:C:196:VAL:HG13	1.89	0.54
1:C:306:THR:O	1:C:307:VAL:HG13	2.07	0.54
1:A:18:ASP:HB3	1:A:23:ALA:CB	2.38	0.54
1:C:46:ILE:HD13	1:C:220:VAL:HG11	1.89	0.54
1:A:227:ILE:CG2	1:A:271:LYS:HD2	2.38	0.53
1:D:46:ILE:HD13	1:D:220:VAL:HG11	1.90	0.53
1:C:58:LEU:HA	1:C:61:GLN:HE22	1.74	0.53
1:D:235:CYS:SG	1:D:245:GLN:HG2	2.48	0.53
1:D:232:ASP:O	1:D:233:TYR:HB2	2.08	0.53
1:B:209:LYS:HG3	1:B:210:ASP:N	2.24	0.53
1:B:227:ILE:CG2	1:B:271:LYS:HD2	2.40	0.52
1:D:58:LEU:HA	1:D:61:GLN:HE22	1.74	0.52
1:D:118:PRO:HD3	1:D:196:VAL:HG13	1.92	0.52
1:C:75:LEU:CB	1:C:204:GLU:HG3	2.37	0.52
1:B:54:GLN:H	1:B:54:GLN:NE2	2.07	0.52
1:A:58:LEU:HA	1:A:61:GLN:HE22	1.75	0.52
1:A:54:GLN:H	1:A:54:GLN:NE2	2.07	0.52
1:D:226:VAL:HG11	1:D:295:LEU:HD11	1.91	0.52
1:C:232:ASP:O	1:C:233:TYR:HB2	2.10	0.52
1:A:166:PRO:HG3	1:A:207:ILE:HG21	1.91	0.52
1:B:232:ASP:O	1:B:233:TYR:HB2	2.09	0.51
1:B:166:PRO:HG3	1:B:207:ILE:HG21	1.92	0.51
1:D:176:ASN:HD22	1:D:220:VAL:HA	1.74	0.51
1:C:229:THR:O	1:C:291:SER:HA	2.10	0.51
1:A:4:LYS:HA	1:A:44:ARG:HB2	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:32:SER:O	1:A:36:VAL:HG23	2.11	0.51
1:D:76:ASP:HB3	1:D:203:VAL:O	2.11	0.51
1:C:237:ASN:CB	1:C:242:ASP:HB2	2.41	0.51
1:D:75:LEU:CB	1:D:204:GLU:HG3	2.38	0.50
1:D:267:SER:O	1:D:270:PRO:HD2	2.11	0.50
1:D:234:VAL:HG23	1:D:303:ILE:HG13	1.92	0.50
1:A:306:THR:O	1:A:307:VAL:HG13	2.12	0.50
1:B:56:GLY:HA3	1:B:131:GLY:CA	2.42	0.50
1:B:75:LEU:CB	1:B:204:GLU:HG3	2.41	0.50
1:A:46:ILE:HD13	1:A:220:VAL:HG11	1.94	0.50
1:D:166:PRO:HG3	1:D:207:ILE:HG21	1.94	0.50
1:A:216:LEU:O	1:A:220:VAL:HB	2.12	0.49
1:B:229:THR:O	1:B:291:SER:HA	2.12	0.49
1:B:195:VAL:HG11	1:B:200:LEU:HD22	1.94	0.49
1:B:130:ILE:HD12	1:B:161:VAL:HB	1.94	0.49
1:A:267:SER:O	1:A:271:LYS:HG2	2.12	0.49
1:B:306:THR:O	1:B:307:VAL:HG13	2.12	0.49
1:D:114:VAL:HG23	1:D:192:GLY:HA3	1.95	0.49
1:C:166:PRO:HG3	1:C:207:ILE:HG21	1.94	0.49
1:A:251:VAL:HG13	1:A:276:ILE:HG23	1.94	0.49
1:C:136:GLU:HG2	1:C:140:LYS:HE3	1.94	0.49
1:B:118:PRO:HD3	1:B:196:VAL:HG13	1.95	0.49
1:D:247:THR:O	1:D:303:ILE:HA	2.13	0.49
1:B:258:LYS:NZ	1:B:273:GLU:HG2	2.27	0.49
1:B:250:THR:HA	1:B:306:THR:O	2.12	0.49
1:D:18:ASP:HB3	1:D:23:ALA:CB	2.43	0.49
1:B:233:TYR:HA	1:B:303:ILE:HG12	1.94	0.48
1:A:234:VAL:H	1:A:303:ILE:HD11	1.78	0.48
1:C:14:ILE:HG22	1:C:24:GLN:HE22	1.78	0.48
1:A:246:LEU:HB2	1:A:303:ILE:CD1	2.44	0.48
1:A:118:PRO:HD3	1:A:196:VAL:HG13	1.96	0.48
1:A:133:PHE:CE2	1:A:158:ARG:HD2	2.49	0.48
1:A:232:ASP:O	1:A:233:TYR:HB2	2.14	0.48
1:C:130:ILE:HD12	1:C:161:VAL:HB	1.96	0.47
1:D:130:ILE:HD12	1:D:161:VAL:HB	1.95	0.47
1:C:282:GLN:HB2	1:C:285:LYS:HG3	1.95	0.47
1:C:54:GLN:H	1:C:54:GLN:NE2	2.13	0.47
1:B:62:GLN:HB3	1:B:72:ALA:HB1	1.96	0.47
1:D:236:ILE:O	1:D:243:GLU:HA	2.13	0.47
1:D:233:TYR:CD1	1:D:302:GLU:HB3	2.50	0.47
1:D:57:ASN:O	1:D:61:GLN:HG3	2.14	0.47
1:A:57:ASN:O	1:A:61:GLN:HG3	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:58:LEU:O	1:D:62:GLN:HG2	2.15	0.47
1:D:232:ASP:HB2	1:D:302:GLU:HG3	1.97	0.46
1:A:176:ASN:ND2	1:A:220:VAL:HA	2.30	0.46
1:A:15:LEU:HD13	1:A:53:PRO:HB2	1.98	0.46
1:C:21:ALA:O	1:C:25:GLN:HG3	2.15	0.46
1:D:229:THR:O	1:D:291:SER:HA	2.15	0.46
1:B:58:LEU:O	1:B:62:GLN:HG2	2.15	0.46
1:C:195:VAL:HG11	1:C:200:LEU:HD22	1.98	0.46
1:A:195:VAL:HG11	1:A:200:LEU:HD22	1.98	0.46
1:B:57:ASN:O	1:B:61:GLN:HG3	2.15	0.46
1:D:56:GLY:HA3	1:D:131:GLY:CA	2.46	0.45
1:D:118:PRO:HB3	1:D:196:VAL:HG11	1.98	0.45
1:B:195:VAL:HG22	1:B:200:LEU:O	2.16	0.45
1:D:282:GLN:HB2	1:D:285:LYS:HG3	1.97	0.45
1:B:216:LEU:O	1:B:220:VAL:HB	2.16	0.45
1:B:282:GLN:HB2	1:B:285:LYS:HG3	1.99	0.45
1:C:209:LYS:HG3	1:C:210:ASP:N	2.30	0.45
1:B:236:ILE:HD11	1:B:244:LYS:HD3	1.98	0.45
1:C:216:LEU:O	1:C:220:VAL:HB	2.16	0.45
1:C:233:TYR:HA	1:C:303:ILE:HG12	1.98	0.45
1:A:229:THR:O	1:A:291:SER:HA	2.17	0.45
1:A:282:GLN:HB2	1:A:285:LYS:CG	2.47	0.45
1:C:57:ASN:O	1:C:61:GLN:HG3	2.17	0.45
1:D:28:LEU:HD22	1:D:90:LEU:HD13	1.98	0.45
1:B:267:SER:O	1:B:271:LYS:HG2	2.16	0.45
1:D:306:THR:O	1:D:307:VAL:HG13	2.17	0.45
1:B:14:ILE:HG22	1:B:24:GLN:HE22	1.82	0.44
1:B:267:SER:O	1:B:270:PRO:HD2	2.17	0.44
1:B:133:PHE:CE2	1:B:158:ARG:HD2	2.52	0.44
1:B:176:ASN:ND2	1:B:220:VAL:HA	2.31	0.44
1:B:295:LEU:HD23	1:B:301:ASP:OD2	2.18	0.44
1:A:282:GLN:HB2	1:A:285:LYS:HG3	1.99	0.44
1:C:4:LYS:HA	1:C:44:ARG:HB2	2.00	0.44
1:C:58:LEU:O	1:C:62:GLN:HG2	2.17	0.44
1:C:254:LEU:HD13	1:C:272:ILE:HG23	1.99	0.44
1:C:118:PRO:HB3	1:C:196:VAL:HG11	2.00	0.44
1:A:56:GLY:HA3	1:A:131:GLY:CA	2.47	0.44
1:A:295:LEU:HD23	1:A:301:ASP:OD2	2.18	0.43
1:A:176:ASN:HD22	1:A:220:VAL:HA	1.82	0.43
1:D:31:THR:HG22	1:D:292:LEU:HD23	2.00	0.43
1:A:247:THR:O	1:A:303:ILE:HA	2.18	0.43
1:C:56:GLY:HA3	1:C:131:GLY:CA	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:238:TYR:O	1:A:243:GLU:HB2	2.19	0.43
1:C:6:VAL:HA	1:C:46:ILE:O	2.17	0.43
1:D:235:CYS:HB3	1:D:243:GLU:HG3	2.01	0.43
1:D:32:SER:O	1:D:36:VAL:HG23	2.18	0.43
1:A:240:LYS:HB3	1:A:241:PRO:HD2	1.99	0.43
1:D:209:LYS:HG3	1:D:210:ASP:N	2.34	0.43
1:B:279:VAL:HG11	1:B:306:THR:HA	2.01	0.43
1:B:118:PRO:HB3	1:B:196:VAL:HG11	2.00	0.43
1:D:249:VAL:HG23	1:D:305:GLY:HA2	2.01	0.43
1:A:263:PHE:HB3	1:A:268:MET:HB3	2.01	0.42
1:A:209:LYS:HG3	1:A:210:ASP:N	2.33	0.42
1:B:282:GLN:HB2	1:B:285:LYS:CG	2.49	0.42
1:B:15:LEU:HD13	1:B:53:PRO:HB2	2.01	0.42
1:A:174:THR:HG23	1:C:183:ILE:HD13	2.00	0.42
1:D:133:PHE:CE2	1:D:158:ARG:HD2	2.55	0.42
1:C:282:GLN:HB2	1:C:285:LYS:CG	2.49	0.42
1:D:103:ILE:HG22	1:D:105:LYS:HG2	2.01	0.42
1:B:136:GLU:O	1:B:140:LYS:HG3	2.20	0.42
1:B:183:ILE:HD13	1:D:174:THR:HG23	2.02	0.42
1:B:36:VAL:HG21	1:B:97:GLU:HB3	2.02	0.41
1:A:36:VAL:HG21	1:A:97:GLU:HB3	2.01	0.41
1:D:136:GLU:O	1:D:140:LYS:HG3	2.21	0.41
1:B:275:ALA:O	1:B:279:VAL:HG23	2.21	0.41
1:D:233:TYR:HA	1:D:303:ILE:HG12	2.02	0.41
1:C:161:VAL:HG13	1:C:162:PRO:HD2	2.02	0.41
1:C:267:SER:O	1:C:271:LYS:HG2	2.21	0.41
1:A:229:THR:HG22	1:A:231:VAL:H	1.86	0.41
1:B:176:ASN:HD22	1:B:220:VAL:HA	1.85	0.41
1:A:232:ASP:CB	1:A:302:GLU:HG3	2.51	0.41
1:D:6:VAL:HA	1:D:46:ILE:O	2.20	0.41
1:D:233:TYR:CE1	1:D:302:GLU:HB3	2.55	0.40
1:D:114:VAL:CG2	1:D:192:GLY:HA3	2.50	0.40
1:A:6:VAL:HA	1:A:46:ILE:O	2.21	0.40
1:B:9:LEU:O	1:B:49:HIS:HA	2.21	0.40
1:A:21:ALA:O	1:A:25:GLN:HG3	2.22	0.40
1:D:234:VAL:H	1:D:303:ILE:HD11	1.87	0.40
1:D:288:ILE:HA	1:D:303:ILE:O	2.21	0.40
1:D:28:LEU:HA	1:D:31:THR:OG1	2.22	0.40
1:C:32:SER:O	1:C:36:VAL:HG23	2.21	0.40
1:D:21:ALA:O	1:D:25:GLN:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	305/310 (98%)	282 (92%)	16 (5%)	7 (2%)	10	31
1	B	305/310 (98%)	282 (92%)	14 (5%)	9 (3%)	7	22
1	C	305/310 (98%)	284 (93%)	14 (5%)	7 (2%)	10	31
1	D	305/310 (98%)	278 (91%)	20 (7%)	7 (2%)	10	31
All	All	1220/1240 (98%)	1126 (92%)	64 (5%)	30 (2%)	9	28

All (30) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	238	TYR
1	A	299	SER
1	A	303	ILE
1	B	247	THR
1	B	299	SER
1	B	303	ILE
1	C	299	SER
1	C	303	ILE
1	D	238	TYR
1	D	299	SER
1	D	303	ILE
1	A	247	THR
1	A	307	VAL
1	B	267	SER
1	B	307	VAL
1	C	238	TYR
1	D	243	GLU
1	D	307	VAL
1	B	298	MET
1	C	307	VAL
1	A	298	MET
1	B	243	GLU
1	C	298	MET
1	D	52	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	52	GLY
1	C	233	TYR
1	D	298	MET
1	B	238	TYR
1	C	52	GLY
1	A	52	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	246/249 (99%)	235 (96%)	11 (4%)	38	74
1	B	246/249 (99%)	234 (95%)	12 (5%)	35	71
1	C	246/249 (99%)	233 (95%)	13 (5%)	32	67
1	D	246/249 (99%)	236 (96%)	10 (4%)	41	77
All	All	984/996 (99%)	938 (95%)	46 (5%)	36	73

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	GLN
1	A	54	GLN
1	A	99	ASN
1	A	176	ASN
1	A	195	VAL
1	A	204	GLU
1	A	220	VAL
1	A	232	ASP
1	A	298	MET
1	A	302	GLU
1	A	307	VAL
1	B	30	GLN
1	B	54	GLN
1	B	88	TYR
1	B	99	ASN
1	B	176	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	195	VAL
1	B	204	GLU
1	B	220	VAL
1	B	232	ASP
1	B	298	MET
1	B	302	GLU
1	B	307	VAL
1	C	30	GLN
1	C	54	GLN
1	C	99	ASN
1	C	161	VAL
1	C	176	ASN
1	C	195	VAL
1	C	204	GLU
1	C	220	VAL
1	C	232	ASP
1	C	248	ASN
1	C	298	MET
1	C	302	GLU
1	C	307	VAL
1	D	30	GLN
1	D	54	GLN
1	D	99	ASN
1	D	176	ASN
1	D	195	VAL
1	D	204	GLU
1	D	220	VAL
1	D	298	MET
1	D	302	GLU
1	D	307	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	GLN
1	A	54	GLN
1	A	61	GLN
1	A	63	GLN
1	A	176	ASN
1	B	24	GLN
1	B	54	GLN
1	B	61	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	63	GLN
1	B	170	HIS
1	B	176	ASN
1	C	24	GLN
1	C	54	GLN
1	C	61	GLN
1	C	63	GLN
1	C	176	ASN
1	D	24	GLN
1	D	54	GLN
1	D	61	GLN
1	D	63	GLN
1	D	176	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SO4	A	1375	-	4,4,4	1.59	1 (25%)	6,6,6	0.55	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	B	2375	-	4,4,4	1.68	2 (50%)	6,6,6	0.45	0
2	SO4	C	3375	-	4,4,4	1.60	1 (25%)	6,6,6	0.59	0
2	SO4	D	4375	-	4,4,4	1.68	2 (50%)	6,6,6	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	1375	-	-	0/0/0/0	0/0/0/0
2	SO4	B	2375	-	-	0/0/0/0	0/0/0/0
2	SO4	C	3375	-	-	0/0/0/0	0/0/0/0
2	SO4	D	4375	-	-	0/0/0/0	0/0/0/0

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	4375	SO4	O3-S	2.51	1.55	1.47
2	B	2375	SO4	O3-S	2.42	1.55	1.47
2	A	1375	SO4	O3-S	2.38	1.55	1.47
2	C	3375	SO4	O3-S	2.28	1.55	1.47
2	B	2375	SO4	O4-S	2.02	1.54	1.47
2	D	4375	SO4	O4-S	2.01	1.54	1.47

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	307/310 (99%)	-0.13	15 (4%) 28 29	5, 29, 68, 94	0
1	B	307/310 (99%)	0.36	38 (12%) 5 4	11, 37, 86, 96	0
1	C	307/310 (99%)	-0.29	10 (3%) 44 45	4, 26, 63, 88	0
1	D	307/310 (99%)	0.33	37 (12%) 5 4	7, 31, 93, 100	0
All	All	1228/1240 (99%)	0.07	100 (8%) 12 10	4, 31, 82, 100	0

All (100) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	261	GLY	12.4
1	A	300	GLY	9.7
1	A	308	VAL	9.5
1	A	299	SER	7.6
1	D	241	PRO	7.2
1	D	300	GLY	7.2
1	D	230	GLY	7.1
1	D	266	GLY	6.7
1	C	308	VAL	6.6
1	B	299	SER	6.5
1	D	308	VAL	6.3
1	B	308	VAL	6.2
1	D	299	SER	5.9
1	B	301	ASP	5.8
1	B	298	MET	5.6
1	B	265	PRO	5.6
1	D	238	TYR	5.5
1	D	244	LYS	5.5
1	D	264	ALA	5.4
1	D	236	ILE	5.2
1	D	263	PHE	5.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	231	VAL	5.1
1	D	237	ASN	5.0
1	D	298	MET	5.0
1	D	232	ASP	5.0
1	D	239	GLY	4.9
1	D	243	GLU	4.8
1	B	261	GLY	4.6
1	D	144	GLN	4.5
1	B	259	GLN	4.5
1	C	144	GLN	4.5
1	B	238	TYR	4.4
1	B	266	GLY	4.4
1	A	298	MET	4.4
1	B	300	GLY	4.3
1	B	42	GLY	4.2
1	D	259	GLN	4.1
1	C	153	ALA	4.0
1	D	301	ASP	3.9
1	D	143	MET	3.8
1	B	144	GLN	3.8
1	B	252	ALA	3.8
1	C	299	SER	3.7
1	D	265	PRO	3.7
1	B	239	GLY	3.6
1	D	235	CYS	3.6
1	B	302	GLU	3.6
1	D	297	SER	3.6
1	B	242	ASP	3.6
1	B	260	ALA	3.5
1	D	240	LYS	3.4
1	C	302	GLU	3.3
1	B	237	ASN	3.3
1	A	261	GLY	3.3
1	D	153	ALA	3.3
1	B	262	HIS	3.2
1	B	155	ARG	3.2
1	B	233	TYR	3.1
1	D	242	ASP	3.1
1	A	144	GLN	3.1
1	B	284	ASN	3.0
1	B	264	ALA	2.9
1	B	307	VAL	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	266	GLY	2.7
1	A	259	GLN	2.7
1	B	268	MET	2.7
1	A	143	MET	2.6
1	B	241	PRO	2.6
1	D	296	GLY	2.6
1	B	297	SER	2.6
1	C	301	ASP	2.6
1	D	260	ALA	2.6
1	C	300	GLY	2.6
1	B	263	PHE	2.6
1	C	259	GLN	2.5
1	C	147	ALA	2.4
1	C	155	ARG	2.4
1	B	243	GLU	2.4
1	B	267	SER	2.3
1	B	256	GLU	2.3
1	A	301	ASP	2.3
1	B	229	THR	2.3
1	B	152	ASP	2.3
1	A	284	ASN	2.2
1	A	264	ALA	2.2
1	D	302	GLU	2.2
1	B	148	ILE	2.2
1	A	296	GLY	2.2
1	B	124	LYS	2.2
1	B	198	GLN	2.1
1	D	146	GLY	2.1
1	A	260	ALA	2.1
1	D	245	GLN	2.1
1	D	256	GLU	2.1
1	B	247	THR	2.0
1	A	244	LYS	2.0
1	D	229	THR	2.0
1	D	262	HIS	2.0
1	D	284	ASN	2.0
1	B	136	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	SO4	D	4375	5/5	0.11	-0.75	43,44,47,47	0
2	SO4	C	3375	5/5	0.12	-0.78	19,23,27,31	0
2	SO4	B	2375	5/5	0.09	-1.16	33,37,40,42	0
2	SO4	A	1375	5/5	0.08	-1.18	13,14,20,24	0

6.5 Other polymers

There are no such residues in this entry.