



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 26, 2014 – 03:37 PM GMT

PDB ID : 3B75
Title : Crystal Structure of Glycated Human Haemoglobin
Authors : Saraswathi, N.T.; Syakhovich, V.E.; Bokut, S.B.; Moras, D.; Ruff, M.
Deposited on : 2007-10-30
Resolution : 2.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2929 (2.30-2.30)
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)
RSRZ outliers	66119	2930 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	141	
1	C	141	
1	E	141	
1	G	141	
1	S	141	
2	B	146	
2	D	146	
2	F	146	
2	H	146	
2	T	146	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	FRU	A	142	-	X
3	FRU	E	142	-	X
4	GLC	B	147	-	X
4	GLC	C	142	-	X
5	PO4	G	142	-	X
7	OXY	B	151	-	X

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 11931 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Hemoglobin subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	141	Total	C	N	O	S	0	0	0
			1068	685	187	193	3			
1	C	141	Total	C	N	O	S	0	0	0
			1068	685	187	193	3			
1	E	141	Total	C	N	O	S	0	0	0
			1068	685	187	193	3			
1	G	141	Total	C	N	O	S	0	0	0
			1068	685	187	193	3			
1	S	141	Total	C	N	O	S	0	0	0
			1068	685	187	193	3			

- Molecule 2 is a protein called Hemoglobin subunit beta.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	146	Total	C	N	O	S	0	0	0
			1122	724	195	200	3			
2	D	146	Total	C	N	O	S	0	0	0
			1122	724	195	200	3			
2	F	146	Total	C	N	O	S	0	0	0
			1122	724	195	200	3			
2	H	146	Total	C	N	O	S	0	0	0
			1122	724	195	200	3			
2	T	146	Total	C	N	O	S	0	0	0
			1122	724	195	200	3			

- Molecule 3 is SUGAR (FRUCTOSE) (three-letter code: FRU) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			11	6	5		
3	E	1	Total	C	O	0	0
			11	6	5		

- Molecule 4 is SUGAR (GLUCOSE) (three-letter code: GLC) (formula: $C_6H_{12}O_6$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			12	6	6		
4	C	1	Total	C	O	0	0
			12	6	6		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	T	1	Total	C	O	0	0
			12	6	6		

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	G	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	E	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	F	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	G	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	H	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	S	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	T	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 7 is OXYGEN MOLECULE (three-letter code: OXY) (formula: O₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total 2	O 2	0	0
7	B	1	Total 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	C	1	Total O 2 2	0	0
7	D	1	Total O 2 2	0	0
7	E	1	Total O 2 2	0	0
7	F	1	Total O 2 2	0	0
7	G	1	Total O 2 2	0	0
7	H	1	Total O 2 2	0	0
7	S	1	Total O 2 2	0	0
7	T	1	Total O 2 2	0	0

- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	46	Total O 46 46	0	0
8	B	66	Total O 66 66	0	0
8	C	51	Total O 51 51	0	0
8	D	52	Total O 52 52	0	0
8	E	29	Total O 29 29	0	0
8	F	61	Total O 61 61	0	0
8	G	31	Total O 31 31	0	0
8	H	35	Total O 35 35	0	0
8	S	46	Total O 46 46	0	0
8	T	51	Total O 51 51	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hemoglobin subunit alpha

Chain A: 




- Molecule 1: Hemoglobin subunit alpha

Chain C: 




- Molecule 1: Hemoglobin subunit alpha

Chain E: 




- Molecule 1: Hemoglobin subunit alpha


Chain G: 



- Molecule 1: Hemoglobin subunit alpha

Chain S: 






- Molecule 2: Hemoglobin subunit beta

Chain B:




- Molecule 2: Hemoglobin subunit beta

Chain D:




- Molecule 2: Hemoglobin subunit beta

Chain F:




- Molecule 2: Hemoglobin subunit beta

Chain H:



- Molecule 2: Hemoglobin subunit beta

Chain T:





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	237.99Å 59.27Å 137.02Å 90.00° 125.36° 90.00°	Depositor
Resolution (Å)	14.90 – 2.30 14.89 – 2.30	Depositor EDS
% Data completeness (in resolution range)	87.3 (14.90-2.30) 87.3 (14.89-2.30)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	0.03	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.27 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.244 , 0.331 0.242 , 0.328	Depositor DCC
R_{free} test set	3020 reflections (5.23%)	DCC
Wilson B-factor (Å ²)	45.6	Xtriage
Anisotropy	0.519	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 53.4	EDS
Estimated twinning fraction	0.014 for -h-2*1,-k,l	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 64184 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11931	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, PO4, GLC, OXY, FRU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.66	0/1096	0.74	0/1491
1	C	0.66	0/1096	0.69	1/1491 (0.1%)
1	E	0.49	0/1096	0.60	0/1491
1	G	0.58	0/1096	0.70	0/1491
1	S	0.56	0/1096	0.69	0/1491
2	B	0.70	0/1152	0.81	3/1566 (0.2%)
2	D	0.63	0/1152	0.71	0/1566
2	F	0.60	0/1152	0.71	1/1566 (0.1%)
2	H	0.55	0/1152	0.68	2/1566 (0.1%)
2	T	0.52	0/1152	0.61	0/1566
All	All	0.60	0/11240	0.70	7/15285 (0.0%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	40	ARG	NE-CZ-NH1	8.35	124.48	120.30
2	B	40	ARG	NE-CZ-NH2	-8.22	116.19	120.30
1	C	105	LEU	CA-CB-CG	6.40	130.02	115.30
2	H	31	LEU	CA-CB-CG	5.60	128.18	115.30
2	F	14	LEU	CA-CB-CG	5.43	127.79	115.30
2	B	110	LEU	CA-CB-CG	5.32	127.55	115.30
2	H	110	LEU	CA-CB-CG	5.26	127.39	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1068	0	1070	27	0
1	C	1068	0	1073	18	1
1	E	1068	0	1070	48	0
1	G	1068	0	1073	25	0
1	S	1068	0	1073	29	0
2	B	1122	0	1118	18	0
2	D	1122	0	1118	25	0
2	F	1122	0	1118	24	0
2	H	1122	0	1118	48	0
2	T	1122	0	1118	34	0
3	A	11	0	9	1	0
3	E	11	0	9	0	0
4	B	12	0	12	0	0
4	C	12	0	12	0	0
4	T	12	0	12	0	0
5	G	5	0	0	0	0
6	A	43	0	30	4	0
6	B	43	0	30	1	0
6	C	43	0	30	0	0
6	D	43	0	30	4	0
6	E	43	0	30	7	0
6	F	43	0	30	1	0
6	G	43	0	30	0	0
6	H	43	0	30	2	0
6	S	43	0	30	2	0
6	T	43	0	30	3	0
7	A	2	0	0	0	0
7	B	2	0	0	2	0
7	C	2	0	0	0	0
7	D	2	0	0	0	0
7	E	2	0	0	0	0
7	F	2	0	0	0	0
7	G	2	0	0	1	0
7	H	2	0	0	0	0
7	S	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	T	2	0	0	0	0
8	A	46	0	0	2	0
8	B	66	0	0	1	1
8	C	51	0	0	4	1
8	D	52	0	0	2	0
8	E	29	0	0	2	0
8	F	61	0	0	0	0
8	G	31	0	0	0	0
8	H	35	0	0	1	0
8	S	46	0	0	0	1
8	T	51	0	0	0	0
All	All	11931	0	11303	284	2

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 12.

All (284) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:S:140:TYR:O	1:S:141:ARG:HG2	1.60	1.01
1:E:61:LYS:HE2	6:E:150:HEM:HAA1	1.49	0.94
1:E:134:THR:O	1:E:137:THR:HB	1.67	0.93
1:E:11:LYS:HG2	8:E:165:HOH:O	1.69	0.91
1:S:1:VAL:HG12	1:S:2:LEU:H	1.38	0.88
6:H:150:HEM:HMA2	6:H:150:HEM:HBA2	1.60	0.84
2:D:24:GLY:HA3	2:D:64:GLY:O	1.77	0.84
2:F:20:VAL:O	2:F:21:ASP:HB2	1.78	0.84
1:A:45:HIS:CD2	1:A:45:HIS:H	1.98	0.82
1:C:38:THR:CG2	8:C:196:HOH:O	2.29	0.80
1:E:137:THR:HG23	1:E:140:TYR:CB	2.13	0.78
2:F:26:GLU:O	2:F:30:ARG:HG2	1.85	0.77
1:C:29:LEU:HD11	1:C:58:HIS:HD2	1.50	0.77
1:C:38:THR:HG23	8:C:196:HOH:O	1.86	0.76
1:E:65:ALA:HB2	6:E:150:HEM:HMA1	1.68	0.75
2:T:29:GLY:HA3	2:T:55:MET:CE	2.16	0.75
2:H:29:GLY:O	2:H:33:VAL:HG23	1.87	0.74
1:S:66:LEU:O	1:S:70:VAL:HG23	1.88	0.74
1:A:44:PRO:HD2	1:A:45:HIS:HD2	1.52	0.74
1:E:137:THR:HG23	1:E:140:TYR:HB2	1.70	0.73
2:T:29:GLY:HA3	2:T:55:MET:HE1	1.69	0.73
2:H:130:TYR:O	2:H:134:VAL:HG12	1.93	0.69
2:T:101:GLU:OE2	2:T:104:ARG:NH1	2.26	0.69
6:E:150:HEM:HHD	6:E:150:HEM:HBC2	1.75	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:G:58:HIS:NE2	7:G:151:OXY:O2	2.24	0.68
2:F:18:VAL:HG13	2:F:23:VAL:HG21	1.75	0.68
1:A:44:PRO:HD2	1:A:45:HIS:CD2	2.29	0.68
1:G:91:LEU:O	1:G:92:ARG:HB2	1.94	0.66
1:E:11:LYS:HB2	8:E:163:HOH:O	1.97	0.65
1:E:137:THR:HG23	1:E:140:TYR:HB3	1.77	0.65
1:E:85:ASP:O	1:E:89:HIS:HB2	1.97	0.65
6:A:150:HEM:HBA2	8:A:191:HOH:O	1.97	0.65
2:T:28:LEU:O	2:T:32:LEU:HD13	1.97	0.65
1:E:134:THR:O	1:E:137:THR:CB	2.45	0.64
2:F:73:ASP:O	2:F:77:HIS:HD2	1.79	0.64
2:T:24:GLY:HA3	2:T:68:LEU:HB2	1.79	0.64
2:H:88:LEU:HD12	2:H:88:LEU:H	1.63	0.64
2:H:104:ARG:HD3	8:H:225:HOH:O	1.99	0.63
1:S:140:TYR:O	1:S:141:ARG:CG	2.44	0.63
1:G:103:HIS:HE1	2:H:131:GLN:OE1	1.82	0.63
1:S:1:VAL:CG1	1:S:2:LEU:H	2.09	0.62
1:G:7:LYS:HD3	1:G:73:VAL:HG11	1.80	0.62
2:H:15:TRP:HA	2:H:18:VAL:HG23	1.79	0.62
1:G:66:LEU:O	1:G:70:VAL:HG23	1.98	0.62
1:S:46:PHE:HA	1:S:54:GLN:HE22	1.64	0.62
6:S:150:HEM:HMB2	6:S:150:HEM:HBB2	1.80	0.62
1:E:140:TYR:CE2	2:H:37:TRP:HE3	2.18	0.62
6:H:150:HEM:CMA	6:H:150:HEM:HBA2	2.29	0.61
2:B:4:THR:HB	2:B:5:PRO:HD2	1.80	0.61
1:C:24:TYR:HE1	1:C:112:HIS:HD1	1.43	0.61
1:E:32:MET:HE3	1:E:39:THR:HB	1.81	0.61
2:F:113:VAL:O	2:F:116:HIS:HB2	2.01	0.61
2:B:105:LEU:O	2:B:109:VAL:HG13	2.01	0.61
2:T:106:LEU:HD23	6:T:150:HEM:CAB	2.32	0.60
1:E:58:HIS:O	1:E:62:VAL:HG23	2.02	0.60
2:T:29:GLY:CA	2:T:55:MET:HE1	2.32	0.60
2:D:123:THR:OG1	2:D:126:VAL:HG23	2.02	0.60
1:E:128:PHE:O	1:E:132:VAL:HG23	2.03	0.59
1:S:39:THR:HG22	1:S:97:ASN:HD22	1.67	0.59
1:E:3:SER:HB2	1:E:4:PRO:CD	2.32	0.59
1:E:3:SER:HB2	1:E:4:PRO:HD2	1.85	0.59
1:S:10:VAL:HG22	1:S:125:LEU:HD23	1.85	0.59
1:S:76:MET:HE3	1:S:132:VAL:HG22	1.85	0.58
1:S:1:VAL:HG12	1:S:2:LEU:N	2.15	0.58
1:E:66:LEU:HG	6:E:150:HEM:HMB3	1.85	0.58
1:A:45:HIS:HE1	6:A:150:HEM:O1D	1.86	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:H:142:ALA:O	2:H:145:TYR:HB2	2.04	0.57
2:B:124:PRO:HB2	2:B:125:PRO:HD3	1.86	0.57
1:E:141:ARG:HD2	1:G:127:LYS:HD2	1.86	0.56
6:D:150:HEM:HBD2	6:D:150:HEM:CMD	2.35	0.56
2:F:26:GLU:HG2	2:F:30:ARG:HE	1.70	0.56
1:S:72:HIS:O	1:S:76:MET:HG2	2.06	0.56
1:E:141:ARG:HA	1:G:127:LYS:HE3	1.88	0.56
2:F:146:HIS:CE1	2:H:2:HIS:HB2	2.41	0.56
1:S:103:HIS:O	1:S:107:VAL:HG23	2.07	0.55
1:E:70:VAL:O	1:E:73:VAL:HG23	2.07	0.55
2:F:42:PHE:O	2:F:45:PHE:HB2	2.06	0.55
2:H:90:GLU:HA	2:H:144:LYS:HD3	1.88	0.55
1:S:35:SER:HB3	2:T:131:GLN:HG3	1.88	0.55
2:T:66:LYS:HD3	6:T:150:HEM:HAA2	1.87	0.55
1:C:29:LEU:HD11	1:C:58:HIS:CD2	2.38	0.55
2:D:41:PHE:HB3	6:D:150:HEM:HMD2	1.90	0.54
2:F:93:CYS:HB2	2:F:145:TYR:CE2	2.43	0.54
2:F:1:VAL:HG11	2:F:132:LYS:HB3	1.89	0.54
2:T:37:TRP:HE1	2:T:102:ASN:HD21	1.55	0.54
1:A:45:HIS:H	1:A:45:HIS:HD2	1.51	0.54
1:A:44:PRO:CD	1:A:45:HIS:HD2	2.18	0.54
2:H:50:THR:O	2:H:54:VAL:HG23	2.08	0.54
2:B:123:THR:OG1	2:B:126:VAL:HG23	2.08	0.54
2:B:28:LEU:HD22	2:B:60:VAL:HG13	1.88	0.54
1:C:51:GLY:O	1:C:52:SER:C	2.47	0.53
1:G:46:PHE:HB2	1:G:48:LEU:HD13	1.90	0.53
1:S:47:ASP:H	1:S:54:GLN:NE2	2.06	0.53
1:A:85:ASP:O	1:A:89:HIS:HB2	2.08	0.53
1:C:103:HIS:HE1	2:D:131:GLN:OE1	1.90	0.53
2:D:51:PRO:O	2:D:55:MET:HG2	2.09	0.53
1:S:105:LEU:O	1:S:109:LEU:HD13	2.09	0.53
2:H:53:ALA:O	2:H:57:ASN:HB2	2.09	0.53
2:T:25:GLY:HA2	2:T:64:GLY:HA3	1.91	0.53
1:E:41:THR:HG22	2:H:40:ARG:HH12	1.74	0.52
1:E:87:HIS:HA	1:E:91:LEU:HD12	1.90	0.52
2:F:124:PRO:HB2	2:F:125:PRO:HD3	1.91	0.52
2:T:107:GLY:HA3	2:T:134:VAL:CG1	2.40	0.52
1:A:103:HIS:HE1	2:B:131:GLN:OE1	1.93	0.52
1:E:112:HIS:CE1	2:F:120:LYS:HG3	2.45	0.52
1:E:65:ALA:HB2	6:E:150:HEM:CMA	2.37	0.52
2:D:4:THR:O	2:D:7:GLU:N	2.43	0.52
2:T:24:GLY:H	2:T:68:LEU:HG	1.74	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:24:TYR:CE1	1:C:112:HIS:ND1	2.72	0.52
1:A:83:LEU:HB3	1:A:136:LEU:HD22	1.90	0.52
1:A:98:PHE:HB3	1:A:133:SER:HB3	1.92	0.51
1:E:92:ARG:CZ	2:H:39:GLN:HB2	2.40	0.51
2:T:50:THR:O	2:T:54:VAL:HG23	2.10	0.51
1:E:17:VAL:HG12	1:E:21:ALA:HB2	1.92	0.51
1:S:4:PRO:HA	1:S:7:LYS:HZ2	1.75	0.51
1:S:4:PRO:HA	1:S:7:LYS:NZ	2.26	0.51
1:E:138:SER:C	1:E:140:TYR:H	2.14	0.51
2:H:107:GLY:CA	2:H:134:VAL:HG21	2.40	0.51
2:F:145:TYR:O	2:F:146:HIS:HB2	2.11	0.51
1:G:21:ALA:HB1	1:G:63:ALA:HB1	1.93	0.51
1:E:96:VAL:O	1:E:99:LYS:HB2	2.11	0.51
2:B:67:VAL:CG2	7:B:151:OXY:O2	2.60	0.50
2:F:19:ASN:O	2:F:21:ASP:N	2.44	0.50
2:F:26:GLU:CD	2:F:30:ARG:HH21	2.15	0.50
1:S:20:HIS:HB3	1:S:24:TYR:CZ	2.47	0.50
1:E:32:MET:CE	1:E:39:THR:HB	2.42	0.50
2:H:30:ARG:O	2:H:34:VAL:HG23	2.11	0.50
2:B:31:LEU:HD22	2:B:106:LEU:HD13	1.94	0.50
2:D:77:HIS:O	2:D:81:LEU:HD13	2.12	0.49
1:S:128:PHE:O	1:S:132:VAL:HG23	2.12	0.49
1:E:89:HIS:CD2	1:E:139:LYS:HG3	2.47	0.49
2:T:127:GLN:O	2:T:131:GLN:HG2	2.12	0.49
1:E:76:MET:HB3	1:E:135:VAL:HG11	1.94	0.49
1:E:61:LYS:CE	6:E:150:HEM:HAA1	2.34	0.49
2:H:88:LEU:HA	2:H:91:LEU:HD12	1.94	0.49
1:G:20:HIS:O	1:G:23:GLU:N	2.46	0.49
1:A:28:ALA:HB1	1:A:105:LEU:CD1	2.43	0.49
2:B:3:LEU:HD22	2:B:7:GLU:HB3	1.95	0.48
6:F:150:HEM:HBB2	6:F:150:HEM:HHC	1.95	0.48
2:T:115:ALA:HB2	2:T:122:PHE:CD2	2.47	0.48
2:D:68:LEU:HD23	2:D:68:LEU:O	2.13	0.48
6:D:150:HEM:HMD1	6:D:150:HEM:HBD2	1.95	0.48
1:C:83:LEU:HB3	1:C:136:LEU:HD22	1.95	0.48
1:C:29:LEU:CD1	1:C:58:HIS:HD2	2.22	0.48
2:H:48:LEU:HD23	2:H:54:VAL:HA	1.96	0.48
2:F:26:GLU:O	2:F:30:ARG:CG	2.60	0.48
2:T:29:GLY:HA3	2:T:55:MET:HE2	1.95	0.48
2:H:107:GLY:HA2	2:H:134:VAL:HG21	1.95	0.48
1:C:82:ALA:O	1:C:85:ASP:HB2	2.14	0.48
1:E:24:TYR:O	1:E:108:THR:HG21	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:65:ALA:CB	6:E:150:HEM:HMA1	2.39	0.47
2:H:88:LEU:N	2:H:88:LEU:HD12	2.29	0.47
2:F:80:ASN:O	2:F:84:THR:OG1	2.20	0.47
2:H:143:HIS:C	2:H:145:TYR:H	2.16	0.47
1:A:112:HIS:O	1:A:113:LEU:HD23	2.14	0.47
1:E:94:ASP:HB3	1:E:96:VAL:HB	1.97	0.47
1:E:96:VAL:O	1:E:99:LYS:N	2.46	0.47
2:H:110:LEU:HD22	2:H:110:LEU:O	2.15	0.47
1:A:95:PRO:HB3	1:A:137:THR:HG21	1.96	0.47
1:A:98:PHE:HE1	1:A:136:LEU:HD12	1.80	0.47
1:A:45:HIS:CE1	6:A:150:HEM:O1D	2.68	0.47
1:A:28:ALA:HB1	1:A:105:LEU:HD13	1.97	0.47
1:G:113:LEU:HB3	1:G:116:GLU:HB2	1.97	0.47
1:G:47:ASP:H	1:G:54:GLN:NE2	2.13	0.47
2:H:103:PHE:CD1	2:H:103:PHE:N	2.83	0.46
2:H:103:PHE:HD1	2:H:103:PHE:N	2.13	0.46
2:T:40:ARG:O	2:T:43:GLU:HG3	2.15	0.46
1:A:28:ALA:CB	1:A:105:LEU:HD12	2.46	0.46
2:H:85:PHE:HD2	2:H:141:LEU:HD21	1.81	0.46
1:E:58:HIS:HA	1:E:61:LYS:HD3	1.97	0.46
1:G:119:PRO:HG3	2:H:55:MET:HE3	1.98	0.46
1:C:114:PRO:HG3	8:D:183:HOH:O	2.15	0.46
1:G:17:VAL:HG23	1:G:24:TYR:HD1	1.79	0.46
1:S:33:PHE:CD1	1:S:40:LYS:HG2	2.51	0.46
1:A:11:LYS:NZ	8:A:179:HOH:O	2.45	0.46
2:T:55:MET:HA	2:T:55:MET:CE	2.46	0.45
1:E:112:HIS:HE1	2:F:120:LYS:HG3	1.81	0.45
2:D:87:THR:HG22	8:D:189:HOH:O	2.16	0.45
2:B:127:GLN:O	2:B:131:GLN:HG2	2.16	0.45
2:B:67:VAL:HG21	7:B:151:OXY:O2	2.17	0.45
2:H:92:HIS:HD2	2:H:98:VAL:HG21	1.80	0.45
2:D:94:ASP:OD2	2:D:144:LYS:HE2	2.16	0.45
1:A:76:MET:N	1:A:77:PRO:CD	2.80	0.45
1:A:28:ALA:CB	1:A:105:LEU:CD1	2.94	0.45
2:T:5:PRO:HA	2:T:8:LYS:HB2	1.98	0.45
1:E:48:LEU:HD23	1:E:55:VAL:CG2	2.46	0.45
2:D:4:THR:O	2:D:7:GLU:HB2	2.16	0.45
1:S:1:VAL:CG1	1:S:2:LEU:N	2.78	0.45
2:D:123:THR:OG1	2:D:125:PRO:HD2	2.17	0.45
2:F:28:LEU:HD21	2:F:63:HIS:HD2	1.82	0.45
2:D:8:LYS:O	2:D:12:THR:HG23	2.17	0.45
2:F:92:HIS:HA	2:F:96:LEU:HD12	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:4:PRO:HA	1:E:7:LYS:HG2	1.99	0.44
2:B:3:LEU:HD23	2:B:132:LYS:HD3	1.97	0.44
1:C:31:ARG:HG2	1:C:31:ARG:HH11	1.82	0.44
2:T:100:PRO:HD3	2:T:145:TYR:CE2	2.52	0.44
6:S:150:HEM:CMB	6:S:150:HEM:HBB2	2.46	0.44
2:T:107:GLY:HA3	2:T:134:VAL:HG11	1.99	0.44
1:A:76:MET:HE1	1:A:131:SER:HB3	1.99	0.44
2:D:79:ASP:OD2	2:H:5:PRO:HB3	2.17	0.44
1:A:91:LEU:O	2:D:40:ARG:HD2	2.18	0.44
1:S:108:THR:O	1:S:112:HIS:HB2	2.17	0.44
1:E:67:THR:O	1:E:70:VAL:HG23	2.18	0.44
1:E:4:PRO:C	1:E:6:ASP:H	2.21	0.44
2:T:41:PHE:CE1	2:T:98:VAL:HG22	2.52	0.44
8:C:164:HOH:O	2:D:109:VAL:HG12	2.18	0.44
1:A:45:HIS:CD2	1:A:45:HIS:N	2.77	0.43
2:D:108:ASN:ND2	2:D:131:GLN:HE22	2.15	0.43
1:G:34:LEU:HD12	2:H:124:PRO:HB2	2.00	0.43
2:D:106:LEU:HD23	6:D:150:HEM:CAB	2.48	0.43
1:A:45:HIS:HE1	6:A:150:HEM:CGD	2.31	0.43
1:S:8:THR:O	1:S:10:VAL:N	2.51	0.43
2:F:1:VAL:H1	2:F:81:LEU:HD22	1.84	0.43
1:G:69:ALA:HB2	1:G:80:LEU:HD21	1.99	0.43
1:E:48:LEU:HD23	1:E:55:VAL:HG22	2.01	0.43
1:G:120:ALA:O	1:G:124:SER:OG	2.36	0.43
1:S:132:VAL:O	1:S:136:LEU:HG	2.19	0.43
2:T:107:GLY:HA3	2:T:134:VAL:HG13	2.01	0.43
1:G:122:HIS:ND1	2:H:30:ARG:HD3	2.34	0.43
2:D:15:TRP:CZ2	2:D:68:LEU:HD21	2.53	0.43
1:A:106:LEU:CD2	1:A:125:LEU:HB3	2.49	0.42
1:G:46:PHE:N	1:G:46:PHE:CD2	2.87	0.42
2:H:61:LYS:O	2:H:65:LYS:HG3	2.20	0.42
2:H:15:TRP:CE3	2:H:18:VAL:HG21	2.54	0.42
2:T:1:VAL:HG12	2:T:78:LEU:HD22	2.02	0.42
2:T:85:PHE:HB2	2:T:140:ALA:HB1	2.01	0.42
2:H:127:GLN:O	2:H:131:GLN:HG2	2.19	0.42
2:H:50:THR:HG22	2:H:52:ASP:H	1.85	0.42
1:G:109:LEU:HD23	1:G:125:LEU:HD13	2.00	0.42
2:T:31:LEU:HD12	2:T:35:TYR:HD1	1.84	0.42
2:T:100:PRO:HA	2:T:103:PHE:CD2	2.55	0.42
3:A:142:FRU:H61	2:B:101:GLU:HG2	2.01	0.42
1:S:42:TYR:CE1	1:S:93:VAL:HA	2.55	0.42
1:E:137:THR:CG2	1:E:140:TYR:HB2	2.45	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:G:46:PHE:CB	1:G:48:LEU:HD13	2.49	0.42
2:H:107:GLY:CA	2:H:134:VAL:CG2	2.97	0.42
1:C:119:PRO:HG2	2:D:55:MET:HG3	2.02	0.42
1:G:94:ASP:CG	1:G:96:VAL:HG12	2.40	0.42
2:T:106:LEU:O	2:T:109:VAL:HG22	2.19	0.42
2:H:32:LEU:HD23	2:H:39:GLN:HG2	2.02	0.42
2:H:118:PHE:O	2:H:121:GLU:HG2	2.19	0.42
2:B:110:LEU:O	2:B:114:LEU:HG	2.20	0.42
2:B:139:ASN:HD21	2:D:146:HIS:HD2	1.67	0.42
2:F:36:PRO:HA	2:F:39:GLN:HE21	1.84	0.42
1:S:2:LEU:HD21	1:S:128:PHE:HB2	2.02	0.42
1:G:84:SER:HB3	1:G:135:VAL:O	2.20	0.42
1:S:58:HIS:HA	1:S:61:LYS:HD2	2.02	0.41
2:T:31:LEU:HD12	2:T:35:TYR:CD1	2.54	0.41
2:H:118:PHE:HB3	2:H:121:GLU:HG3	2.01	0.41
2:H:100:PRO:HA	2:H:103:PHE:CD1	2.55	0.41
1:C:27:GLU:OE2	1:C:31:ARG:NH2	2.46	0.41
2:B:40:ARG:NH2	8:B:192:HOH:O	2.53	0.41
1:A:140:TYR:HA	1:C:3:SER:HB3	2.01	0.41
1:S:116:GLU:O	1:S:118:THR:N	2.47	0.41
2:T:29:GLY:C	2:T:55:MET:HE1	2.41	0.41
1:E:3:SER:CB	1:E:4:PRO:CD	2.98	0.41
1:E:140:TYR:CE2	2:H:37:TRP:CE3	3.05	0.41
2:B:7:GLU:HG2	2:B:129:ALA:HB2	2.01	0.41
1:G:132:VAL:O	1:G:136:LEU:HD23	2.21	0.41
2:T:106:LEU:CD2	6:T:150:HEM:CAB	2.98	0.41
2:H:123:THR:HB	2:H:125:PRO:HD2	2.02	0.41
1:E:17:VAL:CG1	1:E:21:ALA:HB2	2.51	0.41
1:S:76:MET:CE	1:S:132:VAL:HG22	2.50	0.41
2:H:107:GLY:HA2	2:H:134:VAL:CG2	2.51	0.41
2:H:15:TRP:CD2	2:H:18:VAL:HG21	2.55	0.41
1:E:80:LEU:HD21	1:E:132:VAL:HG13	2.02	0.41
2:D:81:LEU:O	2:D:85:PHE:HD1	2.03	0.41
2:D:15:TRP:CZ2	2:D:68:LEU:CD2	3.04	0.41
1:C:47:ASP:H	1:C:54:GLN:NE2	2.18	0.41
2:H:42:PHE:HE2	2:H:63:HIS:CD2	2.39	0.40
1:C:38:THR:HG21	8:C:196:HOH:O	2.13	0.40
2:T:20:VAL:HG23	2:T:68:LEU:HD12	2.03	0.40
1:G:46:PHE:N	1:G:46:PHE:HD2	2.18	0.40
1:A:85:ASP:HA	1:A:89:HIS:CD2	2.55	0.40
2:T:91:LEU:O	2:T:95:LYS:HB2	2.20	0.40
2:D:107:GLY:HA3	2:D:134:VAL:HG22	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:F:67:VAL:HG11	2:F:106:LEU:HD21	2.03	0.40
2:H:35:TYR:HB3	2:H:37:TRP:CE2	2.56	0.40
2:H:88:LEU:CD1	2:H:88:LEU:H	2.32	0.40
2:B:106:LEU:HD23	6:B:150:HEM:CAB	2.51	0.40
2:D:93:CYS:SG	2:D:145:TYR:CE2	3.05	0.40
2:H:109:VAL:O	2:H:112:CYS:HB2	2.21	0.40
2:H:85:PHE:HB3	2:H:141:LEU:HD23	2.04	0.40
2:F:24:GLY:HA3	2:F:64:GLY:O	2.20	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:11:LYS:NZ	8:S:217:HOH:O[2_546]	2.13	0.07
8:B:191:HOH:O	8:C:176:HOH:O[1_565]	2.13	0.07

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	139/141 (99%)	133 (96%)	5 (4%)	1 (1%)	30	34
1	C	139/141 (99%)	133 (96%)	5 (4%)	1 (1%)	30	34
1	E	139/141 (99%)	115 (83%)	21 (15%)	3 (2%)	10	7
1	G	139/141 (99%)	126 (91%)	12 (9%)	1 (1%)	30	34
1	S	139/141 (99%)	121 (87%)	12 (9%)	6 (4%)	4	2
2	B	144/146 (99%)	141 (98%)	3 (2%)	0	100	100
2	D	144/146 (99%)	136 (94%)	6 (4%)	2 (1%)	16	15
2	F	144/146 (99%)	126 (88%)	13 (9%)	5 (4%)	6	3
2	H	144/146 (99%)	130 (90%)	11 (8%)	3 (2%)	11	8
2	T	144/146 (99%)	129 (90%)	14 (10%)	1 (1%)	30	34
All	All	1415/1435 (99%)	1290 (91%)	102 (7%)	23 (2%)	14	12

All (23) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	17	VAL
2	F	20	VAL
2	F	21	ASP
1	S	9	ASN
1	C	52	SER
2	F	43	GLU
1	G	92	ARG
2	H	46	GLY
1	S	18	GLY
2	T	19	ASN
2	F	119	GLY
2	H	93	CYS
1	S	17	VAL
1	S	52	SER
2	D	19	ASN
1	E	7	LYS
2	F	5	PRO
1	S	41	THR
1	S	117	PHE
1	A	75	ASP
2	D	6	GLU
2	H	57	ASN
1	E	119	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	113/113 (100%)	103 (91%)	10 (9%)	14	16
1	C	113/113 (100%)	110 (97%)	3 (3%)	57	74
1	E	113/113 (100%)	98 (87%)	15 (13%)	6	6
1	G	113/113 (100%)	101 (89%)	12 (11%)	10	10
1	S	113/113 (100%)	108 (96%)	5 (4%)	39	51
2	B	118/118 (100%)	110 (93%)	8 (7%)	22	28
2	D	118/118 (100%)	112 (95%)	6 (5%)	33	43

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	F	118/118 (100%)	108 (92%)	10 (8%)	15	18
2	H	118/118 (100%)	105 (89%)	13 (11%)	9	10
2	T	118/118 (100%)	110 (93%)	8 (7%)	22	28
All	All	1155/1155 (100%)	1065 (92%)	90 (8%)	18	22

All (90) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	LYS
1	A	49	SER
1	A	81	SER
1	A	83	LEU
1	A	85	ASP
1	A	92	ARG
1	A	105	LEU
1	A	116	GLU
1	A	125	LEU
1	A	134	THR
2	B	6	GLU
2	B	26	GLU
2	B	50	THR
2	B	68	LEU
2	B	81	LEU
2	B	109	VAL
2	B	110	LEU
2	B	141	LEU
1	C	38	THR
1	C	52	SER
1	C	105	LEU
2	D	14	LEU
2	D	28	LEU
2	D	44	SER
2	D	81	LEU
2	D	84	THR
2	D	90	GLU
1	E	6	ASP
1	E	20	HIS
1	E	30	GLU
1	E	34	LEU
1	E	38	THR
1	E	47	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	67	THR
1	E	70	VAL
1	E	74	ASP
1	E	89	HIS
1	E	94	ASP
1	E	99	LYS
1	E	109	LEU
1	E	118	THR
1	E	141	ARG
2	F	28	LEU
2	F	45	PHE
2	F	47	ASP
2	F	68	LEU
2	F	71	PHE
2	F	73	ASP
2	F	81	LEU
2	F	116	HIS
2	F	134	VAL
2	F	141	LEU
1	G	17	VAL
1	G	48	LEU
1	G	74	ASP
1	G	81	SER
1	G	84	SER
1	G	85	ASP
1	G	100	LEU
1	G	109	LEU
1	G	127	LYS
1	G	131	SER
1	G	140	TYR
1	G	141	ARG
2	H	19	ASN
2	H	21	ASP
2	H	31	LEU
2	H	38	THR
2	H	40	ARG
2	H	59	LYS
2	H	68	LEU
2	H	72	SER
2	H	81	LEU
2	H	88	LEU
2	H	103	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	110	LEU
2	H	146	HIS
1	S	36	PHE
1	S	54	GLN
1	S	78	ASN
1	S	81	SER
1	S	105	LEU
2	T	12	THR
2	T	50	THR
2	T	52	ASP
2	T	79	ASP
2	T	84	THR
2	T	91	LEU
2	T	104	ARG
2	T	139	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (35) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	45	HIS
1	A	54	GLN
1	A	89	HIS
1	A	97	ASN
1	A	103	HIS
2	B	77	HIS
1	C	54	GLN
1	C	58	HIS
1	C	97	ASN
1	C	103	HIS
2	D	63	HIS
2	D	77	HIS
2	D	108	ASN
2	D	146	HIS
1	E	20	HIS
1	E	122	HIS
2	F	39	GLN
2	F	77	HIS
2	F	108	ASN
2	F	143	HIS
1	G	54	GLN
1	G	103	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	19	ASN
2	H	63	HIS
2	H	97	HIS
2	H	108	ASN
1	S	9	ASN
1	S	54	GLN
1	S	78	ASN
1	S	97	ASN
1	S	122	HIS
2	T	77	HIS
2	T	102	ASN
2	T	108	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	FRU	A	142	1	10,11,12	1.56	3 (30%)	14,17,18	4.68	5 (35%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	HEM	A	150	1,7	49,50,50	2.89	17 (34%)	46,82,82	2.18	9 (19%)
7	OXY	A	151	6	1,1,1	0.81	0	0,0,0	0.00	-
4	GLC	B	147	-	12,12,12	0.60	0	17,17,17	1.77	5 (29%)
6	HEM	B	150	2,7	49,50,50	2.73	19 (38%)	46,82,82	2.46	12 (26%)
7	OXY	B	151	6	1,1,1	0.93	0	0,0,0	0.00	-
4	GLC	C	142	-	12,12,12	0.51	0	17,17,17	1.47	3 (17%)
6	HEM	C	150	1,7	49,50,50	2.53	16 (32%)	46,82,82	2.15	12 (26%)
7	OXY	C	151	6	1,1,1	0.95	0	0,0,0	0.00	-
6	HEM	D	150	2,7	49,50,50	2.54	18 (36%)	46,82,82	2.19	8 (17%)
7	OXY	D	151	6	1,1,1	0.98	0	0,0,0	0.00	-
3	FRU	E	142	1	10,11,12	1.30	1 (10%)	14,17,18	0.96	1 (7%)
6	HEM	E	150	1,7	49,50,50	2.42	14 (28%)	46,82,82	2.11	9 (19%)
7	OXY	E	151	6	1,1,1	1.40	0	0,0,0	0.00	-
6	HEM	F	150	2,7	49,50,50	2.23	15 (30%)	46,82,82	2.16	7 (15%)
7	OXY	F	151	6	1,1,1	1.09	0	0,0,0	0.00	-
5	PO4	G	142	-	4,4,4	0.08	0	6,6,6	0.31	0
6	HEM	G	150	1,7	49,50,50	2.35	15 (30%)	46,82,82	2.46	11 (23%)
7	OXY	G	151	6	1,1,1	0.93	0	0,0,0	0.00	-
6	HEM	H	150	2,7	49,50,50	2.38	17 (34%)	46,82,82	2.22	9 (19%)
7	OXY	H	151	6	1,1,1	0.91	0	0,0,0	0.00	-
6	HEM	S	150	1,7	49,50,50	2.42	18 (36%)	46,82,82	2.21	10 (21%)
7	OXY	S	151	6	1,1,1	1.02	0	0,0,0	0.00	-
4	GLC	T	147	-	12,12,12	0.51	0	17,17,17	0.80	1 (5%)
6	HEM	T	150	2,7	49,50,50	2.62	18 (36%)	46,82,82	2.04	9 (19%)
7	OXY	T	151	6	1,1,1	0.88	0	0,0,0	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FRU	A	142	1	1/1/4/4	0/2/21/24	0/1/1/1
6	HEM	A	150	1,7	-	0/14/114/114	0/0/8/8
7	OXY	A	151	6	-	0/0/0/0	0/0/0/0
4	GLC	B	147	-	-	0/2/22/22	0/1/1/1
6	HEM	B	150	2,7	-	0/14/114/114	0/0/8/8
7	OXY	B	151	6	-	0/0/0/0	0/0/0/0
4	GLC	C	142	-	-	0/2/22/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	HEM	C	150	1,7	-	0/14/114/114	0/0/8/8
7	OXY	C	151	6	-	0/0/0/0	0/0/0/0
6	HEM	D	150	2,7	-	0/14/114/114	0/0/8/8
7	OXY	D	151	6	-	0/0/0/0	0/0/0/0
3	FRU	E	142	1	-	0/2/21/24	0/1/1/1
6	HEM	E	150	1,7	-	0/14/114/114	0/0/8/8
7	OXY	E	151	6	-	0/0/0/0	0/0/0/0
6	HEM	F	150	2,7	-	0/14/114/114	0/0/8/8
7	OXY	F	151	6	-	0/0/0/0	0/0/0/0
5	PO4	G	142	-	-	0/0/0/0	0/0/0/0
6	HEM	G	150	1,7	-	0/14/114/114	0/0/8/8
7	OXY	G	151	6	-	0/0/0/0	0/0/0/0
6	HEM	H	150	2,7	-	0/14/114/114	0/0/8/8
7	OXY	H	151	6	-	0/0/0/0	0/0/0/0
6	HEM	S	150	1,7	-	0/14/114/114	0/0/8/8
7	OXY	S	151	6	-	0/0/0/0	0/0/0/0
4	GLC	T	147	-	-	0/2/22/22	0/1/1/1
6	HEM	T	150	2,7	-	0/14/114/114	0/0/8/8
7	OXY	T	151	6	-	0/0/0/0	0/0/0/0

All (171) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	150	HEM	C3D-C4D	-9.79	1.42	1.44
6	C	150	HEM	C2B-C1B	8.17	1.46	1.44
6	B	150	HEM	C3D-C4D	7.50	1.46	1.44
6	T	150	HEM	C2B-C1B	6.64	1.46	1.44
6	B	150	HEM	C2B-C1B	-6.21	1.43	1.44
6	H	150	HEM	C3D-C2D	6.20	1.54	1.43
6	G	150	HEM	C3D-C2D	6.19	1.54	1.43
6	A	150	HEM	C2D-C1D	5.97	1.46	1.44
6	D	150	HEM	C3D-C2D	5.95	1.54	1.43
6	A	150	HEM	C3D-C2D	5.74	1.53	1.43
6	E	150	HEM	C3C-C2C	-5.69	1.33	1.43
6	E	150	HEM	C3D-C2D	5.65	1.53	1.43
6	G	150	HEM	C4A-C3A	5.65	1.47	1.40
6	F	150	HEM	C3D-C2D	5.50	1.53	1.43
6	C	150	HEM	C3D-C2D	5.49	1.53	1.43
6	T	150	HEM	C3D-C2D	5.48	1.53	1.43
6	A	150	HEM	C3C-C2C	-5.45	1.34	1.43
6	D	150	HEM	C2B-C1B	5.45	1.45	1.44
6	E	150	HEM	C3B-C2B	-5.42	1.34	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	150	HEM	C3D-C2D	5.36	1.53	1.43
6	A	150	HEM	C3B-C2B	-5.22	1.34	1.43
6	D	150	HEM	C4A-C3A	5.22	1.46	1.40
6	B	150	HEM	C3C-C2C	-5.21	1.34	1.43
6	T	150	HEM	C3C-C2C	-5.21	1.34	1.43
6	S	150	HEM	C3D-C2D	5.21	1.52	1.43
6	C	150	HEM	C4A-C3A	5.19	1.46	1.40
6	T	150	HEM	C2D-C1D	5.18	1.45	1.44
6	S	150	HEM	C3B-CAB	5.17	1.56	1.40
6	D	150	HEM	C3B-CAB	5.17	1.56	1.40
6	H	150	HEM	C3B-C2B	-5.16	1.34	1.43
6	D	150	HEM	C3B-C2B	-5.15	1.34	1.43
6	H	150	HEM	C3B-CAB	5.10	1.56	1.40
6	B	150	HEM	C3B-C2B	-5.07	1.34	1.43
6	A	150	HEM	C4A-C3A	5.05	1.46	1.40
6	S	150	HEM	C3C-C2C	-5.03	1.35	1.43
6	B	150	HEM	C3C-CAC	5.02	1.56	1.40
6	F	150	HEM	C3B-CAB	5.01	1.56	1.40
6	G	150	HEM	C3B-CAB	4.99	1.56	1.40
6	C	150	HEM	C3C-CAC	4.93	1.56	1.40
6	G	150	HEM	C3C-CAC	4.88	1.55	1.40
6	S	150	HEM	C3B-C2B	-4.86	1.35	1.43
6	S	150	HEM	C3C-CAC	4.85	1.55	1.40
6	T	150	HEM	C3B-CAB	4.86	1.55	1.40
6	E	150	HEM	C3B-CAB	4.85	1.55	1.40
6	E	150	HEM	C4A-C3A	4.84	1.46	1.40
6	T	150	HEM	C4A-C3A	4.84	1.46	1.40
6	C	150	HEM	C3C-C2C	-4.83	1.35	1.43
6	F	150	HEM	C3B-C2B	-4.83	1.35	1.43
6	A	150	HEM	C3C-CAC	4.82	1.55	1.40
6	H	150	HEM	C3C-C2C	-4.81	1.35	1.43
6	G	150	HEM	C3C-C2C	-4.80	1.35	1.43
6	T	150	HEM	C3C-CAC	4.79	1.55	1.40
6	E	150	HEM	C3C-CAC	4.79	1.55	1.40
6	S	150	HEM	C2D-C1D	4.79	1.45	1.44
6	F	150	HEM	C3C-CAC	4.77	1.55	1.40
6	D	150	HEM	C3C-CAC	4.76	1.55	1.40
6	T	150	HEM	C3B-C2B	-4.75	1.35	1.43
6	A	150	HEM	C3B-CAB	4.73	1.55	1.40
6	C	150	HEM	C3B-CAB	4.71	1.55	1.40
6	H	150	HEM	C3C-CAC	4.66	1.55	1.40
6	C	150	HEM	C3B-C2B	-4.63	1.35	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	150	HEM	C3C-C2C	-4.62	1.35	1.43
6	S	150	HEM	FE-NA	4.53	2.11	1.92
6	B	150	HEM	C3B-CAB	4.52	1.54	1.40
6	H	150	HEM	C4A-C3A	4.46	1.45	1.40
6	B	150	HEM	C4A-C3A	4.44	1.45	1.40
6	B	150	HEM	FE-NA	4.43	2.11	1.92
6	S	150	HEM	C2B-C1B	-4.36	1.43	1.44
6	G	150	HEM	FE-NA	4.36	2.11	1.92
6	E	150	HEM	C2B-C1B	4.31	1.45	1.44
6	C	150	HEM	FE-NA	4.28	2.10	1.92
6	G	150	HEM	FE-NC	4.27	2.13	1.97
6	F	150	HEM	FE-ND	4.25	2.13	1.97
6	T	150	HEM	FE-NA	4.12	2.10	1.92
6	D	150	HEM	FE-NB	4.11	2.12	1.97
6	H	150	HEM	FE-NA	4.05	2.09	1.92
6	G	150	HEM	C3B-C2B	-4.01	1.36	1.43
6	F	150	HEM	C3C-C2C	-3.93	1.36	1.43
6	F	150	HEM	C4A-C3A	3.87	1.45	1.40
3	E	142	FRU	O2-C2	3.84	1.45	1.39
6	S	150	HEM	C4A-C3A	3.79	1.44	1.40
6	E	150	HEM	FE-NC	3.74	2.11	1.97
6	A	150	HEM	FE-NB	3.71	2.11	1.97
6	A	150	HEM	FE-NA	3.65	2.08	1.92
6	T	150	HEM	FE-ND	3.64	2.11	1.97
6	D	150	HEM	FE-ND	3.61	2.11	1.97
3	A	142	FRU	O2-C2	3.57	1.44	1.39
6	E	150	HEM	FE-NA	3.53	2.07	1.92
6	E	150	HEM	FE-ND	3.50	2.10	1.97
6	T	150	HEM	FE-NC	3.46	2.10	1.97
6	H	150	HEM	FE-NB	3.43	2.10	1.97
6	H	150	HEM	C2D-C1D	3.42	1.45	1.44
6	D	150	HEM	C2D-C1D	3.41	1.45	1.44
6	H	150	HEM	C3D-C4D	3.38	1.45	1.44
6	D	150	HEM	FE-NA	3.31	2.06	1.92
6	F	150	HEM	FE-NA	3.20	2.06	1.92
6	D	150	HEM	FE-NC	3.13	2.09	1.97
6	T	150	HEM	FE-NB	3.09	2.09	1.97
6	F	150	HEM	CMB-C2B	3.06	1.56	1.47
6	B	150	HEM	CHB-C1B	3.05	1.40	1.35
6	S	150	HEM	FE-NB	3.04	2.08	1.97
6	E	150	HEM	C2D-C1D	3.03	1.45	1.44
6	G	150	HEM	CHB-C1B	3.02	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	F	150	HEM	FE-NB	2.92	2.08	1.97
6	C	150	HEM	CAA-C2A	2.90	1.57	1.52
6	A	150	HEM	FE-NC	2.89	2.08	1.97
6	D	150	HEM	CMB-C2B	2.86	1.56	1.47
6	C	150	HEM	FE-NC	2.82	2.08	1.97
6	H	150	HEM	FE-ND	2.82	2.08	1.97
6	B	150	HEM	CMD-C2D	2.79	1.56	1.47
6	F	150	HEM	C3D-C4D	2.79	1.45	1.44
6	A	150	HEM	CMC-C2C	2.79	1.56	1.47
6	B	150	HEM	CMB-C2B	2.76	1.56	1.47
6	S	150	HEM	CMB-C2B	2.70	1.55	1.47
6	C	150	HEM	CMB-C2B	2.68	1.55	1.47
6	B	150	HEM	FE-ND	2.68	2.07	1.97
6	D	150	HEM	CMC-C2C	2.68	1.55	1.47
6	G	150	HEM	CMC-C2C	2.67	1.55	1.47
6	F	150	HEM	CMD-C2D	2.65	1.55	1.47
6	E	150	HEM	CMC-C2C	2.63	1.55	1.47
6	T	150	HEM	CMB-C2B	2.61	1.55	1.47
6	B	150	HEM	CMA-C3A	2.58	1.57	1.51
6	S	150	HEM	CMC-C2C	2.58	1.55	1.47
6	B	150	HEM	CMC-C2C	2.58	1.55	1.47
6	T	150	HEM	CMC-C2C	2.57	1.55	1.47
6	H	150	HEM	CMB-C2B	2.54	1.55	1.47
6	T	150	HEM	CMD-C2D	2.53	1.55	1.47
6	A	150	HEM	CMD-C2D	2.50	1.55	1.47
6	A	150	HEM	CMB-C2B	2.48	1.55	1.47
6	C	150	HEM	CMC-C2C	2.48	1.55	1.47
6	S	150	HEM	CAA-C2A	2.46	1.56	1.52
6	E	150	HEM	CMD-C2D	2.46	1.55	1.47
6	D	150	HEM	CHB-C1B	2.45	1.39	1.35
6	F	150	HEM	CMC-C2C	2.42	1.54	1.47
6	D	150	HEM	C3D-C4D	-2.41	1.44	1.44
6	S	150	HEM	CHA-C4D	2.40	1.39	1.35
6	B	150	HEM	FE-NB	2.40	2.06	1.97
6	B	150	HEM	CAA-C2A	2.37	1.56	1.52
3	A	142	FRU	O5-C2	2.36	1.46	1.41
6	G	150	HEM	CMD-C2D	2.35	1.54	1.47
6	B	150	HEM	CHA-C4D	2.35	1.39	1.35
6	D	150	HEM	CMD-C2D	2.33	1.54	1.47
6	D	150	HEM	CHC-C1C	2.33	1.40	1.36
6	B	150	HEM	C1A-NA	2.33	1.41	1.36
6	C	150	HEM	FE-ND	2.32	2.06	1.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	F	150	HEM	CAA-C2A	2.30	1.56	1.52
6	T	150	HEM	CAA-C2A	2.29	1.56	1.52
6	C	150	HEM	CMD-C2D	2.29	1.54	1.47
6	H	150	HEM	CMD-C2D	2.28	1.54	1.47
6	S	150	HEM	C3D-C4D	2.27	1.45	1.44
6	C	150	HEM	CHB-C1B	2.27	1.39	1.35
6	S	150	HEM	CMA-C3A	2.26	1.56	1.51
6	A	150	HEM	CHB-C1B	2.26	1.39	1.35
6	G	150	HEM	CMB-C2B	2.25	1.54	1.47
6	E	150	HEM	CMB-C2B	2.25	1.54	1.47
6	F	150	HEM	CMA-C3A	2.24	1.56	1.51
6	A	150	HEM	FE-ND	2.22	2.05	1.97
6	G	150	HEM	CAA-C2A	2.21	1.55	1.52
6	H	150	HEM	CMC-C2C	2.19	1.54	1.47
6	H	150	HEM	C2B-C1B	2.19	1.45	1.44
6	H	150	HEM	CAA-C2A	2.18	1.55	1.52
6	T	150	HEM	CHA-C4D	2.16	1.38	1.35
6	T	150	HEM	CHB-C1B	2.16	1.38	1.35
6	S	150	HEM	CMD-C2D	2.15	1.54	1.47
6	H	150	HEM	FE-NC	2.13	2.05	1.97
6	G	150	HEM	FE-ND	2.12	2.05	1.97
6	C	150	HEM	FE-NB	2.11	2.05	1.97
6	S	150	HEM	C1A-C2A	2.09	1.47	1.43
3	A	142	FRU	C2-C3	2.06	1.56	1.53
6	A	150	HEM	C4C-NC	2.03	1.40	1.38
6	G	150	HEM	CHC-C1C	2.01	1.39	1.36

All (111) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	142	FRU	O2-C2-O5	-11.90	87.85	109.62
6	B	150	HEM	C3B-C4B-NB	-11.09	106.06	114.00
6	G	150	HEM	C3B-C4B-NB	-10.99	106.14	114.00
6	A	150	HEM	C3B-C4B-NB	-9.74	107.03	114.00
3	A	142	FRU	C2-C3-C4	9.61	114.27	103.32
6	F	150	HEM	C3B-C4B-NB	-9.37	107.30	114.00
6	D	150	HEM	C3B-C4B-NB	-9.11	107.48	114.00
6	T	150	HEM	C3B-C4B-NB	-8.98	107.57	114.00
6	C	150	HEM	C3B-C4B-NB	-8.88	107.65	114.00
6	H	150	HEM	C3B-C4B-NB	-8.74	107.74	114.00
6	E	150	HEM	C3B-C4B-NB	-8.41	107.98	114.00
6	S	150	HEM	C4D-ND-C1D	7.38	112.71	105.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	H	150	HEM	C4D-ND-C1D	7.31	112.64	105.16
6	S	150	HEM	C3B-C4B-NB	-7.27	108.80	114.00
6	A	150	HEM	C4D-ND-C1D	6.70	112.02	105.16
3	A	142	FRU	O5-C2-C3	-6.41	94.22	104.33
6	E	150	HEM	C4D-ND-C1D	5.93	111.22	105.16
6	T	150	HEM	C4D-ND-C1D	5.91	111.21	105.16
6	G	150	HEM	C4D-ND-C1D	5.84	111.14	105.16
6	B	150	HEM	C4D-ND-C1D	5.77	111.07	105.16
6	D	150	HEM	C4D-ND-C1D	5.71	111.01	105.16
6	C	150	HEM	C4D-ND-C1D	5.14	110.42	105.16
6	F	150	HEM	C4D-ND-C1D	5.11	110.39	105.16
6	H	150	HEM	C2D-C1D-ND	-4.63	107.47	112.93
6	F	150	HEM	CHD-C4C-NC	4.61	128.74	124.73
3	A	142	FRU	C2-O5-C5	4.59	117.60	109.19
6	G	150	HEM	C1B-NB-C4B	4.55	109.82	105.16
6	B	150	HEM	CBD-CAD-C3D	-4.48	104.59	114.37
6	C	150	HEM	CBD-CAD-C3D	-4.12	105.38	114.37
6	D	150	HEM	CBA-CAA-C2A	-4.12	105.44	112.69
6	S	150	HEM	C2D-C1D-ND	-4.11	108.07	112.93
6	A	150	HEM	C2D-C1D-ND	-4.07	108.13	112.93
4	C	142	GLC	C1-O5-C5	3.81	120.22	113.40
6	E	150	HEM	C2D-C1D-ND	-3.76	108.49	112.93
6	H	150	HEM	C4C-NC-C1C	3.71	109.39	105.53
6	G	150	HEM	C2D-C1D-ND	-3.68	108.59	112.93
6	D	150	HEM	C2D-C1D-ND	-3.61	108.67	112.93
6	C	150	HEM	C1B-NB-C4B	3.60	108.84	105.16
6	D	150	HEM	C3A-C4A-NA	-3.55	106.73	109.41
6	D	150	HEM	C1B-NB-C4B	3.43	108.67	105.16
6	F	150	HEM	C1B-NB-C4B	3.42	108.66	105.16
6	E	150	HEM	C1B-NB-C4B	3.40	108.64	105.16
6	T	150	HEM	C2D-C1D-ND	-3.40	108.92	112.93
6	G	150	HEM	C3A-C4A-NA	-3.38	106.86	109.41
6	T	150	HEM	C1B-NB-C4B	3.37	108.61	105.16
6	E	150	HEM	CHD-C1D-ND	3.37	127.38	124.58
6	B	150	HEM	C1B-NB-C4B	3.31	108.55	105.16
6	S	150	HEM	CAD-CBD-CGD	-3.24	103.39	113.48
6	E	150	HEM	CBD-CAD-C3D	-3.23	107.32	114.37
6	G	150	HEM	CHB-C1B-NB	3.20	128.70	124.31
6	G	150	HEM	CHD-C1D-ND	3.11	127.17	124.58
6	G	150	HEM	CHC-C4B-NB	3.10	127.16	124.58
6	H	150	HEM	CMA-C3A-C4A	-3.09	123.86	128.62
6	S	150	HEM	CHA-C4D-ND	3.07	128.52	124.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	S	150	HEM	C4A-CHB-C1B	-3.02	123.49	127.47
6	A	150	HEM	CBD-CAD-C3D	-3.01	107.81	114.37
6	B	150	HEM	C2D-C1D-ND	-2.97	109.42	112.93
6	C	150	HEM	C2D-C1D-ND	-2.97	109.42	112.93
4	B	147	GLC	O3-C3-C4	2.97	117.00	110.35
6	F	150	HEM	C4C-NC-C1C	2.96	108.61	105.53
4	B	147	GLC	C1-O5-C5	2.95	118.69	113.40
4	B	147	GLC	O2-C2-C1	2.95	116.16	109.89
6	H	150	HEM	C1B-NB-C4B	2.94	108.17	105.16
6	S	150	HEM	CMA-C3A-C4A	-2.92	124.14	128.62
6	D	150	HEM	C4C-NC-C1C	2.86	108.51	105.53
6	B	150	HEM	CHB-C1B-NB	2.85	128.22	124.31
6	T	150	HEM	CBD-CAD-C3D	-2.85	108.15	114.37
6	B	150	HEM	CHC-C4B-NB	2.84	126.94	124.58
6	B	150	HEM	CHD-C1D-ND	2.79	126.91	124.58
6	B	150	HEM	CHD-C4C-NC	2.79	127.16	124.73
6	C	150	HEM	CBA-CAA-C2A	2.76	117.55	112.69
6	E	150	HEM	C3A-C4A-NA	-2.72	107.36	109.41
6	C	150	HEM	C4C-NC-C1C	2.71	108.36	105.53
6	G	150	HEM	C4C-NC-C1C	2.69	108.33	105.53
6	S	150	HEM	C4C-NC-C1C	2.68	108.33	105.53
4	B	147	GLC	C4-C3-C2	-2.66	105.89	110.82
6	C	150	HEM	CHC-C4B-NB	2.65	126.79	124.58
6	G	150	HEM	CBD-CAD-C3D	-2.63	108.64	114.37
6	C	150	HEM	C3A-C4A-NA	-2.61	107.44	109.41
6	H	150	HEM	CHC-C1C-NC	2.61	127.00	124.73
6	F	150	HEM	C2D-C1D-ND	-2.53	109.94	112.93
6	F	150	HEM	CMA-C3A-C4A	-2.52	124.75	128.62
6	T	150	HEM	CMA-C3A-C4A	-2.52	124.75	128.62
6	T	150	HEM	C3A-C4A-NA	-2.51	107.51	109.41
6	A	150	HEM	C4C-NC-C1C	2.47	108.10	105.53
6	D	150	HEM	CHD-C4C-NC	2.45	126.86	124.73
6	A	150	HEM	C1B-NB-C4B	2.44	107.66	105.16
6	A	150	HEM	C4A-CHB-C1B	-2.37	124.35	127.47
6	A	150	HEM	CHC-C4B-NB	2.37	126.55	124.58
4	C	142	GLC	O5-C1-C2	2.36	113.51	109.86
6	B	150	HEM	CMA-C3A-C4A	-2.33	125.03	128.62
6	T	150	HEM	C4A-C3A-C2A	2.29	108.59	107.00
6	H	150	HEM	CHD-C1D-ND	2.25	126.45	124.58
6	G	150	HEM	C4A-C3A-C2A	2.25	108.56	107.00
4	B	147	GLC	C1-C2-C3	-2.23	107.00	110.53
6	B	150	HEM	CAD-C3D-C4D	2.23	128.54	124.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	150	HEM	CMA-C3A-C4A	-2.21	125.22	128.62
6	C	150	HEM	C4A-C3A-C2A	2.18	108.51	107.00
6	C	150	HEM	C4A-CHB-C1B	-2.18	124.61	127.47
3	E	142	FRU	C6-C5-C4	-2.17	109.73	115.06
4	C	142	GLC	C4-C3-C2	-2.17	106.81	110.82
6	B	150	HEM	CAA-CBA-CGA	-2.15	106.55	113.47
3	A	142	FRU	O2-C2-C3	2.14	118.25	109.24
6	T	150	HEM	C4C-NC-C1C	2.14	107.76	105.53
4	T	147	GLC	C1-O5-C5	2.14	117.23	113.40
6	E	150	HEM	C4C-NC-C1C	2.12	107.74	105.53
6	E	150	HEM	C4A-C3A-C2A	2.12	108.47	107.00
6	S	150	HEM	O1A-CGA-CBA	-2.10	115.81	123.03
6	H	150	HEM	CBA-CAA-C2A	2.08	116.36	112.69
6	S	150	HEM	CHD-C1D-ND	2.07	126.31	124.58
6	A	150	HEM	CHA-C4D-ND	2.01	127.07	124.31

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	142	FRU	C2

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	141/141 (100%)	0.01	1 (0%) 84 91	29, 43, 52, 59	0
1	C	141/141 (100%)	0.16	0 100 100	29, 44, 60, 66	0
1	E	141/141 (100%)	1.82	52 (36%) 1 1	51, 83, 110, 117	0
1	G	141/141 (100%)	0.64	14 (9%) 8 13	36, 60, 86, 94	0
1	S	141/141 (100%)	0.73	18 (12%) 4 7	39, 63, 74, 78	0
2	B	146/146 (100%)	0.11	2 (1%) 72 80	25, 42, 57, 72	0
2	D	146/146 (100%)	0.33	2 (1%) 72 80	30, 49, 59, 62	0
2	F	146/146 (100%)	0.55	8 (5%) 24 33	31, 55, 77, 80	0
2	H	146/146 (100%)	1.39	43 (29%) 1 1	45, 77, 85, 88	0
2	T	146/146 (100%)	1.11	29 (19%) 2 3	46, 77, 94, 105	0
All	All	1435/1435 (100%)	0.68	169 (11%) 5 8	25, 55, 89, 117	0

All (169) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	4	PRO	7.7
1	E	1	VAL	7.3
1	E	5	ALA	6.2
2	H	77	HIS	5.6
1	E	8	THR	5.2
1	S	141	ARG	5.1
1	E	53	ALA	5.0
1	E	77	PRO	5.0
1	E	6	ASP	4.9
2	T	94	ASP	4.9
1	E	15	GLY	4.8
1	E	71	ALA	4.8
1	E	86	LEU	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	48	LEU	4.7
2	T	2	HIS	4.6
1	G	1	VAL	4.5
1	E	75	ASP	4.4
1	E	91	LEU	4.4
1	S	45	HIS	4.4
2	T	4	THR	4.4
1	E	19	ALA	4.2
1	E	89	HIS	4.2
2	H	88	LEU	4.2
2	T	5	PRO	4.1
2	H	47	ASP	4.1
2	H	146	HIS	4.1
2	T	146	HIS	4.0
2	T	79	ASP	4.0
2	T	141	LEU	4.0
1	G	75	ASP	4.0
1	S	19	ALA	4.0
2	H	2	HIS	4.0
1	E	78	ASN	3.9
1	E	72	HIS	3.9
2	H	50	THR	3.9
1	E	55	VAL	3.9
1	E	82	ALA	3.8
2	T	56	GLY	3.8
1	E	90	LYS	3.8
2	H	141	LEU	3.8
1	E	18	GLY	3.7
2	H	49	SER	3.7
2	T	50	THR	3.7
2	H	120	LYS	3.6
2	H	13	ALA	3.6
1	E	3	SER	3.6
2	B	2	HIS	3.6
1	E	2	LEU	3.6
2	F	49	SER	3.6
1	G	4	PRO	3.5
1	E	44	PRO	3.4
1	E	140	TYR	3.4
1	G	85	ASP	3.4
1	S	75	ASP	3.4
1	G	140	TYR	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	141	LEU	3.4
2	F	5	PRO	3.4
1	E	80	LEU	3.4
1	E	92	ARG	3.4
1	S	71	ALA	3.3
2	F	1	VAL	3.3
1	E	141	ARG	3.3
2	T	143	HIS	3.2
2	T	78	LEU	3.2
2	H	28	LEU	3.2
2	F	50	THR	3.2
1	G	5	ALA	3.1
1	E	73	VAL	3.1
2	H	90	GLU	3.1
1	E	13	ALA	3.1
2	T	10	ALA	3.1
1	E	45	HIS	3.1
1	S	18	GLY	3.1
2	H	79	ASP	3.1
1	E	47	ASP	3.0
1	S	140	TYR	3.0
2	H	97	HIS	3.0
2	H	6	GLU	3.0
2	F	2	HIS	3.0
1	E	64	ASP	3.0
2	H	58	PRO	3.0
1	A	84	SER	3.0
2	H	9	SER	3.0
2	T	44	SER	3.0
1	E	116	GLU	3.0
2	H	143	HIS	2.9
2	H	81	LEU	2.9
2	H	56	GLY	2.9
2	H	85	PHE	2.8
2	H	22	GLU	2.8
1	E	43	PHE	2.8
1	S	73	VAL	2.8
2	T	97	HIS	2.8
2	T	95	LYS	2.8
2	H	96	LEU	2.8
1	G	69	ALA	2.7
1	E	10	VAL	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	136	LEU	2.7
2	H	48	LEU	2.7
1	E	74	ASP	2.7
2	H	25	GLY	2.7
2	H	12	THR	2.7
1	E	111	ALA	2.7
1	S	1	VAL	2.7
2	H	86	ALA	2.6
2	H	42	PHE	2.6
1	S	51	GLY	2.6
1	G	8	THR	2.6
1	S	4	PRO	2.6
2	H	98	VAL	2.6
2	T	1	VAL	2.6
1	G	3	SER	2.5
2	T	87	THR	2.5
2	F	120	LYS	2.5
1	E	76	MET	2.5
1	S	107	VAL	2.4
1	S	115	ALA	2.4
2	H	76	ALA	2.4
2	H	5	PRO	2.4
1	S	50	HIS	2.4
2	H	3	LEU	2.4
2	H	91	LEU	2.4
1	E	138	SER	2.4
2	H	36	PRO	2.4
1	E	11	LYS	2.4
2	H	61	LYS	2.4
1	S	78	ASN	2.4
2	F	146	HIS	2.3
2	H	139	ASN	2.3
1	E	46	PHE	2.3
1	E	16	LYS	2.3
2	T	144	LYS	2.3
2	T	142	ALA	2.3
1	E	134	THR	2.3
2	F	47	ASP	2.3
2	H	65	LYS	2.3
2	D	11	VAL	2.2
2	T	11	VAL	2.2
2	T	145	TYR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	139	LYS	2.2
2	H	59	LYS	2.2
1	E	69	ALA	2.2
2	T	62	ALA	2.2
2	T	140	ALA	2.2
1	G	89	HIS	2.2
2	T	6	GLU	2.2
1	S	15	GLY	2.2
1	E	88	ALA	2.2
2	T	88	LEU	2.2
2	T	9	SER	2.2
1	G	141	ARG	2.1
2	H	66	LYS	2.1
2	H	52	ASP	2.1
1	G	136	LEU	2.1
1	S	109	LEU	2.1
2	H	45	PHE	2.1
1	E	81	SER	2.1
1	E	132	VAL	2.1
2	T	83	GLY	2.1
2	H	38	THR	2.1
1	E	87	HIS	2.1
1	S	72	HIS	2.1
1	E	137	THR	2.1
2	H	145	TYR	2.0
1	G	19	ALA	2.0
2	T	80	ASN	2.0
1	G	60	LYS	2.0
2	T	55	MET	2.0
2	B	5	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	PO4	G	142	5/5	0.33	10.13	96,96,97,97	0
4	GLC	B	147	12/12	0.32	9.47	67,70,72,72	0
3	FRU	A	142	11/12	0.25	6.88	64,68,69,69	0
3	FRU	E	142	11/12	0.28	4.29	72,75,75,76	0
7	OXY	B	151	2/2	0.20	4.09	33,33,33,40	0
4	GLC	C	142	12/12	0.21	3.17	74,76,77,77	0
4	GLC	T	147	12/12	0.38	1.58	100,102,102,102	0
6	HEM	S	150	43/43	0.19	1.53	37,47,56,57	0
7	OXY	C	151	2/2	0.19	1.50	37,37,37,44	0
6	HEM	C	150	43/43	0.18	1.35	22,38,52,58	0
7	OXY	F	151	2/2	0.18	0.68	46,46,46,49	0
6	HEM	T	150	43/43	0.20	0.31	74,77,80,80	0
6	HEM	A	150	43/43	0.14	0.14	21,38,42,44	0
6	HEM	E	150	43/43	0.21	-0.03	71,73,77,79	0
6	HEM	D	150	43/43	0.15	-0.17	38,46,53,57	0
6	HEM	G	150	43/43	0.15	-0.17	40,50,56,59	0
6	HEM	B	150	43/43	0.13	-0.22	20,31,45,50	0
7	OXY	E	151	2/2	0.19	-0.32	76,76,76,76	0
6	HEM	F	150	43/43	0.14	-0.37	35,40,52,59	0
7	OXY	G	151	2/2	0.14	-0.39	50,50,50,53	0
7	OXY	A	151	2/2	0.13	-0.40	40,40,40,47	0
6	HEM	H	150	43/43	0.18	-0.73	65,69,72,74	0
7	OXY	D	151	2/2	0.10	-0.77	45,45,45,48	0
7	OXY	S	151	2/2	0.12	-1.05	52,52,52,56	0
7	OXY	T	151	2/2	0.15	-1.94	73,73,73,74	0
7	OXY	H	151	2/2	0.06	-3.13	70,70,70,71	0

6.5 Other polymers ⓘ

There are no such residues in this entry.