



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 08:32 AM GMT

PDB ID : 4B7A
Title : Probing the active center of catalase-phenol oxidase from *Scytalidium thermophilum*
Authors : Yuzugullu, Y.; Trinh, C.H.; Pearson, A.R.; Ogel, Z.B.; McPherson, M.J.
Deposited on : 2012-08-17
Resolution : 1.95 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **FAILED**
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1321 (1.96-1.96)
Clashscore	79885	1488 (1.96-1.96)
Ramachandran outliers	78287	1475 (1.96-1.96)
Sidechain outliers	78261	1475 (1.96-1.96)
RSRZ outliers	66119	1321 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	719	
1	B	719	
1	C	719	
1	D	719	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	3TR	A	1699	-	X
3	3TR	B	1700	X	X
3	3TR	C	1699	X	X
3	3TR	D	1699	-	X
4	CA	C	1700	-	X

2 Entry composition i


There are 5 unique types of molecules in this entry. The entry contains 23581 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CATALASE-PHENOL OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	673	Total	C	N	O	S	0	31	0
			5453	3445	951	1044	13			
1	B	674	Total	C	N	O	S	0	33	0
			5485	3461	962	1050	12			
1	C	671	Total	C	N	O	S	0	36	0
			5476	3460	957	1045	14			
1	D	670	Total	C	N	O	S	0	28	0
			5423	3427	948	1034	14			

- Molecule 2 is CIS-HEME D HYDROXYCHLORIN GAMMA-SPIROLACTONE (three-letter code: HDD) (formula: $C_{34}H_{32}FeN_4O_5$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			44	34	1	4	5		
2	B	1	Total	C	Fe	N	O	0	0
			44	34	1	4	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	Fe	N	O	0	0
			44	34	1	4	5		
2	D	1	Total	C	Fe	N	O	0	0
			44	34	1	4	5		

- Molecule 3 is 3-AMINO-1,2,4-TRIAZOLE (three-letter code: 3TR) (formula: C₂H₄N₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			6	2	4		
3	A	1	Total	C	N	0	0
			6	2	4		
3	B	1	Total	C	N	0	0
			6	2	4		
3	B	1	Total	C	N	0	0
			6	2	4		
3	C	1	Total	C	N	0	0
			6	2	4		
3	C	1	Total	C	N	0	0
			6	2	4		
3	D	1	Total	C	N	0	0
			6	2	4		
3	D	1	Total	C	N	0	0
			6	2	4		

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total 1	Ca 1	0	0
4	A	2	Total 2	Ca 2	0	0
4	D	1	Total 1	Ca 1	0	0
4	C	1	Total 1	Ca 1	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	489	Total 489	O 489	0	0
5	B	437	Total 437	O 437	0	0
5	C	293	Total 293	O 293	0	0
5	D	296	Total 296	O 296	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CATALASE-PHENOL OXIDASE

Chain A:




• Molecule 1: CATALASE-PHENOL OXIDASE

Chain B:



• Molecule 1: CATALASE-PHENOL OXIDASE


Chain C:



9697
SER

• Molecule 1: CATALASE-PHENOL OXIDASE

Chain D:



4 Data and refinement statistics

Xtriage (Phenix) failed to run properly - this section will therefore be incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	200.87Å 121.68Å 125.53Å 90.00° 115.50° 90.00°	Depositor
Resolution (Å)	113.30 – 1.95 29.38 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.6 (113.30-1.95) 99.7 (29.38-1.95)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.151 , 0.186 0.151 , 0.186	Depositor DCC
R_{free} test set	9724 reflections (5.19%)	DCC
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 29.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	23581	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CA, HDD, 3TR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	3/5638 (0.1%)	0.81	0/7656
1	B	0.78	3/5667 (0.1%)	0.80	1/7692 (0.0%)
1	C	0.82	4/5669 (0.1%)	0.81	2/7695 (0.0%)
1	D	0.78	1/5592 (0.0%)	0.80	4/7593 (0.1%)
All	All	0.80	11/22566 (0.0%)	0.80	7/30636 (0.0%)

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	277	TRP	CD2-CE2	5.94	1.48	1.41
1	C	641	TRP	CD2-CE2	5.90	1.48	1.41
1	A	277	TRP	CD2-CE2	5.76	1.48	1.41
1	C	288	TRP	CD2-CE2	5.72	1.48	1.41
1	B	45	ASP	CB-CG	5.63	1.63	1.51
1	C	78	GLU	CD-OE1	5.62	1.31	1.25
1	B	641	TRP	CD2-CE2	5.60	1.48	1.41
1	B	277	TRP	CD2-CE2	5.39	1.47	1.41
1	A	45	ASP	CB-CG	5.37	1.63	1.51
1	D	288	TRP	CD2-CE2	5.35	1.47	1.41
1	A	205	HIS	C-N	-5.02	1.22	1.34

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	237	ASP	CB-CG-OD1	5.88	123.59	118.30
1	D	692	ASP	CB-CG-OD1	5.87	123.59	118.30
1	C	376	ARG	NE-CZ-NH2	-5.65	117.47	120.30
1	D	352	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	C	75	ARG	NE-CZ-NH2	-5.38	117.61	120.30
1	D	79	ARG	NE-CZ-NH2	-5.11	117.74	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	692	ASP	CB-CG-OD1	5.08	122.87	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5453	0	5265	35	0
1	B	5485	0	5296	41	0
1	C	5476	0	5299	37	0
1	D	5423	0	5232	33	0
2	A	44	0	31	1	0
2	B	44	0	31	2	0
2	C	44	0	31	1	0
2	D	44	0	31	2	0
3	A	12	0	8	0	0
3	B	12	0	8	0	0
3	C	12	0	8	1	0
3	D	12	0	8	1	0
4	A	2	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	489	0	0	7	0
5	B	437	0	0	5	0
5	C	293	0	0	5	0
5	D	296	0	0	2	0
All	All	23581	0	21248	141	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 3.

All (141) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:91[B]:THR:HG22	5:B:2091:HOH:O	1.53	1.08
1:A:313:ILE:H	1:A:461:GLN:HE22	1.12	0.97
1:D:313:ILE:H	1:D:461:GLN:HE22	1.12	0.96
1:C:313:ILE:H	1:C:461:GLN:HE22	1.19	0.89
1:B:313:ILE:H	1:B:461:GLN:HE22	1.17	0.86
1:C:495[B]:LYS:HD2	5:C:2251:HOH:O	1.78	0.82
1:D:264:LEU:HG	1:D:602:THR:HB	1.64	0.79
1:B:70:HIS:CD2	5:B:2056:HOH:O	2.40	0.75
1:C:264:LEU:HG	1:C:602:THR:HB	1.70	0.74
1:A:264:LEU:HG	1:A:602:THR:HB	1.69	0.74
1:A:373:GLN:HE21	1:A:373:GLN:HA	1.52	0.73
1:B:264:LEU:HG	1:B:602:THR:HB	1.72	0.70
1:D:373:GLN:HA	1:D:373:GLN:HE21	1.56	0.69
1:D:22:PRO:O	1:D:26:TYR:HD2	1.76	0.69
1:B:38:ASP:OD2	1:B:70:HIS:HE1	1.77	0.68
5:C:2101:HOH:O	1:D:411[B]:LYS:HE2	1.94	0.67
1:A:313:ILE:N	1:A:461:GLN:HE22	1.91	0.67
1:B:373:GLN:HA	1:B:373:GLN:HE21	1.59	0.66
1:B:301:GLN:HE22	1:B:454:THR:HG21	1.61	0.65
5:A:2246:HOH:O	3:C:1699:3TR:N2	2.30	0.64
1:D:132:THR:HG21	1:D:264:LEU:HD13	1.79	0.63
1:A:570:LEU:HD11	1:A:608:VAL:HG11	1.80	0.63
1:D:246:HIS:HD2	5:D:2139:HOH:O	1.83	0.61
1:C:373:GLN:HE21	1:C:373:GLN:HA	1.66	0.61
1:B:132:THR:HG21	1:B:264:LEU:HD13	1.84	0.59
1:B:38:ASP:OD2	1:B:70:HIS:CE1	2.56	0.58
5:B:2216:HOH:O	3:D:1699:3TR:N2	2.32	0.58
1:B:425[A]:ARG:NH2	5:B:2336:HOH:O	2.36	0.57
1:C:301:GLN:NE2	1:C:454:THR:HG21	2.20	0.57
1:B:590:GLU:OE1	1:B:590:GLU:HA	2.05	0.56
1:D:313:ILE:N	1:D:461:GLN:HE22	1.93	0.56
1:B:108:ASN:HD22	1:B:108:ASN:C	2.09	0.56
1:D:91[A]:THR:HG21	1:D:113:GLN:HE21	1.71	0.55
1:D:108:ASN:HD22	1:D:108:ASN:C	2.09	0.54
1:C:82:HIS:HA	1:C:122:THR:O	2.08	0.53
1:C:22:PRO:O	1:C:26:TYR:HD2	1.91	0.53
1:B:82:HIS:CE1	1:B:123:VAL:HG22	2.44	0.53
1:C:301:GLN:HE22	1:C:454:THR:HG21	1.73	0.53
1:A:363:GLN:HG3	5:A:2305:HOH:O	2.08	0.52
1:A:594[A]:GLN:HG3	1:A:598:THR:OG1	2.09	0.52
1:C:130:ALA:CB	1:C:265[B]:SER:HB2	2.39	0.52
1:D:663[A]:GLU:HG2	1:D:663[A]:GLU:O	2.09	0.52
1:B:313:ILE:N	1:B:461:GLN:HE22	1.98	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:116:VAL:HG21	1:A:327[A]:LEU:HD11	1.91	0.52
1:C:492[A]:GLU:CG	5:C:2250:HOH:O	2.58	0.51
1:B:241:LYS:HG3	1:B:294[B]:ILE:HD11	1.90	0.51
1:B:582:THR:HG21	1:B:594[B]:GLN:HE21	1.76	0.51
1:A:82:HIS:HA	1:A:122:THR:O	2.11	0.50
1:B:130:ALA:CB	1:B:265[B]:SER:HB2	2.41	0.50
1:A:155:ASN:CG	2:A:900:HDD:HMB2	2.32	0.50
1:A:373:GLN:NE2	1:A:373:GLN:HA	2.24	0.50
1:B:369:TYR:O	1:B:373:GLN:HG2	2.11	0.49
1:C:277:TRP:CZ3	1:C:332:ASN:HB3	2.47	0.49
1:C:582:THR:HG21	1:C:594[A]:GLN:HE21	1.77	0.49
1:C:495[B]:LYS:CE	5:C:2251:HOH:O	2.61	0.49
1:D:82:HIS:HA	1:D:122:THR:O	2.13	0.49
1:C:472:VAL:HG21	1:C:691:THR:HB	1.94	0.49
1:C:369:TYR:O	1:C:373:GLN:HG2	2.13	0.48
5:A:2326:HOH:O	1:D:405[B]:MET:HE3	2.13	0.48
1:D:472:VAL:HG21	1:D:691:THR:HB	1.95	0.48
1:B:181:ASN:HB3	1:D:277:TRP:CZ3	2.48	0.48
1:B:70:HIS:HD2	5:B:2055:HOH:O	1.96	0.48
1:C:23:LEU:CD2	1:C:89:HIS:CE1	2.97	0.48
1:C:495[B]:LYS:CD	5:C:2251:HOH:O	2.50	0.48
1:D:277:TRP:CZ3	1:D:332:ASN:HB3	2.49	0.48
1:C:132:THR:HG21	1:C:264:LEU:HD13	1.96	0.47
1:A:423:TYR:HE1	1:A:425[A]:ARG:HD2	1.79	0.47
5:A:2080:HOH:O	1:C:127[B]:ARG:NH2	2.19	0.47
1:A:108:ASN:HD22	1:A:108:ASN:C	2.17	0.47
1:A:495[B]:LYS:HG3	5:A:2421:HOH:O	2.15	0.47
1:A:132:THR:HG21	1:A:264:LEU:HD13	1.96	0.47
1:A:130:ALA:CB	1:A:265[B]:SER:HB2	2.44	0.47
1:B:181:ASN:HB3	1:D:277:TRP:CE3	2.49	0.47
1:A:127[B]:ARG:HH11	1:A:127[B]:ARG:HG3	1.79	0.47
1:A:577:ASP:OD2	1:A:682:GLU:OE2	2.32	0.47
5:A:2080:HOH:O	1:C:127[B]:ARG:NH1	2.42	0.47
1:A:71:PHE:HA	1:A:74:GLU:HG3	1.97	0.47
1:D:659:ALA:CB	1:D:661:VAL:HG23	2.45	0.46
1:B:35:LEU:HD21	1:B:45:ASP:HB3	1.96	0.46
1:C:492[A]:GLU:OE1	1:C:492[A]:GLU:HA	2.15	0.46
1:C:277:TRP:CH2	1:C:332:ASN:HB3	2.50	0.46
1:B:138:GLY:HA3	2:B:900:HDD:HMA2	1.98	0.46
1:A:423:TYR:CE1	1:A:425[A]:ARG:HD2	2.50	0.45
1:B:294[B]:ILE:HG23	1:B:294[B]:ILE:O	2.14	0.45
1:A:130:ALA:HB1	1:A:265[B]:SER:HB2	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:470:THR:O	1:C:474:GLN:HG3	2.17	0.45
1:D:301:GLN:HE22	1:D:454:THR:HG21	1.81	0.45
1:A:116:VAL:HG21	1:A:327[A]:LEU:CD1	2.46	0.45
1:B:155:ASN:CG	2:B:900:HDD:HMB2	2.37	0.45
1:C:525:ASP:HA	1:C:528:TYR:CD2	2.52	0.45
1:B:582:THR:HG21	1:B:594[A]:GLN:HE21	1.82	0.44
1:B:574:LEU:HD23	1:B:678:VAL:HG13	1.99	0.44
1:C:671:GLU:HG3	1:C:677:PHE:HA	1.99	0.44
1:D:659:ALA:HB1	1:D:661:VAL:HG23	1.99	0.44
1:A:369:TYR:O	1:A:373:GLN:HG2	2.17	0.44
1:B:108:ASN:C	1:B:108:ASN:ND2	2.71	0.44
1:A:373:GLN:NE2	1:A:373:GLN:CA	2.81	0.44
1:A:38:ASP:OD2	1:A:70:HIS:NE2	2.51	0.44
1:B:577:ASP:OD2	1:B:682:GLU:OE2	2.35	0.44
1:D:617:PHE:CD1	1:D:617:PHE:N	2.85	0.43
1:B:373:GLN:HA	1:B:373:GLN:NE2	2.30	0.43
1:C:243:ILE:HA	1:C:293:GLN:O	2.18	0.43
1:A:82:HIS:CE1	1:A:123:VAL:HG22	2.54	0.43
1:C:570:LEU:HD11	1:C:608:VAL:HG11	1.99	0.43
1:B:674:VAL:O	1:B:678:VAL:HG23	2.18	0.43
1:B:277:TRP:CZ3	1:D:181:ASN:HB3	2.54	0.42
1:D:138:GLY:HA3	2:D:900:HDD:HMA2	2.02	0.42
1:C:577:ASP:OD2	1:C:682:GLU:OE2	2.37	0.42
1:A:301:GLN:NE2	1:A:454:THR:HG21	2.34	0.42
1:D:373:GLN:HA	1:D:373:GLN:NE2	2.29	0.42
1:C:155:ASN:CG	2:C:900:HDD:HMB2	2.40	0.42
1:B:573[B]:ARG:O	1:B:576[B]:LYS:HB3	2.20	0.42
1:D:51:ALA:O	1:D:55:GLY:HA3	2.19	0.42
1:B:344:MET:SD	1:B:382:PHE:HB2	2.59	0.42
1:D:130:ALA:CB	1:D:265[B]:SER:HB2	2.49	0.42
1:A:313:ILE:H	1:A:461:GLN:NE2	1.95	0.42
1:D:277:TRP:CH2	1:D:332:ASN:HB3	2.55	0.42
1:B:53:ILE:HD12	1:D:450[A]:GLU:HB2	2.02	0.42
1:B:82:HIS:HA	1:B:122:THR:O	2.20	0.41
1:D:155:ASN:CG	2:D:900:HDD:HMB2	2.40	0.41
1:A:409[A]:ARG:HG2	1:A:409[A]:ARG:HH11	1.85	0.41
1:A:411[B]:LYS:HE3	5:A:2361:HOH:O	2.20	0.41
1:A:344:MET:SD	1:A:382:PHE:HB2	2.60	0.41
1:B:219:SER:HA	1:B:272:HIS:CD2	2.55	0.41
1:C:313:ILE:N	1:C:461:GLN:HE22	2.00	0.41
1:C:585:ALA:O	1:C:595:THR:HA	2.20	0.41
1:B:51:ALA:O	1:B:55:GLY:HA3	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:108:ASN:HD22	1:C:108:ASN:C	2.25	0.41
1:A:277:TRP:CE3	1:C:181:ASN:HB3	2.56	0.41
1:A:323:LYS:HE3	1:A:323:LYS:HB2	1.91	0.41
1:D:663[A]:GLU:CG	1:D:663[A]:GLU:O	2.68	0.40
1:B:59:LEU:HD11	1:C:367:PHE:HB2	2.03	0.40
1:A:277:TRP:CZ3	1:C:181:ASN:HB3	2.57	0.40
1:A:249:SER:HA	1:A:288:TRP:CD1	2.56	0.40
1:D:108:ASN:ND2	1:D:108:ASN:C	2.74	0.40
1:D:246:HIS:CD2	5:D:2139:HOH:O	2.67	0.40
1:D:45:ASP:HB2	1:D:67:LYS:HD2	2.04	0.40
1:B:248:LYS:HD2	1:B:248:LYS:HA	1.89	0.40
1:C:573[A]:ARG:HG3	1:C:678:VAL:HG11	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	700/719 (97%)	680 (97%)	20 (3%)	0	100	100
1	B	703/719 (98%)	689 (98%)	14 (2%)	0	100	100
1	C	701/719 (98%)	687 (98%)	14 (2%)	0	100	100
1	D	692/719 (96%)	674 (97%)	18 (3%)	0	100	100
All	All	2796/2876 (97%)	2730 (98%)	66 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	589/596 (99%)	576 (98%)	13 (2%)	64	55
1	B	592/596 (99%)	579 (98%)	13 (2%)	64	55
1	C	592/596 (99%)	574 (97%)	18 (3%)	53	39
1	D	583/596 (98%)	572 (98%)	11 (2%)	69	62
All	All	2356/2384 (99%)	2301 (98%)	55 (2%)	64	53

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	108	ASN
1	A	139	PHE
1	A	191	ASP
1	A	264	LEU
1	A	373	GLN
1	A	444[A]	SER
1	A	444[B]	SER
1	A	562	SER
1	A	570	LEU
1	A	676[A]	MET
1	A	676[B]	MET
1	A	692[A]	ASP
1	A	692[B]	ASP
1	B	70	HIS
1	B	108	ASN
1	B	139	PHE
1	B	145	THR
1	B	253	LYS
1	B	264	LEU
1	B	275	ASP
1	B	296	ASP
1	B	373	GLN
1	B	444[A]	SER
1	B	444[B]	SER
1	B	530	ASN
1	B	673	SER
1	C	32	THR
1	C	108	ASN
1	C	127[A]	ARG
1	C	127[B]	ARG
1	C	139	PHE
1	C	145	THR
1	C	191	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	264	LEU
1	C	373	GLN
1	C	386	PRO
1	C	562	SER
1	C	611	ASP
1	C	616[A]	LEU
1	C	616[B]	LEU
1	C	657	ASP
1	C	660	ASP
1	C	666[A]	ASP
1	C	666[B]	ASP
1	D	23	LEU
1	D	108	ASN
1	D	139	PHE
1	D	191	ASP
1	D	264	LEU
1	D	275	ASP
1	D	373	GLN
1	D	546	THR
1	D	672	GLU
1	D	673	SER
1	D	674	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	108	ASN
1	A	301	GLN
1	A	373	GLN
1	A	375	ASN
1	A	461	GLN
1	B	70	HIS
1	B	108	ASN
1	B	301	GLN
1	B	373	GLN
1	B	375	ASN
1	B	461	GLN
1	C	108	ASN
1	C	113	GLN
1	C	167	GLN
1	C	301	GLN
1	C	373	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	375	ASN
1	C	461	GLN
1	D	108	ASN
1	D	113	GLN
1	D	246	HIS
1	D	301	GLN
1	D	373	GLN
1	D	375	ASN
1	D	461	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 17 ligands modelled in this entry, 5 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	3TR	A	1698	-	6,6,6	1.90	1 (16%)	6,7,7	2.27	2 (33%)
3	3TR	A	1699	-	6,6,6	3.31	2 (33%)	6,7,7	3.62	3 (50%)
2	HDD	A	900	1,5	52,52,52	2.11	22 (42%)	70,89,89	3.35	27 (38%)
3	3TR	B	1699	-	6,6,6	2.30	2 (33%)	6,7,7	1.79	1 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	3TR	B	1700	-	6,6,6	2.90	3 (50%)	6,7,7	3.19	3 (50%)
2	HDD	B	900	1	52,52,52	2.27	20 (38%)	70,89,89	3.47	30 (42%)
3	3TR	C	1698	-	6,6,6	2.57	2 (33%)	6,7,7	2.57	2 (33%)
3	3TR	C	1699	-	6,6,6	2.08	2 (33%)	6,7,7	4.27	5 (83%)
2	HDD	C	900	1,5	52,52,52	2.08	18 (34%)	70,89,89	3.69	29 (41%)
3	3TR	D	1698	-	6,6,6	2.79	3 (50%)	6,7,7	2.43	2 (33%)
3	3TR	D	1699	-	6,6,6	2.88	2 (33%)	6,7,7	2.25	3 (50%)
2	HDD	D	900	1	52,52,52	2.31	19 (36%)	70,89,89	3.49	28 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	3TR	A	1698	-	-	0/0/0/0	0/1/1/1
3	3TR	A	1699	-	-	0/0/0/0	0/1/1/1
2	HDD	A	900	1,5	-	0/5/89/89	0/1/9/9
3	3TR	B	1699	-	-	0/0/0/0	0/1/1/1
3	3TR	B	1700	-	-	0/0/0/0	0/1/1/1
2	HDD	B	900	1	-	0/5/89/89	0/1/9/9
3	3TR	C	1698	-	-	0/0/0/0	0/1/1/1
3	3TR	C	1699	-	-	0/0/0/0	0/1/1/1
2	HDD	C	900	1,5	-	0/5/89/89	0/1/9/9
3	3TR	D	1698	-	-	0/0/0/0	0/1/1/1
3	3TR	D	1699	-	-	0/0/0/0	0/1/1/1
2	HDD	D	900	1	-	0/5/89/89	0/1/9/9

All (96) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1699	3TR	C5-N1	6.75	1.38	1.33
2	D	900	HDD	C1C-C2C	6.16	1.47	1.40
3	D	1699	3TR	C5-N1	5.87	1.38	1.33
3	B	1700	3TR	C5-N1	5.81	1.38	1.33
3	C	1698	3TR	C5-N1	5.72	1.38	1.33
3	D	1698	3TR	C5-N1	5.63	1.37	1.33
2	B	900	HDD	C4B-C3B	5.38	1.48	1.41
2	A	900	HDD	C4A-C3A	5.25	1.46	1.40
3	B	1699	3TR	C5-N1	5.15	1.37	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	900	HDD	C4A-C3A	5.00	1.46	1.40
2	D	900	HDD	C3C-C4C	5.00	1.48	1.40
2	B	900	HDD	C4A-C3A	4.96	1.46	1.40
2	B	900	HDD	C1C-C2C	4.77	1.46	1.40
2	C	900	HDD	C1C-C2C	4.44	1.45	1.40
2	B	900	HDD	FE-NB	4.40	2.11	1.92
2	D	900	HDD	FE-NB	4.15	2.10	1.92
2	A	900	HDD	C3C-C4C	4.12	1.46	1.40
2	C	900	HDD	C4A-C3A	4.11	1.45	1.40
3	A	1698	3TR	C5-N1	4.02	1.36	1.33
2	B	900	HDD	C3C-C4C	3.89	1.46	1.40
2	D	900	HDD	FE-NA	3.88	2.09	1.92
2	C	900	HDD	C3B-C2B	3.87	1.48	1.41
2	C	900	HDD	C3C-C4C	3.81	1.46	1.40
2	C	900	HDD	FE-NA	3.77	2.08	1.92
2	D	900	HDD	O1D-CGD	3.73	1.42	1.35
2	C	900	HDD	FE-NB	3.73	2.08	1.92
2	A	900	HDD	C4B-C3B	3.72	1.46	1.41
2	C	900	HDD	FE-NC	3.71	2.08	1.92
2	D	900	HDD	FE-NC	3.69	2.08	1.92
2	B	900	HDD	FE-NA	3.65	2.08	1.92
2	D	900	HDD	C4B-C3B	3.65	1.46	1.41
2	A	900	HDD	O1D-CGD	3.63	1.42	1.35
2	A	900	HDD	FE-NA	3.62	2.08	1.92
2	A	900	HDD	FE-NB	3.62	2.08	1.92
2	B	900	HDD	C3B-C2B	3.59	1.47	1.41
2	A	900	HDD	C1C-C2C	3.58	1.44	1.40
2	D	900	HDD	C3B-C2B	3.56	1.47	1.41
2	A	900	HDD	FE-NC	3.52	2.07	1.92
2	C	900	HDD	C4B-C3B	3.45	1.45	1.41
2	C	900	HDD	C1A-CHA	3.43	1.49	1.39
2	C	900	HDD	C1B-CHB	3.35	1.48	1.38
2	D	900	HDD	C1A-CHA	3.34	1.49	1.39
2	B	900	HDD	FE-NC	3.32	2.06	1.92
2	C	900	HDD	C2A-C3A	3.30	1.47	1.37
3	C	1699	3TR	C5-N1	3.29	1.36	1.33
2	B	900	HDD	O1D-CGD	3.26	1.41	1.35
2	D	900	HDD	C2A-C3A	3.24	1.47	1.37
2	B	900	HDD	C4B-CHC	3.21	1.48	1.38
3	A	1699	3TR	C3-N3A	3.21	1.41	1.34
2	A	900	HDD	C3B-C2B	3.13	1.46	1.41
2	C	900	HDD	O1D-CGD	3.08	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	900	HDD	C1A-CHA	3.05	1.48	1.39
2	B	900	HDD	C2A-C3A	3.02	1.46	1.37
2	A	900	HDD	C1A-C2A	3.00	1.48	1.43
3	C	1699	3TR	N1-N2	2.99	1.42	1.37
2	A	900	HDD	C1B-CHB	2.86	1.47	1.38
2	D	900	HDD	C4B-CHC	2.83	1.47	1.38
2	D	900	HDD	C4C-CHD	2.81	1.47	1.39
2	A	900	HDD	C4A-CHB	2.80	1.47	1.39
2	B	900	HDD	C1A-C2A	2.74	1.48	1.43
3	D	1699	3TR	N1-N2	2.69	1.41	1.37
2	C	900	HDD	C3C-C2C	2.65	1.46	1.41
3	D	1698	3TR	N1-N2	2.64	1.41	1.37
2	D	900	HDD	C1A-C2A	2.63	1.48	1.43
2	B	900	HDD	C4A-CHB	2.56	1.46	1.39
3	B	1700	3TR	C3-N3A	2.56	1.39	1.34
3	B	1700	3TR	N1-N2	2.53	1.41	1.37
2	B	900	HDD	C4C-CHD	2.52	1.46	1.39
2	A	900	HDD	C1C-CHC	2.50	1.46	1.39
2	D	900	HDD	C4A-CHB	2.46	1.46	1.39
2	D	900	HDD	C1B-CHB	2.45	1.45	1.38
2	A	900	HDD	C1A-CHA	2.45	1.46	1.39
2	D	900	HDD	C1C-CHC	2.43	1.46	1.39
2	A	900	HDD	C4B-CHC	2.40	1.45	1.38
2	B	900	HDD	C1B-CHB	2.36	1.45	1.38
2	C	900	HDD	C1C-CHC	2.33	1.46	1.39
2	A	900	HDD	C4C-CHD	2.31	1.46	1.39
2	A	900	HDD	C2A-C3A	2.27	1.44	1.37
2	C	900	HDD	C4B-CHC	2.23	1.45	1.38
2	A	900	HDD	C4B-NB	-2.23	1.33	1.37
2	B	900	HDD	C4C-NC	-2.21	1.32	1.36
3	C	1698	3TR	N1-N2	2.19	1.41	1.37
2	C	900	HDD	C4C-CHD	2.19	1.45	1.39
2	A	900	HDD	O2A-CGA	-2.18	1.22	1.30
2	D	900	HDD	OND-C2D	2.18	1.47	1.42
2	C	900	HDD	C1A-C2A	2.16	1.47	1.43
2	B	900	HDD	O2A-CGA	-2.12	1.22	1.30
2	A	900	HDD	C4A-NA	-2.10	1.32	1.36
2	D	900	HDD	C4C-NC	-2.10	1.32	1.36
3	B	1699	3TR	N1-N2	2.08	1.40	1.37
2	A	900	HDD	C4C-NC	-2.08	1.32	1.36
2	C	900	HDD	C4C-NC	-2.08	1.32	1.36
2	B	900	HDD	CHD-C1D	-2.06	1.33	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	900	HDD	C1B-NB	-2.05	1.34	1.37
3	D	1698	3TR	C5-N4	2.04	1.38	1.35
2	A	900	HDD	CHD-C1D	-2.00	1.33	1.36

All (135) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	900	HDD	C3C-C2C-C1C	-13.33	99.20	107.00
2	D	900	HDD	C3C-C2C-C1C	-12.82	99.50	107.00
2	B	900	HDD	C3C-C2C-C1C	-11.59	100.22	107.00
2	D	900	HDD	C1B-C2B-C3B	-11.22	99.61	107.07
2	B	900	HDD	C1B-C2B-C3B	-11.07	99.70	107.07
2	A	900	HDD	C3C-C2C-C1C	-10.72	100.72	107.00
2	C	900	HDD	C1B-C2B-C3B	-10.42	100.14	107.07
2	A	900	HDD	C1B-C2B-C3B	-10.31	100.21	107.07
2	C	900	HDD	C2C-C1C-NC	9.80	116.81	109.41
2	D	900	HDD	C2C-C1C-NC	9.71	116.75	109.41
2	B	900	HDD	C2B-C1B-NB	9.67	116.71	109.41
2	C	900	HDD	C2B-C1B-NB	9.49	116.58	109.41
2	D	900	HDD	C2B-C1B-NB	9.13	116.31	109.41
2	A	900	HDD	C2C-C1C-NC	9.10	116.28	109.41
2	A	900	HDD	C2B-C1B-NB	8.02	115.46	109.41
2	B	900	HDD	C2C-C1C-NC	7.92	115.39	109.41
3	A	1699	3TR	N2-C3-N4	-7.76	111.64	117.09
3	C	1699	3TR	N2-C3-N4	-7.71	111.68	117.09
2	C	900	HDD	O1D-C3D-CAD	-7.53	100.19	105.29
2	A	900	HDD	C3A-C4A-NA	7.44	115.03	109.41
2	B	900	HDD	C3A-C4A-NA	7.02	114.71	109.41
2	B	900	HDD	C4A-C3A-C2A	-6.52	102.46	107.00
3	B	1700	3TR	N2-C3-N4	-6.45	112.56	117.09
2	C	900	HDD	C3A-C4A-NA	6.03	113.96	109.41
2	D	900	HDD	C3A-C4A-NA	5.89	113.86	109.41
2	D	900	HDD	C2D-C1D-ND	5.87	115.98	105.53
2	B	900	HDD	C2D-C1D-ND	5.86	115.96	105.53
2	A	900	HDD	C2D-C1D-ND	5.71	115.71	105.53
2	C	900	HDD	C4A-C3A-C2A	-5.70	103.03	107.00
2	C	900	HDD	C3C-CAC-CBC	-5.62	114.31	125.95
2	C	900	HDD	C3D-C4D-ND	5.45	115.01	105.75
2	D	900	HDD	C4A-C3A-C2A	-5.41	103.23	107.00
2	D	900	HDD	C3D-C4D-ND	5.16	114.53	105.75
3	C	1698	3TR	N2-C3-N4	-5.11	113.50	117.09
2	A	900	HDD	C3D-C4D-ND	5.05	114.34	105.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1698	3TR	N2-C3-N4	-5.04	113.55	117.09
2	C	900	HDD	C2D-C1D-ND	5.04	114.50	105.53
2	A	900	HDD	C4A-C3A-C2A	-5.02	103.50	107.00
2	C	900	HDD	C3B-CAB-CBB	-4.90	115.79	125.95
2	B	900	HDD	C3D-C4D-ND	4.89	114.06	105.75
2	D	900	HDD	C4D-ND-C1D	-4.85	104.65	107.94
2	A	900	HDD	C4D-ND-C1D	-4.82	104.67	107.94
3	A	1698	3TR	N2-C3-N4	-4.80	113.72	117.09
2	B	900	HDD	O1D-C3D-CAD	-4.76	102.07	105.29
2	A	900	HDD	CMC-C2C-C3C	4.72	132.41	124.97
2	D	900	HDD	O1D-C3D-CAD	-4.71	102.10	105.29
2	C	900	HDD	CMB-C2B-C3B	4.70	132.37	124.97
2	A	900	HDD	OND-C2D-CMD	-4.66	101.49	109.57
2	B	900	HDD	C3B-CAB-CBB	-4.61	116.40	125.95
2	C	900	HDD	CBD-CAD-C3D	4.57	112.16	105.00
2	B	900	HDD	CMC-C2C-C3C	4.54	132.13	124.97
3	C	1699	3TR	N3A-C3-N2	4.54	129.09	123.74
2	D	900	HDD	CMC-C2C-C3C	4.49	132.05	124.97
2	A	900	HDD	C1A-C2A-C3A	-4.37	102.39	106.92
2	A	900	HDD	CBA-CAA-C2A	-4.35	105.03	112.69
2	B	900	HDD	C4D-ND-C1D	-4.33	105.01	107.94
3	D	1699	3TR	N2-C3-N4	-4.27	114.09	117.09
2	D	900	HDD	CAA-CBA-CGA	-4.19	99.99	113.47
2	B	900	HDD	C3C-CAC-CBC	-4.18	117.30	125.95
2	C	900	HDD	C4D-ND-C1D	-4.14	105.13	107.94
2	B	900	HDD	OND-C2D-CMD	-4.00	102.63	109.57
2	C	900	HDD	CBA-CAA-C2A	-3.96	105.71	112.69
2	D	900	HDD	C3C-C4C-NC	3.90	112.43	108.64
2	C	900	HDD	CMC-C2C-C3C	3.89	131.09	124.97
2	A	900	HDD	C3A-C4A-CHB	-3.67	119.05	126.00
2	B	900	HDD	CMB-C2B-C3B	3.62	130.67	124.97
2	C	900	HDD	C3C-C4C-NC	3.60	112.14	108.64
2	D	900	HDD	CMB-C2B-C3B	3.60	130.64	124.97
2	A	900	HDD	CAA-CBA-CGA	-3.55	102.06	113.47
2	A	900	HDD	C3C-C4C-NC	3.53	112.07	108.64
2	D	900	HDD	C3B-CAB-CBB	-3.47	118.76	125.95
2	B	900	HDD	O1D-CGD-CBD	-3.42	106.15	110.21
2	B	900	HDD	CAA-CBA-CGA	-3.42	102.48	113.47
3	C	1699	3TR	N3A-C3-N4	-3.41	119.22	123.54
2	A	900	HDD	CMB-C2B-C3B	3.40	130.32	124.97
2	C	900	HDD	C3A-C4A-CHB	-3.39	119.56	126.00
2	B	900	HDD	CBA-CAA-C2A	-3.36	106.77	112.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	900	HDD	C1A-C2A-C3A	-3.36	103.44	106.92
3	B	1700	3TR	C5-N4-C3	3.35	106.69	101.77
2	B	900	HDD	C3C-C4C-NC	3.35	111.90	108.64
2	A	900	HDD	C2A-C1A-NA	3.34	114.37	109.73
3	A	1699	3TR	C5-N4-C3	3.24	106.53	101.77
2	D	900	HDD	CBD-CAD-C3D	3.22	110.04	105.00
2	A	900	HDD	C2C-C1C-CHC	-3.16	120.02	126.00
2	C	900	HDD	OND-C2D-CMD	-3.16	104.09	109.57
2	D	900	HDD	C1A-C2A-C3A	-3.15	103.66	106.92
3	B	1699	3TR	N2-C3-N4	-3.12	114.90	117.09
3	C	1699	3TR	C5-N4-C3	3.11	106.34	101.77
2	C	900	HDD	C2C-C1C-CHC	-3.05	120.22	126.00
2	A	900	HDD	C3B-CAB-CBB	-3.04	119.65	125.95
2	A	900	HDD	O1D-CGD-O2D	3.03	123.80	120.81
2	C	900	HDD	C1A-CHA-C4D	-3.02	123.78	130.06
2	D	900	HDD	CBA-CAA-C2A	-2.99	107.43	112.69
2	D	900	HDD	C2C-C1C-CHC	-2.94	120.43	126.00
2	D	900	HDD	C3A-C4A-CHB	-2.94	120.43	126.00
2	B	900	HDD	C3A-C4A-CHB	-2.92	120.47	126.00
2	C	900	HDD	CAA-CBA-CGA	-2.89	104.19	113.47
2	B	900	HDD	C2C-C1C-CHC	-2.77	120.74	126.00
2	D	900	HDD	O1D-CGD-O2D	2.77	123.54	120.81
2	C	900	HDD	C4C-CHD-C1D	-2.76	124.32	130.06
2	B	900	HDD	C1A-C2A-C3A	-2.75	104.08	106.92
3	D	1698	3TR	C5-N1-N2	-2.74	106.23	110.72
3	B	1700	3TR	N1-C5-N4	-2.73	107.70	112.11
2	B	900	HDD	C1A-CHA-C4D	-2.71	124.42	130.06
2	A	900	HDD	C4C-CHD-C1D	-2.60	124.65	130.06
2	B	900	HDD	CBD-CAD-C3D	2.60	109.07	105.00
2	D	900	HDD	C2A-C1A-NA	2.59	113.33	109.73
3	A	1699	3TR	N1-C5-N4	-2.54	108.01	112.11
2	D	900	HDD	OND-C2D-CMD	-2.53	105.18	109.57
2	D	900	HDD	CMA-C3A-C2A	2.47	129.59	124.94
2	B	900	HDD	C2A-C1A-NA	2.45	113.14	109.73
2	A	900	HDD	C2D-C1D-CHD	-2.45	116.94	123.22
3	D	1699	3TR	C5-N4-C3	2.45	105.37	101.77
2	C	900	HDD	C2A-C1A-NA	2.44	113.13	109.73
2	D	900	HDD	C3C-CAC-CBC	-2.43	120.92	125.95
3	C	1698	3TR	C5-N4-C3	2.41	105.31	101.77
2	D	900	HDD	C1A-CHA-C4D	-2.41	125.05	130.06
2	A	900	HDD	O1D-C3D-CAD	-2.35	103.70	105.29
2	C	900	HDD	C4B-C3B-C2B	-2.32	105.25	106.87

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900	HDD	C3C-CAC-CBC	-2.31	121.16	125.95
3	D	1699	3TR	N1-C5-N4	-2.28	108.42	112.11
2	B	900	HDD	O1D-CGD-O2D	2.26	123.04	120.81
2	C	900	HDD	O1D-CGD-O2D	2.25	123.03	120.81
3	A	1698	3TR	C5-N1-N2	-2.22	107.08	110.72
3	C	1699	3TR	C5-N1-N2	-2.21	107.10	110.72
2	B	900	HDD	C2D-C1D-CHD	-2.21	117.56	123.22
2	A	900	HDD	CMA-C3A-C2A	2.21	129.10	124.94
2	C	900	HDD	C2D-C1D-CHD	-2.20	117.59	123.22
2	B	900	HDD	C3D-O1D-CGD	2.14	116.66	109.33
2	D	900	HDD	C4C-C3C-CAC	-2.09	122.94	127.18
2	D	900	HDD	CAD-C3D-C2D	2.05	118.36	116.32
2	B	900	HDD	CMA-C3A-C2A	2.02	128.75	124.94
2	A	900	HDD	C4C-C3C-CAC	-2.02	123.09	127.18
2	B	900	HDD	C4C-CHD-C1D	-2.01	125.88	130.06
2	C	900	HDD	CMA-C3A-C2A	2.01	128.73	124.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	673/719 (93%)	-0.43	3 (0%) 90 94	9, 18, 33, 50	0
1	B	674/719 (93%)	-0.37	2 (0%) 91 95	11, 21, 36, 55	0
1	C	671/719 (93%)	-0.39	8 (1%) 75 83	10, 19, 43, 77	0
1	D	670/719 (93%)	-0.35	7 (1%) 79 87	11, 20, 45, 80	0
All	All	2688/2876 (93%)	-0.38	20 (0%) 84 91	9, 20, 38, 80	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	657	ASP	4.0
1	D	618	ALA	3.4
1	D	654	GLU	3.3
1	B	698	SER	3.1
1	D	672	GLU	3.1
1	C	672	GLU	2.9
1	C	654	GLU	2.9
1	D	590	GLU	2.7
1	C	618	ALA	2.4
1	A	561	SER	2.3
1	C	611	ASP	2.3
1	A	664	ASP	2.2
1	B	590	GLU	2.2
1	D	658	ALA	2.2
1	C	590	GLU	2.2
1	C	653	SER	2.1
1	C	676[A]	MET	2.1
1	D	22	PRO	2.1
1	A	565[A]	ASP	2.0
1	C	655	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	3TR	C	1699	6/6	0.26	10.63	40,43,44,44	0
3	3TR	D	1699	6/6	0.18	7.65	37,38,42,43	0
3	3TR	A	1699	6/6	0.20	5.01	30,32,35,36	0
3	3TR	B	1700	6/6	0.17	4.81	30,32,34,35	0
4	CA	C	1700	1/1	0.08	2.19	15,15,15,15	1
4	CA	D	1700	1/1	0.14	1.34	16,16,16,16	1
3	3TR	B	1699	6/6	0.12	0.89	34,34,36,37	0
2	HDD	C	900	44/44	0.10	0.25	10,13,19,22	0
2	HDD	B	900	44/44	0.08	0.18	10,13,18,21	0
2	HDD	D	900	44/44	0.10	0.12	11,14,19,23	0
2	HDD	A	900	44/44	0.09	0.07	9,13,18,22	0
3	3TR	A	1698	6/6	0.07	-0.32	24,26,27,27	0
3	3TR	D	1698	6/6	0.08	-0.56	26,28,28,30	0
3	3TR	C	1698	6/6	0.04	-1.60	23,24,24,25	0
4	CA	A	1701	1/1	0.06	-1.74	28,28,28,28	1
4	CA	B	1701	1/1	0.03	-2.41	16,16,16,16	1
4	CA	A	1700	1/1	0.04	-2.60	17,17,17,17	1

6.5 Other polymers ⓘ

There are no such residues in this entry.