



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 03:59 AM GMT

PDB ID : 4BCL
Title : FMO protein from Prosthecochloris aestuarii 2K at Room Temperature
Authors : Tronrud, D.E.; Matthews, B.W.
Deposited on : 1998-04-17
Resolution : 1.90 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	4465 (1.90-1.90)
Ramachandran outliers	78287	4413 (1.90-1.90)
Sidechain outliers	78261	4414 (1.90-1.90)
RSRZ outliers	66119	3686 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	366	

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 3304 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called BACTERIOCHLOROPHYLL A PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	350	2720	1722	481	511	6	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	117	SER	GLN	CONFLICT	UNP P11741

- Molecule 2 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula: $C_{55}H_{74}MgN_4O_6$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Mg	N	O		
2	A	1	66	55	1	4	6	0	0
2	A	1	66	55	1	4	6	0	0
2	A	1	66	55	1	4	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
2	A	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
2	A	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
2	A	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	122	Total	O	0	0
			122	122		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: BACTERIOCHLOROPHYLL A PROTEIN

Chain A: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	111.90Å 111.90Å 98.30Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 1.90 22.23 – 1.84	Depositor EDS
% Data completeness (in resolution range)	79.0 (20.00-1.90) 76.1 (22.23-1.84)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.29 (at 1.84Å)	Xtriage
Refinement program	TNT V. 4-C	Depositor
R, R_{free}	0.178 , (Not available) 0.173 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	17.1	Xtriage
Anisotropy	0.170	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 64.3	EDS
Estimated twinning fraction	0.034 for h,-h-k,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	1 of 46456 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3304	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: BCL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.26	18/2783 (0.6%)	1.80	66/3771 (1.8%)

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	195	GLU	CD-OE1	9.45	1.36	1.25
1	A	211	GLU	CD-OE1	9.06	1.35	1.25
1	A	163	GLU	CD-OE1	7.86	1.34	1.25
1	A	241	GLU	CD-OE1	7.77	1.34	1.25
1	A	266	GLU	CD-OE2	7.48	1.33	1.25
1	A	337	GLU	CD-OE1	6.95	1.33	1.25
1	A	246	GLU	CD-OE1	6.60	1.32	1.25
1	A	195	GLU	CD-OE2	-6.58	1.18	1.25
1	A	90	GLU	CD-OE2	6.05	1.32	1.25
1	A	182	GLU	CD-OE2	5.96	1.32	1.25
1	A	361	GLU	CD-OE2	5.95	1.32	1.25
1	A	71	GLU	CD-OE1	5.94	1.32	1.25
1	A	84	GLU	CD-OE2	5.88	1.32	1.25
1	A	100	GLU	CD-OE1	5.68	1.31	1.25
1	A	336	GLU	CD-OE2	5.64	1.31	1.25
1	A	16	GLU	CD-OE1	5.19	1.31	1.25
1	A	20	GLU	CD-OE1	5.14	1.31	1.25
1	A	255	GLU	CD-OE1	5.01	1.31	1.25

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	124	TYR	O-C-N	9.47	137.85	122.70
1	A	93	ASP	CB-CG-OD1	-9.31	109.92	118.30
1	A	139	MET	CA-CB-CG	-9.19	97.67	113.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	154	ASP	CB-CG-OD1	-8.94	110.25	118.30
1	A	270	ASP	CB-CG-OD1	-8.74	110.43	118.30
1	A	181	ARG	NE-CZ-NH1	-8.74	115.93	120.30
1	A	364	TYR	CB-CG-CD2	-8.69	115.78	121.00
1	A	124	TYR	CB-CA-C	-8.60	93.19	110.40
1	A	14	ASP	CB-CG-OD1	-8.32	110.81	118.30
1	A	53	ASP	CB-CG-OD1	8.01	125.51	118.30
1	A	95	ARG	NE-CZ-NH1	-7.92	116.34	120.30
1	A	154	ASP	CB-CG-OD2	7.85	125.36	118.30
1	A	259	ARG	NE-CZ-NH2	-7.49	116.56	120.30
1	A	306	ASP	CB-CG-OD1	-7.46	111.58	118.30
1	A	199	ARG	NE-CZ-NH1	7.34	123.97	120.30
1	A	53	ASP	CB-CG-OD2	-7.23	111.79	118.30
1	A	364	TYR	CB-CG-CD1	6.91	125.15	121.00
1	A	95	ARG	NE-CZ-NH2	6.75	123.68	120.30
1	A	123	TYR	C-N-CA	-6.74	104.86	121.70
1	A	341	SER	N-CA-CB	6.70	120.55	110.50
1	A	155	ASN	N-CA-CB	6.62	122.51	110.60
1	A	142	ARG	NE-CZ-NH1	6.55	123.58	120.30
1	A	32	ARG	NE-CZ-NH1	6.48	123.54	120.30
1	A	146	ASP	CB-CG-OD1	6.47	124.12	118.30
1	A	259	ARG	NE-CZ-NH1	6.46	123.53	120.30
1	A	93	ASP	CB-CG-OD2	6.44	124.10	118.30
1	A	221	THR	CA-CB-CG2	-6.40	103.44	112.40
1	A	278	ARG	N-CA-CB	-6.31	99.24	110.60
1	A	324	ARG	NE-CZ-NH1	6.19	123.40	120.30
1	A	90	GLU	CB-CA-C	-6.18	98.04	110.40
1	A	285	ARG	NE-CZ-NH1	-6.15	117.22	120.30
1	A	324	ARG	NE-CZ-NH2	-6.14	117.23	120.30
1	A	47	ASP	CB-CG-OD1	-6.11	112.80	118.30
1	A	93	ASP	CB-CA-C	-6.11	98.18	110.40
1	A	157	ASP	CB-CG-OD1	-6.10	112.81	118.30
1	A	113	SER	N-CA-CB	6.10	119.65	110.50
1	A	310	ASP	CB-CG-OD1	-5.99	112.91	118.30
1	A	131	ARG	CG-CD-NE	-5.97	99.26	111.80
1	A	42	PRO	N-CA-CB	5.92	110.40	103.30
1	A	184	TRP	N-CA-CB	-5.90	99.99	110.60
1	A	124	TYR	CA-C-O	-5.86	107.79	120.10
1	A	75	ASP	CB-CG-OD2	5.78	123.50	118.30
1	A	331	ARG	N-CA-CB	-5.73	100.28	110.60
1	A	146	ASP	CB-CG-OD2	-5.69	113.18	118.30
1	A	360	PHE	CB-CG-CD2	-5.68	116.83	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	14	ASP	CB-CG-OD2	5.63	123.37	118.30
1	A	286	ARG	CD-NE-CZ	-5.58	115.78	123.60
1	A	65	ARG	CA-CB-CG	-5.46	101.38	113.40
1	A	12	HIS	CB-CA-C	-5.44	99.52	110.40
1	A	160	ASP	CB-CG-OD2	5.42	123.18	118.30
1	A	75	ASP	CB-CG-OD1	-5.41	113.43	118.30
1	A	67	THR	N-CA-CB	-5.40	100.04	110.30
1	A	339	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	A	91	THR	CA-CB-CG2	-5.28	105.00	112.40
1	A	178	ASP	CB-CG-OD1	-5.28	113.55	118.30
1	A	235	SER	CB-CA-C	-5.26	100.11	110.10
1	A	34	LYS	CB-CA-C	5.25	120.91	110.40
1	A	157	ASP	CB-CG-OD2	5.22	123.00	118.30
1	A	270	ASP	CB-CA-C	-5.19	100.03	110.40
1	A	117	SER	N-CA-CB	-5.14	102.80	110.50
1	A	306	ASP	CB-CG-OD2	5.12	122.90	118.30
1	A	115	GLU	C-N-CA	-5.09	111.62	122.30
1	A	308	THR	CA-CB-CG2	-5.08	105.28	112.40
1	A	16	GLU	N-CA-CB	5.03	119.65	110.60
1	A	325	TYR	CB-CG-CD1	5.03	124.02	121.00
1	A	195	GLU	CB-CA-C	-5.01	100.38	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2720	0	2644	49	0
2	A	462	0	518	28	0
3	A	122	0	0	1	0
All	All	3304	0	3162	72	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including

hydrogens) of the entry. The overall clashscore for this entry is 11.

All (72) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:140:GLN:H	1:A:140:GLN:HE21	1.02	0.93
1:A:36:ASN:H	1:A:36:ASN:HD22	0.95	0.92
1:A:36:ASN:ND2	1:A:36:ASN:H	1.70	0.90
2:A:370:BCL:HBB2	2:A:370:BCL:HMB1	1.63	0.79
1:A:36:ASN:N	1:A:36:ASN:HD22	1.78	0.78
2:A:368:BCL:HMB1	2:A:368:BCL:HBB2	1.68	0.74
1:A:140:GLN:N	1:A:140:GLN:HE21	1.84	0.71
1:A:140:GLN:NE2	1:A:140:GLN:H	1.83	0.70
2:A:369:BCL:HMB1	2:A:369:BCL:CBB	2.23	0.69
2:A:368:BCL:CBB	2:A:368:BCL:HMB1	2.22	0.69
2:A:369:BCL:HBA2	2:A:369:BCL:C4A	2.21	0.69
2:A:370:BCL:CBB	2:A:370:BCL:HMB1	2.23	0.69
1:A:139:MET:HB2	1:A:237:SER:HB2	1.75	0.68
1:A:195:GLU:HG3	1:A:300:MET:SD	2.36	0.65
1:A:55:LYS:HG2	1:A:55:LYS:O	1.96	0.65
1:A:67:THR:HG22	3:A:446:HOH:O	1.97	0.64
2:A:372:BCL:HBB3	2:A:372:BCL:HMB1	1.80	0.64
2:A:373:BCL:HMB1	2:A:373:BCL:HBB2	1.81	0.63
1:A:135:ASN:HD21	1:A:289:ASN:HD21	1.47	0.62
1:A:26:TRP:HA	1:A:274:PRO:HA	1.81	0.62
1:A:246:GLU:CD	1:A:246:GLU:H	2.02	0.62
1:A:333:GLN:HG2	1:A:334:ASN:N	2.18	0.58
1:A:250:LYS:HB2	1:A:251:PRO:HD2	1.87	0.57
1:A:17:ILE:HD11	2:A:369:BCL:HAA1	1.86	0.56
2:A:369:BCL:HBB2	2:A:369:BCL:HMB1	1.88	0.56
1:A:250:LYS:HB2	1:A:251:PRO:CD	2.36	0.56
2:A:372:BCL:HMB1	2:A:372:BCL:CBB	2.38	0.54
1:A:36:ASN:ND2	1:A:36:ASN:N	2.44	0.54
1:A:90:GLU:HG3	1:A:94:ARG:NH1	2.24	0.53
1:A:317:LEU:HB3	1:A:318:PRO:HD2	1.89	0.53
1:A:41:ILE:HD13	1:A:41:ILE:N	2.26	0.51
1:A:348:TRP:O	1:A:351:HIS:HB3	2.11	0.51
1:A:244:PRO:HG2	2:A:373:BCL:HMB3	1.93	0.50
2:A:367:BCL:HBB2	2:A:367:BCL:HMB1	1.93	0.49
1:A:70:ILE:HD12	1:A:81:LEU:HD23	1.95	0.49
1:A:284:LEU:HD23	1:A:365:ALA:HB2	1.94	0.49
1:A:53:ASP:OD1	1:A:253:SER:HB3	2.13	0.49
1:A:246:GLU:OE1	1:A:246:GLU:N	2.38	0.48
1:A:293:ILE:N	1:A:294:PRO:HD2	2.28	0.48
1:A:9:THR:HG21	1:A:37:VAL:CG1	2.43	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:A:371:BCL:OBB	2:A:371:BCL:HMB1	2.13	0.48
1:A:325:TYR:HB3	1:A:363:LEU:HD12	1.98	0.46
1:A:166:GLN:O	1:A:167:GLN:C	2.50	0.46
2:A:371:BCL:HHC	2:A:371:BCL:HBB3	1.97	0.45
2:A:371:BCL:H42	2:A:373:BCL:H171	1.98	0.45
1:A:81:LEU:HG	1:A:82:ASN:N	2.30	0.45
2:A:370:BCL:H2A	2:A:370:BCL:O2A	2.16	0.45
1:A:35:VAL:HG22	1:A:37:VAL:HG13	2.00	0.44
1:A:13:SER:O	1:A:311:THR:HA	2.17	0.44
1:A:9:THR:HG21	1:A:37:VAL:HG12	1.99	0.44
1:A:330:PHE:HA	1:A:340:TRP:CD1	2.52	0.44
2:A:369:BCL:HBB3	2:A:369:BCL:HMB1	1.98	0.44
1:A:293:ILE:N	1:A:294:PRO:CD	2.81	0.44
1:A:297:HIS:HB3	2:A:370:BCL:C4D	2.48	0.44
2:A:372:BCL:H111	2:A:372:BCL:H142	1.77	0.43
2:A:367:BCL:HAA1	2:A:367:BCL:CBD	2.49	0.43
1:A:180:ILE:HG21	1:A:203:ILE:HD12	2.02	0.42
2:A:371:BCL:CGD	2:A:371:BCL:H2A	2.48	0.42
1:A:58:ASP:O	1:A:58:ASP:OD1	2.37	0.42
1:A:244:PRO:CG	2:A:373:BCL:HMB3	2.50	0.41
1:A:50:ILE:HD12	1:A:70:ILE:HG12	2.02	0.41
1:A:150:LYS:HA	1:A:219:GLY:O	2.20	0.41
1:A:127:ASP:HA	1:A:130:ARG:HB3	2.02	0.41
2:A:371:BCL:H62	2:A:371:BCL:H102	1.98	0.41
1:A:98:VAL:HG13	1:A:98:VAL:O	2.21	0.41
1:A:16:GLU:OE2	1:A:30:LYS:HD3	2.20	0.41
2:A:371:BCL:H142	2:A:371:BCL:H112	1.30	0.41
1:A:168:SER:O	1:A:169:ILE:C	2.58	0.41
1:A:317:LEU:HB3	1:A:318:PRO:CD	2.49	0.41
1:A:165:PHE:CD2	2:A:367:BCL:H8	2.56	0.40
2:A:370:BCL:H111	2:A:370:BCL:H152	1.68	0.40
2:A:367:BCL:HAA1	2:A:367:BCL:CGD	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	342/366 (93%)	334 (98%)	8 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	291/303 (96%)	264 (91%)	27 (9%)	13	5

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	GLU
1	A	23	SER
1	A	28	GLN
1	A	32	ARG
1	A	34	LYS
1	A	36	ASN
1	A	51	ARG
1	A	55	LYS
1	A	58	ASP
1	A	140	GLN
1	A	163	GLU
1	A	167	GLN
1	A	168	SER
1	A	208	SER
1	A	224	LYS
1	A	235	SER
1	A	246	GLU
1	A	263	GLN
1	A	268	LYS
1	A	270	ASP
1	A	288	LEU
1	A	319	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	322	LYS
1	A	324	ARG
1	A	333	GLN
1	A	360	PHE
1	A	366	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	36	ASN
1	A	79	ASN
1	A	82	ASN
1	A	132	ASN
1	A	140	GLN
1	A	198	GLN
1	A	272	ASN
1	A	289	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	BCL	A	367	1	74,74,74	2.06	14 (18%)	97,115,115	1.94	31 (31%)
2	BCL	A	368	1	74,74,74	1.64	14 (18%)	97,115,115	2.05	29 (29%)
2	BCL	A	369	1	74,74,74	1.72	12 (16%)	97,115,115	1.73	21 (21%)
2	BCL	A	370	1	74,74,74	1.65	18 (24%)	97,115,115	2.00	29 (29%)
2	BCL	A	371	1	74,74,74	1.96	15 (20%)	97,115,115	2.21	30 (30%)
2	BCL	A	372	3	74,74,74	2.00	16 (21%)	97,115,115	1.79	19 (19%)
2	BCL	A	373	1	74,74,74	1.92	22 (29%)	97,115,115	1.74	22 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BCL	A	367	1	-	0/41/137/137	0/0/9/9
2	BCL	A	368	1	-	0/41/137/137	0/0/9/9
2	BCL	A	369	1	-	0/41/137/137	0/0/9/9
2	BCL	A	370	1	-	0/41/137/137	0/0/9/9
2	BCL	A	371	1	-	0/41/137/137	0/0/9/9
2	BCL	A	372	3	-	0/41/137/137	0/0/9/9
2	BCL	A	373	1	-	0/41/137/137	0/0/9/9

All (111) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	371	BCL	C1B-C2B	8.61	1.50	1.40
2	A	367	BCL	C1B-C2B	8.12	1.50	1.40
2	A	367	BCL	C3B-C4B	7.94	1.52	1.40
2	A	372	BCL	C3B-C4B	7.93	1.52	1.40
2	A	372	BCL	MG-NB	-6.86	1.89	2.05
2	A	371	BCL	C4B-NB	6.21	1.42	1.34
2	A	368	BCL	OBD-CAD	5.75	1.30	1.22
2	A	372	BCL	C1B-NB	5.64	1.41	1.34
2	A	369	BCL	C1A-NA	5.58	1.44	1.32
2	A	373	BCL	C3B-C4B	5.58	1.48	1.40
2	A	373	BCL	C1B-C2B	5.29	1.46	1.40
2	A	369	BCL	C1B-NB	5.19	1.40	1.34
2	A	371	BCL	C3B-C4B	4.82	1.47	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	369	BCL	C4D-C3D	-4.71	1.35	1.41
2	A	367	BCL	MG-ND	4.69	2.15	2.05
2	A	367	BCL	C1A-NA	4.52	1.42	1.32
2	A	368	BCL	MG-ND	-4.47	1.95	2.05
2	A	370	BCL	O1D-CGD	-4.36	1.10	1.21
2	A	367	BCL	MG-NB	-4.16	1.95	2.05
2	A	369	BCL	C4C-NC	4.11	1.41	1.32
2	A	373	BCL	C4C-NC	4.07	1.41	1.32
2	A	372	BCL	C4B-NB	4.04	1.39	1.34
2	A	370	BCL	C1B-C2B	3.95	1.45	1.40
2	A	372	BCL	C3C-C4C	-3.93	1.46	1.51
2	A	367	BCL	C4C-NC	3.91	1.40	1.32
2	A	369	BCL	C3B-C4B	3.91	1.46	1.40
2	A	368	BCL	O1D-CGD	-3.87	1.11	1.21
2	A	369	BCL	C2A-C1A	-3.83	1.45	1.52
2	A	373	BCL	C1A-NA	3.74	1.40	1.32
2	A	371	BCL	MG-NB	-3.74	1.96	2.05
2	A	372	BCL	C4C-NC	3.70	1.40	1.32
2	A	373	BCL	CAC-C3C	3.70	1.61	1.54
2	A	371	BCL	C1B-NB	3.66	1.39	1.34
2	A	370	BCL	C3B-C4B	3.64	1.45	1.40
2	A	368	BCL	MG-NB	-3.63	1.97	2.05
2	A	373	BCL	MG-NB	-3.62	1.97	2.05
2	A	373	BCL	C3D-CAD	-3.57	1.40	1.47
2	A	370	BCL	C1A-NA	3.55	1.40	1.32
2	A	367	BCL	C1B-NB	3.44	1.38	1.34
2	A	367	BCL	C4D-C3D	-3.44	1.37	1.41
2	A	370	BCL	OBD-CAD	3.36	1.27	1.22
2	A	372	BCL	C3D-CAD	-3.35	1.40	1.47
2	A	371	BCL	C4C-NC	3.23	1.39	1.32
2	A	368	BCL	O2D-CED	3.16	1.53	1.45
2	A	368	BCL	C1A-NA	3.14	1.39	1.32
2	A	370	BCL	MG-ND	-3.12	1.98	2.05
2	A	367	BCL	C3D-CAD	-3.05	1.41	1.47
2	A	371	BCL	C1A-NA	2.98	1.38	1.32
2	A	370	BCL	C1B-NB	2.97	1.38	1.34
2	A	373	BCL	CMB-C2B	-2.97	1.45	1.51
2	A	370	BCL	O1A-CGA	-2.94	1.13	1.22
2	A	373	BCL	C2-C3	2.93	1.38	1.32
2	A	367	BCL	C3C-C4C	-2.88	1.47	1.51
2	A	373	BCL	O2D-CED	2.85	1.52	1.45
2	A	372	BCL	C1A-NA	2.82	1.38	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	370	BCL	C1A-CHA	-2.80	1.31	1.43
2	A	368	BCL	O1A-CGA	-2.79	1.14	1.22
2	A	367	BCL	MG-NA	2.74	2.15	2.07
2	A	368	BCL	O2D-CGD	-2.72	1.25	1.33
2	A	368	BCL	O2A-CGA	-2.70	1.24	1.33
2	A	372	BCL	MG-NA	2.69	2.15	2.07
2	A	371	BCL	CAA-C2A	2.69	1.58	1.54
2	A	373	BCL	O1A-CGA	-2.69	1.14	1.22
2	A	373	BCL	MG-NA	2.69	2.15	2.07
2	A	369	BCL	CHC-C1C	2.67	1.42	1.36
2	A	372	BCL	CHC-C1C	2.62	1.42	1.36
2	A	373	BCL	C4B-NB	2.55	1.37	1.34
2	A	369	BCL	MG-NA	2.49	2.14	2.07
2	A	368	BCL	C4A-NA	-2.48	1.33	1.39
2	A	373	BCL	C1-C2	2.46	1.57	1.49
2	A	371	BCL	C1D-ND	2.46	1.44	1.36
2	A	372	BCL	CMB-C2B	2.46	1.56	1.51
2	A	371	BCL	C2-C3	2.43	1.37	1.32
2	A	373	BCL	C3B-CAB	-2.43	1.42	1.49
2	A	370	BCL	C1D-C2D	2.40	1.51	1.43
2	A	373	BCL	C1B-NB	2.37	1.37	1.34
2	A	372	BCL	C1D-ND	2.37	1.43	1.36
2	A	371	BCL	C1A-CHA	-2.36	1.33	1.43
2	A	370	BCL	C4C-NC	2.35	1.37	1.32
2	A	373	BCL	C3B-C2B	-2.34	1.33	1.40
2	A	368	BCL	C4B-NB	2.33	1.37	1.34
2	A	371	BCL	MG-ND	-2.32	1.99	2.05
2	A	369	BCL	C1-C2	2.30	1.56	1.49
2	A	372	BCL	CAA-CBA	2.29	1.60	1.52
2	A	370	BCL	MG-NC	2.28	2.14	2.07
2	A	369	BCL	C3D-CAD	-2.28	1.42	1.47
2	A	371	BCL	C6-C7	2.24	1.63	1.52
2	A	368	BCL	C4C-NC	2.21	1.37	1.32
2	A	372	BCL	CMA-C3A	-2.21	1.48	1.53
2	A	370	BCL	C4D-C3D	2.20	1.44	1.41
2	A	371	BCL	C1C-NC	-2.20	1.34	1.39
2	A	370	BCL	C1-C2	2.19	1.56	1.49
2	A	370	BCL	MG-NA	2.18	2.13	2.07
2	A	373	BCL	O2D-CGD	2.17	1.38	1.33
2	A	373	BCL	CAA-CBA	2.17	1.59	1.52
2	A	369	BCL	CAC-C3C	2.17	1.58	1.54
2	A	371	BCL	C3D-CAD	-2.16	1.43	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	370	BCL	OBB-CAB	-2.16	1.15	1.22
2	A	368	BCL	C3D-C2D	-2.14	1.33	1.40
2	A	373	BCL	C4B-CHC	-2.12	1.34	1.39
2	A	370	BCL	C2C-C1C	-2.11	1.46	1.51
2	A	369	BCL	C1B-C2B	2.10	1.42	1.40
2	A	372	BCL	MG-ND	-2.10	2.00	2.05
2	A	367	BCL	OBD-CAD	-2.08	1.19	1.22
2	A	370	BCL	C6-C5	2.08	1.60	1.52
2	A	373	BCL	C4-C3	2.08	1.56	1.50
2	A	373	BCL	C1C-NC	-2.07	1.34	1.39
2	A	368	BCL	C1B-NB	2.06	1.37	1.34
2	A	372	BCL	C1A-CHA	-2.05	1.34	1.43
2	A	367	BCL	C1A-CHA	-2.03	1.34	1.43
2	A	367	BCL	CBB-CAB	2.01	1.56	1.49

All (181) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	371	BCL	C1D-C2D-C3D	-8.62	99.73	106.78
2	A	371	BCL	C2D-C1D-ND	6.49	114.31	109.41
2	A	371	BCL	C3A-C4A-NA	6.39	118.72	110.95
2	A	368	BCL	C2D-C1D-ND	6.03	113.96	109.41
2	A	370	BCL	CHA-C1A-NA	-5.84	114.23	126.22
2	A	370	BCL	CMD-C2D-C3D	5.80	134.11	124.97
2	A	367	BCL	C3A-C4A-NA	5.77	117.97	110.95
2	A	373	BCL	C3A-C4A-NA	5.72	117.91	110.95
2	A	372	BCL	C2B-C1B-NB	5.57	113.61	109.41
2	A	368	BCL	C1D-C2D-C3D	-5.49	102.29	106.78
2	A	372	BCL	C1-C2-C3	-5.42	116.55	126.19
2	A	369	BCL	C3A-C4A-NA	-5.06	104.79	110.95
2	A	372	BCL	C2C-C3C-C4C	4.95	107.92	101.05
2	A	368	BCL	CAC-C3C-C2C	-4.94	102.55	113.89
2	A	373	BCL	CBA-CAA-C2A	-4.93	99.39	114.01
2	A	367	BCL	CMD-C2D-C3D	4.85	132.60	124.97
2	A	368	BCL	C3A-C4A-NA	4.83	116.83	110.95
2	A	370	BCL	C3A-C4A-NA	4.76	116.74	110.95
2	A	369	BCL	C1B-CHB-C4A	-4.70	120.29	130.06
2	A	368	BCL	O2D-CGD-O1D	-4.62	114.40	123.79
2	A	369	BCL	C2A-C3A-C4A	4.56	108.41	101.40
2	A	369	BCL	C4-C3-C5	4.51	122.25	115.39
2	A	368	BCL	O2D-CGD-CBD	4.42	120.33	111.33
2	A	367	BCL	C11-C12-C13	-4.38	102.53	115.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	367	BCL	OBD-CAD-CBD	-4.30	119.44	125.94
2	A	367	BCL	C2C-C1C-NC	4.21	116.08	110.95
2	A	368	BCL	CMB-C2B-C1B	-4.19	122.17	128.62
2	A	371	BCL	CBA-CAA-C2A	-4.10	101.83	114.01
2	A	372	BCL	C4-C3-C5	4.09	121.61	115.39
2	A	372	BCL	C4B-CHC-C1C	-4.09	121.55	130.06
2	A	368	BCL	C4D-ND-C1D	-4.08	101.64	106.57
2	A	367	BCL	C1D-C2D-C3D	-4.05	103.47	106.78
2	A	370	BCL	C2A-C1A-NA	4.02	115.70	111.24
2	A	370	BCL	CBD-CHA-C1A	-3.98	123.57	128.77
2	A	371	BCL	C11-C12-C13	-3.92	103.84	115.14
2	A	371	BCL	CHA-C1A-NA	-3.89	118.24	126.22
2	A	370	BCL	CAA-C2A-C1A	-3.86	101.99	111.62
2	A	373	BCL	C11-C10-C8	-3.86	104.03	115.14
2	A	370	BCL	C3B-C4B-NB	-3.84	104.91	108.64
2	A	371	BCL	CED-O2D-CGD	-3.84	106.87	116.02
2	A	371	BCL	O2D-CGD-O1D	-3.82	116.04	123.79
2	A	369	BCL	C2A-C1A-NA	3.81	115.46	111.24
2	A	373	BCL	CMB-C2B-C1B	-3.80	122.78	128.62
2	A	371	BCL	C1-C2-C3	-3.79	119.45	126.19
2	A	370	BCL	CMC-C2C-C1C	-3.72	100.97	111.76
2	A	373	BCL	CHA-C1A-NA	-3.72	118.59	126.22
2	A	369	BCL	CAA-C2A-C3A	-3.71	104.26	113.04
2	A	369	BCL	C6-C7-C8	-3.69	104.52	115.14
2	A	369	BCL	C3A-C2A-C1A	-3.67	95.90	101.08
2	A	371	BCL	C2A-C1A-NA	3.65	115.28	111.24
2	A	371	BCL	C2B-C1B-NB	-3.63	106.67	109.41
2	A	370	BCL	C4B-NB-C1B	3.57	111.47	106.76
2	A	370	BCL	O2D-CGD-CBD	3.53	118.53	111.33
2	A	372	BCL	CAA-C2A-C3A	-3.51	104.73	113.04
2	A	373	BCL	CHB-C4A-NA	-3.51	120.42	124.58
2	A	368	BCL	C16-C15-C13	-3.48	105.12	115.14
2	A	373	BCL	CMD-C2D-C3D	3.46	130.42	124.97
2	A	370	BCL	C1D-C2D-C3D	-3.46	103.95	106.78
2	A	370	BCL	C2B-C1B-NB	-3.44	106.81	109.41
2	A	373	BCL	C9-C8-C7	-3.37	98.65	111.02
2	A	373	BCL	C1-C2-C3	-3.32	120.28	126.19
2	A	372	BCL	C1D-C2D-C3D	-3.31	104.08	106.78
2	A	369	BCL	OBD-CAD-CBD	-3.30	120.95	125.94
2	A	371	BCL	C3A-C4A-CHB	-3.24	117.59	124.33
2	A	367	BCL	C16-C15-C13	-3.24	105.81	115.14
2	A	372	BCL	CHC-C4B-NB	3.20	129.93	124.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	368	BCL	CHA-C1A-NA	-3.16	119.74	126.22
2	A	371	BCL	O2A-C1-C2	-3.14	101.74	108.55
2	A	372	BCL	C14-C13-C15	-3.12	99.57	111.02
2	A	367	BCL	CBC-CAC-C3C	-3.11	105.96	113.61
2	A	368	BCL	C11-C10-C8	-3.09	106.25	115.14
2	A	371	BCL	CMB-C2B-C1B	-3.07	123.91	128.62
2	A	367	BCL	C1-C2-C3	-3.06	120.74	126.19
2	A	368	BCL	C4B-CHC-C1C	-3.06	123.69	130.06
2	A	370	BCL	CHC-C1C-NC	-3.05	120.96	124.58
2	A	367	BCL	C4D-C3D-CAD	-3.05	104.31	108.05
2	A	371	BCL	C4D-C3D-C2D	3.04	111.14	107.42
2	A	367	BCL	CHA-C1A-NA	-3.01	120.03	126.22
2	A	370	BCL	C15-C13-C12	-2.99	96.49	111.92
2	A	371	BCL	CMD-C2D-C3D	2.97	129.65	124.97
2	A	369	BCL	CAA-C2A-C1A	2.96	119.00	111.62
2	A	371	BCL	CAC-C3C-C2C	-2.90	107.24	113.89
2	A	370	BCL	C16-C17-C18	-2.87	101.16	115.69
2	A	373	BCL	C3C-C4C-NC	2.86	115.28	111.60
2	A	369	BCL	C3A-C4A-CHB	-2.86	118.39	124.33
2	A	370	BCL	CMB-C2B-C1B	-2.84	124.25	128.62
2	A	368	BCL	C1C-NC-C4C	-2.80	104.39	107.79
2	A	369	BCL	CMD-C2D-C3D	2.79	129.36	124.97
2	A	367	BCL	OBB-CAB-CBB	-2.78	113.22	120.13
2	A	367	BCL	C7-C6-C5	-2.75	104.89	113.01
2	A	368	BCL	OBD-CAD-CBD	-2.75	121.79	125.94
2	A	371	BCL	C14-C13-C15	-2.73	101.00	111.02
2	A	370	BCL	C4B-CHC-C1C	-2.73	124.39	130.06
2	A	372	BCL	C16-C17-C18	-2.68	102.09	115.69
2	A	367	BCL	C4A-NA-C1A	-2.68	102.83	106.52
2	A	371	BCL	O1D-CGD-CBD	2.68	129.91	124.42
2	A	372	BCL	C4-C3-C2	-2.67	118.23	123.52
2	A	368	BCL	C11-C12-C13	-2.67	107.44	115.14
2	A	367	BCL	CAA-C2A-C1A	2.66	118.27	111.62
2	A	367	BCL	CAC-C3C-C4C	-2.64	106.73	112.58
2	A	373	BCL	O2A-CGA-O1A	-2.61	116.29	123.43
2	A	373	BCL	OBD-CAD-CBD	-2.60	122.01	125.94
2	A	367	BCL	CGD-CBD-CAD	-2.60	102.12	110.96
2	A	373	BCL	C2C-C1C-NC	2.57	114.08	110.95
2	A	370	BCL	C4B-C3B-C2B	2.57	110.08	106.97
2	A	367	BCL	CMB-C2B-C3B	2.56	129.00	124.97
2	A	371	BCL	OBD-CAD-CBD	-2.56	122.08	125.94
2	A	368	BCL	C7-C6-C5	-2.55	105.50	113.01

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	368	BCL	CMC-C2C-C3C	-2.54	103.21	114.14
2	A	367	BCL	CMB-C2B-C1B	-2.54	124.72	128.62
2	A	370	BCL	C11-C12-C13	-2.54	107.83	115.14
2	A	367	BCL	C2C-C3C-C4C	2.54	104.56	101.05
2	A	370	BCL	O2D-CGD-O1D	-2.54	118.64	123.79
2	A	373	BCL	O2A-CGA-CBA	2.52	119.87	111.94
2	A	367	BCL	O1D-CGD-CBD	2.51	129.57	124.42
2	A	372	BCL	C2B-C1B-CHB	-2.51	121.24	126.00
2	A	368	BCL	CHC-C1C-NC	2.50	127.54	124.58
2	A	370	BCL	CMD-C2D-C1D	-2.49	121.23	126.16
2	A	367	BCL	C4D-ND-C1D	2.47	109.55	106.57
2	A	369	BCL	C9-C8-C10	-2.46	101.97	111.02
2	A	373	BCL	C2A-C1A-CHA	2.47	128.10	123.83
2	A	372	BCL	C11-C10-C8	-2.46	108.05	115.14
2	A	369	BCL	C7-C6-C5	-2.45	105.78	113.01
2	A	367	BCL	CHB-C4A-NA	-2.45	121.67	124.58
2	A	368	BCL	O2A-CGA-O1A	-2.45	116.74	123.43
2	A	372	BCL	C11-C12-C13	-2.43	108.14	115.14
2	A	372	BCL	CHA-C1A-NA	-2.42	121.24	126.22
2	A	369	BCL	CHA-C1A-NA	-2.42	121.24	126.22
2	A	372	BCL	OBD-CAD-CBD	-2.42	122.29	125.94
2	A	373	BCL	C7-C6-C5	-2.40	105.94	113.01
2	A	369	BCL	OBB-CAB-CBB	-2.39	114.20	120.13
2	A	371	BCL	C1B-CHB-C4A	-2.39	125.10	130.06
2	A	373	BCL	C16-C15-C13	-2.36	108.34	115.14
2	A	373	BCL	C1C-NC-C4C	-2.35	104.94	107.79
2	A	370	BCL	O2A-CGA-CBA	2.35	119.33	111.94
2	A	370	BCL	C3A-C4A-CHB	-2.34	119.46	124.33
2	A	371	BCL	C4A-NA-C1A	-2.34	103.30	106.52
2	A	368	BCL	OBB-CAB-CBB	-2.33	114.35	120.13
2	A	372	BCL	C3A-C4A-NA	2.32	113.78	110.95
2	A	368	BCL	CMA-C3A-C4A	-2.32	105.02	111.76
2	A	370	BCL	CMC-C2C-C3C	-2.31	104.20	114.14
2	A	368	BCL	C3C-C2C-C1C	2.31	104.95	101.40
2	A	370	BCL	CMB-C2B-C3B	2.30	128.59	124.97
2	A	373	BCL	C3A-C4A-CHB	-2.30	119.55	124.33
2	A	371	BCL	C9-C8-C7	-2.29	102.61	111.02
2	A	371	BCL	CAA-CBA-CGA	-2.27	105.95	113.27
2	A	373	BCL	CMB-C2B-C3B	2.27	128.55	124.97
2	A	370	BCL	C4A-NA-C1A	-2.26	103.40	106.52
2	A	370	BCL	C17-C16-C15	-2.26	101.42	113.02
2	A	371	BCL	C3B-C4B-NB	2.26	110.84	108.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	368	BCL	CMB-C2B-C3B	2.23	128.49	124.97
2	A	371	BCL	CMA-C3A-C4A	-2.21	105.33	111.76
2	A	371	BCL	C7-C6-C5	-2.21	106.49	113.01
2	A	370	BCL	C11-C10-C8	-2.20	108.79	115.14
2	A	368	BCL	CHB-C1B-NB	2.20	128.26	124.58
2	A	372	BCL	OBB-CAB-CBB	-2.19	114.69	120.13
2	A	367	BCL	C3D-CAD-CBD	2.18	110.68	107.60
2	A	367	BCL	C4-C3-C5	2.18	118.71	115.39
2	A	368	BCL	C2C-C1C-CHC	-2.16	119.83	124.33
2	A	367	BCL	C3A-C4A-CHB	-2.16	119.83	124.33
2	A	368	BCL	CMD-C2D-C3D	2.16	128.37	124.97
2	A	367	BCL	CHC-C1C-NC	-2.16	122.02	124.58
2	A	369	BCL	C1-C2-C3	-2.15	122.36	126.19
2	A	368	BCL	C3B-C4B-NB	-2.14	106.56	108.64
2	A	369	BCL	CMC-C2C-C3C	-2.14	104.95	114.14
2	A	371	BCL	OBB-CAB-CBB	-2.13	114.84	120.13
2	A	371	BCL	CMD-C2D-C1D	2.12	130.36	126.16
2	A	367	BCL	C4-C3-C2	-2.12	119.32	123.52
2	A	369	BCL	C4-C3-C2	-2.12	119.32	123.52
2	A	369	BCL	CBA-CAA-C2A	-2.12	107.73	114.01
2	A	373	BCL	C12-C11-C10	-2.11	102.20	113.02
2	A	370	BCL	O2A-CGA-O1A	-2.10	117.69	123.43
2	A	367	BCL	CBB-CAB-C3B	2.08	126.39	120.30
2	A	367	BCL	C4D-C3D-C2D	2.06	109.94	107.42
2	A	367	BCL	C2C-C1C-CHC	-2.04	120.08	124.33
2	A	368	BCL	CED-O2D-CGD	-2.04	111.16	116.02
2	A	369	BCL	C1D-CHD-C4C	-2.03	122.05	125.55
2	A	371	BCL	C17-C16-C15	-2.02	102.63	113.02
2	A	372	BCL	C2C-C1C-NC	2.02	113.40	110.95
2	A	373	BCL	C3C-C2C-C1C	2.01	104.50	101.40
2	A	368	BCL	C2A-C3A-C4A	-2.01	98.31	101.40

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	350/366 (95%)	-0.69	2 (0%) 86 88	8, 22, 56, 91	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	8	THR	3.3
1	A	167	GLN	2.2

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	BCL	A	368	66/66	0.08	1.92	6,18,35,53	0
2	BCL	A	371	66/66	0.08	1.49	6,15,32,60	0
2	BCL	A	373	66/66	0.08	0.96	8,18,37,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	BCL	A	372	66/66	0.07	0.91	4,18,37,46	0
2	BCL	A	370	66/66	0.06	0.56	3,15,41,50	0
2	BCL	A	367	66/66	0.08	0.51	9,20,35,47	0
2	BCL	A	369	66/66	0.07	0.29	6,13,24,33	0

6.5 Other polymers ⓘ

There are no such residues in this entry.