



# Full wwPDB X-ray Structure Validation Report (i)

Feb 28, 2014 – 11:34 PM GMT

PDB ID : 1BEU  
Title : TRP SYNTHASE (D60N-IPP-SER) WITH K+  
Authors : Rhee, S.; Mozzarelli, A.; Miles, E.W.; Davies, D.R.  
Deposited on : 1998-05-18  
Resolution : 1.90 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance (i)

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	3684 (1.90-1.90)
Clashscore	79885	4465 (1.90-1.90)
Ramachandran outliers	78287	4413 (1.90-1.90)
Sidechain outliers	78261	4414 (1.90-1.90)
RSRZ outliers	66119	3686 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	268	
2	B	397	

## 2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 5233 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TRYPTOPHAN SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	253	Total	C 1916	N 1221	O 331	S 356	8	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	60	ASN	ASP	ENGINEERED	UNP P00929

- Molecule 2 is a protein called TRYPTOPHAN SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	389	Total	C 2950	N 1855	O 518	S 558	19	0	0


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	396	LEU	GLU	CONFLICT	UNP P0A2K1

- Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total K 1 1	0	0

- Molecule 4 is INDOLE-3-PROPANOL PHOSPHATE (three-letter code: IPL) (formula: C<sub>11</sub>H<sub>14</sub>NO<sub>4</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
4	A	1	17	11	1	4	1	0	0

- Molecule 5 is [3-HYDROXY-2-METHYL-5-PHOSPHONOOXYMETHYL-PYRIDIN-4-YLMETHYL]-SERINE (three-letter code: PLS) (formula: C<sub>11</sub>H<sub>17</sub>N<sub>2</sub>O<sub>8</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	B	1	22	11	2	8	1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	119	Total O 119 119	0	0
6	B	208	Total O 208 208	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: TRYPTOPHAN SYNTHASE

Chain A:  

- Molecule 2: TRYPTOPHAN SYNTHASE

Chain B:  

ILE

## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	182.30Å    59.70Å    67.40Å 90.00°    94.60°    90.00°	Depositor
Resolution (Å)	8.00 – 1.90 8.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	80.3 (8.00-1.90) 84.2 (8.00-1.90)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.05	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.48 (at 1.90Å)	Xtriage
Refinement program	X-PLOR	Depositor
$R$ , $R_{free}$	0.219 , 0.278 0.213 , 0.265	Depositor DCC
$R_{free}$ test set	4800 reflections (10.11%)	DCC
Wilson B-factor (Å <sup>2</sup> )	19.9	Xtriage
Anisotropy	0.405	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.50 , 77.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$<  L  > = 0.49$ , $< L^2 > = 0.33$	Xtriage
Outliers	0 of 48958 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	5233	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.44% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: K, PLS, IPL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.34	0/1955	0.59	0/2654
2	B	0.35	0/3008	0.63	2/4064 (0.0%)
All	All	0.35	0/4963	0.62	2/6718 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	111	GLY	N-CA-C	-6.01	98.07	113.10
2	B	9	PHE	N-CA-C	-5.05	97.35	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1916	0	1925	32	0
2	B	2950	0	2926	71	0
3	B	1	0	0	0	0
4	A	17	0	12	1	0
5	B	22	0	13	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	119	0	0	4	0
6	B	208	0	0	5	0
All	All	5233	0	4876	98	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 10.

All (98) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:303:GLY:HA2	5:B:398:PLS:HB2	1.49	0.94
2:B:112:ALA:H	5:B:398:PLS:HB1	1.36	0.88
1:A:57:PRO:HB2	1:A:60:ASN:HB2	1.60	0.83
2:B:90:GLN:HE22	2:B:94:GLN:HE21	1.29	0.80
1:A:92:HIS:HB2	1:A:95:ILE:HD11	1.61	0.80
2:B:139:VAL:HG21	2:B:158:PRO:HB3	1.66	0.78
1:A:95:ILE:HD13	1:A:97:ILE:HD11	1.69	0.74
1:A:76:VAL:HA	1:A:80:GLN:NE2	2.06	0.70
2:B:31:ALA:HA	2:B:34:ARG:HE	1.57	0.67
2:B:90:GLN:NE2	2:B:94:GLN:HE21	1.91	0.67
2:B:137:LYS:O	2:B:141:ARG:HG2	1.95	0.66
1:A:89:ARG:HH12	1:A:95:ILE:HD12	1.61	0.66
2:B:385:PHE:HB3	6:B:522:HOH:O	1.98	0.63
2:B:21:LEU:HD21	2:B:178:SER:HA	1.81	0.62
2:B:91:VAL:HG22	2:B:187:MET:SD	2.40	0.62
1:A:108:ASN:HA	6:B:604:HOH:O	2.00	0.62
1:A:26:GLY:HA3	1:A:76:VAL:HG21	1.83	0.61
2:B:297:SER:OG	2:B:307:PRO:HA	2.00	0.61
2:B:168:ASP:HB2	6:B:462:HOH:O	2.03	0.59
2:B:31:ALA:HA	2:B:34:ARG:NE	2.17	0.58
1:A:61:GLY:HA2	2:B:175:ARG:HH21	1.69	0.57
2:B:195:HIS:HD2	6:B:469:HOH:O	1.86	0.57
2:B:110:THR:CG2	2:B:116:GLY:H	2.18	0.57
1:A:58:LEU:HD23	2:B:279:TYR:CE1	2.39	0.57
2:B:270:PRO:HG2	2:B:309:VAL:HG13	1.87	0.56
2:B:44:GLN:HG2	6:B:702:HOH:O	2.04	0.56
2:B:65:ILE:HD11	2:B:73:LEU:HD23	1.87	0.56
2:B:193:GLY:HA2	2:B:280:PHE:O	2.06	0.55
2:B:65:ILE:CD1	2:B:73:LEU:HD23	2.36	0.55
1:A:89:ARG:NH1	1:A:95:ILE:HD12	2.21	0.55
2:B:90:GLN:HE22	2:B:94:GLN:NE2	2.00	0.54
2:B:110:THR:HG21	2:B:116:GLY:H	1.72	0.53
2:B:105:GLU:HG2	2:B:129:LYS:HB2	1.90	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:142:GLN:O	2:B:146:VAL:HG23	2.09	0.53
2:B:134:MET:O	2:B:158:PRO:HA	2.08	0.53
2:B:303:GLY:O	5:B:398:PLS:H4A2	2.09	0.52
1:A:20:VAL:HG22	1:A:47:ALA:HB3	1.91	0.52
1:A:243:LYS:HB2	6:A:572:HOH:O	2.08	0.52
1:A:142:ALA:O	1:A:146:HIS:HD2	1.93	0.52
1:A:89:ARG:NH2	1:A:97:ILE:HG12	2.24	0.52
2:B:29:GLU:OE2	2:B:195:HIS:HE1	1.94	0.51
1:A:11:LEU:CD1	1:A:18:ALA:HB2	2.41	0.51
2:B:216:ILE:HG21	2:B:224:PRO:HD3	1.93	0.50
2:B:276:VAL:HA	2:B:285:PRO:HA	1.93	0.50
2:B:195:HIS:CD2	2:B:196:PRO:HA	2.47	0.49
2:B:147:PHE:HE1	2:B:150:ARG:NH2	2.10	0.49
2:B:90:GLN:NE2	2:B:201:VAL:HG22	2.27	0.49
1:A:195:HIS:HE1	6:A:622:HOH:O	1.93	0.49
1:A:60:ASN:HD21	4:A:273:IPL:HN1	1.61	0.49
2:B:285:PRO:HG2	2:B:309:VAL:CG2	2.43	0.49
2:B:171:ASN:O	2:B:175:ARG:HG3	2.13	0.48
2:B:85:ALA:HB3	2:B:114:GLN:NE2	2.28	0.48
1:A:62:PRO:HD3	2:B:175:ARG:NH2	2.29	0.47
1:A:210:GLN:OE1	1:A:214:ILE:HD11	2.15	0.47
2:B:118:ALA:O	2:B:121:LEU:HG	2.15	0.47
2:B:259:GLY:O	2:B:328:THR:HG23	2.15	0.47
2:B:268:GLY:HA3	2:B:297:SER:HB3	1.96	0.46
2:B:327:ILE:HG23	2:B:331:GLU:HB2	1.98	0.46
2:B:145:ASN:ND2	2:B:148:ARG:HH21	2.14	0.46
2:B:90:GLN:HA	2:B:204:PHE:HB3	1.98	0.45
1:A:31:GLU:O	1:A:35:LYS:HG3	2.17	0.45
2:B:105:GLU:HG2	2:B:129:LYS:HE3	1.98	0.45
1:A:13:ASP:HB2	1:A:14:ARG:HH21	1.81	0.45
1:A:58:LEU:HD11	2:B:174:LEU:HD13	1.99	0.45
2:B:233:GLY:HA2	2:B:306:PHE:HD2	1.81	0.45
1:A:76:VAL:HA	1:A:80:GLN:HE22	1.82	0.44
2:B:57:THR:OG1	2:B:76:LYS:HE3	2.18	0.44
1:A:247:SER:HB3	6:A:582:HOH:O	2.16	0.44
2:B:279:TYR:CD2	2:B:294:ILE:HD13	2.53	0.43
2:B:61:LYS:HB2	2:B:74:TYR:CE2	2.53	0.43
2:B:328:THR:HG22	2:B:330:ASP:H	1.83	0.43
1:A:159:ASP:HB2	6:A:623:HOH:O	2.18	0.43
2:B:29:GLU:O	2:B:33:VAL:HG23	2.19	0.43
2:B:130:CYS:SG	2:B:132:ILE:HD11	2.59	0.42
2:B:38:ASP:HA	2:B:39:PRO:HD3	1.93	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:109:GLU:O	2:B:115:HIS:HD2	2.02	0.42
2:B:224:PRO:HA	2:B:371:LEU:HD13	2.02	0.42
1:A:132:PRO:HD3	2:B:17:VAL:O	2.20	0.42
2:B:202:ARG:HD3	2:B:312:GLN:OE1	2.20	0.42
1:A:92:HIS:CB	1:A:95:ILE:HD11	2.43	0.41
2:B:279:TYR:CG	2:B:280:PHE:N	2.88	0.41
2:B:271:LEU:O	2:B:271:LEU:HD12	2.21	0.41
1:A:11:LEU:HD11	1:A:18:ALA:HB2	2.02	0.41
1:A:36:ILE:HG23	1:A:255:LEU:HD13	2.02	0.41
2:B:21:LEU:CD2	2:B:178:SER:HA	2.49	0.41
2:B:303:GLY:O	5:B:398:PLS:H5A1	2.20	0.41
1:A:83:GLU:O	1:A:87:LEU:HG	2.20	0.41
2:B:90:GLN:HE21	2:B:90:GLN:HB2	1.55	0.41
2:B:285:PRO:HG2	2:B:309:VAL:HG22	2.02	0.41
1:A:11:LEU:HB3	1:A:16:GLU:O	2.21	0.41
2:B:328:THR:HG22	2:B:329:ASP:N	2.35	0.41
2:B:86:HIS:NE2	2:B:236:ASN:HB3	2.36	0.41
2:B:87:LYS:NZ	5:B:398:PLS:H4A1	2.36	0.40
1:A:70:ARG:NH1	1:A:242:GLU:HG2	2.36	0.40
2:B:381:ASP:O	2:B:384:ILE:HG12	2.20	0.40
2:B:113:GLY:H	2:B:142:GLN:HG2	1.85	0.40
2:B:203:GLU:O	2:B:206:ARG:HG2	2.21	0.40
2:B:233:GLY:HA2	2:B:306:PHE:CD2	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	249/268 (93%)	239 (96%)	9 (4%)	1 (0%)	43 29
2	B	387/397 (98%)	373 (96%)	14 (4%)	0	100 100
All	All	636/665 (96%)	612 (96%)	23 (4%)	1 (0%)	56 44

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	108	ASN

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	198/208 (95%)	185 (93%)	13 (7%)	24 11
2	B	305/311 (98%)	292 (96%)	13 (4%)	40 26
All	All	503/519 (97%)	477 (95%)	26 (5%)	32 19

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	GLU
1	A	10	GLN
1	A	14	ARG
1	A	25	LEU
1	A	48	LEU
1	A	50	LEU
1	A	58	LEU
1	A	95	ILE
1	A	100	LEU
1	A	117	ARG
1	A	210	GLN
1	A	245	LEU
1	A	252	LEU
2	B	4	LEU
2	B	30	GLU
2	B	90	GLN
2	B	91	VAL
2	B	110	THR
2	B	114	GLN
2	B	134	MET
2	B	188	LEU
2	B	223	LEU
2	B	333	LEU
2	B	371	LEU
2	B	376	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	388	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	GLN
1	A	60	ASN
1	A	66	ASN
1	A	68	ASN
1	A	80	GLN
1	A	146	HIS
1	A	195	HIS
1	A	244	ASN
2	B	90	GLN
2	B	114	GLN
2	B	145	ASN
2	B	195	HIS
2	B	365	GLN

### 5.3.3 RNA (i)

There are no RNA chains in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry (i)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
4	IPL	A	273	-	18,18,18	1.92	6 (33%)	25,25,25	2.25	4 (16%)
5	PLS	B	398	-	22,22,22	3.85	12 (54%)	31,31,31	3.35	15 (48%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	IPL	A	273	-	-	0/8/8/8	0/0/2/2
5	PLS	B	398	-	-	0/17/17/17	0/1/1/1

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	398	PLS	C3-C2	11.87	1.49	1.40
5	B	398	PLS	C3-C4	7.45	1.53	1.40
5	B	398	PLS	P-O4P	-5.52	1.41	1.60
5	B	398	PLS	C4A-N	-4.24	1.34	1.46
5	B	398	PLS	P-O3P	-4.01	1.40	1.54
4	A	273	IPL	O4P-C1'	-3.68	1.28	1.44
5	B	398	PLS	C2-N1	3.64	1.40	1.33
4	A	273	IPL	C5-C4	3.64	1.45	1.36
5	B	398	PLS	CA-C	3.36	1.61	1.52
4	A	273	IPL	C2-N1	3.25	1.43	1.37
5	B	398	PLS	C6-C5	3.23	1.45	1.37
5	B	398	PLS	P-O2P	-2.95	1.43	1.54
5	B	398	PLS	CA-N	2.49	1.50	1.47
4	A	273	IPL	C6-C7	2.41	1.42	1.36
4	A	273	IPL	C9-C8	2.41	1.45	1.41
5	B	398	PLS	C5-C4	2.30	1.43	1.40
4	A	273	IPL	P-O4P	-2.06	1.53	1.60
5	B	398	PLS	C6-N1	2.04	1.39	1.34

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	398	PLS	C4-C4A-N	8.49	135.35	111.67

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	398	PLS	O3P-P-O4P	8.43	129.91	106.65
5	B	398	PLS	C4A-N-CA	7.67	130.39	114.34
4	A	273	IPL	C3'-C2'-C1'	6.81	138.06	113.34
4	A	273	IPL	P-O4P-C1'	6.72	137.63	118.19
5	B	398	PLS	O3-C3-C2	4.50	125.60	117.61
5	B	398	PLS	C4A-C4-C5	-4.40	115.67	119.70
5	B	398	PLS	CB-CA-N	4.29	114.16	108.55
5	B	398	PLS	OXT-C-O	-3.15	116.94	124.07
5	B	398	PLS	O4P-C5A-C5	3.15	115.66	109.26
5	B	398	PLS	C6-N1-C2	3.11	125.94	119.28
5	B	398	PLS	C4A-C4-C3	3.06	124.19	120.31
5	B	398	PLS	OG-CB-CA	2.96	118.23	111.16
4	A	273	IPL	O4P-C1'-C2'	2.86	119.67	109.19
5	B	398	PLS	C5-C6-N1	-2.56	119.24	123.86
5	B	398	PLS	C6-C5-C4	2.23	119.80	118.10
4	A	273	IPL	C5-C4-C9	-2.15	117.75	120.88
5	B	398	PLS	OXT-C-CA	2.13	121.89	113.90
5	B	398	PLS	O3P-P-O1P	-2.04	103.76	110.44

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers i

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	253/268 (94%)	0.47	24 (9%) <span style="background-color: red;">8</span> <span style="background-color: red;">8</span>	9, 22, 58, 90	4 (1%)
2	B	389/397 (97%)	0.17	30 (7%) <span style="background-color: red;">13</span> <span style="background-color: red;">13</span>	5, 17, 51, 70	3 (0%)
All	All	642/665 (96%)	0.29	54 (8%) <span style="background-color: red;">11</span> <span style="background-color: red;">11</span>	5, 18, 55, 90	7 (1%)

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	59	ALA	6.5
1	A	268	ALA	6.4
1	A	195	HIS	5.7
1	A	212	PHE	5.1
2	B	112	ALA	5.1
1	A	192	PRO	4.9
1	A	194	HIS	4.7
2	B	161	SER	4.5
2	B	391	LEU	4.5
2	B	160	HIS	4.5
1	A	245	LEU	4.2
2	B	175	ARG	4.1
2	B	171	ASN	4.0
2	B	157	ILE	3.9
1	A	1	MET	3.9
2	B	388	HIS	3.5
1	A	247	SER	3.4
1	A	13	ASP	3.4
2	B	142	GLN	3.3
1	A	57	PRO	3.3
1	A	60	ASN	3.3
1	A	193	LEU	3.2
2	B	169	ALA	3.2
2	B	140	GLU	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	390	ILE	3.1
2	B	163	SER	3.1
2	B	135	GLY	3.0
1	A	196	LEU	2.9
1	A	248	PRO	2.9
2	B	162	GLY	2.9
1	A	5	GLU	2.8
2	B	164	ALA	2.8
2	B	110	THR	2.7
1	A	15	ARG	2.7
2	B	150	ARG	2.7
2	B	143	SER	2.6
1	A	58	LEU	2.5
2	B	137	LYS	2.5
1	A	239	LYS	2.5
2	B	159	VAL	2.5
1	A	2	GLU	2.4
2	B	385	PHE	2.4
2	B	139	VAL	2.4
1	A	61	GLY	2.3
2	B	168	ASP	2.3
2	B	165	THR	2.3
2	B	158	PRO	2.2
1	A	243	LYS	2.2
2	B	305	ASP	2.1
1	A	10	GLN	2.1
1	A	12	ASN	2.1
2	B	173	ALA	2.1
2	B	141	ARG	2.0
2	B	134	MET	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

## 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
5	PLS	B	398	22/22	0.14	0.16	11,25,34,44	0
4	IPL	A	273	17/17	0.17	0.10	43,50,55,57	0
3	K	B	400	1/1	0.06	-1.35	31,31,31,31	0

## 6.5 Other polymers (i)

There are no such residues in this entry.