



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 01:42 PM GMT

PDB ID : 2BHS
Title : CRYSTAL STRUCTURE OF CYSTEINE SYNTHASE B
Authors : Claus, M.T.; Zocher, G.E.; Maier, T.H.P.; Schulz, G.E.
Deposited on : 2005-01-18
Resolution : 2.67 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.67 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2010 (2.70-2.66)
Clashscore	79885	2450 (2.70-2.66)
Ramachandran outliers	78287	2410 (2.70-2.66)
Sidechain outliers	78261	2410 (2.70-2.66)
RSRZ outliers	66119	2013 (2.70-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	303	
1	B	303	
1	C	303	
1	D	303	

2 Entry composition i


There are 3 unique types of molecules in this entry. The entry contains 9128 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYSTEINE SYNTHASE B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	292	Total	C	N	O	S	0	0	0
			2203	1368	395	426	14			
1	B	291	Total	C	N	O	S	0	0	0
			2199	1366	394	425	14			
1	C	291	Total	C	N	O	S	0	0	0
			2199	1366	394	425	14			
1	D	291	Total	C	N	O	S	0	0	0
			2199	1366	394	425	14			

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C₈H₁₀NO₆P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	D	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	72	Total	O	0	0
			72	72		
3	B	85	Total	O	0	0
			85	85		
3	C	54	Total	O	0	0
			54	54		
3	D	57	Total	O	0	0
			57	57		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CYSTEINE SYNTHASE B

Chain A:




• Molecule 1: CYSTEINE SYNTHASE B

Chain B:




• Molecule 1: CYSTEINE SYNTHASE B


Chain C:



• Molecule 1: CYSTEINE SYNTHASE B

Chain D:





4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	195.58Å 195.58Å 235.75Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.88 – 2.67 19.88 – 2.67	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.88-2.67) 100.0 (19.88-2.67)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.36 (at 2.67Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.222 , 0.253 0.226 , 0.251	Depositor DCC
R_{free} test set	2263 reflections (3.09%)	DCC
Wilson B-factor (Å ²)	60.3	Xtriage
Anisotropy	0.022	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 37.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	10 of 75414 reflections (0.013%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9128	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.90 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.2071e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	0/2237	0.85	7/3024 (0.2%)
1	B	0.59	1/2233 (0.0%)	0.83	5/3019 (0.2%)
1	C	0.56	0/2233	0.81	4/3019 (0.1%)
1	D	0.60	0/2233	0.83	5/3019 (0.2%)
All	All	0.58	1/8936 (0.0%)	0.83	21/12081 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	D	0	2
All	All	0	3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	19	MET	SD-CE	-5.23	1.48	1.77

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	227	ASP	CB-CG-OD2	8.56	126.01	118.30
1	A	3	THR	N-CA-C	-7.87	89.76	111.00
1	C	227	ASP	CB-CG-OD2	7.58	125.12	118.30
1	B	227	ASP	CB-CG-OD2	7.06	124.65	118.30
1	D	127	LEU	N-CA-C	6.27	127.92	111.00
1	A	227	ASP	CB-CG-OD2	5.96	123.66	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	272	ASP	CB-CG-OD2	5.93	123.64	118.30
1	C	145	ASP	CB-CG-OD2	5.86	123.57	118.30
1	A	265	ARG	NE-CZ-NH1	5.86	123.23	120.30
1	D	62	ASP	CB-CG-OD2	5.83	123.55	118.30
1	B	62	ASP	CB-CG-OD2	5.80	123.52	118.30
1	A	236	ASP	CB-CG-OD2	5.59	123.33	118.30
1	C	236	ASP	CB-CG-OD2	5.41	123.17	118.30
1	A	214	THR	N-CA-C	5.40	125.59	111.00
1	C	272	ASP	CB-CG-OD2	5.36	123.12	118.30
1	B	124	ASP	CB-CG-OD2	5.35	123.11	118.30
1	B	145	ASP	CB-CG-OD2	5.26	123.03	118.30
1	D	139	ASP	CB-CG-OD2	5.22	123.00	118.30
1	A	139	ASP	CB-CG-OD2	5.20	122.98	118.30
1	A	22	ASP	CB-CG-OD2	5.16	122.94	118.30
1	B	236	ASP	CB-CG-OD2	5.10	122.89	118.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	128	GLU	Peptide
1	D	2	SER	Peptide
1	D	20	GLY	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2203	0	2206	37	0
1	B	2199	0	2203	37	0
1	C	2199	0	2203	30	0
1	D	2199	0	2203	36	0
2	A	15	0	6	1	0
2	B	15	0	6	2	0
2	C	15	0	6	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	15	0	6	1	0
3	A	72	0	0	5	0
3	B	85	0	0	13	0
3	C	54	0	0	7	0
3	D	57	0	0	6	0
All	All	9128	0	8839	137	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 8.

All (137) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:3:THR:HG22	1:B:6:GLN:HE21	1.21	1.03
1:D:127:LEU:O	1:D:127:LEU:HD22	1.76	0.84
1:A:114:THR:HB	1:A:116:GLU:OE2	1.82	0.79
1:D:175:THR:O	1:D:176:THR:HB	1.82	0.79
1:B:3:THR:HG22	1:B:6:GLN:NE2	2.02	0.73
1:C:5:GLU:HG3	1:C:82:LEU:HD21	1.73	0.69
1:D:85:TYR:HB3	3:D:2022:HOH:O	1.95	0.66
1:C:275:VAL:HG11	3:C:2045:HOH:O	1.95	0.66
1:D:128:GLU:OE1	3:D:2030:HOH:O	2.15	0.65
1:A:265:ARG:HH11	1:A:265:ARG:HG2	1.64	0.62
1:D:3:THR:O	1:D:4:LEU:C	2.38	0.61
1:C:41:LYS:HE2	1:C:72:THR:OG1	2.00	0.61
1:B:238:GLU:HA	3:B:2065:HOH:O	2.01	0.61
1:B:129:MET:O	1:B:134:GLU:HB3	2.00	0.61
1:A:147:PRO:HG3	1:A:220:ILE:HG23	1.83	0.61
1:C:127:LEU:C	3:C:2026:HOH:O	2.39	0.61
1:A:2:SER:HB2	1:B:13:LEU:O	2.01	0.61
1:A:113:VAL:HG13	1:A:117:GLN:HG3	1.83	0.60
1:B:128:GLU:OE2	1:B:128:GLU:HA	2.01	0.60
1:A:3:THR:O	1:A:4:LEU:C	2.39	0.59
1:D:127:LEU:HD23	1:D:137:LEU:HD22	1.86	0.58
1:D:4:LEU:N	1:D:4:LEU:HD12	2.17	0.58
1:B:70:GLY:N	3:B:2025:HOH:O	2.37	0.57
1:C:275:VAL:HG21	3:C:2045:HOH:O	2.05	0.56
1:D:72:THR:HG21	1:D:140:GLN:OE1	2.05	0.56
1:C:266:VAL:HB	3:C:2045:HOH:O	2.04	0.56
1:A:60:PRO:O	1:A:84:GLY:O	2.23	0.55
1:C:93:ASP:HB3	1:C:112:LEU:HD13	1.89	0.55
1:A:291:VAL:HB	3:A:2067:HOH:O	2.07	0.55
1:C:140:GLN:HG3	1:C:175:THR:HG21	1.88	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:76:LEU:HD22	1:A:138:LEU:HD13	1.90	0.54
1:D:222:ASN:HB3	1:D:225:LEU:HD12	1.89	0.54
1:A:2:SER:CB	1:B:13:LEU:O	2.56	0.53
1:B:80:ALA:HB2	1:B:87:MET:HG2	1.91	0.53
1:B:16:LEU:HD13	1:B:19:MET:HB2	1.91	0.52
1:D:175:THR:O	1:D:176:THR:CB	2.55	0.52
1:A:114:THR:CB	1:A:116:GLU:OE2	2.55	0.52
1:A:150:HIS:CD2	1:A:178:THR:HA	2.44	0.52
1:A:41:LYS:HE2	1:A:72:THR:OG1	2.09	0.52
1:A:114:THR:OG1	1:A:117:GLN:HG2	2.10	0.51
1:D:19:MET:HE3	1:D:244:LEU:HA	1.92	0.51
1:C:222:ASN:HB3	1:C:225:LEU:HD12	1.95	0.49
1:D:3:THR:HG21	3:D:2001:HOH:O	2.13	0.49
1:C:66:GLU:HG2	1:C:138:LEU:HB2	1.94	0.49
1:A:82:LEU:O	1:B:18:ARG:NH2	2.45	0.49
1:A:45:ALA:O	1:A:49:ILE:HG12	2.13	0.48
1:C:146:ASN:HB3	1:C:147:PRO:HD3	1.94	0.48
1:D:233:HIS:HB3	1:D:236:ASP:OD2	2.14	0.48
1:C:263:ALA:O	3:C:2045:HOH:O	2.20	0.47
1:D:232:ILE:HG12	3:D:2043:HOH:O	2.13	0.47
1:B:116:GLU:HG3	3:B:2036:HOH:O	2.13	0.47
1:C:142:ASN:O	1:C:144:PRO:HD3	2.15	0.47
1:D:127:LEU:CD2	1:D:127:LEU:O	2.57	0.47
1:B:208:GLY:N	3:B:2057:HOH:O	2.28	0.47
1:D:117:GLN:O	1:D:121:GLY:HA3	2.15	0.47
1:C:242:ARG:HD2	3:C:2040:HOH:O	2.14	0.47
1:A:167:THR:OG1	1:A:168:HIS:HD2	1.99	0.46
1:D:70:GLY:N	3:D:2019:HOH:O	2.47	0.46
1:C:160:GLN:OE1	1:C:160:GLN:C	2.54	0.46
1:A:220:ILE:HG21	3:A:2042:HOH:O	2.15	0.46
1:D:5:GLU:HA	1:D:8:ILE:HD12	1.97	0.46
1:D:57:GLU:OE1	1:D:136:LYS:NZ	2.37	0.46
1:B:71:ASN:ND2	2:B:320:PLP:H2A1	2.31	0.46
1:A:19:MET:HE2	1:A:243:GLU:HG2	1.98	0.46
1:D:4:LEU:HD12	1:D:4:LEU:H	1.81	0.46
1:B:180:THR:HG22	3:B:2059:HOH:O	2.16	0.46
1:B:200:PRO:HD3	1:B:209:ILE:HD12	1.98	0.45
1:C:4:LEU:HG	1:C:4:LEU:O	2.15	0.45
1:B:60:PRO:O	1:B:84:GLY:O	2.34	0.45
1:B:180:THR:CB	3:B:2048:HOH:O	2.64	0.45
1:A:4:LEU:HD23	1:A:4:LEU:HA	1.81	0.45
1:C:189:GLN:HG3	3:C:2033:HOH:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:29:LEU:HD13	1:D:279:ILE:HD11	1.99	0.45
1:B:93:ASP:HB2	3:B:2030:HOH:O	2.17	0.45
1:C:19:MET:HE3	1:C:244:LEU:HA	1.99	0.45
1:A:136:LYS:HD3	1:A:137:LEU:O	2.17	0.45
1:D:150:HIS:CG	1:D:178:THR:HA	2.52	0.45
1:D:208:GLY:HA3	2:D:320:PLP:C2	2.46	0.45
1:D:86:ARG:N	3:D:2022:HOH:O	2.50	0.44
1:A:265:ARG:HH11	1:A:265:ARG:CG	2.29	0.44
1:D:4:LEU:N	1:D:4:LEU:CD1	2.80	0.44
1:C:136:LYS:HD3	1:C:137:LEU:O	2.17	0.44
1:C:136:LYS:CD	1:C:137:LEU:O	2.66	0.44
1:B:115:LYS:HG3	3:B:2036:HOH:O	2.16	0.44
1:B:126:ALA:O	3:B:2039:HOH:O	2.21	0.44
1:D:46:LEU:HD22	1:D:50:VAL:CG2	2.48	0.44
1:A:220:ILE:HB	3:A:2042:HOH:O	2.18	0.44
1:D:116:GLU:O	1:D:117:GLN:CG	2.66	0.43
1:C:127:LEU:O	1:C:127:LEU:HD13	2.17	0.43
1:B:114:THR:CB	3:B:2035:HOH:O	2.67	0.43
1:C:280:CYS:HG	2:C:320:PLP:C6	2.31	0.43
1:B:229:VAL:HG12	3:B:2062:HOH:O	2.17	0.43
1:C:222:ASN:C	1:C:222:ASN:HD22	2.22	0.43
1:D:11:THR:OG1	1:D:30:LYS:HE3	2.18	0.43
1:D:198:LEU:CD1	1:D:259:ALA:HA	2.48	0.43
1:C:183:SER:O	1:C:184:ARG:C	2.57	0.43
1:C:3:THR:H	1:C:6:GLN:HE21	1.66	0.43
1:D:60:PRO:O	1:D:61:GLY:C	2.57	0.43
1:A:72:THR:HG21	1:A:140:GLN:OE1	2.19	0.42
1:B:113:VAL:HG13	1:B:114:THR:N	2.34	0.42
1:D:46:LEU:HD22	1:D:50:VAL:HG23	2.01	0.42
1:A:172:SER:HB3	1:A:209:ILE:HG21	2.01	0.42
1:B:127:LEU:HD23	1:B:137:LEU:HD22	2.02	0.42
1:C:140:GLN:HG3	1:C:175:THR:CG2	2.50	0.42
1:A:76:LEU:CD2	1:A:138:LEU:HD13	2.49	0.42
1:B:71:ASN:HD22	2:B:320:PLP:H2A1	1.85	0.42
1:D:4:LEU:CD1	1:D:4:LEU:H	2.32	0.42
1:B:64:LEU:HB2	1:B:87:MET:SD	2.60	0.42
1:A:208:GLY:HA3	2:A:320:PLP:C2	2.50	0.42
1:A:143:ASN:C	1:A:220:ILE:HD11	2.40	0.42
1:B:180:THR:HB	3:B:2048:HOH:O	2.19	0.42
1:A:4:LEU:HD22	1:A:36:PRO:HB3	2.02	0.41
1:A:122:ALA:HB2	3:A:2034:HOH:O	2.20	0.41
1:B:114:THR:OG1	1:B:117:GLN:CG	2.68	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:146:ASN:HB3	1:D:147:PRO:CD	2.51	0.41
1:A:90:LEU:HD22	1:A:111:ILE:HB	2.02	0.41
1:A:47:SER:CB	1:A:149:ALA:HB2	2.51	0.41
1:B:19:MET:HE3	1:B:244:LEU:HA	2.02	0.41
1:A:150:HIS:CG	1:A:178:THR:HA	2.56	0.41
1:B:172:SER:HB3	1:B:209:ILE:HG21	2.02	0.41
1:C:156:PRO:HG3	1:C:185:PHE:CE2	2.56	0.41
1:B:125:LEU:HG	1:B:129:MET:CE	2.51	0.41
1:C:150:HIS:CD2	1:C:178:THR:HA	2.56	0.41
1:B:21:PRO:O	1:B:22:ASP:HB3	2.21	0.41
1:B:191:LYS:HB2	1:B:192:PRO:HD2	2.02	0.41
1:A:49:ILE:HD12	1:A:64:LEU:HD13	2.02	0.41
1:B:116:GLU:O	1:B:117:GLN:CG	2.69	0.41
1:B:199:GLN:HG2	3:B:2062:HOH:O	2.21	0.41
1:A:46:LEU:HD22	1:A:50:VAL:HG23	2.02	0.41
1:A:131:ASN:HA	3:A:2036:HOH:O	2.21	0.41
1:B:58:ILE:HG23	1:B:136:LYS:HG3	2.02	0.41
1:D:4:LEU:HB2	1:D:82:LEU:HD22	2.02	0.40
1:C:19:MET:HE1	1:C:243:GLU:C	2.40	0.40
1:D:198:LEU:HD12	1:D:259:ALA:HA	2.03	0.40
1:C:3:THR:H	1:C:6:GLN:NE2	2.18	0.40
1:A:47:SER:HB2	1:A:149:ALA:HB2	2.04	0.40
1:D:76:LEU:HD22	1:D:138:LEU:HD13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	290/303 (96%)	271 (93%)	15 (5%)	4 (1%)	16	38
1	B	289/303 (95%)	276 (96%)	10 (4%)	3 (1%)	22	49
1	C	289/303 (95%)	272 (94%)	16 (6%)	1 (0%)	50	81
1	D	289/303 (95%)	260 (90%)	27 (9%)	2 (1%)	30	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1157/1212 (96%)	1079 (93%)	68 (6%)	10 (1%)	25 53

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	115	LYS
1	A	214	THR
1	B	118	GLY
1	C	4	LEU
1	B	207	PRO
1	A	60	PRO
1	B	60	PRO
1	D	118	GLY
1	D	271	PRO
1	A	271	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	232/240 (97%)	214 (92%)	18 (8%)	18 38
1	B	232/240 (97%)	216 (93%)	16 (7%)	22 45
1	C	232/240 (97%)	213 (92%)	19 (8%)	17 34
1	D	232/240 (97%)	208 (90%)	24 (10%)	10 22
All	All	928/960 (97%)	851 (92%)	77 (8%)	16 34

All (77) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	THR
1	A	4	LEU
1	A	31	LEU
1	A	46	LEU
1	A	51	GLU
1	A	60	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	63	VAL
1	A	90	LEU
1	A	97	GLN
1	A	113	VAL
1	A	116	GLU
1	A	132	ARG
1	A	191	LYS
1	A	201	GLU
1	A	214	THR
1	A	235	ARG
1	A	264	LEU
1	A	265	ARG
1	B	2	SER
1	B	4	LEU
1	B	31	LEU
1	B	46	LEU
1	B	57	GLU
1	B	63	VAL
1	B	94	ASN
1	B	98	GLU
1	B	100	ARG
1	B	113	VAL
1	B	117	GLN
1	B	127	LEU
1	B	187	ARG
1	B	191	LYS
1	B	207	PRO
1	B	235	ARG
1	C	16	LEU
1	C	63	VAL
1	C	66	GLU
1	C	79	ILE
1	C	98	GLU
1	C	113	VAL
1	C	116	GLU
1	C	120	GLU
1	C	127	LEU
1	C	132	ARG
1	C	171	SER
1	C	187	ARG
1	C	189	GLN
1	C	190	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	222	ASN
1	C	235	ARG
1	C	264	LEU
1	C	272	ASP
1	C	282	ARG
1	D	3	THR
1	D	5	GLU
1	D	31	LEU
1	D	46	LEU
1	D	54	LYS
1	D	60	PRO
1	D	63	VAL
1	D	100	ARG
1	D	113	VAL
1	D	114	THR
1	D	115	LYS
1	D	116	GLU
1	D	117	GLN
1	D	128	GLU
1	D	176	THR
1	D	187	ARG
1	D	191	LYS
1	D	205	SER
1	D	207	PRO
1	D	214	THR
1	D	235	ARG
1	D	264	LEU
1	D	268	LYS
1	D	271	PRO

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	GLN
1	A	168	HIS
1	B	6	GLN
1	B	94	ASN
1	B	117	GLN
1	B	131	ASN
1	C	6	GLN
1	C	131	ASN
1	C	222	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	97	GLN
1	D	117	GLN
1	D	239	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PLP	A	320	1	14,15,16	3.32	3 (21%)	20,22,23	1.49	5 (25%)
2	PLP	B	320	1	14,15,16	2.97	3 (21%)	20,22,23	1.51	6 (30%)
2	PLP	C	320	1	14,15,16	3.31	3 (21%)	20,22,23	1.72	6 (30%)
2	PLP	D	320	1	14,15,16	3.18	3 (21%)	20,22,23	1.53	2 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLP	A	320	1	-	0/6/6/8	0/1/1/1
2	PLP	B	320	1	-	0/6/6/8	0/1/1/1
2	PLP	C	320	1	-	0/6/6/8	0/1/1/1
2	PLP	D	320	1	-	0/6/6/8	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	320	PLP	C3-C2	10.22	1.48	1.40
2	C	320	PLP	C3-C2	10.18	1.48	1.40
2	D	320	PLP	C3-C2	9.79	1.47	1.40
2	B	320	PLP	C3-C2	8.82	1.47	1.40
2	A	320	PLP	C4-C5	5.74	1.49	1.39
2	C	320	PLP	C4-C5	5.70	1.49	1.39
2	B	320	PLP	C4-C5	5.45	1.48	1.39
2	D	320	PLP	C4-C5	5.36	1.48	1.39
2	A	320	PLP	C4-C3	3.25	1.48	1.40
2	D	320	PLP	C4-C3	3.13	1.48	1.40
2	C	320	PLP	C4-C3	2.83	1.47	1.40
2	B	320	PLP	C4-C3	2.56	1.47	1.40

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	320	PLP	O4P-C5A-C5	3.82	117.02	109.26
2	C	320	PLP	O4P-C5A-C5	3.55	116.48	109.26
2	C	320	PLP	P-O4P-C5A	-3.45	108.79	121.22
2	B	320	PLP	O4P-C5A-C5	3.05	115.47	109.26
2	A	320	PLP	O4P-C5A-C5	2.94	115.25	109.26
2	C	320	PLP	O3-C3-C2	2.68	122.38	117.61
2	D	320	PLP	C6-N1-C2	2.59	124.83	119.28
2	A	320	PLP	O3P-P-O2P	2.58	117.67	107.61
2	B	320	PLP	C6-N1-C2	2.38	124.37	119.28
2	A	320	PLP	C6-N1-C2	2.19	123.97	119.28
2	C	320	PLP	C4-C3-C2	-2.18	117.18	119.67
2	C	320	PLP	O3P-P-O2P	2.17	116.05	107.61
2	C	320	PLP	C6-N1-C2	2.16	123.91	119.28
2	A	320	PLP	C4-C3-C2	-2.16	117.20	119.67
2	B	320	PLP	O3P-P-O2P	2.12	115.88	107.61
2	A	320	PLP	C3-C4-C5	-2.09	117.34	121.29
2	B	320	PLP	O3-C3-C2	2.03	121.21	117.61
2	B	320	PLP	C3-C4-C5	-2.02	117.47	121.29
2	B	320	PLP	C4-C3-C2	-2.01	117.37	119.67

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	292/303 (96%)	-0.02	10 (3%) 43 46	42, 61, 88, 103	0
1	B	291/303 (96%)	0.00	16 (5%) 24 25	41, 59, 95, 103	0
1	C	291/303 (96%)	-0.05	10 (3%) 43 46	44, 61, 86, 99	0
1	D	291/303 (96%)	0.10	17 (5%) 22 23	44, 64, 97, 105	0
All	All	1165/1212 (96%)	0.01	53 (4%) 32 35	41, 61, 93, 105	0

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	216	TYR	5.8
1	C	216	TYR	4.9
1	B	133	GLY	4.8
1	A	293	GLY	4.3
1	D	97	GLN	4.1
1	B	117	GLN	3.9
1	D	216	TYR	3.8
1	D	133	GLY	3.8
1	B	216	TYR	3.7
1	D	131	ASN	3.7
1	B	131	ASN	3.5
1	D	93	ASP	3.5
1	C	2	SER	3.4
1	B	132	ARG	3.3
1	D	202	GLU	3.3
1	D	127	LEU	3.3
1	A	22	ASP	3.3
1	B	116	GLU	3.3
1	B	120	GLU	3.2
1	D	94	ASN	3.2
1	A	215	GLU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	97	GLN	3.0
1	A	202	GLU	3.0
1	B	98	GLU	2.9
1	D	22	ASP	2.9
1	A	97	GLN	2.9
1	B	118	GLY	2.8
1	C	22	ASP	2.7
1	B	202	GLU	2.7
1	D	95	MET	2.7
1	B	96	SER	2.7
1	C	190	SER	2.6
1	D	116	GLU	2.6
1	D	117	GLN	2.6
1	B	93	ASP	2.6
1	B	95	MET	2.5
1	B	203	GLY	2.5
1	C	215	GLU	2.5
1	C	127	LEU	2.4
1	C	97	GLN	2.4
1	D	124	ASP	2.3
1	D	132	ARG	2.3
1	C	214	THR	2.3
1	D	112	LEU	2.3
1	D	235	ARG	2.3
1	A	210	ARG	2.2
1	C	268	LYS	2.2
1	D	203	GLY	2.2
1	A	203	GLY	2.1
1	B	94	ASN	2.1
1	A	2	SER	2.1
1	A	120	GLU	2.1
1	C	120	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	PLP	D	320	15/16	0.11	-1.20	47,56,57,57	0
2	PLP	C	320	15/16	0.10	-1.23	45,51,53,53	0
2	PLP	B	320	15/16	0.10	-1.24	45,50,51,53	0
2	PLP	A	320	15/16	0.09	-1.55	43,49,49,50	0

6.5 Other polymers

There are no such residues in this entry.