



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 01:42 PM GMT

PDB ID : 3BHT
Title : Structure of phosphorylated Thr160 CDK2/cyclin A in complex with the inhibitor meriolin 3
Authors : Echalier, A.; Bettayeb, K.; Ferandin, Y.; Lozach, O.; Clement, M.; Valette, A.; Liger, F.; Marquet, B.; Morris, J.C.; Endicott, J.A.; Joseph, B.; Meijer, L.
Deposited on : 2007-11-29
Resolution : 2.00 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	4888 (2.00-2.00)
Clashscore	79885	6188 (2.00-2.00)
Ramachandran outliers	78287	6102 (2.00-2.00)
Sidechain outliers	78261	6100 (2.00-2.00)
RSRZ outliers	66119	4890 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	300	
1	C	300	
2	B	262	
2	D	262	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
5	SGM	B	4	-	X
5	SGM	B	5	-	X
5	SGM	D	3	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9983 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cell division protein kinase 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	298	Total	C	N	O	P	S	0	4	0
			2416	1568	412	426	1	9			
1	C	271	Total	C	N	O	P	S	0	2	0
			2185	1417	373	387	1	7			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	EXPRESSION TAG	UNP P24941
A	0	SER	-	EXPRESSION TAG	UNP P24941
C	-1	GLY	-	EXPRESSION TAG	UNP P24941
C	0	SER	-	EXPRESSION TAG	UNP P24941


- Molecule 2 is a protein called Cyclin-A2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	262	Total	C	N	O	S	0	3	0
			2130	1379	346	395	10			
2	D	262	Total	C	N	O	S	0	1	0
			2118	1371	344	393	10			

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		

- Molecule 4 is 4-(4-METHOXY-1H-PYRROLO[2,3-B]PYRIDIN-3-YL)PYRIMIDIN-2-AMINE (three-letter code: MFR) (formula: C₁₂H₁₁N₅O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			18	12	5	1		
4	C	1	Total	C	N	O	0	0
			18	12	5	1		

- Molecule 5 is MONOTHIOGLYCEROL (three-letter code: SGM) (formula: $C_3H_8O_2S$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	O	S	0	0
			6	3	2	1		
5	B	1	Total	C	O	S	0	0
			6	3	2	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	D	1	Total	C	O	S	0	0
			6	3	2	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	345	Total	O	0	0
			345	345		
6	B	292	Total	O	0	0
			292	292		
6	C	227	Total	O	0	0
			227	227		
6	D	214	Total	O	0	0
			214	214		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cell division protein kinase 2




- Molecule 1: Cell division protein kinase 2



- Molecule 2: Cyclin-A2



- Molecule 2: Cyclin-A2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.13Å 133.77Å 147.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 19.87 – 2.00	Depositor EDS
% Data completeness (in resolution range)	95.5 (20.00-2.00) 95.5 (19.87-2.00)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.71 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.181 , 0.220 0.181 , 0.215	Depositor DCC
R_{free} test set	4777 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	25.7	Xtriage
Anisotropy	0.229	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 44.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 95265 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9983	wwPDB-VP
Average B, all atoms (Å ²)	9.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, MG, SGM, MFR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.71	0/2477	0.74	2/3357 (0.1%)
1	C	0.54	0/2229	0.62	0/3016
2	B	0.55	0/2190	0.58	0/2978
2	D	0.51	0/2171	0.67	2/2952 (0.1%)
All	All	0.59	0/9067	0.66	4/12303 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	174	GLU	N-CA-C	10.17	138.45	111.00
1	A	217	ARG	NE-CZ-NH2	-8.40	116.10	120.30
2	D	175	VAL	N-CA-C	-6.80	92.63	111.00
1	A	163	VAL	N-CA-C	-6.39	93.75	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	14	THR	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2416	0	2471	52	1
1	C	2185	0	2250	41	1
2	B	2130	0	2146	19	0
2	D	2118	0	2136	34	0
3	B	1	0	0	0	0
3	D	1	0	0	0	0
4	A	18	0	11	0	0
4	C	18	0	11	0	0
5	B	12	0	15	3	0
5	D	6	0	8	3	0
6	A	345	0	0	9	0
6	B	292	0	0	6	0
6	C	227	0	0	5	0
6	D	214	0	0	8	0
All	All	9983	0	9048	128	1

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 7.

All (128) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:177[A]:CYS:SG	1:A:233:MET:HE3	1.45	1.54
2:B:193:CYS:SG	5:B:4:SGM:S1	2.31	1.27
2:D:193:CYS:SG	5:D:3:SGM:S1	2.38	1.22
2:B:171:SER:OG	6:B:595:HOH:O	1.68	1.12
1:C:272:ASN:OD1	2:D:171:SER:HB3	1.47	1.11
1:A:177[A]:CYS:SG	1:A:233:MET:CE	2.38	1.11
1:C:15:TYR:HB2	1:C:16:GLY:CA	1.82	1.08
1:C:15:TYR:HB2	1:C:16:GLY:HA3	1.32	1.06
1:A:15:TYR:CD2	1:A:16:GLY:HA3	1.90	1.05
1:A:272:ASN:OD1	2:B:171:SER:HB2	1.55	1.05
2:D:432:VAL:HG23	6:D:580:HOH:O	1.59	0.99
1:A:2:GLU:HG3	2:D:293:ARG:NH2	1.82	0.94
1:A:2:GLU:CG	2:D:293:ARG:NH2	2.31	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:15:TYR:CB	1:C:16:GLY:HA3	1.91	0.93
1:C:36:ARG:HH11	1:C:36:ARG:HG3	1.33	0.91
1:A:2:GLU:HG2	1:C:73:GLU:OE2	1.70	0.91
1:A:161:HIS:HD2	6:A:353:HOH:O	1.55	0.90
2:D:171:SER:HB2	6:D:697:HOH:O	1.71	0.89
2:B:327:CYS:HG	5:B:5:SGM:HS1	1.14	0.89
1:C:71:HIS:HD2	2:D:296:HIS:HE1	1.14	0.89
1:A:160:TPO:HG23	1:A:162:GLU:HG2	1.59	0.84
1:A:15:TYR:CG	1:A:16:GLY:HA3	2.14	0.83
1:C:71:HIS:HD2	2:D:296:HIS:CE1	1.97	0.83
1:A:268:HIS:CD2	6:A:589:HOH:O	2.33	0.81
1:A:2:GLU:HG2	2:D:293:ARG:NH2	1.99	0.78
1:A:15:TYR:CD2	1:A:16:GLY:CA	2.65	0.77
1:A:177[A]:CYS:HG	1:A:233:MET:HE3	1.50	0.77
1:C:71:HIS:CD2	2:D:296:HIS:HE1	2.01	0.76
2:B:183:HIS:HB2	2:B:317:GLN:HE22	1.51	0.74
2:D:344:ALA:HB1	2:D:348:LEU:HD22	1.68	0.74
1:A:60:HIS:HD2	1:A:62:ASN:H	1.33	0.74
1:C:36:ARG:CG	1:C:36:ARG:HH11	2.00	0.73
1:A:95:ALA:O	1:A:96:LEU:HB2	1.87	0.73
1:A:161:HIS:O	1:A:161:HIS:CG	2.42	0.71
2:B:327:CYS:SG	5:B:5:SGM:S1	2.82	0.71
1:A:60:HIS:CD2	1:A:62:ASN:H	2.09	0.70
1:A:160:TPO:CG2	1:A:162:GLU:HG2	2.21	0.70
1:A:59[A]:ASN:ND2	6:A:333:HOH:O	2.26	0.69
2:D:305:ASP:HB3	5:D:3:SGM:H12	1.76	0.67
2:B:344:ALA:HB1	2:B:348:LEU:HD22	1.77	0.66
1:A:268:HIS:NE2	6:A:589:HOH:O	2.28	0.66
1:A:161:HIS:O	1:A:162:GLU:C	2.36	0.64
1:C:15:TYR:CB	1:C:16:GLY:CA	2.60	0.64
1:A:272:ASN:CG	2:B:171:SER:HB2	2.17	0.63
1:A:15:TYR:HD2	1:A:16:GLY:CA	2.12	0.62
2:B:210:MET:HE1	2:B:250:ARG:CB	2.29	0.62
1:A:15:TYR:CB	1:A:16:GLY:HA3	2.29	0.62
1:C:268:HIS:HD2	1:C:270:ASP:H	1.46	0.62
1:C:15:TYR:HB2	1:C:16:GLY:HA2	1.79	0.62
1:A:88:LYS:HE2	6:A:593:HOH:O	2.00	0.62
2:D:285:THR:HG22	2:D:286:TYR:CD1	2.35	0.62
1:C:52:ILE:HD11	1:C:78:LEU:HD21	1.82	0.60
1:C:71:HIS:CD2	2:D:296:HIS:CE1	2.84	0.60
1:A:2:GLU:CG	2:D:293:ARG:HH22	2.14	0.59
1:A:161:HIS:CD2	1:A:161:HIS:O	2.54	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:194:LYS:HD3	2:B:351:LEU:HD23	1.83	0.59
1:C:272:ASN:OD1	2:D:171:SER:CB	2.38	0.59
1:A:162:GLU:HG3	1:A:163:VAL:HG12	1.83	0.59
1:C:41:THR:HG22	1:C:42:GLU:N	2.16	0.59
1:C:60:HIS:CD2	1:C:62:ASN:H	2.21	0.58
1:C:59:ASN:ND2	6:C:458:HOH:O	2.37	0.58
1:C:278:LYS:HE3	2:D:177:ASP:O	2.04	0.58
2:D:287:THR:HB	6:D:710:HOH:O	2.04	0.57
2:B:210:MET:HE1	2:B:250:ARG:HB2	1.85	0.57
2:B:395:HIS:HE1	2:B:427:PRO:O	1.87	0.56
2:B:183:HIS:HD2	6:B:553:HOH:O	1.87	0.56
1:C:60:HIS:HD2	1:C:62:ASN:H	1.51	0.56
1:A:0:SER:O	1:A:1:MET:CB	2.54	0.55
1:A:0:SER:O	1:A:1:MET:HB2	2.07	0.54
1:A:161:HIS:O	1:A:162:GLU:O	2.27	0.53
1:C:218:THR:HG23	1:C:251:VAL:HG21	1.91	0.52
1:A:2:GLU:HG2	2:D:293:ARG:HH21	1.75	0.52
1:C:161:HIS:O	1:C:162:GLU:C	2.46	0.52
1:A:119:HIS:HD2	6:B:543:HOH:O	1.91	0.52
1:C:15:TYR:HB3	6:C:353:HOH:O	2.09	0.52
1:C:161:HIS:O	1:C:162:GLU:O	2.28	0.51
1:A:2:GLU:CG	2:D:293:ARG:HH21	2.22	0.51
1:C:161:HIS:HD2	6:C:372:HOH:O	1.94	0.50
2:B:233:HIS:HE1	6:B:447:HOH:O	1.94	0.50
1:C:216:PHE:HB3	1:C:221:THR:HG23	1.94	0.50
1:C:71:HIS:NE2	2:D:304:PHE:HE1	2.10	0.49
2:D:233:HIS:HE1	6:D:551:HOH:O	1.94	0.49
1:C:15:TYR:CG	1:C:16:GLY:HA3	2.47	0.49
1:A:260:ARG:HD3	6:A:334:HOH:O	2.11	0.49
2:B:225:TYR:HE2	2:B:281:ILE:HG21	1.78	0.49
2:B:179[A]:HIS:CE1	6:B:492:HOH:O	2.66	0.48
1:C:161:HIS:CE1	6:C:490:HOH:O	2.67	0.48
2:B:289:LYS:HE3	2:B:293:ARG:HE	1.78	0.48
1:C:83:LEU:HD23	1:C:136:ASN:HB3	1.95	0.47
1:A:223:ASP:H	1:A:226:VAL:HG12	1.79	0.47
1:A:162:GLU:HG3	1:A:163:VAL:CG1	2.45	0.46
1:C:71:HIS:HE1	6:D:663:HOH:O	1.99	0.46
2:D:285:THR:HG22	2:D:286:TYR:CG	2.50	0.46
1:C:119:HIS:HD2	6:D:535:HOH:O	1.98	0.46
1:A:60:HIS:HE1	6:A:441:HOH:O	1.98	0.45
2:D:183:HIS:HB2	2:D:317:GLN:HE22	1.81	0.45
1:A:88:LYS:HA	1:A:91:MET:CE	2.47	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:300:LYS:HE3	6:B:614:HOH:O	2.16	0.45
1:A:268:HIS:HD2	1:A:270:ASP:H	1.65	0.44
2:D:285:THR:HG22	2:D:286:TYR:CE1	2.52	0.44
6:C:439:HOH:O	2:D:296:HIS:HD2	2.01	0.44
1:A:98:GLY:HA2	1:A:199:ARG:NE	2.33	0.43
2:D:196:LYS:HG2	2:D:199:TYR:HB3	2.01	0.43
1:A:15:TYR:CB	1:A:16:GLY:CA	2.96	0.43
1:A:161:HIS:CD2	6:A:353:HOH:O	2.44	0.43
1:C:88:LYS:HG3	1:C:131:GLN:NE2	2.34	0.43
2:B:194:LYS:HD3	2:B:351:LEU:CD2	2.48	0.43
1:C:36:ARG:HG3	1:C:36:ARG:NH1	2.15	0.43
1:A:65:LYS:HD2	6:A:333:HOH:O	2.18	0.42
1:A:55:LEU:HD21	1:A:146:PHE:CD1	2.54	0.42
1:A:88:LYS:HA	1:A:91:MET:HE3	2.00	0.42
1:C:13:GLY:C	1:C:15:TYR:H	2.23	0.42
1:C:270:ASP:HA	1:C:271:PRO:HD3	1.92	0.42
1:A:-1:GLY:HA3	1:A:0:SER:HA	1.74	0.42
2:D:323:GLN:HA	2:D:324:PRO:HA	1.87	0.42
2:D:361:HIS:HB2	2:D:372:TRP:HB2	2.01	0.42
2:D:193:CYS:HG	5:D:3:SGM:C1	2.29	0.41
2:D:414:LYS:HG2	2:D:423:LEU:HG	2.02	0.41
1:C:73:GLU:OE2	2:D:293:ARG:NH2	2.53	0.41
1:C:41:THR:HG22	1:C:42:GLU:H	1.84	0.41
1:A:162:GLU:HG3	1:A:163:VAL:HA	2.02	0.41
1:C:133:LEU:HD11	1:C:192:ILE:HD13	2.02	0.41
2:D:403:GLN:HG3	6:D:527:HOH:O	2.21	0.41
2:D:179:HIS:HB2	6:D:716:HOH:O	2.20	0.41
1:A:119:HIS:HE1	1:A:185:ASP:OD2	2.04	0.40
1:C:253:PRO:HD2	1:C:254:PRO:HD3	2.01	0.40
1:A:175:LEU:HB2	1:A:233:MET:HE1	2.02	0.40
1:A:86:ASP:OD2	1:A:89:LYS:HE3	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:297:ARG:NH2	1:C:251:VAL:CG2[3_454]	2.18	0.02

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	297/300 (99%)	283 (95%)	9 (3%)	5 (2%)	14	5
1	C	267/300 (89%)	254 (95%)	8 (3%)	5 (2%)	12	4
2	B	263/262 (100%)	261 (99%)	2 (1%)	0	100	100
2	D	261/262 (100%)	256 (98%)	5 (2%)	0	100	100
All	All	1088/1124 (97%)	1054 (97%)	24 (2%)	10 (1%)	25	14

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	15	TYR
1	A	162	GLU
1	C	162	GLU
1	C	163	VAL
1	A	164	VAL
1	C	164	VAL
1	A	96	LEU
1	C	14	THR
1	C	16	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	265/263 (101%)	254 (96%)	11 (4%)	40	34
1	C	239/263 (91%)	228 (95%)	11 (5%)	37	30
2	B	238/235 (101%)	232 (98%)	6 (2%)	60	59

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	D	236/235 (100%)	227 (96%)	9 (4%)	44	39
All	All	978/996 (98%)	941 (96%)	37 (4%)	44	39

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	0	SER
1	A	75	LYS
1	A	97	THR
1	A	101	LEU
1	A	122	ARG
1	A	148	LEU
1	A	150	ARG
1	A	162	GLU
1	A	163	VAL
1	A	297	ARG
1	A	298	LEU
2	B	196	LYS
2	B	199	TYR
2	B	232	LEU
2	B	292	LEU
2	B	348	LEU
2	B	384	LEU
1	C	14	THR
1	C	15	TYR
1	C	36	ARG
1	C	55	LEU
1	C	83	LEU
1	C	101	LEU
1	C	122	ARG
1	C	131	GLN
1	C	148	LEU
1	C	150	ARG
1	C	163	VAL
2	D	175	VAL
2	D	196	LYS
2	D	232	LEU
2	D	284	ASP
2	D	292	LEU
2	D	296	HIS
2	D	348	LEU
2	D	391	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	403	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	HIS
1	A	74	ASN
1	A	119	HIS
1	A	161	HIS
2	B	183	HIS
2	B	233	HIS
2	B	254	GLN
2	B	317	GLN
2	B	395	HIS
2	B	403	GLN
1	C	59	ASN
1	C	60	HIS
1	C	71	HIS
1	C	84	HIS
1	C	85	GLN
1	C	113	GLN
1	C	119	HIS
1	C	161	HIS
1	C	265	GLN
1	C	268	HIS
1	C	287	GLN
1	C	295	HIS
2	D	173	ASN
2	D	183	HIS
2	D	233	HIS
2	D	254	GLN
2	D	296	HIS
2	D	317	GLN
2	D	396	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	TPO	A	160	1	10,10,11	4.80	5 (50%)	12,14,16	1.64	3 (25%)
1	TPO	C	160	1	10,10,11	4.18	5 (50%)	12,14,16	1.23	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	160	1	-	0/9/11/13	0/0/0/0
1	TPO	C	160	1	-	0/9/11/13	0/0/0/0

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	160	TPO	O-C	13.52	1.20	1.11
1	C	160	TPO	O-C	11.15	1.19	1.11
1	A	160	TPO	P-O3P	-4.30	1.39	1.54
1	C	160	TPO	P-O3P	-4.09	1.39	1.54
1	C	160	TPO	P-O2P	-3.66	1.41	1.54
1	A	160	TPO	P-O2P	-3.60	1.41	1.54
1	C	160	TPO	P-O1P	-3.03	1.41	1.51
1	A	160	TPO	P-O1P	-2.73	1.42	1.51
1	C	160	TPO	OG1-CB	-2.73	1.40	1.45
1	A	160	TPO	OG1-CB	-2.47	1.40	1.45

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	160	TPO	OG1-P-O1P	-2.88	98.73	106.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	160	TPO	CB-CA-N	2.79	113.49	109.60
1	A	160	TPO	OG1-CB-CA	2.33	111.45	107.55
1	A	160	TPO	O3P-P-O2P	2.29	116.53	107.61

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 7 ligands modelled in this entry, 2 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	MFR	A	299	-	20,20,20	5.02	3 (15%)	28,28,28	3.47	12 (42%)
5	SGM	B	4	-	5,5,5	0.55	0	5,5,5	0.66	0
5	SGM	B	5	-	5,5,5	0.53	0	5,5,5	0.47	0
4	MFR	C	299	-	20,20,20	5.15	3 (15%)	28,28,28	3.38	13 (46%)
5	SGM	D	3	-	5,5,5	0.49	0	5,5,5	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MFR	A	299	-	-	0/5/6/6	0/1/3/3
5	SGM	B	4	-	-	0/4/4/4	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SGM	B	5	-	-	0/4/4/4	0/0/0/0
4	MFR	C	299	-	-	0/5/6/6	0/1/3/3
5	SGM	D	3	-	-	0/4/4/4	0/0/0/0

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	299	MFR	C8-C9	22.37	1.51	1.39
4	A	299	MFR	C8-C9	21.83	1.51	1.39
4	C	299	MFR	C1-C10	2.94	1.49	1.42
4	A	299	MFR	C1-C10	2.84	1.49	1.42
4	C	299	MFR	C9-C10	2.19	1.45	1.41
4	A	299	MFR	C9-C10	2.03	1.45	1.41

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	299	MFR	C11-N5-C12	12.60	122.12	116.29
4	C	299	MFR	C11-N5-C12	11.13	121.44	116.29
4	A	299	MFR	N7-C12-N5	-5.70	119.92	125.85
4	C	299	MFR	N7-C12-N5	-5.38	120.26	125.85
4	C	299	MFR	C13-N7-C12	5.15	120.84	116.36
4	A	299	MFR	C13-N7-C12	4.80	120.53	116.36
4	C	299	MFR	C8-C9-C11	-4.60	116.25	126.26
4	A	299	MFR	N6-C12-N7	4.53	121.51	117.42
4	C	299	MFR	O1-C1-C10	4.48	122.73	115.81
4	C	299	MFR	C14-C13-N7	-3.94	119.51	123.88
4	C	299	MFR	C3-C2-C1	3.88	122.47	118.12
4	A	299	MFR	C3-C2-C1	3.87	122.46	118.12
4	C	299	MFR	N6-C12-N7	3.72	120.78	117.42
4	A	299	MFR	C15-O1-C1	3.60	122.61	117.78
4	A	299	MFR	O1-C1-C10	3.58	121.34	115.81
4	C	299	MFR	C15-O1-C1	3.38	122.32	117.78
4	A	299	MFR	C8-C9-C11	-3.28	119.13	126.26
4	A	299	MFR	C14-C13-N7	-3.19	120.34	123.88
4	A	299	MFR	C2-C1-C10	-2.67	115.23	120.55
4	C	299	MFR	C2-C1-C10	-2.56	115.44	120.55
4	A	299	MFR	C14-C11-N5	-2.56	118.46	122.02
4	C	299	MFR	C14-C11-N5	-2.36	118.74	122.02
4	C	299	MFR	C10-C4-N2	2.19	108.78	106.54
4	A	299	MFR	C10-C4-N2	2.17	108.75	106.54
4	C	299	MFR	C13-C14-C11	2.06	119.15	117.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	298/300 (99%)	0.18	19 (6%) 19 18	2, 5, 22, 43	0
1	C	271/300 (90%)	0.33	22 (8%) 12 11	2, 6, 33, 59	0
2	B	262/262 (100%)	-0.14	10 (3%) 38 38	2, 5, 16, 27	0
2	D	262/262 (100%)	0.24	15 (5%) 23 22	2, 6, 21, 43	0
All	All	1093/1124 (97%)	0.15	66 (6%) 21 20	2, 6, 24, 59	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	249	SER	10.0
1	A	96	LEU	8.7
1	C	221	THR	7.5
1	C	14	THR	6.9
1	A	14	THR	6.4
2	D	171	SER	6.3
2	D	428	GLU	6.0
1	C	250	LYS	6.0
2	D	432	VAL	5.7
1	A	38	ASP	5.7
1	C	251	VAL	5.5
1	A	41	THR	5.4
1	C	13	GLY	5.2
1	C	15	TYR	5.1
1	A	0	SER	4.8
1	A	-1	GLY	4.8
2	D	284	ASP	4.6
2	B	171	SER	4.4
1	A	36	ARG	4.3
2	D	283	ASP	4.1
2	D	431	ASN	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	283[A]	ASP	4.0
1	C	248	PHE	3.9
2	B	432	VAL	3.8
1	A	97	THR	3.7
1	A	73	GLU	3.7
1	C	287	GLN	3.6
1	C	253	PRO	3.6
2	B	284	ASP	3.6
1	C	72	THR	3.5
1	C	73	GLU	3.4
1	C	288	ASP	3.4
1	C	296	LEU	3.3
1	C	269	TYR	3.3
1	C	295	HIS	3.3
2	B	323	GLN	3.3
2	D	429	THR	3.2
1	A	215	ILE	3.1
1	C	2	GLU	3.1
1	A	74	ASN	3.1
1	A	2	GLU	3.1
2	B	285	THR	3.1
2	D	323	GLN	3.1
1	C	84	HIS	3.0
2	B	428	GLU	2.7
1	A	15	TYR	2.7
2	B	280	TYR	2.7
2	D	425	ASN	2.6
2	D	280	TYR	2.5
2	B	201	LYS	2.5
1	A	162	GLU	2.5
2	D	385	GLU	2.5
2	D	365	TYR	2.5
1	C	36	ARG	2.5
1	A	95	ALA	2.4
1	A	1	MET	2.4
1	A	247	ASP	2.4
2	D	400	ARG	2.3
2	D	327	CYS	2.3
1	C	257	GLU	2.2
1	C	12	GLU	2.2
1	C	282	ALA	2.1
2	D	285	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	287	GLN	2.0
1	A	298	LEU	2.0
2	B	431	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	TPO	A	160	11/12	0.06	-0.82	2,4,6,7	0
1	TPO	C	160	11/12	0.06	-1.03	2,4,7,7	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	SGM	B	5	6/6	0.42	8.42	61,63,63,64	0
5	SGM	D	3	6/6	0.30	3.21	41,43,43,44	0
5	SGM	B	4	6/6	0.20	2.43	30,31,33,34	0
4	MFR	A	299	18/18	0.15	0.57	2,2,2,2	0
3	MG	D	2	1/1	0.12	0.18	9,9,9,9	0
4	MFR	C	299	18/18	0.12	-0.16	2,2,4,5	0
3	MG	B	1	1/1	0.04	-1.01	15,15,15,15	0

6.5 Other polymers ⓘ

There are no such residues in this entry.