



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 01:33 AM GMT

PDB ID : 2BR5
Title : CMCI-N160 SAH
Authors : Oster, L.M.; Lester, D.R.; Terwisscha Van Scheltinga, A.; Svenda, M.;
Genereux, C.; Andersson, I.
Deposited on : 2005-05-01
Resolution : 2.83 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.83 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	2848 (2.88-2.80)
Ramachandran outliers	78287	2786 (2.88-2.80)
Sidechain outliers	78261	2789 (2.88-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	236	
1	B	236	
1	C	236	
1	D	236	
1	E	236	
1	F	236	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11055 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CEPHALOSPORIN HYDROXYLASE CMCI.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	226	Total	C	N	O	S	0	0	0
			1861	1188	320	341	12			
1	B	232	Total	C	N	O	S	0	0	0
			1909	1216	328	353	12			
1	C	227	Total	C	N	O	S	0	0	0
			1860	1188	318	342	12			
1	D	194	Total	C	N	O	S	0	0	0
			1588	1009	274	293	12			
1	E	230	Total	C	N	O	S	0	0	0
			1896	1209	325	350	12			
1	F	206	Total	C	N	O	S	0	0	0
			1686	1079	288	307	12			

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	10	GLN	LEU	ENGINEERED MUTATION	UNP O85726
A	160	ASN	ASP	ENGINEERED MUTATION	UNP O85726
A	200	PHE	LEU	ENGINEERED MUTATION	UNP O85726
B	10	GLN	LEU	ENGINEERED MUTATION	UNP O85726
B	160	ASN	ASP	ENGINEERED MUTATION	UNP O85726
B	200	PHE	LEU	ENGINEERED MUTATION	UNP O85726
C	10	GLN	LEU	ENGINEERED MUTATION	UNP O85726
C	160	ASN	ASP	ENGINEERED MUTATION	UNP O85726
C	200	PHE	LEU	ENGINEERED MUTATION	UNP O85726
D	160	ASN	ASP	ENGINEERED MUTATION	UNP O85726
E	10	GLN	LEU	ENGINEERED MUTATION	UNP O85726
E	160	ASN	ASP	ENGINEERED MUTATION	UNP O85726
E	200	PHE	LEU	ENGINEERED MUTATION	UNP O85726
F	160	ASN	ASP	ENGINEERED MUTATION	UNP O85726
F	200	PHE	LEU	ENGINEERED MUTATION	UNP O85726

- Molecule 2 is S-ADENOSYL-L-HOMOCYSTEINE (three-letter code: SAH) (formula:

C₁₄H₂₀N₆O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
2	B	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
2	C	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
2	D	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
2	E	1	Total	C	N	O	S	0	0
			26	14	6	5	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	17	Total	O	0	0
			17	17		
3	B	28	Total	O	0	0
			28	28		
3	C	35	Total	O	0	0
			35	35		
3	D	9	Total	O	0	0
			9	9		
3	E	14	Total	O	0	0
			14	14		
3	F	22	Total	O	0	0
			22	22		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: CEPHALOSPORIN HYDROXYLASE CMCI

Chain A:




• Molecule 1: CEPHALOSPORIN HYDROXYLASE CMCI

Chain B:




• Molecule 1: CEPHALOSPORIN HYDROXYLASE CMCI

Chain C:



• Molecule 1: CEPHALOSPORIN HYDROXYLASE CMCI

Chain D:






● Molecule 1: CEPHALOSPORIN HYDROXYLASE CMCI

Chain E:



● Molecule 1: CEPHALOSPORIN HYDROXYLASE CMCI

Chain F:



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	90.91Å 102.52Å 181.41Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.39 – 2.83	Depositor
% Data completeness (in resolution range)	99.0 (49.39-2.83)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.231 , 0.301	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	11055	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SAH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/1915	0.84	6/2605 (0.2%)
1	B	0.54	0/1964	0.87	10/2672 (0.4%)
1	C	0.56	0/1914	0.87	9/2605 (0.3%)
1	D	0.45	0/1631	0.84	9/2216 (0.4%)
1	E	0.51	0/1951	0.86	14/2654 (0.5%)
1	F	0.53	0/1736	0.84	8/2364 (0.3%)
All	All	0.51	0/11111	0.86	56/15116 (0.4%)

There are no bond length outliers.

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	138	ASP	CB-CG-OD2	7.09	124.68	118.30
1	D	39	ASP	CB-CG-OD2	6.97	124.58	118.30
1	C	141	ASP	CB-CG-OD2	6.67	124.30	118.30
1	B	116	ASP	CB-CG-OD2	6.37	124.03	118.30
1	E	159	ASP	CB-CG-OD2	6.24	123.91	118.30
1	E	39	ASP	CB-CG-OD2	6.23	123.91	118.30
1	B	39	ASP	CB-CG-OD2	6.21	123.89	118.30
1	F	21	ASP	CB-CG-OD2	6.19	123.87	118.30
1	F	159	ASP	CB-CG-OD2	6.10	123.79	118.30
1	F	209	ASP	CB-CG-OD2	6.06	123.75	118.30
1	B	159	ASP	CB-CG-OD2	6.04	123.73	118.30
1	C	181	ASP	CB-CG-OD2	6.02	123.71	118.30
1	B	31	ASP	CB-CG-OD2	5.96	123.67	118.30
1	E	209	ASP	CB-CG-OD2	5.94	123.64	118.30
1	D	35	ASP	CB-CG-OD2	5.85	123.57	118.30
1	B	209	ASP	CB-CG-OD2	5.83	123.55	118.30
1	D	101	ASP	CB-CG-OD2	5.80	123.52	118.30
1	B	3	ASP	CB-CG-OD2	5.79	123.52	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	52	ASP	CB-CG-OD2	5.62	123.36	118.30
1	C	47	ASP	CB-CG-OD2	5.61	123.35	118.30
1	E	101	ASP	CB-CG-OD2	5.60	123.34	118.30
1	E	68	ASP	CB-CG-OD2	5.60	123.34	118.30
1	F	31	ASP	CB-CG-OD2	5.58	123.32	118.30
1	C	35	ASP	CB-CG-OD2	5.57	123.31	118.30
1	C	101	ASP	CB-CG-OD2	5.52	123.27	118.30
1	F	109	ASP	CB-CG-OD2	5.52	123.27	118.30
1	E	52	ASP	CB-CG-OD2	5.49	123.24	118.30
1	A	59	ARG	NE-CZ-NH1	5.46	123.03	120.30
1	E	214	ASP	CB-CG-OD2	5.43	123.19	118.30
1	E	47	ASP	CB-CG-OD2	5.42	123.18	118.30
1	D	128	ASP	CB-CG-OD2	5.41	123.17	118.30
1	A	116	ASP	CB-CG-OD2	5.39	123.15	118.30
1	C	109	ASP	CB-CG-OD2	5.35	123.11	118.30
1	C	21	ASP	CB-CG-OD2	5.33	123.09	118.30
1	C	138	ASP	CB-CG-OD2	5.32	123.09	118.30
1	A	39	ASP	CB-CG-OD2	5.32	123.08	118.30
1	B	101	ASP	CB-CG-OD2	5.30	123.07	118.30
1	F	39	ASP	CB-CG-OD2	5.29	123.06	118.30
1	D	138	ASP	CB-CG-OD2	5.27	123.04	118.30
1	E	83	ARG	NE-CZ-NH1	5.27	122.94	120.30
1	E	109	ASP	CB-CG-OD2	5.27	123.04	118.30
1	F	47	ASP	CB-CG-OD2	5.23	123.01	118.30
1	B	47	ASP	CB-CG-OD2	5.22	123.00	118.30
1	D	31	ASP	CB-CG-OD2	5.21	122.98	118.30
1	D	214	ASP	CB-CG-OD2	5.20	122.98	118.30
1	D	209	ASP	CB-CG-OD2	5.19	122.97	118.30
1	B	187	ASP	CB-CG-OD2	5.18	122.96	118.30
1	E	11	ASP	CB-CG-OD2	5.18	122.96	118.30
1	E	138	ASP	CB-CG-OD2	5.14	122.93	118.30
1	B	128	ASP	CB-CG-OD2	5.13	122.92	118.30
1	A	174	ASP	CB-CG-OD2	5.12	122.91	118.30
1	E	181	ASP	CB-CG-OD2	5.10	122.89	118.30
1	A	128	ASP	CB-CG-OD2	5.07	122.86	118.30
1	E	31	ASP	CB-CG-OD2	5.05	122.84	118.30
1	A	141	ASP	CB-CG-OD2	5.02	122.82	118.30
1	D	47	ASP	CB-CG-OD2	5.02	122.82	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1861	0	1771	16	0
1	B	1909	0	1805	23	0
1	C	1860	0	1765	26	0
1	D	1588	0	1508	17	0
1	E	1896	0	1794	17	0
1	F	1686	0	1599	16	0
2	A	26	0	19	1	0
2	B	26	0	19	0	0
2	C	26	0	19	1	0
2	D	26	0	19	1	0
2	E	26	0	19	3	0
3	A	17	0	0	0	0
3	B	28	0	0	0	0
3	C	35	0	0	3	0
3	D	9	0	0	0	0
3	E	14	0	0	3	0
3	F	22	0	0	0	0
All	All	11055	0	10337	104	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 5.

All (104) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:164:ASN:HD21	1:E:167:ASN:HD22	1.22	0.85
1:B:66:ASP:HB2	1:B:67:PRO:HD2	1.66	0.76
1:E:88:LEU:HD22	1:E:139:CYS:SG	2.30	0.72
1:A:105:ILE:HD11	1:B:105:ILE:CD1	2.21	0.70
1:C:87:GLU:OE1	1:C:160:ASN:ND2	2.23	0.67
1:D:186:GLU:O	1:D:187:ASP:HB2	1.95	0.67
1:C:52:ASP:HA	1:C:55:PRO:HG3	1.78	0.65
1:F:159:ASP:OD1	1:F:165:THR:HG23	1.98	0.64
1:B:102:LEU:HA	1:B:105:ILE:HD12	1.79	0.62
1:C:65:LYS:HZ1	1:C:160:ASN:HD21	1.47	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:38:LEU:HG	1:F:204:LEU:HD22	1.84	0.59
1:C:234:ALA:C	3:C:2034:HOH:O	2.41	0.58
1:C:162:HIS:HE1	1:C:186:GLU:O	1.86	0.58
1:F:164:ASN:HD21	1:F:167:ASN:HD22	1.51	0.58
1:C:204:LEU:HD13	1:F:38:LEU:HG	1.85	0.57
1:E:44:ALA:HA	3:E:2003:HOH:O	2.06	0.54
1:C:189:ILE:HG23	1:C:200:PHE:CZ	2.43	0.54
1:B:88:LEU:HD22	1:B:139:CYS:SG	2.48	0.53
1:E:18:LEU:HD21	2:E:301:SAH:CG	2.38	0.53
1:E:98:TRP:CE2	1:E:102:LEU:HD12	2.44	0.53
1:F:153:HIS:HD2	1:F:181:ASP:OD2	1.91	0.53
1:C:88:LEU:HD22	1:C:139:CYS:SG	2.49	0.53
1:F:232:VAL:O	1:F:233:ALA:HB2	2.10	0.52
1:E:116:ASP:O	1:E:136:GLN:HA	2.10	0.52
1:C:51:SER:O	1:C:51:SER:OG	2.27	0.51
1:D:186:GLU:O	1:D:187:ASP:CB	2.59	0.51
1:E:18:LEU:HD21	2:E:301:SAH:HG2	1.92	0.51
1:B:164:ASN:HD21	1:B:167:ASN:HD22	1.58	0.51
1:C:199:LEU:HD22	1:C:203:TYR:CE2	2.46	0.51
1:A:164:ASN:HD21	1:A:167:ASN:HD22	1.59	0.50
1:A:59:ARG:HH11	1:A:59:ARG:HG2	1.76	0.50
1:F:208:ARG:HG2	1:F:209:ASP:N	2.26	0.50
1:F:37:PRO:HB2	1:F:39:ASP:OD1	2.13	0.49
1:A:118:ASP:OD1	1:A:120:SER:HB3	2.13	0.49
1:B:189:ILE:N	1:B:190:PRO:CD	2.76	0.49
1:D:160:ASN:HD21	1:D:186:GLU:CD	2.16	0.49
2:C:301:SAH:H5'1	3:C:2035:HOH:O	2.13	0.48
1:D:36:TRP:HB2	1:E:215:MET:HE3	1.95	0.48
1:C:225:ASP:OD1	1:C:226:ARG:HG3	2.13	0.48
1:E:69:THR:HG23	1:E:224:LEU:HG	1.95	0.48
1:D:218:ALA:O	1:D:225:ASP:O	2.31	0.48
1:C:183:PHE:O	1:C:229:LEU:HB2	2.14	0.48
1:B:119:LEU:HD22	1:B:134:LEU:HG	1.95	0.47
1:D:116:ASP:OD1	2:D:301:SAH:H1'	2.15	0.47
1:C:194:ARG:NE	3:C:2029:HOH:O	2.34	0.46
1:B:162:HIS:HE1	1:B:186:GLU:O	1.97	0.46
1:D:62:ARG:H	1:D:92:ASN:HD21	1.62	0.46
1:B:153:HIS:HA	1:B:154:PRO:C	2.36	0.46
1:D:90:VAL:HG13	1:D:96:LEU:HD22	1.98	0.46
1:E:145:PHE:HA	1:E:148:LEU:HD23	1.96	0.46
1:A:32:ARG:HH11	1:A:32:ARG:HG2	1.81	0.45
1:A:105:ILE:HD11	1:B:105:ILE:HD11	1.96	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:66:ASP:HB2	1:A:67:PRO:CD	2.46	0.45
1:D:93:GLY:O	1:D:124:ILE:HD11	2.17	0.45
1:C:199:LEU:HD22	1:C:203:TYR:CZ	2.51	0.45
1:B:199:LEU:HD22	1:B:203:TYR:CE2	2.51	0.45
1:D:105:ILE:HG23	1:E:59:ARG:HD3	1.97	0.45
1:D:58:TRP:CD1	1:D:59:ARG:HG3	2.52	0.44
1:B:88:LEU:CD2	1:B:139:CYS:SG	3.06	0.44
1:A:112:VAL:O	1:A:132:ILE:HA	2.18	0.44
1:C:77:LEU:CD2	1:C:102:LEU:HD23	2.48	0.44
1:E:187:ASP:O	1:E:190:PRO:HD2	2.18	0.44
1:B:74:HIS:ND1	1:B:74:HIS:C	2.71	0.43
1:C:153:HIS:ND1	1:C:181:ASP:OD2	2.51	0.43
1:C:59:ARG:H	1:F:74:HIS:CE1	2.37	0.43
1:B:199:LEU:HD23	1:B:199:LEU:HA	1.87	0.43
1:C:92:ASN:H	1:C:92:ASN:HD22	1.66	0.43
1:A:185:ILE:HD12	1:A:189:ILE:HD11	2.01	0.43
1:B:101:ASP:O	1:B:105:ILE:HG13	2.18	0.43
1:F:92:ASN:HD22	1:F:92:ASN:H	1.66	0.43
1:B:149:ARG:HD3	1:B:149:ARG:HA	1.80	0.43
1:B:210:VAL:O	1:B:232:VAL:HG23	2.19	0.43
1:F:153:HIS:HB3	1:F:154:PRO:HA	2.01	0.43
1:D:211:LEU:HD23	1:D:230:ARG:O	2.19	0.43
1:D:62:ARG:N	1:D:92:ASN:HD21	2.17	0.42
1:F:169:MET:HG2	1:F:207:PHE:CE2	2.54	0.42
1:C:189:ILE:HB	1:C:190:PRO:HD3	2.00	0.42
1:D:58:TRP:CH2	1:E:102:LEU:HD21	2.53	0.42
1:A:18:LEU:HD21	2:A:301:SAH:SD	2.60	0.42
1:A:164:ASN:ND2	1:A:167:ASN:HD22	2.17	0.42
1:C:211:LEU:O	1:F:38:LEU:HD22	2.19	0.42
1:C:66:ASP:HB2	1:C:67:PRO:CD	2.50	0.42
1:E:3:ASP:N	3:E:2001:HOH:O	2.53	0.42
1:D:145:PHE:O	1:D:146:GLU:CB	2.68	0.42
1:E:36:TRP:CE2	3:E:2003:HOH:O	2.72	0.42
1:A:32:ARG:HG2	1:A:32:ARG:NH1	2.35	0.42
1:C:153:HIS:HA	1:C:154:PRO:C	2.40	0.42
1:A:53:PHE:CD2	1:A:53:PHE:C	2.92	0.42
1:D:145:PHE:O	1:D:146:GLU:HB2	2.20	0.41
1:C:77:LEU:HD22	1:C:102:LEU:HD23	2.02	0.41
1:A:105:ILE:HD11	1:B:105:ILE:HD13	2.00	0.41
1:B:194:ARG:HH11	1:B:194:ARG:HG3	1.86	0.41
1:A:153:HIS:HA	1:A:154:PRO:C	2.41	0.41
1:A:46:ARG:NE	1:B:226:ARG:NH1	2.68	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:38:LEU:HD13	1:F:212:SER:HA	2.02	0.41
1:C:116:ASP:O	1:C:136:GLN:HA	2.21	0.41
1:B:162:HIS:CE1	1:B:186:GLU:O	2.74	0.41
1:F:61:LEU:HD22	1:F:123:GLN:HB2	2.01	0.41
1:B:204:LEU:HA	1:B:204:LEU:HD23	1.89	0.41
1:E:153:HIS:HA	1:E:154:PRO:C	2.42	0.41
1:E:161:ALA:HA	2:E:301:SAH:H5'2	2.03	0.40
1:B:164:ASN:HA	1:B:164:ASN:HD22	1.74	0.40
1:F:92:ASN:HA	1:F:122:CYS:HA	2.03	0.40
1:D:148:LEU:HD22	1:D:148:LEU:HA	1.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	224/236 (95%)	215 (96%)	8 (4%)	1 (0%)	43	79
1	B	230/236 (98%)	218 (95%)	9 (4%)	3 (1%)	18	49
1	C	225/236 (95%)	217 (96%)	6 (3%)	2 (1%)	25	61
1	D	188/236 (80%)	170 (90%)	15 (8%)	3 (2%)	14	42
1	E	228/236 (97%)	211 (92%)	17 (8%)	0	100	100
1	F	202/236 (86%)	188 (93%)	13 (6%)	1 (0%)	38	75
All	All	1297/1416 (92%)	1219 (94%)	68 (5%)	10 (1%)	27	64

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	146	GLU
1	A	150	GLU
1	C	14	LEU
1	D	187	ASP
1	F	138	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	10	GLN
1	B	150	GLU
1	B	225	ASP
1	C	12	LEU
1	D	55	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	198/207 (96%)	176 (89%)	22 (11%)	9	24
1	B	203/207 (98%)	171 (84%)	32 (16%)	4	10
1	C	197/207 (95%)	169 (86%)	28 (14%)	5	13
1	D	170/207 (82%)	142 (84%)	28 (16%)	3	8
1	E	202/207 (98%)	174 (86%)	28 (14%)	5	14
1	F	178/207 (86%)	155 (87%)	23 (13%)	6	17
All	All	1148/1242 (92%)	987 (86%)	161 (14%)	5	14

All (161) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	LEU
1	A	29	LEU
1	A	30	THR
1	A	32	ARG
1	A	38	LEU
1	A	46	ARG
1	A	53	PHE
1	A	57	GLN
1	A	80	LEU
1	A	88	LEU
1	A	96	LEU
1	A	117	ARG
1	A	121	ARG
1	A	127	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	141	ASP
1	A	148	LEU
1	A	149	ARG
1	A	150	GLU
1	A	169	MET
1	A	170	LYS
1	A	194	ARG
1	A	231	ARG
1	B	12	LEU
1	B	14	LEU
1	B	29	LEU
1	B	30	THR
1	B	32	ARG
1	B	46	ARG
1	B	59	ARG
1	B	64	LEU
1	B	80	LEU
1	B	83	ARG
1	B	88	LEU
1	B	102	LEU
1	B	104	LYS
1	B	105	ILE
1	B	111	GLN
1	B	121	ARG
1	B	134	LEU
1	B	136	GLN
1	B	138	ASP
1	B	141	ASP
1	B	146	GLU
1	B	148	LEU
1	B	149	ARG
1	B	150	GLU
1	B	151	MET
1	B	164	ASN
1	B	189	ILE
1	B	194	ARG
1	B	198	GLN
1	B	222	SER
1	B	231	ARG
1	B	232	VAL
1	C	8	ASN
1	C	12	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	14	LEU
1	C	29	LEU
1	C	30	THR
1	C	32	ARG
1	C	38	LEU
1	C	51	SER
1	C	52	ASP
1	C	64	LEU
1	C	80	LEU
1	C	92	ASN
1	C	95	SER
1	C	96	LEU
1	C	105	ILE
1	C	113	ILE
1	C	121	ARG
1	C	134	LEU
1	C	147	HIS
1	C	149	ARG
1	C	169	MET
1	C	179	GLU
1	C	194	ARG
1	C	198	GLN
1	C	204	LEU
1	C	221	SER
1	C	230	ARG
1	C	231	ARG
1	D	28	VAL
1	D	32	ARG
1	D	38	LEU
1	D	40	ARG
1	D	57	GLN
1	D	63	MET
1	D	80	LEU
1	D	87	GLU
1	D	88	LEU
1	D	96	LEU
1	D	102	LEU
1	D	105	ILE
1	D	119	LEU
1	D	130	GLU
1	D	134	LEU
1	D	136	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	138	ASP
1	D	139	CYS
1	D	148	LEU
1	D	160	ASN
1	D	176	LEU
1	D	178	GLU
1	D	188	MET
1	D	212	SER
1	D	221	SER
1	D	225	ASP
1	D	229	LEU
1	D	231	ARG
1	E	12	LEU
1	E	14	LEU
1	E	16	ARG
1	E	32	ARG
1	E	35	ASP
1	E	52	ASP
1	E	57	GLN
1	E	80	LEU
1	E	83	ARG
1	E	87	GLU
1	E	96	LEU
1	E	121	ARG
1	E	127	SER
1	E	129	MET
1	E	134	LEU
1	E	141	ASP
1	E	148	LEU
1	E	155	LEU
1	E	162	HIS
1	E	188	MET
1	E	189	ILE
1	E	194	ARG
1	E	202	GLU
1	E	208	ARG
1	E	221	SER
1	E	222	SER
1	E	231	ARG
1	E	232	VAL
1	F	29	LEU
1	F	38	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	40	ARG
1	F	46	ARG
1	F	51	SER
1	F	52	ASP
1	F	53	PHE
1	F	79	GLU
1	F	80	LEU
1	F	81	ARG
1	F	87	GLU
1	F	88	LEU
1	F	92	ASN
1	F	102	LEU
1	F	105	ILE
1	F	127	SER
1	F	134	LEU
1	F	139	CYS
1	F	151	MET
1	F	170	LYS
1	F	194	ARG
1	F	208	ARG
1	F	210	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	HIS
1	A	111	GLN
1	A	131	ASN
1	A	135	HIS
1	A	160	ASN
1	A	162	HIS
1	A	164	ASN
1	B	111	GLN
1	B	162	HIS
1	B	164	ASN
1	C	8	ASN
1	C	92	ASN
1	C	160	ASN
1	C	162	HIS
1	D	57	GLN
1	D	92	ASN
1	D	136	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	219	ASN
1	E	8	ASN
1	E	74	HIS
1	E	111	GLN
1	E	131	ASN
1	E	160	ASN
1	E	164	ASN
1	F	136	GLN
1	F	153	HIS
1	F	164	ASN
1	F	175	HIS
1	F	219	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SAH	A	301	-	28,28,28	1.01	2 (7%)	40,40,40	2.27	10 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SAH	B	301	-	28,28,28	0.98	2 (7%)	40,40,40	2.25	9 (22%)
2	SAH	C	301	-	28,28,28	0.99	2 (7%)	40,40,40	2.43	12 (30%)
2	SAH	D	301	-	28,28,28	0.99	2 (7%)	40,40,40	2.34	9 (22%)
2	SAH	E	301	-	28,28,28	0.98	1 (3%)	40,40,40	2.55	12 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAH	A	301	-	-	0/15/31/31	0/1/3/3
2	SAH	B	301	-	-	0/15/31/31	0/1/3/3
2	SAH	C	301	-	-	0/15/31/31	0/1/3/3
2	SAH	D	301	-	-	0/15/31/31	0/1/3/3
2	SAH	E	301	-	-	0/15/31/31	0/1/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	301	SAH	C2-N3	3.21	1.38	1.32
2	A	301	SAH	C2-N3	3.12	1.38	1.32
2	B	301	SAH	C2-N3	2.88	1.37	1.32
2	E	301	SAH	C2-N3	2.78	1.37	1.32
2	C	301	SAH	C2-N3	2.40	1.36	1.32
2	D	301	SAH	C2-N1	2.35	1.38	1.33
2	A	301	SAH	C2-N1	2.34	1.38	1.33
2	C	301	SAH	C2-N1	2.19	1.38	1.33
2	B	301	SAH	C2-N1	2.03	1.37	1.33

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	301	SAH	N3-C2-N1	-11.75	118.89	128.71
2	B	301	SAH	N3-C2-N1	-11.02	119.50	128.71
2	C	301	SAH	N3-C2-N1	-11.00	119.51	128.71
2	D	301	SAH	N3-C2-N1	-10.75	119.72	128.71
2	A	301	SAH	N3-C2-N1	-10.20	120.19	128.71
2	A	301	SAH	OXT-C-O	-4.84	113.12	124.07
2	D	301	SAH	OXT-C-O	-4.16	114.67	124.07
2	D	301	SAH	N3-C4-N9	3.92	132.52	125.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	SAH	N3-C4-N9	3.89	132.45	125.43
2	E	301	SAH	O4'-C1'-N9	3.85	112.03	108.44
2	E	301	SAH	C5'-SD-CG	-3.82	91.01	102.42
2	E	301	SAH	OXT-C-O	-3.75	115.58	124.07
2	A	301	SAH	N3-C4-N9	3.64	132.01	125.43
2	C	301	SAH	OXT-C-O	-3.58	115.97	124.07
2	C	301	SAH	C5'-C4'-C3'	3.35	123.68	114.98
2	A	301	SAH	OXT-C-CA	3.34	124.37	116.88
2	E	301	SAH	N3-C4-N9	3.25	131.31	125.43
2	B	301	SAH	O4'-C1'-N9	2.83	111.07	108.44
2	B	301	SAH	OXT-C-O	-2.82	117.69	124.07
2	D	301	SAH	OXT-C-CA	2.79	123.15	116.88
2	C	301	SAH	N3-C4-N9	2.78	130.46	125.43
2	C	301	SAH	C4-C5-N7	-2.69	107.22	109.52
2	A	301	SAH	O4'-C1'-N9	2.68	110.93	108.44
2	C	301	SAH	CG-CB-CA	2.63	117.63	113.22
2	D	301	SAH	C5'-SD-CG	-2.62	94.60	102.42
2	B	301	SAH	C5-C4-N3	-2.56	120.12	125.70
2	A	301	SAH	C4-C5-N7	-2.56	107.33	109.52
2	C	301	SAH	OXT-C-CA	2.52	122.55	116.88
2	C	301	SAH	C1'-N9-C4	-2.49	122.33	126.64
2	D	301	SAH	C5-C4-N3	-2.48	120.30	125.70
2	A	301	SAH	C5-C4-N3	-2.44	120.40	125.70
2	D	301	SAH	C2-N3-C4	2.40	120.84	114.01
2	E	301	SAH	O4'-C4'-C5'	-2.40	102.52	108.91
2	B	301	SAH	OXT-C-CA	2.39	122.25	116.88
2	E	301	SAH	C2-N3-C4	2.35	120.70	114.01
2	E	301	SAH	C-CA-N	2.34	113.24	109.36
2	B	301	SAH	C2-N3-C4	2.31	120.59	114.01
2	C	301	SAH	C4'-C5'-SD	2.27	120.53	113.53
2	C	301	SAH	N7-C8-N9	-2.26	107.97	114.36
2	D	301	SAH	N7-C8-N9	-2.24	108.02	114.36
2	E	301	SAH	C4'-C5'-SD	2.19	120.28	113.53
2	A	301	SAH	C2-N3-C4	2.19	120.23	114.01
2	E	301	SAH	C5-C4-N3	-2.19	120.94	125.70
2	B	301	SAH	C4-C5-N7	-2.16	107.67	109.52
2	D	301	SAH	C4-C5-N7	-2.14	107.69	109.52
2	A	301	SAH	N7-C8-N9	-2.12	108.37	114.36
2	C	301	SAH	C2-N3-C4	2.12	120.04	114.01
2	B	301	SAH	N7-C8-N9	-2.07	108.49	114.36
2	C	301	SAH	O4'-C4'-C5'	-2.06	103.41	108.91
2	E	301	SAH	OXT-C-CA	2.04	121.47	116.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	SAH	CG-CB-CA	2.03	116.63	113.22
2	E	301	SAH	C1'-N9-C4	-2.01	123.16	126.64

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.