



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 03:55 PM GMT

PDB ID : 4BZC
Title : Crystal structure of the tetrameric dGTP-bound wild type SAMHD1 catalytic core
Authors : Ji, X.; Yang, H.; Wu, Y.; Yan, J.; Mehrens, J.; DeLucia, M.; Hao, C.; Gronenborn, A.M.; Skowronski, J.; Ahn, J.; Xiong, Y.
Deposited on : 2013-07-25
Resolution : 2.88 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1360 (2.90-2.86)
Clashscore	79885	1696 (2.90-2.86)
Ramachandran outliers	78287	1647 (2.90-2.86)
Sidechain outliers	78261	1650 (2.90-2.86)
RSRZ outliers	66119	1362 (2.90-2.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	550	
1	B	550	
1	C	550	
1	D	550	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 15954 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DEOXYNUCLEOSIDE TRIPHOSPHATE TRIPHOSPHO-HYDROLASE SAMHD1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	476	Total	C	N	O	S	0	0	0
			3880	2483	672	705	20			
1	B	477	Total	C	N	O	S	0	0	0
			3887	2489	678	700	20			
1	C	481	Total	C	N	O	S	0	0	0
			3932	2517	683	712	20			
1	D	470	Total	C	N	O	S	0	0	0
			3841	2462	666	693	20			

There are 144 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	77	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
A	78	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
A	79	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
A	80	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
A	81	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
A	82	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
A	83	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
A	84	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
A	85	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
A	86	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
A	87	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
A	88	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
A	89	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
A	90	LEU	-	EXPRESSION TAG	UNP Q9Y3Z3
A	91	VAL	-	EXPRESSION TAG	UNP Q9Y3Z3
A	92	PRO	-	EXPRESSION TAG	UNP Q9Y3Z3
A	93	ARG	-	EXPRESSION TAG	UNP Q9Y3Z3
A	94	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
A	95	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
A	96	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	97	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
A	98	ALA	-	EXPRESSION TAG	UNP Q9Y3Z3
A	99	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
A	100	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
A	101	THR	-	EXPRESSION TAG	UNP Q9Y3Z3
A	102	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
A	103	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
A	104	GLN	-	EXPRESSION TAG	UNP Q9Y3Z3
A	105	GLN	-	EXPRESSION TAG	UNP Q9Y3Z3
A	106	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
A	107	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
A	108	ARG	-	EXPRESSION TAG	UNP Q9Y3Z3
A	109	ASP	-	EXPRESSION TAG	UNP Q9Y3Z3
A	110	PRO	-	EXPRESSION TAG	UNP Q9Y3Z3
A	111	ASN	-	EXPRESSION TAG	UNP Q9Y3Z3
A	112	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
B	77	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
B	78	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
B	79	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
B	80	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
B	81	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
B	82	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
B	83	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
B	84	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
B	85	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
B	86	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
B	87	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
B	88	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
B	89	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
B	90	LEU	-	EXPRESSION TAG	UNP Q9Y3Z3
B	91	VAL	-	EXPRESSION TAG	UNP Q9Y3Z3
B	92	PRO	-	EXPRESSION TAG	UNP Q9Y3Z3
B	93	ARG	-	EXPRESSION TAG	UNP Q9Y3Z3
B	94	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
B	95	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
B	96	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
B	97	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
B	98	ALA	-	EXPRESSION TAG	UNP Q9Y3Z3
B	99	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
B	100	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
B	101	THR	-	EXPRESSION TAG	UNP Q9Y3Z3
B	102	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	103	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
B	104	GLN	-	EXPRESSION TAG	UNP Q9Y3Z3
B	105	GLN	-	EXPRESSION TAG	UNP Q9Y3Z3
B	106	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
B	107	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
B	108	ARG	-	EXPRESSION TAG	UNP Q9Y3Z3
B	109	ASP	-	EXPRESSION TAG	UNP Q9Y3Z3
B	110	PRO	-	EXPRESSION TAG	UNP Q9Y3Z3
B	111	ASN	-	EXPRESSION TAG	UNP Q9Y3Z3
B	112	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
C	77	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
C	78	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
C	79	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
C	80	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
C	81	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
C	82	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
C	83	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
C	84	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
C	85	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
C	86	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
C	87	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
C	88	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
C	89	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
C	90	LEU	-	EXPRESSION TAG	UNP Q9Y3Z3
C	91	VAL	-	EXPRESSION TAG	UNP Q9Y3Z3
C	92	PRO	-	EXPRESSION TAG	UNP Q9Y3Z3
C	93	ARG	-	EXPRESSION TAG	UNP Q9Y3Z3
C	94	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
C	95	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
C	96	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
C	97	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
C	98	ALA	-	EXPRESSION TAG	UNP Q9Y3Z3
C	99	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
C	100	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
C	101	THR	-	EXPRESSION TAG	UNP Q9Y3Z3
C	102	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
C	103	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
C	104	GLN	-	EXPRESSION TAG	UNP Q9Y3Z3
C	105	GLN	-	EXPRESSION TAG	UNP Q9Y3Z3
C	106	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
C	107	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
C	108	ARG	-	EXPRESSION TAG	UNP Q9Y3Z3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	109	ASP	-	EXPRESSION TAG	UNP Q9Y3Z3
C	110	PRO	-	EXPRESSION TAG	UNP Q9Y3Z3
C	111	ASN	-	EXPRESSION TAG	UNP Q9Y3Z3
C	112	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
D	77	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
D	78	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
D	79	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
D	80	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
D	81	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
D	82	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
D	83	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
D	84	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
D	85	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
D	86	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
D	87	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
D	88	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
D	89	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
D	90	LEU	-	EXPRESSION TAG	UNP Q9Y3Z3
D	91	VAL	-	EXPRESSION TAG	UNP Q9Y3Z3
D	92	PRO	-	EXPRESSION TAG	UNP Q9Y3Z3
D	93	ARG	-	EXPRESSION TAG	UNP Q9Y3Z3
D	94	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
D	95	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
D	96	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
D	97	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
D	98	ALA	-	EXPRESSION TAG	UNP Q9Y3Z3
D	99	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
D	100	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
D	101	THR	-	EXPRESSION TAG	UNP Q9Y3Z3
D	102	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
D	103	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
D	104	GLN	-	EXPRESSION TAG	UNP Q9Y3Z3
D	105	GLN	-	EXPRESSION TAG	UNP Q9Y3Z3
D	106	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
D	107	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
D	108	ARG	-	EXPRESSION TAG	UNP Q9Y3Z3
D	109	ASP	-	EXPRESSION TAG	UNP Q9Y3Z3
D	110	PRO	-	EXPRESSION TAG	UNP Q9Y3Z3
D	111	ASN	-	EXPRESSION TAG	UNP Q9Y3Z3
D	112	SER	-	EXPRESSION TAG	UNP Q9Y3Z3

- Molecule 2 is 2'-DEOXYGUANOSINE-5'-O-(1-THIOTRIPHOSPHATE) (three-letter code: T8T) (formula: C₁₀H₁₆N₅O₁₂P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
2	A	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
2	A	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
2	B	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
2	B	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
2	B	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
2	C	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
2	C	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
2	C	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
2	D	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
2	D	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
2	D	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Mn 1 1	0	0
3	A	1	Total Mn 1 1	0	0
3	D	1	Total Mn 1 1	0	0
3	C	1	Total Mn 1 1	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Mg 1 1	0	0
4	A	1	Total Mg 1 1	0	0
4	D	1	Total Mg 1 1	0	0
4	C	1	Total Mg 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	14	Total O 14 14	0	0
5	B	9	Total O 9 9	0	0
5	C	7	Total O 7 7	0	0
5	D	4	Total O 4 4	0	0



● Molecule 1: DEOXYNUCLEOSIDE TRIPHOSPHATE TRIPHOSPHOHYDROLASE SAMHD1

Chain D:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	79.00Å 138.73Å 93.72Å 90.00° 113.56° 90.00°	Depositor
Resolution (Å)	49.71 – 2.88 49.66 – 2.88	Depositor EDS
% Data completeness (in resolution range)	77.5 (49.71-2.88) 77.5 (49.66-2.88)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.80 (at 2.86Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.190 , 0.245 0.193 , 0.244	Depositor DCC
R_{free} test set	1668 reflections (5.38%)	DCC
Wilson B-factor (Å ²)	48.8	Xtriage
Anisotropy	0.319	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 50.4	EDS
Estimated twinning fraction	0.030 for h,-k,-h-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	1 of 32677 reflections (0.003%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	15954	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, T8T, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.66	0/3972	0.84	10/5364 (0.2%)
1	B	0.61	0/3978	0.85	9/5369 (0.2%)
1	C	0.65	0/4025	0.82	5/5434 (0.1%)
1	D	0.62	0/3933	0.78	2/5311 (0.0%)
All	All	0.63	0/15908	0.82	26/21478 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

There are no bond length outliers.

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	451	ARG	NE-CZ-NH1	12.89	126.74	120.30
1	B	451	ARG	NE-CZ-NH2	-12.80	113.90	120.30
1	C	226	ARG	CG-CD-NE	8.26	129.14	111.80
1	B	366	ARG	NE-CZ-NH2	-7.26	116.67	120.30
1	A	531	ARG	NE-CZ-NH1	7.26	123.93	120.30
1	C	531	ARG	NE-CZ-NH1	6.61	123.61	120.30
1	B	115	MET	CB-CG-SD	6.47	131.82	112.40
1	B	371	ARG	NE-CZ-NH1	6.28	123.44	120.30
1	A	216	MET	CG-SD-CE	-6.22	90.25	100.20
1	B	405	LYS	CB-CA-C	-6.06	98.27	110.40
1	D	451	ARG	NE-CZ-NH2	-5.93	117.33	120.30
1	A	473	TYR	CB-CG-CD1	-5.76	117.55	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	551	ARG	NE-CZ-NH2	-5.75	117.43	120.30
1	D	368	SER	N-CA-CB	-5.74	101.89	110.50
1	A	333	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	A	451	ARG	NE-CZ-NH2	-5.57	117.52	120.30
1	C	451	ARG	NE-CZ-NH2	-5.49	117.55	120.30
1	C	371	ARG	NE-CZ-NH2	-5.43	117.58	120.30
1	B	325	ILE	CB-CA-C	-5.40	100.80	111.60
1	A	440	ASP	N-CA-CB	5.36	120.25	110.60
1	A	473	TYR	CB-CG-CD2	5.34	124.20	121.00
1	C	333	ARG	NE-CZ-NH1	5.28	122.94	120.30
1	B	352	ARG	NE-CZ-NH2	-5.17	117.72	120.30
1	A	325	ILE	CB-CA-C	-5.15	101.30	111.60
1	B	442	ARG	NE-CZ-NH1	5.15	122.87	120.30
1	A	559	ARG	NE-CZ-NH1	5.03	122.81	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	330	ASP	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3880	0	0	29	0
1	B	3887	0	0	39	0
1	C	3932	0	0	22	2
1	D	3841	0	0	29	2
2	A	93	0	0	4	0
2	B	93	0	0	5	0
2	C	93	0	0	9	0
2	D	93	0	0	4	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	14	0	0	1	0
5	B	9	0	0	2	0
5	C	7	0	0	0	0
5	D	4	0	0	1	0
All	All	15954	0	0	104	2

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 7.

All (104) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:215:HIS:NE2	2:D:700:T8T:O2A	1.84	1.10
1:D:368:SER:OG	1:D:372:ARG:NH1	1.97	0.97
1:B:143:ARG:NH2	1:B:210:HIS:O	2.05	0.90
1:D:207:ASP:OD1	2:D:700:T8T:S1A	2.32	0.88
1:A:523:LYS:NZ	2:C:800:T8T:O3G	2.10	0.84
1:B:155:TYR:O	1:B:451:ARG:NH2	2.13	0.81
1:D:556:LYS:O	1:D:557:VAL:CG2	2.30	0.79
1:B:325:ILE:CG2	1:B:326:GLN:N	2.50	0.74
1:A:325:ILE:CG2	1:A:326:GLN:N	2.51	0.73
1:A:597:GLU:OE1	1:A:597:GLU:N	2.21	0.73
1:D:597:GLU:OE1	1:D:597:GLU:N	2.22	0.72
1:B:597:GLU:OE1	1:B:597:GLU:N	2.23	0.72
1:D:580:LYS:N	5:D:2004:HOH:O	2.23	0.71
1:C:597:GLU:OE1	1:C:597:GLU:N	2.25	0.70
2:B:800:T8T:O3G	2:B:900:T8T:O2B	2.10	0.69
1:A:523:LYS:NZ	2:C:900:T8T:O1G	2.26	0.69
1:B:164:ARG:NH1	2:B:700:T8T:S1A	2.67	0.68
1:A:325:ILE:C	1:C:328:ASN:CB	2.65	0.65
1:A:543:GLU:OE1	1:A:543:GLU:N	2.30	0.65
1:B:558:ASP:OD1	1:B:561:SER:CB	2.46	0.64
1:A:315:TYR:OH	2:A:700:T8T:O3G	2.16	0.63
1:D:558:ASP:N	1:D:558:ASP:OD1	2.30	0.63
2:B:800:T8T:O2A	1:D:354:LYS:NZ	2.32	0.63
1:B:372:ARG:NE	1:D:358:ASN:OD1	2.31	0.63
1:B:333:ARG:NH2	2:D:800:T8T:S1A	2.71	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:C:700:T8T:S1A	2:C:700:T8T:O2B	2.57	0.62
1:B:333:ARG:NH1	1:B:355:GLU:OE2	2.33	0.61
1:C:455:LYS:NZ	2:C:900:T8T:O3G	2.34	0.60
1:B:342:GLU:OE2	1:B:345:ASN:N	2.35	0.60
1:A:342:GLU:OE2	1:A:345:ASN:N	2.34	0.60
1:B:469:LYS:CD	1:B:469:LYS:N	2.65	0.60
1:A:325:ILE:O	1:C:328:ASN:CB	2.53	0.57
1:B:467:LYS:O	1:B:469:LYS:NZ	2.38	0.56
1:D:329:PHE:CG	1:D:330:ASP:N	2.74	0.56
1:A:522:CYS:SG	1:C:583:ASP:CB	2.94	0.56
1:C:372:ARG:NE	2:C:800:T8T:O6	2.39	0.56
1:B:551:ARG:NH1	5:B:2008:HOH:O	2.38	0.55
1:B:358:ASN:OD1	1:D:372:ARG:NH2	2.40	0.54
1:B:325:ILE:O	1:D:328:ASN:CB	2.55	0.54
1:B:323:LEU:O	1:C:119:ASN:ND2	2.41	0.53
1:A:305:ARG:NE	1:A:348:ARG:NH1	2.56	0.53
1:B:558:ASP:OD1	1:B:561:SER:OG	2.27	0.53
1:B:402:ALA:O	1:B:405:LYS:CD	2.57	0.53
1:D:598:TRP:O	1:D:599:ASN:CB	2.56	0.53
1:A:207:ASP:N	5:A:2005:HOH:O	2.42	0.52
1:D:220:ARG:NH1	1:D:501:ASP:OD2	2.42	0.52
1:B:116:LYS:NZ	2:C:900:T8T:O2A	2.43	0.52
1:C:558:ASP:OD1	1:C:561:SER:OG	2.28	0.52
1:A:119:ASN:ND2	1:D:323:LEU:O	2.43	0.51
1:C:474:GLU:CA	1:C:474:GLU:OE1	2.58	0.51
1:B:377:LYS:NZ	2:B:800:T8T:O1B	2.44	0.50
1:B:321:HIS:CE1	1:C:321:HIS:CE1	3.00	0.50
1:A:323:LEU:O	1:D:119:ASN:ND2	2.45	0.49
1:A:524:THR:CG2	1:C:566:ARG:NH2	2.76	0.49
1:A:558:ASP:OD1	1:A:561:SER:OG	2.30	0.48
2:A:900:T8T:O3G	1:C:523:LYS:NZ	2.47	0.48
1:A:207:ASP:OD1	2:A:700:T8T:S1A	2.71	0.48
1:C:345:ASN:OD1	1:C:345:ASN:C	2.52	0.47
2:A:900:T8T:O2A	1:D:116:LYS:NZ	2.47	0.47
1:A:371:ARG:NH2	1:C:537:VAL:O	2.48	0.47
1:D:492:LYS:CG	1:D:492:LYS:O	2.62	0.47
1:C:327:ASN:ND2	1:C:329:PHE:CD1	2.82	0.47
1:A:472:ASP:OD2	1:A:473:TYR:CZ	2.68	0.47
1:D:207:ASP:CG	2:D:700:T8T:S1A	2.93	0.46
1:B:342:GLU:OE2	1:B:345:ASN:CA	2.64	0.46
1:B:155:TYR:OH	1:C:146:TYR:OH	2.34	0.46
1:A:497:ASP:OD2	1:A:556:LYS:CE	2.65	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:C:800:T8T:O3G	2:C:900:T8T:O2B	2.35	0.45
1:A:313:TRP:CD1	1:A:329:PHE:CE2	3.04	0.45
1:C:417:GLU:O	1:C:417:GLU:OE1	2.34	0.45
1:B:149:GLN:NE2	2:B:700:T8T:O3'	2.49	0.45
1:B:325:ILE:C	1:D:328:ASN:CB	2.85	0.45
1:A:463:THR:OG1	1:A:464:GLY:N	2.50	0.44
1:A:342:GLU:OE2	1:A:345:ASN:CA	2.66	0.44
1:D:461:GLN:N	1:D:579:THR:CG2	2.81	0.44
1:B:598:TRP:O	1:B:599:ASN:CB	2.65	0.44
1:D:344:ASP:N	1:D:344:ASP:OD1	2.50	0.43
1:A:352:ARG:NH2	2:C:800:T8T:O2G	2.51	0.43
1:B:114:THR:OG1	1:B:115:MET:N	2.51	0.43
1:B:558:ASP:OD1	1:B:561:SER:N	2.51	0.43
1:B:344:ASP:OD1	1:B:344:ASP:N	2.52	0.43
1:B:116:LYS:NZ	2:C:900:T8T:O2G	2.52	0.43
1:B:119:ASN:ND2	1:C:323:LEU:O	2.52	0.43
1:D:293:ASN:N	1:D:293:ASN:OD1	2.52	0.42
1:A:328:ASN:CB	1:A:365:THR:OG1	2.67	0.42
1:B:313:TRP:CD1	1:B:329:PHE:CE2	3.08	0.42
1:B:598:TRP:O	1:B:599:ASN:CG	2.58	0.42
1:B:463:THR:OG1	1:B:577:ASN:O	2.38	0.42
1:A:425:ASN:OD1	1:D:425:ASN:OD1	2.37	0.41
1:C:226:ARG:NE	1:C:410:SER:O	2.53	0.41
1:B:159:GLY:N	5:B:2002:HOH:O	2.53	0.41
1:C:215:HIS:O	1:C:219:GLY:N	2.54	0.41
1:B:215:HIS:O	1:B:219:GLY:N	2.54	0.41
1:B:328:ASN:CB	1:B:365:THR:OG1	2.69	0.41
1:A:321:HIS:CE1	1:D:321:HIS:CE1	3.09	0.41
1:D:291:PRO:CG	1:D:293:ASN:OD1	2.69	0.40
1:A:215:HIS:O	1:A:219:GLY:N	2.54	0.40
1:D:401:GLY:N	1:D:405:LYS:O	2.55	0.40
1:B:524:THR:OG1	1:D:586:VAL:CG1	2.69	0.40
1:B:433:SER:OG	1:B:442:ARG:NH1	2.54	0.40
1:D:215:HIS:O	1:D:219:GLY:N	2.54	0.40
1:C:598:TRP:O	1:C:599:ASN:CB	2.69	0.40
1:A:344:ASP:OD1	1:A:344:ASP:N	2.53	0.40
1:C:344:ASP:N	1:C:344:ASP:OD1	2.55	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:396:TYR:OH	1:D:230:LYS:NZ[1_454]	2.10	0.10
1:C:493:LEU:O	1:D:396:TYR:OH[1_454]	2.10	0.10

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	470/550 (86%)	464 (99%)	6 (1%)	0	100	100
1	B	471/550 (86%)	466 (99%)	5 (1%)	0	100	100
1	C	477/550 (87%)	471 (99%)	6 (1%)	0	100	100
1	D	464/550 (84%)	458 (99%)	5 (1%)	1 (0%)	56	89
All	All	1882/2200 (86%)	1859 (99%)	22 (1%)	1 (0%)	59	92

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	557	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	421/488 (86%)	402 (96%)	19 (4%)	38	76
1	B	421/488 (86%)	400 (95%)	21 (5%)	34	72
1	C	427/488 (88%)	405 (95%)	22 (5%)	32	70
1	D	417/488 (86%)	398 (95%)	19 (5%)	37	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1686/1952 (86%)	1605 (95%)	81 (5%)	35 73

All (81) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	216	MET
1	A	283	SER
1	A	293	ASN
1	A	336	LYS
1	A	342	GLU
1	A	344	ASP
1	A	371	ARG
1	A	377	LYS
1	A	425	ASN
1	A	426	ILE
1	A	443	GLU
1	A	447	GLN
1	A	452	ASN
1	A	475	SER
1	A	491	VAL
1	A	496	GLU
1	A	510	GLN
1	A	528	ARG
1	A	531	ARG
1	B	276	LEU
1	B	323	LEU
1	B	336	LYS
1	B	342	GLU
1	B	344	ASP
1	B	345	ASN
1	B	366	ARG
1	B	377	LYS
1	B	425	ASN
1	B	426	ILE
1	B	440	ASP
1	B	447	GLN
1	B	452	ASN
1	B	466	ILE
1	B	467	LYS
1	B	469	LYS
1	B	475	SER
1	B	491	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	496	GLU
1	B	510	GLN
1	B	594	GLN
1	C	218	ASP
1	C	329	PHE
1	C	336	LYS
1	C	344	ASP
1	C	345	ASN
1	C	371	ARG
1	C	417	GLU
1	C	425	ASN
1	C	429	GLU
1	C	440	ASP
1	C	447	GLN
1	C	452	ASN
1	C	468	ILE
1	C	474	GLU
1	C	475	SER
1	C	484	LYS
1	C	491	VAL
1	C	492	LYS
1	C	496	GLU
1	C	531	ARG
1	C	594	GLN
1	C	596	LYS
1	D	216	MET
1	D	284	LEU
1	D	315	TYR
1	D	336	LYS
1	D	344	ASP
1	D	371	ARG
1	D	377	LYS
1	D	426	ILE
1	D	440	ASP
1	D	447	GLN
1	D	452	ASN
1	D	475	SER
1	D	484	LYS
1	D	491	VAL
1	D	492	LYS
1	D	496	GLU
1	D	510	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	558	ASP
1	D	579	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 20 ligands modelled in this entry, 8 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	T8T	A	700	-	33,33,33	1.68	6 (18%)	45,52,52	3.79	10 (22%)
2	T8T	A	800	4	33,33,33	2.24	7 (21%)	45,52,52	3.23	12 (26%)
2	T8T	A	900	4	33,33,33	1.83	7 (21%)	45,52,52	5.90	8 (17%)
2	T8T	B	700	-	33,33,33	2.05	8 (24%)	45,52,52	12.37	12 (26%)
2	T8T	B	800	4	33,33,33	1.88	7 (21%)	45,52,52	4.19	10 (22%)
2	T8T	B	900	4	33,33,33	1.84	6 (18%)	45,52,52	4.21	10 (22%)
2	T8T	C	700	-	33,33,33	1.87	7 (21%)	45,52,52	3.58	15 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	T8T	C	800	4	33,33,33	2.08	8 (24%)	45,52,52	3.46	11 (24%)
2	T8T	C	900	4	33,33,33	1.92	5 (15%)	45,52,52	7.94	9 (20%)
2	T8T	D	700	-	33,33,33	1.74	6 (18%)	45,52,52	6.60	7 (15%)
2	T8T	D	800	4	33,33,33	1.99	6 (18%)	45,52,52	9.52	12 (26%)
2	T8T	D	900	4	33,33,33	2.08	9 (27%)	45,52,52	4.16	9 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	T8T	A	700	-	-	0/18/34/34	0/1/3/3
2	T8T	A	800	4	-	1/18/34/34	0/1/3/3
2	T8T	A	900	4	-	0/18/34/34	0/1/3/3
2	T8T	B	700	-	-	0/18/34/34	0/1/3/3
2	T8T	B	800	4	-	1/18/34/34	0/1/3/3
2	T8T	B	900	4	-	0/18/34/34	0/1/3/3
2	T8T	C	700	-	-	0/18/34/34	0/1/3/3
2	T8T	C	800	4	-	1/18/34/34	0/1/3/3
2	T8T	C	900	4	-	0/18/34/34	0/1/3/3
2	T8T	D	700	-	-	0/18/34/34	0/1/3/3
2	T8T	D	800	4	-	0/18/34/34	0/1/3/3
2	T8T	D	900	4	-	1/18/34/34	0/1/3/3

All (82) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	800	T8T	PA-S1A	-7.95	1.88	2.06
2	C	800	T8T	PA-S1A	-7.84	1.88	2.06
2	D	900	T8T	PA-S1A	-7.48	1.89	2.06
2	A	900	T8T	PA-S1A	-6.71	1.90	2.06
2	D	800	T8T	PA-S1A	-6.59	1.91	2.06
2	B	900	T8T	PA-S1A	-6.46	1.91	2.06
2	C	700	T8T	PA-S1A	-6.31	1.91	2.06
2	C	900	T8T	PA-S1A	-6.29	1.91	2.06
2	A	800	T8T	C4-N9	-5.68	1.27	1.38
2	B	700	T8T	C6-C5	5.43	1.50	1.41
2	D	800	T8T	C4-N9	-4.99	1.28	1.38
2	C	900	T8T	C4-N9	-4.89	1.29	1.38
2	C	700	T8T	C4-N9	-4.68	1.29	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	700	T8T	PA-S1A	-4.67	1.95	2.06
2	D	700	T8T	C4-N9	-4.52	1.29	1.38
2	B	700	T8T	C4-N9	-4.45	1.30	1.38
2	D	700	T8T	PA-S1A	-4.43	1.96	2.06
2	A	700	T8T	PA-S1A	-4.37	1.96	2.06
2	B	900	T8T	C4-N9	-4.37	1.30	1.38
2	B	800	T8T	C2-N1	4.21	1.38	1.33
2	B	700	T8T	PA-O5'	4.21	1.64	1.58
2	B	800	T8T	C4-N9	-4.14	1.30	1.38
2	D	700	T8T	C6-C5	4.07	1.47	1.41
2	C	900	T8T	C6-C5	4.02	1.47	1.41
2	D	800	T8T	C4-N3	-4.02	1.32	1.37
2	D	900	T8T	C4-N9	-3.97	1.30	1.38
2	A	700	T8T	C4-N9	-3.86	1.31	1.38
2	D	900	T8T	C4-N3	-3.83	1.32	1.37
2	B	800	T8T	C4-N3	-3.79	1.32	1.37
2	C	800	T8T	C4-N9	-3.78	1.31	1.38
2	D	800	T8T	C6-N1	-3.71	1.30	1.37
2	B	700	T8T	C4-N3	-3.70	1.32	1.37
2	C	700	T8T	C4-N3	-3.69	1.32	1.37
2	A	800	T8T	C2-N3	-3.69	1.30	1.36
2	A	900	T8T	C4-N9	-3.59	1.31	1.38
2	B	800	T8T	PA-O5'	3.49	1.63	1.58
2	B	800	T8T	C6-C5	3.44	1.46	1.41
2	B	800	T8T	PA-S1A	-3.44	1.98	2.06
2	B	900	T8T	C8-N9	-3.42	1.31	1.36
2	A	800	T8T	C4-N3	-3.39	1.33	1.37
2	C	900	T8T	C5-C4	3.18	1.47	1.40
2	A	900	T8T	C2-N2	3.18	1.37	1.32
2	A	900	T8T	C6-C5	3.13	1.46	1.41
2	A	700	T8T	C6-C5	3.10	1.46	1.41
2	C	700	T8T	C6-C5	3.09	1.46	1.41
2	D	900	T8T	C6-C5	3.06	1.46	1.41
2	A	800	T8T	C8-N9	-2.96	1.32	1.36
2	C	800	T8T	C5-C4	2.93	1.47	1.40
2	A	800	T8T	C5-N7	-2.93	1.29	1.40
2	D	700	T8T	C5-C4	2.90	1.47	1.40
2	D	900	T8T	C2-N2	2.86	1.36	1.32
2	C	800	T8T	C6-C5	2.83	1.45	1.41
2	A	800	T8T	C2-N1	2.83	1.37	1.33
2	B	900	T8T	C6-C5	2.83	1.45	1.41
2	C	800	T8T	C2-N2	2.78	1.36	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	800	T8T	PA-O5'	2.73	1.62	1.58
2	A	700	T8T	C2-N1	2.69	1.36	1.33
2	D	900	T8T	C5-N7	-2.61	1.30	1.40
2	A	700	T8T	C2-N2	2.60	1.36	1.32
2	A	700	T8T	C5-C4	2.52	1.46	1.40
2	C	700	T8T	C2-N3	-2.51	1.32	1.36
2	C	800	T8T	C4-N3	-2.46	1.34	1.37
2	B	900	T8T	C5-N7	-2.46	1.31	1.40
2	B	700	T8T	C6-N1	-2.41	1.32	1.37
2	D	800	T8T	C8-N9	-2.37	1.33	1.36
2	B	800	T8T	C5-N7	-2.37	1.31	1.40
2	D	800	T8T	C5-N7	-2.36	1.31	1.40
2	B	700	T8T	C5-C4	2.33	1.45	1.40
2	A	900	T8T	C4-N3	-2.30	1.34	1.37
2	D	900	T8T	C8-N9	-2.24	1.33	1.36
2	A	900	T8T	C8-N9	-2.20	1.33	1.36
2	D	900	T8T	C5-C4	2.20	1.45	1.40
2	B	900	T8T	C6-N1	-2.18	1.33	1.37
2	B	700	T8T	PA-O2A	2.15	1.52	1.47
2	D	700	T8T	C4-N3	-2.13	1.34	1.37
2	C	900	T8T	C2-N2	2.11	1.35	1.32
2	C	800	T8T	C2-N1	2.09	1.36	1.33
2	C	700	T8T	C5-C4	2.07	1.45	1.40
2	D	900	T8T	C2-N1	2.04	1.36	1.33
2	D	700	T8T	PA-O5'	2.04	1.61	1.58
2	C	700	T8T	C6-N1	-2.04	1.33	1.37
2	A	900	T8T	C5-N7	-2.03	1.32	1.40

All (125) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	700	T8T	C6-C5-N7	80.44	138.52	134.24
2	D	800	T8T	C6-C5-N7	60.90	137.48	134.24
2	C	900	T8T	C6-C5-N7	47.69	136.78	134.24
2	D	700	T8T	C6-C5-N7	39.87	136.36	134.24
2	A	900	T8T	C6-C5-N7	27.17	135.68	134.24
2	A	900	T8T	N3-C4-N9	26.96	135.96	126.41
2	B	900	T8T	N3-C4-N9	25.02	135.28	126.41
2	A	700	T8T	N3-C4-N9	22.60	134.42	126.41
2	C	900	T8T	N3-C4-N9	20.61	133.72	126.41
2	B	800	T8T	C6-C5-N7	20.57	135.33	134.24
2	C	800	T8T	N3-C4-N9	20.10	133.53	126.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	900	T8T	C6-C5-N7	18.00	135.20	134.24
2	D	900	T8T	N3-C4-N9	17.66	132.67	126.41
2	C	700	T8T	N3-C4-N9	17.56	132.63	126.41
2	B	700	T8T	N3-C4-N9	16.67	132.32	126.41
2	D	800	T8T	N3-C4-N9	15.71	131.98	126.41
2	D	700	T8T	N3-C4-N9	15.60	131.94	126.41
2	B	800	T8T	N3-C4-N9	14.88	131.68	126.41
2	A	800	T8T	C6-C5-N7	12.40	134.90	134.24
2	C	700	T8T	C6-C5-N7	11.33	134.84	134.24
2	A	800	T8T	N3-C4-N9	11.14	130.36	126.41
2	A	800	T8T	N2-C2-N3	-7.62	109.47	117.86
2	B	800	T8T	N2-C2-N3	-6.87	110.29	117.86
2	B	900	T8T	C6-C5-N7	6.56	134.59	134.24
2	D	700	T8T	PB-O3A-PA	-6.42	112.85	131.68
2	D	900	T8T	C6-N1-C2	6.03	123.42	116.91
2	B	900	T8T	PB-O3A-PA	-5.84	114.55	131.68
2	A	700	T8T	C6-N1-C2	5.73	123.10	116.91
2	C	800	T8T	C6-N1-C2	5.69	123.06	116.91
2	C	900	T8T	C6-N1-C2	5.38	122.73	116.91
2	C	900	T8T	PB-O3A-PA	-5.31	116.12	131.68
2	A	800	T8T	N2-C2-N1	5.11	127.22	120.30
2	C	700	T8T	O3A-PB-O3B	-5.09	91.30	101.66
2	B	700	T8T	PB-O3B-PG	-5.07	116.83	131.68
2	D	900	T8T	PB-O3B-PG	-5.01	116.99	131.68
2	D	900	T8T	PB-O3A-PA	-4.94	117.21	131.68
2	D	700	T8T	C6-N1-C2	4.67	121.95	116.91
2	B	700	T8T	C6-N1-C2	4.53	121.81	116.91
2	A	900	T8T	C6-N1-C2	4.50	121.77	116.91
2	D	800	T8T	C1'-N9-C4	-4.44	119.15	126.46
2	A	800	T8T	C6-N1-C2	4.43	121.69	116.91
2	B	700	T8T	O3A-PB-O3B	4.33	110.46	101.66
2	A	700	T8T	C8-N9-C4	4.23	110.13	106.90
2	B	900	T8T	PB-O3B-PG	-4.04	119.82	131.68
2	C	700	T8T	C6-N1-C2	4.00	121.23	116.91
2	C	900	T8T	PB-O3B-PG	-3.95	120.11	131.68
2	C	800	T8T	C8-N9-C4	3.88	109.86	106.90
2	D	700	T8T	PB-O3B-PG	-3.83	120.45	131.68
2	C	900	T8T	O2G-PG-O3G	3.79	122.83	110.44
2	A	900	T8T	C8-N9-C4	3.65	109.69	106.90
2	A	800	T8T	C1'-N9-C4	-3.63	120.47	126.46
2	B	800	T8T	PB-O3B-PG	-3.62	121.08	131.68
2	A	700	T8T	PB-O3B-PG	-3.61	121.10	131.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900	T8T	PB-O3A-PA	-3.52	121.35	131.68
2	D	800	T8T	PB-O3A-PA	-3.46	121.55	131.68
2	D	700	T8T	C1'-N9-C4	-3.44	120.80	126.46
2	B	800	T8T	N2-C2-N1	3.42	124.93	120.30
2	B	900	T8T	C6-N1-C2	3.37	120.55	116.91
2	D	800	T8T	C8-N9-C1'	3.37	132.50	126.15
2	C	800	T8T	C1'-N9-C4	-3.33	120.98	126.46
2	A	800	T8T	C8-N9-C1'	3.31	132.39	126.15
2	B	900	T8T	C8-N9-C4	3.30	109.42	106.90
2	B	800	T8T	C5-C4-N9	3.18	109.19	106.02
2	A	800	T8T	O3'-C3'-C2'	-3.13	99.00	110.78
2	C	700	T8T	PB-O3B-PG	-3.12	122.54	131.68
2	D	800	T8T	PB-O3B-PG	-3.08	122.65	131.68
2	C	700	T8T	C1'-N9-C4	-3.08	121.39	126.46
2	C	900	T8T	O3A-PB-O3B	-3.01	95.54	101.66
2	C	700	T8T	PB-O3A-PA	-3.01	122.86	131.68
2	C	800	T8T	PB-O3B-PG	-2.96	123.00	131.68
2	C	900	T8T	O4'-C1'-N9	-2.92	102.18	107.68
2	A	700	T8T	O4'-C1'-C2'	2.85	111.85	106.25
2	C	700	T8T	O2G-PG-O1G	2.83	118.65	107.61
2	B	700	T8T	C8-N9-C4	2.83	109.06	106.90
2	D	700	T8T	C8-N9-C1'	2.77	131.36	126.15
2	A	900	T8T	PB-O3B-PG	-2.74	123.64	131.68
2	C	800	T8T	PB-O3A-PA	-2.71	123.75	131.68
2	B	800	T8T	PB-O3A-PA	-2.65	123.93	131.68
2	D	900	T8T	C2'-C3'-C4'	2.63	108.61	102.73
2	C	800	T8T	C6-C5-N7	-2.61	134.10	134.24
2	B	800	T8T	C6-N1-C2	2.58	119.69	116.91
2	A	700	T8T	C6-C5-N7	2.57	134.38	134.24
2	B	900	T8T	O1G-PG-O3G	2.54	118.75	110.44
2	C	800	T8T	C2-N3-C4	-2.54	116.96	120.15
2	B	800	T8T	C4-C5-N7	-2.51	104.68	109.08
2	B	700	T8T	C1'-N9-C4	-2.51	122.33	126.46
2	C	800	T8T	O2B-PB-O3B	2.49	116.96	105.14
2	B	900	T8T	O4'-C1'-N9	-2.48	103.02	107.68
2	B	700	T8T	O2B-PB-O1B	2.42	125.74	112.21
2	B	700	T8T	C4-C5-N7	-2.41	104.84	109.08
2	D	800	T8T	O2G-PG-O3G	2.41	118.32	110.44
2	A	900	T8T	O2G-PG-O1G	2.37	116.86	107.61
2	A	800	T8T	PB-O3B-PG	-2.37	124.75	131.68
2	D	900	T8T	N2-C2-N3	-2.37	115.25	117.86
2	D	800	T8T	C5-C4-N9	2.36	108.36	106.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	700	T8T	O5'-C5'-C4'	-2.36	100.28	108.94
2	C	700	T8T	N3-C2-N1	2.35	125.02	121.75
2	B	700	T8T	O3A-PA-O5'	2.33	110.52	101.49
2	C	800	T8T	O4'-C1'-C2'	2.32	110.81	106.25
2	A	700	T8T	O2B-PB-O1B	2.31	125.14	112.21
2	A	700	T8T	C1'-N9-C4	-2.30	122.67	126.46
2	B	900	T8T	N2-C2-N1	-2.29	117.20	120.30
2	A	800	T8T	C5-C4-N9	2.28	108.29	106.02
2	C	700	T8T	C8-N9-C1'	2.25	130.39	126.15
2	C	700	T8T	N2-C2-N3	-2.23	115.40	117.86
2	A	800	T8T	O2G-PG-O1G	2.21	116.22	107.61
2	C	800	T8T	C2'-C3'-C4'	2.20	107.66	102.73
2	C	700	T8T	O2A-PA-S1A	2.20	125.44	112.80
2	C	700	T8T	O1G-PG-O3G	2.18	117.55	110.44
2	B	800	T8T	N3-C2-N1	2.16	124.76	121.75
2	C	700	T8T	O4'-C4'-C5'	-2.16	101.66	109.36
2	D	800	T8T	O4'-C1'-C2'	2.14	110.47	106.25
2	D	800	T8T	N3-C2-N1	2.13	124.71	121.75
2	D	900	T8T	O4'-C4'-C5'	2.12	116.94	109.36
2	A	800	T8T	O2G-PG-O3B	-2.12	95.07	105.14
2	D	900	T8T	C5-C6-N1	-2.10	115.47	121.07
2	A	700	T8T	C2'-C1'-N9	-2.09	108.66	114.08
2	D	800	T8T	O5'-PA-O2A	-2.08	106.35	114.14
2	C	900	T8T	C8-N9-C4	2.07	108.48	106.90
2	B	700	T8T	C5-C4-N9	2.07	108.08	106.02
2	B	900	T8T	N3-C2-N1	2.04	124.59	121.75
2	A	900	T8T	C2'-C3'-C4'	2.03	107.27	102.73
2	D	800	T8T	O2G-PG-O1G	2.03	115.50	107.61
2	B	700	T8T	N2-C2-N1	-2.02	117.56	120.30
2	A	700	T8T	C5-C4-N9	-2.01	104.02	106.02

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	800	T8T	O5'-PA-O3A-PB
2	C	800	T8T	O5'-PA-O3A-PB
2	A	800	T8T	O5'-PA-O3A-PB
2	D	900	T8T	O5'-PA-O3A-PB

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	476/550 (86%)	0.29	22 (4%) 31 39	29, 53, 94, 127	0
1	B	477/550 (86%)	0.89	78 (16%) 2 3	40, 76, 117, 137	0
1	C	481/550 (87%)	0.37	36 (7%) 14 17	28, 56, 102, 140	0
1	D	470/550 (85%)	0.72	62 (13%) 4 5	39, 73, 108, 140	0
All	All	1904/2200 (86%)	0.57	198 (10%) 7 8	28, 65, 107, 140	0

All (198) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	490	ASP	10.0
1	B	491	VAL	7.3
1	B	488	LEU	6.2
1	D	412	ALA	6.2
1	B	486	LYS	6.1
1	A	345	ASN	5.7
1	A	490	ASP	5.5
1	B	575	ASP	5.2
1	B	489	LEU	5.2
1	B	571	GLN	5.2
1	B	465	GLN	5.2
1	C	489	LEU	5.1
1	B	345	ASN	5.0
1	D	480	VAL	5.0
1	B	592	THR	5.0
1	B	585	ASP	4.9
1	B	593	PRO	4.7
1	B	293	ASN	4.7
1	B	464	GLY	4.7
1	B	492	LYS	4.6
1	D	274	GLY	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	493	LEU	4.6
1	D	198	CYS	4.4
1	A	344	ASP	4.3
1	B	556	LYS	4.2
1	C	413	ILE	4.2
1	B	463	THR	4.1
1	D	263	GLU	4.1
1	A	190	GLN	4.1
1	D	262	GLU	4.1
1	D	488	LEU	4.1
1	B	485	PRO	4.0
1	D	599	ASN	4.0
1	B	255	GLU	4.0
1	B	348	ARG	4.0
1	C	594	GLN	3.9
1	D	285	TRP	3.9
1	B	285	TRP	3.9
1	B	498	PHE	3.7
1	C	491	VAL	3.7
1	C	590	LEU	3.7
1	B	393	ALA	3.6
1	D	583	ASP	3.6
1	C	593	PRO	3.6
1	D	288	LYS	3.5
1	D	486	LYS	3.5
1	B	259	LEU	3.5
1	C	493	LEU	3.5
1	A	488	LEU	3.5
1	D	230	LYS	3.5
1	B	408	ARG	3.5
1	B	473	TYR	3.5
1	B	256	GLN	3.5
1	B	588	ALA	3.4
1	D	477	PRO	3.4
1	C	255	GLU	3.4
1	B	590	LEU	3.4
1	D	327	ASN	3.4
1	C	596	LYS	3.4
1	C	488	LEU	3.4
1	D	572	TRP	3.4
1	C	568	TYR	3.3
1	B	572	TRP	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	561	SER	3.3
1	C	277	GLU	3.3
1	D	255	GLU	3.3
1	A	590	LEU	3.3
1	B	482	SER	3.3
1	D	276	LEU	3.3
1	B	562	LEU	3.2
1	B	344	ASP	3.2
1	D	485	PRO	3.2
1	B	346	GLU	3.2
1	D	398	GLU	3.2
1	C	587	ILE	3.2
1	C	276	LEU	3.1
1	C	326	GLN	3.1
1	B	414	ASP	3.1
1	B	260	ILE	3.1
1	B	490	ASP	3.0
1	B	594	GLN	3.0
1	B	190	GLN	3.0
1	C	329	PHE	3.0
1	D	250	ILE	2.9
1	D	260	ILE	2.9
1	C	562	LEU	2.9
1	D	251	LYS	2.9
1	B	487	VAL	2.9
1	B	573	CYS	2.9
1	B	397	ILE	2.8
1	D	585	ASP	2.8
1	B	484	LYS	2.8
1	C	327	ASN	2.8
1	B	598	TRP	2.8
1	D	475	SER	2.7
1	A	593	PRO	2.7
1	C	487	VAL	2.7
1	A	434	THR	2.7
1	B	483	ALA	2.7
1	D	535	ASN	2.7
1	B	554	CYS	2.7
1	D	345	ASN	2.6
1	C	599	ASN	2.6
1	C	559	ARG	2.6
1	D	326	GLN	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	574	ALA	2.6
1	C	401	GLY	2.6
1	D	461	GLN	2.6
1	D	496	GLU	2.6
1	D	498	PHE	2.6
1	D	569	PHE	2.6
1	D	524	THR	2.6
1	B	476	LEU	2.6
1	D	557	VAL	2.6
1	B	497	ASP	2.6
1	B	496	GLU	2.6
1	C	397	ILE	2.5
1	D	284	LEU	2.5
1	D	559	ARG	2.5
1	C	402	ALA	2.5
1	D	509	MET	2.5
1	B	557	VAL	2.5
1	D	563	TYR	2.5
1	B	195	ASP	2.5
1	A	530	ILE	2.5
1	B	480	VAL	2.5
1	D	586	VAL	2.5
1	A	441	ALA	2.5
1	D	491	VAL	2.5
1	B	247	SER	2.5
1	D	239	MET	2.4
1	B	587	ILE	2.4
1	D	400	THR	2.4
1	B	440	ASP	2.4
1	B	341	CYS	2.4
1	B	474	GLU	2.4
1	A	181	ALA	2.4
1	A	486	LYS	2.4
1	B	257	TYR	2.4
1	C	586	VAL	2.4
1	D	590	LEU	2.4
1	D	497	ASP	2.4
1	A	487	VAL	2.4
1	D	328	ASN	2.4
1	B	241	PHE	2.3
1	A	489	LEU	2.3
1	C	228	GLU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	563	TYR	2.3
1	D	514	PRO	2.3
1	D	341	CYS	2.3
1	B	343	VAL	2.3
1	D	484	LYS	2.2
1	B	597	GLU	2.2
1	D	331	TYR	2.2
1	C	598	TRP	2.2
1	D	259	LEU	2.2
1	B	532	ILE	2.2
1	B	262	GLU	2.2
1	D	350	CYS	2.2
1	D	348	ARG	2.2
1	A	398	GLU	2.2
1	A	189	LEU	2.2
1	D	113	ASP	2.2
1	B	481	ALA	2.2
1	C	591	ILE	2.2
1	B	475	SER	2.2
1	B	254	MET	2.2
1	D	253	VAL	2.2
1	D	554	CYS	2.2
1	B	529	ALA	2.2
1	C	511	GLU	2.2
1	D	399	ILE	2.1
1	C	400	THR	2.1
1	B	478	LYS	2.1
1	A	284	LEU	2.1
1	A	347	LEU	2.1
1	B	466	ILE	2.1
1	C	328	ASN	2.1
1	D	582	GLN	2.1
1	C	560	LYS	2.1
1	D	473	TYR	2.1
1	A	403	GLY	2.1
1	C	266	CYS	2.1
1	B	266	CYS	2.1
1	D	254	MET	2.1
1	D	487	VAL	2.1
1	B	495	ALA	2.1
1	D	556	LYS	2.1
1	B	517	HIS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	584	GLY	2.1
1	A	343	VAL	2.0
1	A	585	ASP	2.0
1	B	434	THR	2.0
1	D	490	ASP	2.0
1	B	567	GLN	2.0
1	A	568	TYR	2.0
1	C	275	PRO	2.0
1	B	591	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	MN	A	750	1/1	0.16	0.11	25,25,25,25	0
2	T8T	B	700	31/31	0.17	-0.14	59,69,80,85	0
3	MN	D	750	1/1	0.15	-0.64	43,43,43,43	0
2	T8T	D	700	31/31	0.16	-0.69	63,72,80,88	0
3	MN	B	750	1/1	0.14	-0.88	51,51,51,51	0
3	MN	C	750	1/1	0.15	-0.92	25,25,25,25	0
4	MG	C	950	1/1	0.11	-1.28	28,28,28,28	0
2	T8T	A	700	31/31	0.12	-1.28	36,41,62,73	0
2	T8T	C	700	31/31	0.12	-1.41	42,46,51,59	0
2	T8T	C	900	31/31	0.10	-1.69	36,39,41,42	0
2	T8T	B	800	31/31	0.12	-1.84	37,40,48,48	0
2	T8T	A	900	31/31	0.12	-1.99	27,29,31,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	T8T	D	800	31/31	0.12	-2.01	39,43,49,55	0
2	T8T	C	800	31/31	0.11	-2.04	30,32,36,37	0
2	T8T	A	800	31/31	0.12	-2.28	23,24,25,26	0
2	T8T	B	900	31/31	0.12	-2.35	36,40,46,47	0
4	MG	B	950	1/1	0.13	-2.42	36,36,36,36	0
2	T8T	D	900	31/31	0.09	-2.43	36,38,42,43	0
4	MG	A	950	1/1	0.09	-2.76	25,25,25,25	0
4	MG	D	950	1/1	0.10	-24.78	34,34,34,34	0

6.5 Other polymers ⓘ

There are no such residues in this entry.