



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 26, 2014 – 07:25 PM GMT

PDB ID : 2C7U
Title : CONFLICTING SELECTIVE FORCES AFFECT CD8 T-CELL RECEPTOR CONTACT SITES IN AN HLA-A2 IMMUNODOMINANT HIV EPI-TOPE.
Authors : Iversen, A.K.; Stewart-Jones, G.; Learn, G.H.; Christie, N.; Sylvester-Hviid, C.; Armitage, A.E.; Kaul, R.; Beattie, T.; Lee, J.K.; Li, Y.; Chotiyarnwong, P.; Dong, T.; Xu, X.; Luscher, M.A.; Macdonald, K.; Ullum, H.; Klarlund-Pedersen, B.; Skinhoj, P.; Fugger, J.L.; Buus, S.; Mullins, J.I.; Jones, E.Y.; Van Der Merwe, P.A.; Mcmichael, A.J.
Deposited on : 2005-11-29
Resolution : 2.38 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance







The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	3668 (2.40-2.36)
Ramachandran outliers	78287	3600 (2.40-2.36)
Sidechain outliers	78261	3602 (2.40-2.36)
RSRZ outliers	66119	2966 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	276	
1	D	276	
2	B	100	
2	E	100	
3	C	9	
3	F	9	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6519 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HLA CLASS I HISTOCOMPATIBILITY ANTIGEN, A-2 ALPHA CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	275	Total	C	N	O	S	0	0	0
			2246	1403	409	425	9			
1	D	275	Total	C	N	O	S	0	0	0
			2246	1403	409	425	9			

- Molecule 2 is a protein called BETA-2-MICROGLOBULIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	100	Total	C	N	O	S	0	0	0
			836	533	141	158	4			
2	E	100	Total	C	N	O	S	0	0	0
			836	533	141	158	4			

- Molecule 3 is a protein called GAG PROTEIN.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	9	Total	C	N	O	0	0	0
			68	46	10	12			
3	F	9	Total	C	N	O	0	0	0
			68	46	10	12			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	69	Total	O	0	0
			69	69		
4	B	37	Total	O	0	0
			37	37		
4	C	4	Total	O	0	0
			4	4		
4	D	69	Total	O	0	0
			69	69		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	38	Total	O	0	0
			38	38		
4	F	2	Total	O	0	0
			2	2		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: HLA CLASS I HISTOCOMPATIBILITY ANTIGEN, A-2 ALPHA CHAIN




- Molecule 1: HLA CLASS I HISTOCOMPATIBILITY ANTIGEN, A-2 ALPHA CHAIN



- Molecule 2: BETA-2-MICROGLOBULIN



- Molecule 2: BETA-2-MICROGLOBULIN




● Molecule 3: GAG PROTEIN

Chain C:



● Molecule 3: GAG PROTEIN

Chain F:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	63.16Å 93.85Å 81.50Å 90.00° 89.99° 90.00°	Depositor
Resolution (Å)	81.38 – 2.38 28.03 – 2.38	Depositor EDS
% Data completeness (in resolution range)	97.0 (81.38-2.38) 89.0 (28.03-2.38)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.73 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.248 , 0.314 0.231 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	42.8	Xtriage
Anisotropy	0.367	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 27.7	EDS
Estimated twinning fraction	0.478 for h,-k,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 37030 reflections	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	6519	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	4/2311 (0.2%)	0.65	1/3137 (0.0%)
1	D	0.70	5/2311 (0.2%)	0.68	1/3137 (0.0%)
2	B	0.66	0/859	0.67	0/1162
2	E	0.65	0/859	0.68	0/1162
3	C	0.58	0/68	0.73	0/92
3	F	0.58	0/68	0.77	0/92
All	All	0.73	9/6476 (0.1%)	0.67	2/8782 (0.0%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	58	GLU	CD-OE1	20.57	1.48	1.25
1	A	58	GLU	CD-OE2	17.96	1.45	1.25
1	D	219	ARG	CZ-NH2	11.45	1.48	1.33
1	D	219	ARG	CZ-NH1	10.52	1.46	1.33
1	D	219	ARG	CD-NE	7.92	1.59	1.46
1	D	220	ASP	CG-OD1	7.71	1.43	1.25
1	D	144	LYS	CD-CE	7.43	1.69	1.51
1	A	220	ASP	CG-OD2	7.11	1.41	1.25
1	A	220	ASP	CG-OD1	5.99	1.39	1.25

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	219	ARG	NE-CZ-NH2	-12.09	114.25	120.30
1	A	58	GLU	OE1-CD-OE2	5.99	130.49	123.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2246	0	2096	42	0
1	D	2246	0	2096	44	0
2	B	836	0	803	4	0
2	E	836	0	803	10	0
3	C	68	0	76	3	0
3	F	68	0	76	2	0
4	A	69	0	0	19	0
4	B	37	0	0	1	0
4	C	4	0	0	1	0
4	D	69	0	0	16	0
4	E	38	0	0	5	0
4	F	2	0	0	1	0
All	All	6519	0	5950	102	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 8.

All (102) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:119:ASP:HB3	4:A:2041:HOH:O	1.60	1.00
1:A:82:ARG:HH21	1:A:89:GLU:HG3	1.29	0.93
1:D:67:VAL:HG22	4:D:2022:HOH:O	1.67	0.93
1:D:11:SER:HB2	1:D:74:HIS:HD2	1.33	0.92
1:A:6:ARG:HH11	1:A:6:ARG:HG3	1.35	0.90
1:D:54:GLN:HB2	4:D:2017:HOH:O	1.71	0.88
1:A:98:MET:HB2	4:A:2038:HOH:O	1.75	0.84
1:D:6:ARG:NH2	1:D:113:TYR:CD1	2.51	0.79
4:A:2041:HOH:O	2:B:0:MET:HB2	1.84	0.77
1:A:67:VAL:HG22	4:A:2021:HOH:O	1.83	0.77
2:E:48:LYS:O	2:E:48:LYS:HG3	1.84	0.76
1:D:11:SER:HB2	1:D:74:HIS:CD2	2.21	0.74
1:A:165:VAL:HG12	4:A:2039:HOH:O	1.89	0.71
2:E:97:ARG:HB2	4:E:2038:HOH:O	1.90	0.71
1:A:22:PHE:HE2	4:A:2021:HOH:O	1.75	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:252:GLY:O	4:D:2067:HOH:O	2.09	0.69
1:A:21:ARG:HB2	4:A:2001:HOH:O	1.94	0.68
1:A:68:LYS:HG3	4:A:2018:HOH:O	1.95	0.67
1:A:6:ARG:HH11	1:A:6:ARG:CG	2.07	0.66
1:A:263:HIS:CD2	1:A:265:GLY:H	2.14	0.66
1:A:74:HIS:HE1	1:A:97:ARG:HD2	1.60	0.66
1:D:263:HIS:CD2	1:D:265:GLY:H	2.14	0.66
1:D:19:GLU:HG3	1:D:20:PRO:HD2	1.78	0.65
2:E:44:GLU:HB2	4:E:2020:HOH:O	1.96	0.65
1:D:81:LEU:O	4:D:2028:HOH:O	2.14	0.65
1:D:106:ASP:O	1:D:107:TRP:HB2	2.01	0.60
1:D:22:PHE:HE2	4:D:2022:HOH:O	1.86	0.59
1:D:122:ASP:OD1	4:D:2041:HOH:O	2.16	0.58
1:D:255:GLN:HG3	4:D:2067:HOH:O	2.03	0.58
1:A:5:MET:HB2	1:A:168:LEU:HD13	1.84	0.58
1:A:48:ARG:HG2	4:A:2012:HOH:O	2.04	0.57
1:D:97:ARG:CZ	3:F:6:ILE:HD11	2.34	0.57
1:D:212:GLU:OE2	1:D:212:GLU:HA	2.05	0.57
1:A:82:ARG:NH2	1:A:89:GLU:HG3	2.10	0.57
1:D:77:ASP:OD2	1:D:116:TYR:OH	2.21	0.56
1:A:88:SER:HB3	4:A:2034:HOH:O	2.04	0.56
1:A:77:ASP:OD2	1:A:116:TYR:OH	2.23	0.56
1:D:48:ARG:HG2	4:D:2015:HOH:O	2.05	0.55
1:D:263:HIS:HD2	1:D:265:GLY:H	1.55	0.55
1:D:133:TRP:HB2	1:D:144:LYS:HG3	1.87	0.55
1:D:95:VAL:HG22	1:D:118:TYR:HD1	1.72	0.54
1:A:263:HIS:HD2	1:A:265:GLY:H	1.57	0.53
1:A:97:ARG:HH21	1:A:114:HIS:HE1	1.55	0.53
1:A:19:GLU:OE1	1:A:75:ARG:HD2	2.09	0.53
1:D:28:VAL:HG23	1:D:33:PHE:CE1	2.44	0.53
1:A:6:ARG:HD2	1:A:98:MET:SD	2.49	0.53
1:A:139:ALA:HB2	4:A:2048:HOH:O	2.09	0.53
1:A:73:THR:HG21	3:C:6:ILE:HD11	1.90	0.53
2:E:74:GLU:HB3	4:E:2027:HOH:O	2.09	0.52
1:A:87:GLN:HG2	4:A:2028:HOH:O	2.10	0.52
1:A:1:GLY:O	1:A:3:HIS:NE2	2.43	0.52
1:D:64:THR:O	1:D:67:VAL:HG12	2.10	0.51
1:A:111:ARG:HD3	4:A:2040:HOH:O	2.10	0.50
4:A:2038:HOH:O	2:B:56:PHE:HE1	1.94	0.49
1:A:93:HIS:HE1	4:A:2033:HOH:O	1.95	0.49
1:A:6:ARG:NH1	1:A:6:ARG:HG3	2.12	0.49
1:D:21:ARG:HD3	1:D:23:ILE:HD11	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:5:MET:HB2	1:D:168:LEU:HD13	1.94	0.49
1:A:93:HIS:HD2	1:A:119:ASP:OD2	1.96	0.49
1:D:26:GLY:HA2	4:D:2007:HOH:O	2.14	0.48
1:A:24:ALA:O	1:A:35:ARG:HA	2.14	0.48
1:A:1:GLY:O	1:A:3:HIS:CD2	2.67	0.47
1:A:43:GLN:N	4:A:2009:HOH:O	2.30	0.47
1:D:93:HIS:HE1	4:D:2032:HOH:O	1.97	0.47
1:D:26:GLY:HA3	4:D:2002:HOH:O	2.15	0.46
2:E:36:GLU:OE1	4:E:2015:HOH:O	2.20	0.46
1:D:139:ALA:HB2	4:D:2044:HOH:O	2.15	0.46
1:D:97:ARG:HH21	1:D:114:HIS:HE1	1.63	0.45
1:D:111:ARG:CG	1:D:112:GLY:N	2.79	0.45
3:F:7:ALA:HA	4:F:2002:HOH:O	2.16	0.45
1:D:97:ARG:HE	1:D:114:HIS:CE1	2.34	0.44
1:D:27:TYR:HD1	4:D:2007:HOH:O	1.99	0.44
1:D:14:ARG:HB3	1:D:17:ARG:HB3	1.99	0.44
1:D:111:ARG:HB3	4:D:2037:HOH:O	2.17	0.44
1:A:133:TRP:HB2	1:A:144:LYS:HG3	2.00	0.44
1:D:13:SER:HB3	1:D:78:LEU:HD22	2.00	0.44
3:C:8:VAL:HG23	4:C:2003:HOH:O	2.16	0.44
2:E:51:HIS:HA	2:E:65:LEU:O	2.18	0.44
1:A:206:LEU:HD11	4:B:2003:HOH:O	2.18	0.43
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.54	0.43
2:E:24:ASN:HB3	2:E:65:LEU:HD11	2.01	0.43
2:E:22:PHE:CZ	2:E:69:GLU:HG2	2.53	0.43
1:D:187:THR:HA	1:D:204:TRP:O	2.19	0.43
1:A:151:HIS:HD2	4:A:2051:HOH:O	2.01	0.42
2:E:48:LYS:HB3	4:E:2023:HOH:O	2.20	0.42
4:A:2017:HOH:O	3:C:2:LEU:HB2	2.20	0.42
2:B:45:ARG:HG2	2:B:45:ARG:HH11	1.85	0.42
1:A:253:GLN:NE2	1:A:256:ARG:HH11	2.18	0.42
2:E:7:ILE:HD12	2:E:91:LYS:HD3	2.02	0.42
1:A:111:ARG:HG2	1:A:112:GLY:N	2.35	0.41
1:D:113:TYR:CD1	1:D:113:TYR:N	2.89	0.41
1:D:191:HIS:CE1	1:D:199:ALA:HB1	2.55	0.41
1:D:201:LEU:HD12	1:D:249:VAL:HG11	2.02	0.41
1:D:11:SER:HB3	1:D:78:LEU:HD11	2.03	0.41
1:D:125:ALA:HB2	4:D:2041:HOH:O	2.20	0.41
1:D:189:MET:HE3	1:D:272:LEU:HB3	2.03	0.41
1:A:44:ARG:O	4:A:2010:HOH:O	2.22	0.40
1:A:187:THR:HA	1:A:204:TRP:O	2.21	0.40
1:A:123:TYR:HD2	1:A:124:ILE:HG22	1.86	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:106:ASP:O	1:A:107:TRP:HB2	2.21	0.40
1:D:88:SER:HB3	4:D:2033:HOH:O	2.19	0.40
1:D:95:VAL:HG22	1:D:118:TYR:CD1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	273/276 (99%)	262 (96%)	11 (4%)	0	100	100
1	D	273/276 (99%)	257 (94%)	16 (6%)	0	100	100
2	B	98/100 (98%)	96 (98%)	2 (2%)	0	100	100
2	E	98/100 (98%)	94 (96%)	3 (3%)	1 (1%)	22	30
3	C	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
3	F	7/9 (78%)	4 (57%)	3 (43%)	0	100	100
All	All	756/770 (98%)	719 (95%)	36 (5%)	1 (0%)	59	78

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	E	74	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	231/232 (100%)	218 (94%)	13 (6%)	30	42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	231/232 (100%)	214 (93%)	17 (7%)	20	28
2	B	95/95 (100%)	90 (95%)	5 (5%)	32	46
2	E	95/95 (100%)	89 (94%)	6 (6%)	25	36
3	C	8/8 (100%)	6 (75%)	2 (25%)	1	1
3	F	8/8 (100%)	7 (88%)	1 (12%)	7	7
All	All	668/670 (100%)	624 (93%)	44 (7%)	24	33

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	SER
1	A	6	ARG
1	A	34	VAL
1	A	35	ARG
1	A	67	VAL
1	A	87	GLN
1	A	195	SER
1	A	196	ASP
1	A	216	THR
1	A	225	THR
1	A	226	GLN
1	A	255	GLN
1	A	275	GLU
2	B	0	MET
2	B	9	VAL
2	B	44	GLU
2	B	47	GLU
2	B	70	PHE
3	C	1	SER
3	C	6	ILE
1	D	11	SER
1	D	21	ARG
1	D	34	VAL
1	D	35	ARG
1	D	45	MET
1	D	74	HIS
1	D	88	SER
1	D	102	ASP
1	D	113	TYR
1	D	116	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	122	ASP
1	D	181	ARG
1	D	186	LYS
1	D	225	THR
1	D	226	GLN
1	D	255	GLN
1	D	268	LYS
2	E	0	MET
2	E	9	VAL
2	E	48	LYS
2	E	70	PHE
2	E	74	GLU
2	E	75	LYS
3	F	4	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	HIS
1	A	93	HIS
1	A	114	HIS
1	A	141	GLN
1	A	174	ASN
1	A	188	HIS
1	A	253	GLN
1	A	263	HIS
1	D	32	GLN
1	D	74	HIS
1	D	93	HIS
1	D	114	HIS
1	D	253	GLN
1	D	263	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	275/276 (99%)	1.03	40 (14%)	3 3	42, 56, 61, 63	0
1	D	275/276 (99%)	1.11	47 (17%)	2 2	45, 55, 61, 64	0
2	B	100/100 (100%)	0.86	3 (3%)	48 50	47, 54, 61, 67	0
2	E	100/100 (100%)	0.90	7 (7%)	16 17	48, 54, 62, 67	0
3	C	9/9 (100%)	1.24	3 (33%)	1 1	65, 72, 75, 76	0
3	F	9/9 (100%)	1.23	1 (11%)	6 7	61, 73, 74, 74	0
All	All	768/770 (99%)	1.02	101 (13%)	4 4	42, 55, 62, 76	0

All (101) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	172	LEU	4.9
1	D	111	ARG	4.7
3	F	5	THR	4.4
1	D	123	TYR	4.1
1	A	28	VAL	3.9
1	D	28	VAL	3.9
1	D	130	LEU	3.6
1	D	118	TYR	3.5
1	D	90	ALA	3.5
1	D	81	LEU	3.4
1	A	76	VAL	3.3
1	A	160	LEU	3.3
1	A	192	HIS	3.2
1	D	165	VAL	3.2
1	D	152	VAL	3.1
1	A	131	ARG	3.1
1	A	118	TYR	3.0
1	D	86	ASN	3.0
1	D	76	VAL	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	162	GLY	2.9
1	A	151	HIS	2.9
1	D	91	GLY	2.9
1	D	124	ILE	2.8
2	B	0	MET	2.8
1	D	113	TYR	2.8
1	A	50	PRO	2.8
1	D	192	HIS	2.8
1	D	110	LEU	2.8
1	D	159	TYR	2.7
1	A	42	SER	2.7
1	D	105	SER	2.7
2	E	0	MET	2.7
1	A	95	VAL	2.6
1	D	187	THR	2.6
1	A	159	TYR	2.6
1	A	24	ALA	2.6
3	C	5	THR	2.6
1	D	42	SER	2.6
2	B	79	ALA	2.6
1	D	95	VAL	2.6
1	D	85	TYR	2.6
1	D	131	ARG	2.6
1	A	85	TYR	2.5
1	D	167	TRP	2.5
1	A	91	GLY	2.5
1	A	123	TYR	2.5
1	D	141	GLN	2.5
1	D	160	LEU	2.5
1	A	108	ARG	2.5
1	D	252	GLY	2.5
1	D	172	LEU	2.5
1	D	18	GLY	2.5
1	D	114	HIS	2.5
1	A	150	ALA	2.5
1	A	41	ALA	2.4
1	A	81	LEU	2.4
2	E	79	ALA	2.4
1	A	116	TYR	2.4
1	D	126	LEU	2.4
1	A	107	TRP	2.4
1	A	125	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	156	LEU	2.3
3	C	2	LEU	2.3
1	A	137	ASP	2.3
1	A	51	TRP	2.3
3	C	9	LEU	2.3
2	B	25	CYS	2.3
2	E	47	GLU	2.3
1	A	84	TYR	2.3
1	D	2	SER	2.3
1	D	166	GLU	2.3
1	A	113	TYR	2.3
1	D	231	VAL	2.3
1	A	9	PHE	2.3
1	D	125	ALA	2.3
1	D	248	VAL	2.2
1	A	147	TRP	2.2
1	A	105	SER	2.2
1	A	97	ARG	2.2
1	D	150	ALA	2.2
1	D	84	TYR	2.2
1	D	50	PRO	2.2
1	A	165	VAL	2.1
1	D	137	ASP	2.1
1	D	255	GLN	2.1
1	A	167	TRP	2.1
1	D	155	GLN	2.1
1	A	45	MET	2.1
2	E	99	MET	2.1
1	A	25	VAL	2.1
1	A	152	VAL	2.1
1	D	177	GLU	2.1
1	A	90	ALA	2.1
1	A	236	ALA	2.1
1	A	180	GLN	2.0
1	D	45	MET	2.0
1	A	111	ARG	2.0
2	E	93	VAL	2.0
1	D	154	GLU	2.0
2	E	25	CYS	2.0
2	E	80	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.