



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 03:57 AM GMT

PDB ID : 1CBG
Title : THE CRYSTAL STRUCTURE OF A CYANOGENIC BETA-GLUCOSIDASE FROM WHITE CLOVER (TRIFOLIUM REPENS L.), A FAMILY 1 GLYCOSYL-HYDROLASE
Authors : Barrett, T.E.; Suresh, C.G.; Tolley, S.P.; Hughes, M.A.
Deposited on : 1995-07-31
Resolution : 2.15 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.15 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	1299 (2.18-2.14)
Ramachandran outliers	78287	1272 (2.18-2.14)
Sidechain outliers	78261	1272 (2.18-2.14)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	490	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4429 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYANOGENIC BETA-GLUCOSIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	490	Total	C	N	O	S	40	0	0
			3993	2584	675	720	14			

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	436	Total	O	0	0
			436	436		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: CYANOGENIC BETA-GLUCOSIDASE

Chain A: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	70.33Å 70.33Å 249.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	9.00 – 2.15	Depositor
% Data completeness (in resolution range)	95.0 (9.00-2.15)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	ARP/WARP, PROLSQ, X-PLOR 3.1	Depositor
R, R_{free}	0.195 , 0.247	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4429	wwPDB-VP
Average B, all atoms (Å ²)	11.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.89	7/4119 (0.2%)	1.68	66/5585 (1.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	6	ILE	C-N	-21.93	0.83	1.34
1	A	7	SER	C-N	-12.75	1.04	1.34
1	A	111	ARG	C-N	-10.60	1.09	1.34
1	A	334	ALA	C-N	-8.44	1.18	1.34
1	A	301	LYS	CA-CB	-6.12	1.40	1.53
1	A	104	LYS	CD-CE	5.99	1.66	1.51
1	A	300	ARG	CD-NE	-5.62	1.36	1.46

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	98	ARG	CD-NE-CZ	32.03	168.44	123.60
1	A	62	ARG	CD-NE-CZ	23.49	156.49	123.60
1	A	6	ILE	O-C-N	-22.96	85.96	122.70
1	A	74	ARG	NE-CZ-NH2	-19.34	110.63	120.30
1	A	74	ARG	NE-CZ-NH1	17.78	129.19	120.30
1	A	74	ARG	CD-NE-CZ	13.46	142.45	123.60
1	A	400	ARG	NE-CZ-NH1	11.23	125.92	120.30
1	A	217	ARG	NE-CZ-NH1	10.61	125.60	120.30
1	A	341	ARG	NE-CZ-NH2	-10.10	115.25	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	174	ARG	NE-CZ-NH2	-9.55	115.52	120.30
1	A	468	ASP	CB-CG-OD1	9.46	126.81	118.30
1	A	235	ARG	NE-CZ-NH2	-9.07	115.77	120.30
1	A	290	ARG	NE-CZ-NH1	8.98	124.79	120.30
1	A	405	ASP	CB-CG-OD2	-8.86	110.32	118.30
1	A	10	ASP	CB-CG-OD1	8.70	126.13	118.30
1	A	111	ARG	C-N-CA	8.57	143.12	121.70
1	A	302	ARG	NE-CZ-NH1	8.46	124.53	120.30
1	A	419	ARG	NE-CZ-NH1	8.25	124.43	120.30
1	A	111	ARG	CB-CA-C	8.14	126.69	110.40
1	A	13	ASP	CB-CG-OD1	7.70	125.23	118.30
1	A	300	ARG	NE-CZ-NH2	7.68	124.14	120.30
1	A	296	ARG	NE-CZ-NH2	7.65	124.13	120.30
1	A	269	ASP	CB-CG-OD1	7.50	125.05	118.30
1	A	405	ASP	CB-CG-OD1	7.49	125.04	118.30
1	A	98	ARG	NE-CZ-NH2	7.45	124.03	120.30
1	A	111	ARG	NE-CZ-NH2	7.43	124.01	120.30
1	A	149	ARG	NE-CZ-NH1	6.91	123.75	120.30
1	A	269	ASP	CB-CG-OD2	-6.75	112.23	118.30
1	A	475	ARG	CD-NE-CZ	6.52	132.73	123.60
1	A	111	ARG	O-C-N	-6.45	112.37	122.70
1	A	221	LEU	CA-CB-CG	6.42	130.06	115.30
1	A	300	ARG	CD-NE-CZ	6.40	132.56	123.60
1	A	347	ASP	CB-CG-OD1	6.36	124.02	118.30
1	A	41	ASP	CB-CG-OD1	6.32	123.99	118.30
1	A	111	ARG	CB-CG-CD	6.18	127.67	111.60
1	A	201	ARG	NE-CZ-NH1	6.17	123.39	120.30
1	A	34	TYR	CA-CB-CG	6.08	124.95	113.40
1	A	296	ARG	NH1-CZ-NH2	-6.05	112.75	119.40
1	A	158	ASP	CB-CG-OD1	6.00	123.70	118.30
1	A	327	SER	N-CA-CB	-6.00	101.51	110.50
1	A	154	ARG	NE-CZ-NH1	5.89	123.25	120.30
1	A	149	ARG	CD-NE-CZ	5.82	131.75	123.60
1	A	490	LYS	N-CA-CB	5.79	121.01	110.60
1	A	341	ARG	NE-CZ-NH1	5.73	123.17	120.30
1	A	235	ARG	NE-CZ-NH1	5.70	123.15	120.30
1	A	468	ASP	CB-CG-OD2	-5.70	113.17	118.30
1	A	264	GLU	CA-CB-CG	5.68	125.90	113.40
1	A	158	ASP	CB-CG-OD2	-5.66	113.21	118.30
1	A	296	ARG	NE-CZ-NH1	5.65	123.12	120.30
1	A	235	ARG	CD-NE-CZ	5.54	131.35	123.60
1	A	111	ARG	CA-C-N	5.33	128.93	117.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	9	ASP	CB-CG-OD1	5.29	123.06	118.30
1	A	450	ASP	CB-CG-OD2	-5.28	113.55	118.30
1	A	267	ASP	CB-CG-OD1	5.26	123.03	118.30
1	A	162	ASP	CB-CG-OD1	5.22	123.00	118.30
1	A	415	LEU	CA-CB-CG	5.19	127.24	115.30
1	A	425	ARG	NE-CZ-NH1	5.16	122.88	120.30
1	A	214	ASP	CB-CG-OD1	5.12	122.91	118.30
1	A	300	ARG	CG-CD-NE	5.11	122.53	111.80
1	A	489	LYS	N-CA-C	5.11	124.78	111.00
1	A	154	ARG	C-N-CA	5.09	134.44	121.70
1	A	419	ARG	NE-CZ-NH2	-5.09	117.76	120.30
1	A	137	HIS	C-N-CA	5.08	134.41	121.70
1	A	197	PHE	CB-CG-CD2	-5.06	117.26	120.80
1	A	450	ASP	CB-CG-OD1	5.02	122.82	118.30
1	A	436	ASP	CB-CG-OD1	5.00	122.80	118.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	5	PRO	Mainchain
1	A	6	ILE	Mainchain

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3993	0	3840	32	0
2	A	436	0	0	13	0
All	All	4429	0	3840	32	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

All (32) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:387:HIS:HD2	2:A:921:HOH:O	1.28	1.15
1:A:483:TRP:HD1	2:A:900:HOH:O	0.83	1.14
1:A:483:TRP:CD1	2:A:900:HOH:O	1.64	0.96
1:A:15:ASN:ND2	2:A:904:HOH:O	2.31	0.63
1:A:305:LYS:HE3	2:A:915:HOH:O	2.01	0.61
1:A:256:HIS:HD2	2:A:635:HOH:O	1.83	0.60
1:A:132:TYR:OH	2:A:575:HOH:O	2.05	0.55
1:A:64:ASN:HD22	1:A:66:ASP:H	1.55	0.54
1:A:476:HIS:HE1	2:A:905:HOH:O	1.92	0.51
1:A:43:LYS:HG3	1:A:98:ARG:HA	1.93	0.51
1:A:388:TYR:O	1:A:391:PRO:HD3	2.12	0.50
1:A:75:TYR:O	1:A:79:ILE:HG12	2.11	0.50
1:A:387:HIS:CD2	2:A:921:HOH:O	2.19	0.49
1:A:375:GLN:HE21	1:A:375:GLN:H	1.60	0.48
1:A:348:SER:HB2	1:A:350:ILE:HD12	1.95	0.48
1:A:74:ARG:NH2	1:A:473:LEU:HB2	2.28	0.48
1:A:356:HIS:HD2	2:A:824:HOH:O	1.96	0.48
1:A:273:ARG:HB2	1:A:350:ILE:HD11	1.95	0.48
1:A:85:MET:HE2	1:A:481:ALA:HB1	1.96	0.47
1:A:165:GLU:HB2	1:A:236:LEU:HD21	1.97	0.45
1:A:284:HIS:HB3	1:A:290:ARG:O	2.16	0.45
1:A:339:ASN:CG	1:A:339:ASN:O	2.56	0.44
1:A:333:LYS:HE3	2:A:875:HOH:O	2.18	0.44
1:A:256:HIS:HE1	2:A:906:HOH:O	2.01	0.43
1:A:96:TRP:HB3	1:A:97:PRO:HD3	2.01	0.42
1:A:81:ILE:HG23	1:A:85:MET:HE3	2.00	0.42
1:A:365:ALA:HB3	1:A:370:LEU:HG	2.01	0.42
1:A:224:HIS:CD2	1:A:304:PRO:HB2	2.54	0.42
1:A:148:TYR:O	1:A:149:ARG:HB2	2.19	0.41
1:A:79:ILE:HD12	1:A:124:VAL:HG22	2.03	0.41
1:A:284:HIS:CB	1:A:285:PRO:HD3	2.51	0.40
1:A:131:PRO:HD2	2:A:599:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	488/490 (100%)	471 (96%)	14 (3%)	3 (1%)	33 25

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	7	SER
1	A	8	PHE
1	A	6	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	417/417 (100%)	406 (97%)	11 (3%)	59 62

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	SER
1	A	64	ASN
1	A	111	ARG
1	A	112	GLU
1	A	221	LEU
1	A	284	HIS
1	A	309	GLU
1	A	341	ARG
1	A	370	LEU
1	A	375	GLN
1	A	490	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	ASN
1	A	137	HIS
1	A	224	HIS
1	A	226	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	230	HIS
1	A	256	HIS
1	A	284	HIS
1	A	351	ASN
1	A	375	GLN
1	A	387	HIS
1	A	476	HIS
1	A	482	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.