



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2014 – 03:33 AM GMT

PDB ID : 2CCR
Title : STRUCTURE OF BETA-1,4-GALACTANASE
Authors : Le Nours, J.; De Maria, L.; Welner, D.; Jorgensen, C.T.; Christensen, L.L.H.;
Larsen, S.; Lo Leggio, L.
Deposited on : 2006-01-18
Resolution : 2.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2929 (2.30-2.30)
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)
RSRZ outliers	66119	2930 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	399	
1	B	399	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
4	B2G	A	1399	-	X
4	B2G	B	1402	-	X
5	PGE	B	1399	-	X

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 6297 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called YVFO.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	387	Total	C	N	O	S	0	0	1
			2998	1905	510	578	5			
1	B	388	Total	C	N	O	S	0	0	1
			3009	1914	511	579	5			

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Ca	0	0
			1	1		
2	A	1	Total	Ca	0	0
			1	1		

- Molecule 3 is SUGAR (GALACTOTRIOSE) (three-letter code: B4G) (formula: C₁₈H₃₂O₁₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			34	18	16		
3	B	1	Total	C	O	0	0
			34	18	16		

- Molecule 4 is SUGAR (GALACTOBIOSE) (three-letter code: B2G) (formula: C₁₂H₂₂O₁₁).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			23	12	11		
4	B	1	Total	C	O	0	0
			23	12	11		

- Molecule 5 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			10	6	4		
5	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	78	Total	O	0	0
			78	78		
6	B	76	Total	O	0	0
			76	76		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: YVFO

Chain A: 



• Molecule 1: YVFO

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	50.37Å 80.64Å 104.44Å 90.00° 99.29° 90.00°	Depositor
Resolution (Å)	19.97 – 2.30 29.15 – 2.30	Depositor EDS
% Data completeness (in resolution range)	88.1 (19.97-2.30) 88.1 (29.15-2.30)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.64 (at 2.31Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.208 , 0.245 0.205 , 0.239	Depositor DCC
R_{free} test set	3226 reflections (11.07%)	DCC
Wilson B-factor (Å ²)	23.7	Xtriage
Anisotropy	0.496	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 24.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 34006 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6297	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: B2G, CA, PGE, B4G

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	3/3077 (0.1%)	0.60	0/4183
1	B	0.45	4/3089 (0.1%)	0.60	0/4199
All	All	0.44	7/6166 (0.1%)	0.60	0/8382

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	288	ASN	CG-ND2	-6.87	1.15	1.32
1	B	288	ASN	CG-ND2	-6.37	1.17	1.32
1	A	288	ASN	CG-OD1	-5.84	1.11	1.24
1	B	93	GLN	CD-NE2	-5.77	1.18	1.32
1	B	93	GLN	CD-OE1	-5.73	1.11	1.24
1	B	288	ASN	CG-OD1	-5.68	1.11	1.24
1	A	93	GLN	CD-NE2	-5.22	1.19	1.32

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2998	0	2860	54	0
1	B	3009	0	2869	58	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	34	0	32	3	0
3	B	34	0	32	1	0
4	A	23	0	22	2	0
4	B	23	0	22	0	0
5	B	20	0	28	3	0
6	A	78	0	0	3	0
6	B	76	0	0	1	0
All	All	6297	0	5865	114	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 10.

All (114) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:274:ASP:HB3	1:B:326:PRO:HB3	1.59	0.85
1:A:274:ASP:HB3	1:A:326:PRO:HB3	1.60	0.83
1:B:136:LYS:HD3	5:B:1399:PGE:H22	1.68	0.73
1:A:66:ARG:HG3	1:A:106:LEU:HD13	1.71	0.73
1:B:66:ARG:HG3	1:B:106:LEU:HD13	1.70	0.72
1:A:117:ASP:HB2	1:A:118:PRO:CD	2.22	0.70
1:B:21:ARG:HG2	6:B:2002:HOH:O	1.92	0.69
1:B:325:ILE:HB	1:B:326:PRO:HD2	1.75	0.68
1:A:325:ILE:HB	1:A:326:PRO:HD2	1.75	0.68
1:A:104:LYS:HD3	1:A:156:ASP:OD2	1.94	0.67
1:B:25:ILE:HB	1:B:316:GLY:HA3	1.76	0.67
1:B:104:LYS:HD3	1:B:156:ASP:OD2	1.95	0.66
1:B:117:ASP:HB2	1:B:118:PRO:CD	2.25	0.66
3:A:1398:B4G:H2A	4:A:1399:B2G:O6B	1.96	0.65
1:A:97:ARG:HD2	6:A:2018:HOH:O	1.96	0.64
1:B:212:TYR:HB2	1:B:247:VAL:CG2	2.28	0.63
1:A:333:LEU:CD2	1:A:337:LYS:HE3	2.29	0.62
1:A:212:TYR:HB2	1:A:247:VAL:CG2	2.30	0.62
1:B:194:ASP:HB3	1:B:197:ILE:HG13	1.82	0.61
1:B:333:LEU:CD2	1:B:337:LYS:HE3	2.31	0.60
1:A:194:ASP:HB3	1:A:197:ILE:HG13	1.84	0.58
1:B:332:ARG:NH2	1:B:335:LYS:HG2	2.19	0.57
1:B:211:ARG:HG2	1:B:212:TYR:HD1	1.71	0.56
1:B:329:PRO:HD2	1:B:332:ARG:HD3	1.88	0.56
1:B:13:TYR:HA	1:B:395:THR:HG21	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:12:LEU:O	1:A:395:THR:HG21	2.07	0.55
1:A:211:ARG:HG2	1:A:212:TYR:HD1	1.73	0.54
1:A:333:LEU:HD22	1:A:337:LYS:HE3	1.90	0.53
1:A:217:GLU:OE2	1:A:221:ARG:HD2	2.07	0.53
1:B:274:ASP:HB3	1:B:326:PRO:CB	2.37	0.53
1:B:212:TYR:HB2	1:B:247:VAL:HG21	1.89	0.53
1:A:141:GLN:O	1:A:145:GLN:HG3	2.09	0.52
1:B:258:LYS:NZ	5:B:1398:PGE:H22	2.25	0.52
3:A:1398:B4G:C2A	4:A:1399:B2G:O6B	2.57	0.52
1:B:96:LYS:HE3	1:B:153:ALA:HB1	1.92	0.52
1:B:113:ASP:HB2	1:B:355:TYR:CZ	2.46	0.51
1:A:117:ASP:HB2	1:A:118:PRO:HD2	1.92	0.51
1:A:258:LYS:HD2	1:A:315:ILE:HG21	1.93	0.51
1:A:212:TYR:HB2	1:A:247:VAL:HG21	1.92	0.51
1:A:96:LYS:HE3	1:A:153:ALA:HB1	1.93	0.50
1:A:113:ASP:HB2	1:A:355:TYR:CZ	2.46	0.50
1:B:333:LEU:HD22	1:B:337:LYS:HE3	1.93	0.50
1:A:274:ASP:HB3	1:A:326:PRO:CB	2.37	0.50
1:A:60:ALA:O	1:A:389:GLN:HG3	2.12	0.50
1:B:60:ALA:O	1:B:389:GLN:HG2	2.12	0.49
1:A:139:LEU:C	1:A:139:LEU:HD23	2.33	0.49
1:B:139:LEU:HD23	1:B:139:LEU:C	2.33	0.49
1:B:66:ARG:CG	1:B:106:LEU:HD13	2.42	0.48
1:A:145:GLN:HG2	6:A:2026:HOH:O	2.14	0.47
1:A:122:LYS:HG2	1:A:355:TYR:CZ	2.50	0.47
1:B:122:LYS:HG2	1:B:355:TYR:CZ	2.50	0.47
1:B:397:PHE:CD1	1:B:397:PHE:N	2.82	0.47
1:B:299:ALA:O	1:B:303:VAL:HG23	2.15	0.47
1:A:34:ILE:O	1:A:38:GLU:HG3	2.15	0.47
1:B:333:LEU:O	1:B:333:LEU:HD23	2.14	0.46
1:A:356:ASP:OD2	1:A:359:ASP:HB3	2.14	0.46
1:B:258:LYS:HD2	1:B:315:ILE:HG21	1.97	0.46
1:A:15:GLU:HA	6:A:2003:HOH:O	2.15	0.46
1:A:276:HIS:CD2	1:A:365:GLY:HA3	2.50	0.46
1:A:188:GLN:NE2	1:A:192:GLU:OE2	2.35	0.46
1:B:290:PRO:O	1:B:295:GLY:HA3	2.15	0.46
1:A:66:ARG:CG	1:A:106:LEU:HD13	2.43	0.46
1:A:299:ALA:O	1:A:303:VAL:HG23	2.16	0.46
1:A:290:PRO:O	1:A:295:GLY:HA3	2.15	0.46
1:B:356:ASP:OD2	1:B:359:ASP:HB3	2.14	0.46
1:B:276:HIS:CD2	1:B:366:GLY:H	2.34	0.46
1:A:16:LYS:HE2	1:A:393:THR:HA	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:13:TYR:HA	1:A:395:THR:HG21	1.98	0.45
1:A:333:LEU:O	1:A:333:LEU:HD23	2.15	0.45
1:B:395:THR:HG22	1:B:396:PRO:HD2	1.99	0.45
1:B:354:GLU:HG3	1:B:355:TYR:N	2.32	0.45
1:A:53:ILE:HG12	1:A:57:LEU:HD22	1.98	0.45
1:B:117:ASP:CB	1:B:118:PRO:CD	2.95	0.45
1:A:276:HIS:CD2	1:A:366:GLY:H	2.35	0.45
1:B:12:LEU:HD11	1:B:297:ALA:CB	2.46	0.45
1:B:276:HIS:CD2	1:B:365:GLY:HA3	2.51	0.44
1:A:71:ASN:H	1:A:71:ASN:HD22	1.65	0.44
1:B:117:ASP:HB2	1:B:118:PRO:HD2	1.98	0.44
1:A:276:HIS:HE1	3:A:1398:B4G:OJ6	2.00	0.44
1:A:333:LEU:HD21	1:A:337:LYS:HE3	2.00	0.44
1:B:12:LEU:O	1:B:395:THR:HG21	2.18	0.44
1:B:95:GLY:HA3	1:B:155:ILE:HD13	2.01	0.43
1:A:354:GLU:HG3	1:A:355:TYR:N	2.34	0.43
1:B:53:ILE:HG12	1:B:57:LEU:HD22	2.01	0.43
1:A:13:TYR:N	1:A:294:GLN:OE1	2.36	0.43
1:A:95:GLY:HA3	1:A:155:ILE:HD13	2.01	0.43
1:B:16:LYS:HE2	1:B:393:THR:HA	1.99	0.43
1:B:24:PHE:CZ	1:B:316:GLY:HA2	2.54	0.43
1:B:258:LYS:HG3	5:B:1398:PGE:H4	2.01	0.42
1:A:387:VAL:O	1:A:391:VAL:HG13	2.20	0.42
1:B:73:PRO:HG2	1:B:74:TYR:CE1	2.55	0.42
1:A:44:TYR:CD1	1:A:44:TYR:N	2.88	0.42
1:A:117:ASP:CB	1:A:118:PRO:CD	2.93	0.41
1:B:117:ASP:HB2	1:B:118:PRO:HD3	2.00	0.41
1:B:211:ARG:HG2	1:B:212:TYR:CD1	2.54	0.41
1:B:12:LEU:O	1:B:395:THR:CG2	2.69	0.41
1:B:133:GLU:O	1:B:137:THR:CG2	2.68	0.41
1:B:376:ASP:OD2	1:B:380:ARG:HB2	2.19	0.41
1:A:117:ASP:HB2	1:A:118:PRO:HD3	2.01	0.41
1:B:148:LYS:NZ	1:B:148:LYS:HB3	2.35	0.41
1:A:25:ILE:HB	1:A:316:GLY:HA3	2.02	0.41
1:B:333:LEU:HD21	1:B:337:LYS:HE3	2.01	0.41
1:A:226:TYR:CE1	1:A:257:LYS:HE3	2.56	0.41
1:B:387:VAL:O	1:B:391:VAL:HG13	2.20	0.41
1:A:66:ARG:NH2	1:A:263:GLU:OE2	2.49	0.41
1:A:24:PHE:CZ	1:A:316:GLY:HA2	2.55	0.41
1:B:390:TYR:O	1:B:394:GLY:N	2.46	0.41
1:B:105:LEU:HG	1:B:106:LEU:N	2.36	0.40
1:A:133:GLU:O	1:A:137:THR:CG2	2.69	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:226:TYR:CE1	1:B:257:LYS:HE3	2.56	0.40
1:A:148:LYS:NZ	1:A:148:LYS:HB3	2.36	0.40
1:B:147:LEU:HA	1:B:147:LEU:HD12	1.94	0.40
1:B:347:TRP:CE2	3:B:1401:B4G:HJ5	2.57	0.40
1:A:378:LYS:HA	1:A:378:LYS:HE2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	385/399 (96%)	369 (96%)	16 (4%)	0	100	100
1	B	386/399 (97%)	368 (95%)	18 (5%)	0	100	100
All	All	771/798 (97%)	737 (96%)	34 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	305/315 (97%)	291 (95%)	14 (5%)	37	48
1	B	306/315 (97%)	293 (96%)	13 (4%)	40	53
All	All	611/630 (97%)	584 (96%)	27 (4%)	39	51

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	LEU
1	A	64	TYR
1	A	89	GLU
1	A	106	LEU
1	A	114	PHE
1	A	129	ASN
1	A	137	THR
1	A	147	LEU
1	A	173	GLU
1	A	191	ARG
1	A	237	TRP
1	A	294	GLN
1	A	312	GLU
1	A	395	THR
1	B	57	LEU
1	B	64	TYR
1	B	106	LEU
1	B	114	PHE
1	B	137	THR
1	B	145	GLN
1	B	147	LEU
1	B	173	GLU
1	B	191	ARG
1	B	237	TRP
1	B	294	GLN
1	B	301	ARG
1	B	395	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	ASN
1	A	276	HIS
1	A	389	GLN
1	B	276	HIS
1	B	288	ASN
1	B	331	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	B4G	A	1398	-	36,36,36	0.90	1 (2%)	53,53,53	0.82	2 (3%)
4	B2G	A	1399	-	24,24,24	1.77	6 (25%)	35,35,35	1.49	4 (11%)
5	PGE	B	1398	-	9,9,9	0.90	0	8,8,8	1.49	2 (25%)
5	PGE	B	1399	-	9,9,9	0.81	0	8,8,8	1.48	2 (25%)
3	B4G	B	1401	-	36,36,36	0.91	1 (2%)	53,53,53	0.83	2 (3%)
4	B2G	B	1402	-	24,24,24	1.58	5 (20%)	35,35,35	1.59	6 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	B4G	A	1398	-	-	0/14/74/74	0/3/3/3
4	B2G	A	1399	-	-	0/8/48/48	0/2/2/2
5	PGE	B	1398	-	-	0/7/7/7	0/0/0/0
5	PGE	B	1399	-	-	0/7/7/7	0/0/0/0
3	B4G	B	1401	-	-	0/14/74/74	0/3/3/3
4	B2G	B	1402	-	-	0/8/48/48	0/2/2/2

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1399	B2G	C6B-C5B	4.44	1.67	1.52
4	A	1399	B2G	O5B-C1B	3.84	1.51	1.41
4	B	1402	B2G	C6B-C5B	3.35	1.63	1.52
4	B	1402	B2G	O5B-C1B	2.97	1.49	1.41
4	B	1402	B2G	O5A-C1A	2.81	1.48	1.43
3	B	1401	B4G	O5-C1A	2.59	1.48	1.43
4	B	1402	B2G	O5B-C5B	2.51	1.50	1.44
3	A	1398	B4G	O5-C1A	2.43	1.47	1.43
4	A	1399	B2G	O5A-C5A	2.30	1.50	1.44
4	A	1399	B2G	C4B-C3B	2.24	1.58	1.52
4	A	1399	B2G	O5A-C1A	2.17	1.47	1.43
4	B	1402	B2G	O2B-C2B	2.04	1.47	1.43
4	A	1399	B2G	O2A-C2A	2.02	1.47	1.43

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1402	B2G	O6B-C6B-C5B	5.64	130.78	111.36
4	A	1399	B2G	O6B-C6B-C5B	4.76	127.74	111.36
4	A	1399	B2G	C1B-C2B-C3B	-4.34	101.54	110.00
4	B	1402	B2G	O5B-C5B-C4B	-3.37	103.52	109.76
4	B	1402	B2G	C3B-C4B-C5B	2.84	115.27	110.20
4	B	1402	B2G	C4B-C3B-C2B	-2.79	105.66	110.82
5	B	1398	PGE	C5-O3-C4	2.67	125.12	113.38
4	A	1399	B2G	C6B-C5B-C4B	2.64	119.37	113.00
5	B	1399	PGE	C5-O3-C4	2.56	124.65	113.38
4	B	1402	B2G	C1B-O4A-C4A	-2.33	112.05	117.99
4	A	1399	B2G	O5B-C5B-C6B	2.32	112.04	106.34
4	B	1402	B2G	C1B-O5B-C5B	2.23	118.07	113.73
3	A	1398	B4G	CJ1-O4-C4A	-2.19	112.41	117.99
5	B	1399	PGE	O2-C2-C1	2.16	121.01	110.61
3	A	1398	B4G	CQ1-OJ4-CJ4	-2.14	112.52	117.99
3	B	1401	B4G	CJ1-O4-C4A	-2.08	112.67	117.99
5	B	1398	PGE	O2-C2-C1	2.08	120.61	110.61
3	B	1401	B4G	CQ1-OJ4-CJ4	-2.07	112.72	117.99

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	387/399 (96%)	0.15	11 (2%) 50 60	14, 24, 41, 56	0
1	B	388/399 (97%)	0.23	15 (3%) 37 48	16, 25, 41, 57	0
All	All	775/798 (97%)	0.19	26 (3%) 44 53	14, 25, 41, 57	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	398	LYS	4.2
1	B	283	ASN	4.0
1	B	48	GLY	3.5
1	B	76	ALA	3.3
1	A	49	LYS	3.1
1	B	358	GLU	3.0
1	A	47	SER	2.9
1	B	363	TRP	2.8
1	B	129	ASN	2.8
1	B	128	ALA	2.7
1	A	333	LEU	2.6
1	B	49	LYS	2.6
1	A	396	PRO	2.6
1	A	22	LYS	2.5
1	B	22	LYS	2.5
1	A	129	ASN	2.4
1	A	386	HIS	2.4
1	B	312	GLU	2.2
1	B	47	SER	2.2
1	B	46	GLU	2.2
1	B	284	GLY	2.2
1	A	283	ASN	2.2
1	B	262	ALA	2.1
1	A	331	HIS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	13	TYR	2.0
1	A	335	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	B2G	B	1402	23/23	0.34	11.66	77,78,79,80	0
4	B2G	A	1399	23/23	0.28	6.02	76,78,78,79	0
5	PGE	B	1399	10/10	0.32	4.25	68,69,72,73	0
5	PGE	B	1398	10/10	0.24	1.29	47,50,53,53	0
3	B4G	B	1401	34/34	0.17	0.57	21,27,34,35	0
3	B4G	A	1398	34/34	0.14	-0.27	23,27,33,36	0
2	CA	A	1397	1/1	0.07	-1.87	23,23,23,23	0
2	CA	B	1400	1/1	0.07	-2.07	25,25,25,25	0

6.5 Other polymers

There are no such residues in this entry.