



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 03:20 PM GMT

PDB ID : 2CDH
Title : ARCHITECTURE OF THE THERMOMYCES LANUGINOSUS FUNGAL
FATTY ACID SYNTHASE AT 5 ANGSTROM RESOLUTION.
Authors : Jenni, S.; Leibundgut, M.; Maier, T.; Ban, N.
Deposited on : 2006-01-24
Resolution : 4.20 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 4.20 Å.





















Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	1259 (4.84-3.50)

















The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	0	226	
1	1	226	
1	2	226	
1	3	226	
1	Y	226	
1	Z	226	
2	4	305	
2	5	305	
2	6	305	
2	7	305	
2	8	305	
2	9	305	
2	M	305	
2	N	305	
2	O	305	
2	P	305	
2	Q	305	
2	R	305	
3	A	406	
3	B	406	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	406	
3	D	406	
3	E	406	
3	F	406	
4	G	244	
4	H	244	
4	I	244	
4	J	244	
4	K	244	
4	L	244	
5	S	248	
5	T	248	
5	U	248	
5	V	248	
5	W	248	
5	X	248	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 10404 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ENOYL REDUCTASE.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
1	0	226	Total C 226 226	0	0	226
1	1	226	Total C 226 226	0	0	226
1	2	226	Total C 226 226	0	0	226
1	3	226	Total C 226 226	0	0	226
1	Y	226	Total C 226 226	0	0	226
1	Z	226	Total C 226 226	0	0	226

- Molecule 2 is a protein called MALONYL/PALMITOYL TRANSFERASE.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	4	305	Total C 305 305	0	0	305
2	5	305	Total C 305 305	0	0	305
2	6	305	Total C 305 305	0	0	305
2	7	305	Total C 305 305	0	0	305
2	8	305	Total C 305 305	0	0	305
2	9	305	Total C 305 305	0	0	305
2	M	305	Total C 305 305	0	0	305
2	N	305	Total C 305 305	0	0	305

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	O	305	Total C 305 305	0	0	305
2	P	305	Total C 305 305	0	0	305
2	Q	305	Total C 305 305	0	0	305
2	R	305	Total C 305 305	0	0	305

- Molecule 3 is a protein called KETOACYL SYNTHASE.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
3	A	406	Total C 406 406	0	0	406
3	B	406	Total C 406 406	0	0	406
3	C	406	Total C 406 406	0	0	406
3	D	406	Total C 406 406	0	0	406
3	E	406	Total C 406 406	0	0	406
3	F	406	Total C 406 406	0	0	406

- Molecule 4 is a protein called KETOACYL REDUCTASE.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
4	G	244	Total C 244 244	0	0	244
4	H	244	Total C 244 244	0	0	244
4	I	244	Total C 244 244	0	0	244
4	J	244	Total C 244 244	0	0	244
4	K	244	Total C 244 244	0	0	244
4	L	244	Total C 244 244	0	0	244

- Molecule 5 is a protein called DEHYDRATASE.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
5	S	248	Total C 248 248	0	0	248
5	T	248	Total C 248 248	0	0	248
5	U	248	Total C 248 248	0	0	248
5	V	248	Total C 248 248	0	0	248
5	W	248	Total C 248 248	0	0	248
5	X	248	Total C 248 248	0	0	248

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: ENOYL REDUCTASE

Chain 0: 

There are no outlier residues recorded for this chain.

- Molecule 1: ENOYL REDUCTASE

Chain 1: 

There are no outlier residues recorded for this chain.

- Molecule 1: ENOYL REDUCTASE

Chain 2: 

There are no outlier residues recorded for this chain.

- Molecule 1: ENOYL REDUCTASE

Chain 3: 

There are no outlier residues recorded for this chain.

- Molecule 1: ENOYL REDUCTASE

Chain Y: 

There are no outlier residues recorded for this chain.


- Molecule 1: ENOYL REDUCTASE

Chain Z: 

There are no outlier residues recorded for this chain.


- Molecule 2: MALONYL/PALMITOYL TRANSFERASE

Chain 4: 




- Molecule 2: MALONYL/PALMITOYL TRANSFERASE

Chain 5: 



- Molecule 2: MALONYL/PALMITOYL TRANSFERASE

Chain 6: 



- Molecule 2: MALONYL/PALMITOYL TRANSFERASE

Chain 7: 




- Molecule 2: MALONYL/PALMITOYL TRANSFERASE

Chain 8: 



- Molecule 2: MALONYL/PALMITOYL TRANSFERASE

Chain 9: 



- Molecule 2: MALONYL/PALMITOYL TRANSFERASE

Chain M: 



- Molecule 2: MALONYL/PALMITOYL TRANSFERASE

Chain N: 



- Molecule 2: MALONYL/PALMITOYL TRANSFERASE

Chain O: 



- Molecule 2: MALONYL/PALMITOYL TRANSFERASE

Chain P: 



- Molecule 2: MALONYL/PALMITOYL TRANSFERASE

Chain Q:



- Molecule 2: MALONYL/PALMITOYL TRANSFERASE

Chain R:



- Molecule 3: KETOACYL SYNTHASE

Chain A:

There are no outlier residues recorded for this chain.


- Molecule 3: KETOACYL SYNTHASE

Chain B:

There are no outlier residues recorded for this chain.


- Molecule 3: KETOACYL SYNTHASE

Chain C:



- Molecule 3: KETOACYL SYNTHASE

Chain D:



- Molecule 3: KETOACYL SYNTHASE

Chain E:



- Molecule 3: KETOACYL SYNTHASE

Chain F:



- Molecule 4: KETOACYL REDUCTASE

Chain G: 

There are no outlier residues recorded for this chain.

- Molecule 4: KETOACYL REDUCTASE

Chain H: 

There are no outlier residues recorded for this chain.

- Molecule 4: KETOACYL REDUCTASE

Chain I: 

There are no outlier residues recorded for this chain.

- Molecule 4: KETOACYL REDUCTASE

Chain J: 

There are no outlier residues recorded for this chain.

- Molecule 4: KETOACYL REDUCTASE

Chain K: 

There are no outlier residues recorded for this chain.

- Molecule 4: KETOACYL REDUCTASE

Chain L: 

There are no outlier residues recorded for this chain.

- Molecule 5: DEHYDRATASE

Chain S: 



- Molecule 5: DEHYDRATASE

Chain T: 



- Molecule 5: DEHYDRATASE

Chain U: 



- Molecule 5: DEHYDRATASE

Chain V: 

There are no outlier residues recorded for this chain.

- Molecule 5: DEHYDRATASE

Chain W: 

There are no outlier residues recorded for this chain.

- Molecule 5: DEHYDRATASE

Chain X: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	217.00Å 415.00Å 222.00Å 90.00° 111.50° 90.00°	Depositor
Resolution (Å)	500.00 – 4.20	Depositor
% Data completeness (in resolution range)	(Not available) (500.00-4.20)	Depositor
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	?	Depositor
R, R_{free}	(Not available) , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	10404	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	226	0	0	0	0
1	1	226	0	0	0	0
1	2	226	0	0	0	0
1	3	226	0	0	0	0
1	Y	226	0	0	0	0
1	Z	226	0	0	0	0
2	4	305	0	0	2	0
2	5	305	0	0	2	0
2	6	305	0	0	2	0
2	7	305	0	0	1	0
2	8	305	0	0	1	0
2	9	305	0	0	2	0
2	M	305	0	0	1	0
2	N	305	0	0	1	0
2	O	305	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	P	305	0	0	1	0
2	Q	305	0	0	1	0
2	R	305	0	0	1	0
3	A	406	0	0	0	0
3	B	406	0	0	0	0
3	C	406	0	0	10	0
3	D	406	0	0	10	0
3	E	406	0	0	3	0
3	F	406	0	0	3	0
4	G	244	0	0	0	0
4	H	244	0	0	0	0
4	I	244	0	0	0	0
4	J	244	0	0	0	0
4	K	244	0	0	0	0
4	L	244	0	0	0	0
5	S	248	0	0	1	0
5	T	248	0	0	1	0
5	U	248	0	0	1	0
5	V	248	0	0	0	0
5	W	248	0	0	0	0
5	X	248	0	0	1	0
All	All	10404	0	0	29	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 3.

All (29) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:C:138:MET:CA	3:D:107:GLY:CA	1.82	1.56
3:C:107:GLY:CA	3:D:138:MET:CA	1.95	1.44
3:C:115:PHE:CA	3:D:114:VAL:CA	2.16	1.24
3:E:266:GLY:CA	3:F:153:HIS:CA	2.31	1.09
3:C:200:GLU:CA	3:D:131:PRO:CA	2.44	0.96
3:C:113:GLN:CA	3:D:113:GLN:CA	2.44	0.95
3:E:114:VAL:CA	3:F:114:VAL:CA	2.45	0.94
3:C:42:SER:CA	3:D:126:LEU:CA	2.50	0.89
3:C:125:GLY:CA	3:D:42:SER:CA	2.58	0.82
2:5:132:VAL:CA	5:T:48:TYR:CA	2.63	0.77
3:C:113:GLN:CA	3:D:110:PRO:CA	2.69	0.70
2:9:132:VAL:CA	5:X:48:TYR:CA	2.75	0.64
3:C:114:VAL:CA	3:D:115:PHE:CA	2.78	0.61
3:C:139:ALA:CA	3:D:139:ALA:CA	2.83	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:4:132:VAL:CA	5:S:48:TYR:CA	2.89	0.51
2:6:132:VAL:CA	5:U:48:TYR:CA	2.94	0.45
3:E:114:VAL:CA	3:F:113:GLN:CA	2.97	0.43
2:7:276:CYS:CA	2:7:277:PRO:CA	2.97	0.42
2:6:276:CYS:CA	2:6:277:PRO:CA	2.97	0.42
2:O:276:CYS:CA	2:O:277:PRO:CA	2.98	0.42
2:R:276:CYS:CA	2:R:277:PRO:CA	2.98	0.42
2:N:276:CYS:CA	2:N:277:PRO:CA	2.98	0.42
2:P:276:CYS:CA	2:P:277:PRO:CA	2.98	0.42
2:5:276:CYS:CA	2:5:277:PRO:CA	2.97	0.42
2:9:276:CYS:CA	2:9:277:PRO:CA	2.97	0.42
2:M:276:CYS:CA	2:M:277:PRO:CA	2.98	0.42
2:8:276:CYS:CA	2:8:277:PRO:CA	2.97	0.42
2:4:276:CYS:CA	2:4:277:PRO:CA	2.97	0.42
2:Q:276:CYS:CA	2:Q:277:PRO:CA	2.97	0.42

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains ⓘ

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.