



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2014 – 02:01 AM GMT

PDB ID : 2CKW  
Title : THE 2.3 Å RESOLUTION STRUCTURE OF THE SAPPORO VIRUS RNA  
DEPENDANT RNA POLYMERASE.  
Authors : Fullerton, S.W.B.; Tucker, P.A.; Rohayem, J.; Coutard, B.; Gebhardt, J.;  
Gorbalenya, A.; Canard, B.  
Deposited on : 2006-04-24  
Resolution : 2.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	2929 (2.30-2.30)
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)
RSRZ outliers	66119	2930 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	515	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4037 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-DIRECTED RNA POLYMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	487	Total	C	N	O	S	0	0	0
			3766	2392	649	708	17			

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	271	Total	O	0	0
			271	271		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: RNA-DIRECTED RNA POLYMERASE

Chain A: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	58.43Å 93.88Å 94.77Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	66.67 – 2.30 23.47 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.0 (66.67-2.30) 99.1 (23.47-2.30)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.61 (at 2.31Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.171 , 0.229 0.191 , 0.239	Depositor DCC
$R_{free}$ test set	1209 reflections (5.40%)	DCC
Wilson B-factor (Å <sup>2</sup> )	20.3	Xtriage
Anisotropy	0.079	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 20.5	EDS
Estimated twinning fraction	0.023 for -h,l,k	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 23587 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	4037	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.75% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.01	11/3863 (0.3%)	0.97	19/5272 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	308	VAL	CB-CG1	7.66	1.69	1.52
1	A	174	GLU	CG-CD	7.04	1.62	1.51
1	A	82	ARG	CG-CD	6.14	1.67	1.51
1	A	317	VAL	CB-CG1	-6.00	1.40	1.52
1	A	50	ASP	CB-CG	-5.77	1.39	1.51
1	A	59	GLU	CB-CG	5.67	1.62	1.52
1	A	59	GLU	CD-OE2	5.50	1.31	1.25
1	A	174	GLU	CB-CG	5.29	1.62	1.52
1	A	240	CYS	CB-SG	-5.21	1.73	1.81
1	A	246	TRP	CD2-CE2	5.09	1.47	1.41
1	A	110	GLU	CD-OE1	5.00	1.31	1.25

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	205	ARG	NE-CZ-NH2	-15.85	112.37	120.30
1	A	205	ARG	NE-CZ-NH1	11.95	126.28	120.30
1	A	50	ASP	CB-CG-OD1	-11.74	107.73	118.30
1	A	52	ARG	NE-CZ-NH2	-9.26	115.67	120.30
1	A	60	MET	CG-SD-CE	-7.28	88.55	100.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	435	ASP	CB-CG-OD2	6.26	123.94	118.30
1	A	52	ARG	NE-CZ-NH1	6.24	123.42	120.30
1	A	222	ASP	CB-CG-OD2	6.20	123.88	118.30
1	A	164	LEU	CB-CG-CD1	-6.09	100.64	111.00
1	A	131	ASP	CB-CG-OD2	5.89	123.60	118.30
1	A	348	ASP	CB-CG-OD2	-5.87	113.01	118.30
1	A	317	VAL	CG1-CB-CG2	-5.86	101.52	110.90
1	A	242	ASP	CB-CG-OD2	5.59	123.33	118.30
1	A	16	ASP	CB-CG-OD2	5.46	123.21	118.30
1	A	50	ASP	CB-CG-OD2	5.40	123.16	118.30
1	A	1	ASP	CB-CG-OD2	5.19	122.97	118.30
1	A	17	VAL	CG1-CB-CG2	5.16	119.16	110.90
1	A	82	ARG	NE-CZ-NH2	-5.11	117.75	120.30
1	A	459	ASP	CB-CG-OD2	5.07	122.86	118.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	132	GLU	Peptide
1	A	133	GLU	Peptide
1	A	198	ALA	Peptide
1	A	272	VAL	Peptide
1	A	273	SER	Peptide
1	A	454	GLY	Peptide

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3766	0	3710	171	0
2	A	271	0	0	33	0
All	All	4037	0	3710	171	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including

hydrogens) of the entry. The overall clashscore for this entry is 23.

All (171) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:46:PHE:CZ	1:A:50:ASP:HB3	1.69	1.25
1:A:360:ILE:O	1:A:363:THR:HG22	1.38	1.21
1:A:45:PRO:HG2	1:A:60:MET:HE1	1.20	1.18
1:A:154:LYS:HE3	2:A:2112:HOH:O	1.52	1.09
1:A:404:ILE:HD12	1:A:404:ILE:H	1.21	1.01
1:A:46:PHE:CE2	1:A:50:ASP:HB3	1.96	1.01
1:A:45:PRO:HG2	1:A:60:MET:CE	1.92	1.00
1:A:46:PHE:CZ	1:A:50:ASP:CB	2.45	0.99
1:A:34:GLU:HG2	2:A:2254:HOH:O	1.62	0.97
1:A:250:GLN:HE21	1:A:312:ASN:HD22	0.97	0.95
1:A:404:ILE:HD12	1:A:404:ILE:N	1.83	0.92
1:A:34:GLU:HG3	2:A:2025:HOH:O	1.69	0.90
1:A:45:PRO:CG	1:A:60:MET:HE1	2.01	0.90
1:A:213:THR:HG22	1:A:215:VAL:H	1.39	0.87
1:A:40:THR:HG22	1:A:41:HIS:ND1	1.91	0.86
1:A:410:ILE:CD1	1:A:457:MET:SD	2.64	0.85
1:A:61:LEU:HD23	1:A:183:LEU:CD2	2.07	0.84
1:A:205:ARG:CD	2:A:2072:HOH:O	2.30	0.80
1:A:245:LYS:HG2	2:A:2062:HOH:O	1.81	0.79
1:A:477:VAL:C	1:A:479:THR:H	1.85	0.78
1:A:51:LYS:HB3	2:A:2110:HOH:O	1.84	0.77
1:A:272:VAL:CG1	1:A:272:VAL:O	2.31	0.77
1:A:324:ALA:HB1	1:A:363:THR:CG2	2.17	0.74
1:A:350:MET:HE1	1:A:390:PRO:HB3	1.68	0.74
1:A:42:ALA:HB1	1:A:43:PRO:HD2	1.70	0.73
1:A:263:GLU:HB2	1:A:276:ILE:HD11	1.69	0.73
1:A:246:TRP:CG	1:A:347:ASP:HB3	2.24	0.72
1:A:45:PRO:CG	1:A:60:MET:CE	2.62	0.72
1:A:72:THR:HG22	1:A:251:ASN:HD22	1.53	0.72
1:A:410:ILE:HD13	1:A:457:MET:SD	2.29	0.72
1:A:131:ASP:OD1	1:A:134:GLN:HB2	1.89	0.72
1:A:404:ILE:CD1	1:A:404:ILE:H	2.00	0.72
1:A:47:GLY:HA2	1:A:55:PHE:O	1.90	0.71
1:A:324:ALA:CB	1:A:363:THR:HG23	2.21	0.71
1:A:402:HIS:HD2	2:A:2102:HOH:O	1.74	0.71
1:A:61:LEU:CD2	1:A:183:LEU:CD2	2.69	0.71
1:A:205:ARG:HD3	2:A:2072:HOH:O	1.90	0.70
1:A:79:LEU:HD11	1:A:323:GLN:HB2	1.72	0.70
1:A:250:GLN:NE2	1:A:312:ASN:HD22	1.80	0.70
1:A:113:GLU:OE1	1:A:115:THR:HB	1.90	0.70

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:40:THR:CG2	1:A:41:HIS:ND1	2.55	0.70
1:A:205:ARG:HD2	2:A:2072:HOH:O	1.92	0.70
1:A:46:PHE:CE1	1:A:50:ASP:HB3	2.26	0.69
1:A:272:VAL:O	1:A:272:VAL:HG12	1.92	0.69
1:A:213:THR:HG22	1:A:215:VAL:N	2.07	0.68
1:A:104:THR:HG23	2:A:2085:HOH:O	1.94	0.67
1:A:169:GLU:OE2	1:A:182:ARG:HD3	1.95	0.67
1:A:135:GLN:O	1:A:135:GLN:HG3	1.94	0.67
1:A:22:THR:O	1:A:424:ARG:NH2	2.28	0.66
1:A:82:ARG:HD2	2:A:2059:HOH:O	1.95	0.66
1:A:350:MET:CE	1:A:390:PRO:HB3	2.26	0.66
1:A:350:MET:HE3	1:A:390:PRO:HA	1.77	0.66
1:A:410:ILE:HG12	1:A:457:MET:SD	2.37	0.65
1:A:61:LEU:HD23	1:A:183:LEU:HD21	1.76	0.64
1:A:42:ALA:HB1	1:A:43:PRO:CD	2.26	0.64
1:A:220:ASN:H	1:A:225:GLN:NE2	1.95	0.64
1:A:483:GLN:O	1:A:487:THR:HG22	1.98	0.64
1:A:324:ALA:HB1	1:A:363:THR:HG23	1.76	0.64
1:A:81:SER:O	1:A:85:THR:CG2	2.46	0.64
1:A:238:LEU:HD11	1:A:350:MET:HE2	1.79	0.64
1:A:365:LEU:O	1:A:369:THR:HG23	1.98	0.63
1:A:212:MET:CG	2:A:2149:HOH:O	2.46	0.63
1:A:213:THR:CG2	1:A:215:VAL:H	2.10	0.62
1:A:483:GLN:O	1:A:487:THR:CG2	2.47	0.62
1:A:66:LYS:O	1:A:69:THR:HB	2.00	0.62
1:A:477:VAL:C	1:A:479:THR:N	2.52	0.61
1:A:26:TYR:CE1	1:A:421:LYS:NZ	2.69	0.61
1:A:479:THR:HG21	2:A:2259:HOH:O	2.01	0.60
1:A:477:VAL:O	1:A:479:THR:N	2.34	0.60
1:A:279:LEU:HD22	1:A:302:MET:HE2	1.82	0.60
1:A:103:LEU:HB2	1:A:197:ALA:HA	1.84	0.59
1:A:213:THR:HB	2:A:2150:HOH:O	2.02	0.58
1:A:61:LEU:CD2	1:A:183:LEU:HD21	2.33	0.57
1:A:212:MET:HG2	2:A:2149:HOH:O	2.04	0.57
1:A:360:ILE:HA	1:A:362:HIS:CE1	2.40	0.57
1:A:89:SER:O	1:A:93:THR:HG23	2.05	0.57
1:A:133:GLU:HG3	1:A:133:GLU:O	2.05	0.57
1:A:88:ARG:O	1:A:92:GLU:HG3	2.05	0.57
1:A:46:PHE:CE1	1:A:50:ASP:CB	2.86	0.56
1:A:22:THR:HG22	2:A:2017:HOH:O	2.04	0.56
1:A:302:MET:CE	2:A:2181:HOH:O	2.53	0.56
1:A:61:LEU:CD2	1:A:183:LEU:HD22	2.37	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:85:THR:HG21	2:A:2057:HOH:O	2.05	0.55
1:A:462:ARG:HH11	1:A:463:GLN:HE22	1.53	0.55
1:A:410:ILE:HD11	1:A:457:MET:SD	2.45	0.55
1:A:410:ILE:CG1	1:A:457:MET:SD	2.94	0.55
1:A:27:HIS:HE1	1:A:423:ASN:O	1.90	0.55
1:A:324:ALA:HB1	1:A:363:THR:HG21	1.87	0.55
1:A:234:LYS:HD2	1:A:235:GLY:H	1.72	0.54
1:A:152:ALA:HA	1:A:274:CYS:SG	2.48	0.54
1:A:239:TYR:HB3	1:A:241:LEU:HD21	1.88	0.54
1:A:246:TRP:CD1	1:A:347:ASP:HB3	2.43	0.54
1:A:281:SER:HB2	2:A:2078:HOH:O	2.07	0.53
1:A:324:ALA:HB2	1:A:363:THR:HG23	1.90	0.53
1:A:350:MET:HE3	1:A:390:PRO:CA	2.39	0.53
1:A:400:THR:HB	1:A:401:PRO:CD	2.39	0.53
1:A:250:GLN:HE21	1:A:312:ASN:ND2	1.83	0.53
1:A:478:ASN:ND2	1:A:487:THR:HG21	2.26	0.51
1:A:104:THR:HG23	1:A:105:TYR:N	2.26	0.51
1:A:385:LYS:HB2	1:A:386:PRO:HD2	1.92	0.51
1:A:302:MET:HE3	2:A:2181:HOH:O	2.10	0.51
1:A:245:LYS:CG	2:A:2062:HOH:O	2.51	0.51
1:A:81:SER:O	1:A:85:THR:HG23	2.10	0.51
1:A:81:SER:O	1:A:85:THR:HG22	2.11	0.51
1:A:206:LEU:HD22	1:A:213:THR:HG21	1.93	0.50
1:A:420:LEU:HD21	1:A:432:PRO:HG3	1.93	0.50
1:A:420:LEU:HD21	1:A:432:PRO:CG	2.42	0.50
1:A:272:VAL:HG13	1:A:272:VAL:O	2.11	0.50
1:A:66:LYS:HE3	2:A:2046:HOH:O	2.11	0.50
1:A:369:THR:HG22	1:A:375:PRO:CG	2.42	0.50
1:A:104:THR:CG2	1:A:106:HIS:H	2.24	0.49
1:A:444:GLU:OE2	1:A:477:VAL:N	2.31	0.49
1:A:480:ASN:HB3	2:A:2261:HOH:O	2.11	0.49
1:A:116:THR:HG23	1:A:126:LYS:NZ	2.28	0.49
1:A:212:MET:HG3	2:A:2149:HOH:O	2.11	0.48
1:A:82:ARG:HG2	1:A:322:LEU:HD13	1.94	0.48
1:A:20:MET:HB3	2:A:2124:HOH:O	2.14	0.48
1:A:104:THR:HG22	1:A:107:GLN:H	1.77	0.48
1:A:340:GLU:HG3	1:A:353:VAL:HA	1.96	0.48
1:A:296:GLY:HA2	2:A:2189:HOH:O	2.14	0.48
1:A:46:PHE:CZ	1:A:50:ASP:HB2	2.43	0.48
1:A:478:ASN:HD21	1:A:487:THR:HG21	1.79	0.48
1:A:26:TYR:CZ	1:A:421:LYS:NZ	2.82	0.48
1:A:72:THR:CG2	1:A:251:ASN:HB2	2.44	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:36:GLN:HB3	1:A:37:PRO:HD2	1.96	0.47
1:A:69:THR:HG22	1:A:70:GLU:HG2	1.97	0.47
1:A:51:LYS:HG3	1:A:51:LYS:O	2.13	0.47
1:A:17:VAL:HG13	1:A:163:LYS:HE3	1.97	0.47
1:A:234:LYS:HD2	1:A:235:GLY:N	2.30	0.47
1:A:239:TYR:HB3	1:A:241:LEU:CD2	2.44	0.46
1:A:72:THR:HB	2:A:2164:HOH:O	2.15	0.46
1:A:241:LEU:N	1:A:241:LEU:HD23	2.30	0.46
1:A:57:GLN:HE21	1:A:181:ARG:HH12	1.63	0.46
1:A:116:THR:OG1	1:A:117:SER:N	2.49	0.46
1:A:45:PRO:CG	1:A:60:MET:HE3	2.43	0.46
1:A:302:MET:HE1	2:A:2181:HOH:O	2.14	0.46
1:A:444:GLU:HG3	2:A:2244:HOH:O	2.15	0.45
1:A:134:GLN:O	1:A:135:GLN:HG2	2.17	0.45
1:A:61:LEU:HD22	1:A:65:LEU:HG	1.98	0.45
1:A:106:HIS:O	1:A:110:GLU:HG2	2.17	0.44
1:A:163:LYS:HE2	2:A:2123:HOH:O	2.17	0.44
1:A:385:LYS:CB	1:A:386:PRO:HD2	2.47	0.44
1:A:131:ASP:CG	1:A:134:GLN:HB2	2.38	0.44
1:A:462:ARG:NH1	1:A:463:GLN:HE22	2.16	0.44
1:A:233:LEU:CD1	1:A:350:MET:HE1	2.48	0.44
1:A:104:THR:CG2	1:A:105:TYR:N	2.81	0.44
1:A:28:ARG:HD3	1:A:32:TRP:O	2.18	0.44
1:A:220:ASN:H	1:A:225:GLN:HE21	1.64	0.43
1:A:298:LEU:HD13	2:A:2167:HOH:O	2.18	0.43
1:A:246:TRP:CG	1:A:347:ASP:CB	3.00	0.43
1:A:255:THR:HG21	1:A:298:LEU:HD11	1.99	0.43
1:A:24:THR:O	1:A:425:THR:HG22	2.19	0.43
1:A:76:PRO:HA	1:A:77:PRO:HD3	1.81	0.43
1:A:390:PRO:HB2	1:A:397:PHE:CG	2.53	0.43
1:A:72:THR:CG2	1:A:251:ASN:HD22	2.27	0.43
1:A:104:THR:HG23	1:A:106:HIS:H	1.83	0.43
1:A:400:THR:HB	1:A:401:PRO:HD2	2.00	0.42
1:A:457:MET:HE2	1:A:457:MET:HB3	1.19	0.42
1:A:343:HIS:O	1:A:349:CYS:HA	2.20	0.42
1:A:402:HIS:CD2	2:A:2102:HOH:O	2.59	0.42
1:A:272:VAL:O	1:A:276:ILE:HD12	2.20	0.41
1:A:113:GLU:HB3	1:A:116:THR:HG22	2.02	0.41
1:A:67:PRO:HB2	1:A:248:SER:HB2	2.01	0.41
1:A:79:LEU:HD23	1:A:79:LEU:HA	1.86	0.41
1:A:477:VAL:HG12	1:A:478:ASN:N	2.35	0.41
1:A:340:GLU:HG3	1:A:353:VAL:HG12	2.02	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:483:GLN:HE21	1:A:483:GLN:HA	1.85	0.41
1:A:61:LEU:HD21	1:A:183:LEU:HD22	2.03	0.41
1:A:478:ASN:ND2	2:A:2258:HOH:O	2.51	0.40
1:A:28:ARG:NH2	1:A:39:GLU:OE1	2.54	0.40
1:A:488:TYR:O	1:A:491:TRP:HB2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	483/515 (94%)	461 (95%)	17 (4%)	5 (1%)	22 23

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	133	GLU
1	A	478	ASN
1	A	346	GLY
1	A	424	ARG
1	A	273	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	404/427 (95%)	355 (88%)	49 (12%)	7 7

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	VAL
1	A	17	VAL
1	A	28	ARG
1	A	34	GLU
1	A	40	THR
1	A	50	ASP
1	A	51	LYS
1	A	58	THR
1	A	61	LEU
1	A	66	LYS
1	A	69	THR
1	A	72	THR
1	A	79	LEU
1	A	82	ARG
1	A	85	THR
1	A	104	THR
1	A	110	GLU
1	A	115	THR
1	A	117	SER
1	A	132	GLU
1	A	138	THR
1	A	154	LYS
1	A	209	VAL
1	A	213	THR
1	A	241	LEU
1	A	264	ARG
1	A	287	VAL
1	A	298	LEU
1	A	302	MET
1	A	327	SER
1	A	348	ASP
1	A	354	CYS
1	A	369	THR
1	A	385	LYS
1	A	394	LYS
1	A	421	LYS
1	A	435	ASP
1	A	436	ARG
1	A	440	SER
1	A	457	MET
1	A	460	THR
1	A	463	GLN
1	A	467	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	470	GLN
1	A	475	VAL
1	A	479	THR
1	A	483	GLN
1	A	487	THR
1	A	496	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	HIS
1	A	57	GLN
1	A	86	HIS
1	A	98	HIS
1	A	143	ASN
1	A	225	GLN
1	A	250	GLN
1	A	251	ASN
1	A	328	HIS
1	A	362	HIS
1	A	402	HIS
1	A	452	GLN
1	A	453	HIS
1	A	463	GLN
1	A	478	ASN
1	A	483	GLN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

There are no ligands in this entry.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	487/515 (94%)	0.04	17 (3%)	42 52	6, 17, 35, 55	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	496	THR	5.1
1	A	132	GLU	5.0
1	A	235	GLY	4.6
1	A	135	GLN	4.5
1	A	34	GLU	4.3
1	A	133	GLU	4.1
1	A	437	GLN	3.9
1	A	1	ASP	3.5
1	A	435	ASP	3.4
1	A	236	GLY	2.8
1	A	48	SER	2.6
1	A	273	SER	2.6
1	A	22	THR	2.5
1	A	457	MET	2.4
1	A	272	VAL	2.2
1	A	388	ASN	2.2
1	A	274	CYS	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.



## 6.4 Ligands ⓘ

There are no ligands in this entry.

## 6.5 Other polymers ⓘ

There are no such residues in this entry.