



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 02:51 PM GMT

PDB ID : 2CP4
Title : CRYSTAL STRUCTURE OF THE CYTOCHROME P450-CAM ACTIVE
SITE MUTANT THR252ALA
Authors : Raag, R.; Poulos, T.L.
Deposited on : 1991-06-04
Resolution : 2.10 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	3649 (2.10-2.10)
Ramachandran outliers	78287	3610 (2.10-2.10)
Sidechain outliers	78261	3611 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	414	

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 3519 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYTOCHROME P450-CAM.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	405	3233	2054	561	600	18	0	7	0

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	252	ALA	THR	CONFLICT	UNP P00183

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Fe	N	O		
2	A	1	43	34	1	4	4	0	0

- Molecule 3 is CAMPHOR (three-letter code: CAM) (formula: $C_{10}H_{16}O$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			11	10	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	232	Total	O	0	0
			232	232		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: CYTOCHROME P450-CAM

Chain A: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	108.67Å 103.90Å 36.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.10	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.10)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROFFT	Depositor
R, R_{free}	0.179 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3519	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, CAM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.12	2/3340 (0.1%)	1.85	75/4538 (1.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	11

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	276	GLU	CD-OE1	7.78	1.34	1.25
1	A	37	GLY	N-CA	5.50	1.54	1.46

All (75) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	211	ARG	CD-NE-CZ	21.66	153.92	123.60
1	A	112	ARG	NE-CZ-NH1	14.41	127.50	120.30
1	A	290	ARG	NE-CZ-NH1	13.65	127.12	120.30
1	A	211	ARG	NE-CZ-NH2	13.25	126.92	120.30
1	A	365	ARG	NE-CZ-NH1	12.41	126.51	120.30
1	A	72	ARG	NE-CZ-NH2	-12.07	114.27	120.30
1	A	271	ARG	NE-CZ-NH1	11.84	126.22	120.30
1	A	210	GLN	CA-CB-CG	11.55	138.81	113.40
1	A	365	ARG	CD-NE-CZ	11.43	139.60	123.60
1	A	290	ARG	CD-NE-CZ	11.40	139.56	123.60
1	A	299	ARG	NE-CZ-NH2	-10.87	114.86	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	330	ARG	CD-NE-CZ	9.86	137.40	123.60
1	A	67	ARG	NE-CZ-NH2	-9.70	115.45	120.30
1	A	280	ARG	NE-CZ-NH2	-9.45	115.58	120.30
1	A	148	CYS	C-N-CA	9.36	145.10	121.70
1	A	279	GLU	CA-CB-CG	9.07	133.35	113.40
1	A	27	ASP	CB-CG-OD1	8.83	126.25	118.30
1	A	79	ARG	NE-CZ-NH2	-8.62	115.99	120.30
1	A	271	ARG	CD-NE-CZ	8.47	135.46	123.60
1	A	33	ASN	CB-CA-C	8.43	127.25	110.40
1	A	186	ARG	NE-CZ-NH2	8.18	124.39	120.30
1	A	240	ARG	NE-CZ-NH1	7.85	124.22	120.30
1	A	161	ARG	NE-CZ-NH2	-7.82	116.39	120.30
1	A	236	ASP	CB-CG-OD1	-7.64	111.42	118.30
1	A	90	ARG	NE-CZ-NH1	7.56	124.08	120.30
1	A	231	ARG	NE-CZ-NH1	7.40	124.00	120.30
1	A	67	ARG	NE-CZ-NH1	7.37	123.98	120.30
1	A	277	ARG	NE-CZ-NH2	-7.17	116.71	120.30
1	A	79	ARG	NE-CZ-NH1	6.83	123.72	120.30
1	A	280	ARG	CD-NE-CZ	6.35	132.50	123.60
1	A	342	ARG	CD-NE-CZ	6.32	132.44	123.60
1	A	90	ARG	CD-NE-CZ	6.29	132.41	123.60
1	A	400	GLN	CA-CB-CG	6.26	127.18	113.40
1	A	104	ASP	CB-CG-OD1	6.21	123.89	118.30
1	A	373	GLU	OE1-CD-OE2	-6.11	115.97	123.30
1	A	195	GLU	CA-CB-CG	5.96	126.52	113.40
1	A	291	ARG	CD-NE-CZ	5.96	131.94	123.60
1	A	330	ARG	NE-CZ-NH1	5.86	123.23	120.30
1	A	364	ARG	NE-CZ-NH1	5.86	123.23	120.30
1	A	261	MET	CG-SD-CE	5.85	109.55	100.20
1	A	161	ARG	NE-CZ-NH1	5.83	123.21	120.30
1	A	57	ARG	NE-CZ-NH1	5.76	123.18	120.30
1	A	366	GLU	OE1-CD-OE2	-5.76	116.39	123.30
1	A	11	LEU	CB-CA-C	5.74	121.10	110.20
1	A	152	GLU	CA-CB-CG	5.74	126.02	113.40
1	A	149	ASN	N-CA-CB	5.73	120.92	110.60
1	A	297	ASP	CB-CG-OD1	5.73	123.46	118.30
1	A	113	ALA	CB-CA-C	5.66	118.59	110.10
1	A	20	GLU	CA-CB-CG	5.66	125.85	113.40
1	A	172[A]	GLU	N-CA-CB	5.61	120.69	110.60
1	A	172[B]	GLU	N-CA-CB	5.61	120.69	110.60
1	A	47	GLU	CG-CD-OE1	5.59	129.49	118.30
1	A	85	CYS	N-CA-CB	-5.57	100.58	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	301	LEU	CA-CB-CG	5.49	127.94	115.30
1	A	348	THR	CA-CB-CG2	5.45	120.03	112.40
1	A	118	VAL	CA-CB-CG2	5.42	119.03	110.90
1	A	165[A]	LEU	CA-CB-CG	5.42	127.76	115.30
1	A	165[B]	LEU	CA-CB-CG	5.42	127.76	115.30
1	A	47	GLU	CG-CD-OE2	-5.40	107.50	118.30
1	A	149	ASN	CB-CA-C	5.40	121.20	110.40
1	A	286	GLU	CG-CD-OE2	-5.37	107.56	118.30
1	A	290	ARG	NH1-CZ-NH2	-5.32	113.55	119.40
1	A	142	LEU	C-N-CA	5.29	134.93	121.70
1	A	304	ASP	CB-CG-OD1	5.25	123.03	118.30
1	A	376	THR	CA-CB-CG2	5.21	119.69	112.40
1	A	301	LEU	CB-CA-C	5.21	120.09	110.20
1	A	149	ASN	O-C-N	-5.18	114.40	122.70
1	A	316	ASP	CB-CG-OD2	5.16	122.94	118.30
1	A	279	GLU	CB-CG-CD	5.15	128.10	114.20
1	A	123	VAL	CA-CB-CG1	5.09	118.54	110.90
1	A	50	VAL	CA-CB-CG2	5.09	118.53	110.90
1	A	329	GLU	CA-CB-CG	5.06	124.52	113.40
1	A	55	TRP	O-C-N	5.03	130.74	122.70
1	A	349	THR	CA-CB-CG2	5.03	119.44	112.40
1	A	40	GLU	OE1-CD-OE2	-5.02	117.28	123.30

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	118	VAL	Mainchain
1	A	143	ARG	Sidechain
1	A	148	CYS	Mainchain
1	A	149	ASN	Mainchain
1	A	154	TYR	Mainchain
1	A	186	ARG	Sidechain
1	A	240	ARG	Sidechain
1	A	250	LEU	Mainchain
1	A	377	ARG	Sidechain
1	A	77	ASP	Mainchain
1	A	96	TYR	Mainchain

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3233	0	3186	73	0
2	A	43	0	30	3	0
3	A	11	0	16	1	0
4	A	232	0	0	3	0
All	All	3519	0	3232	74	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 11.

All (74) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:183:GLN:HE22	1:A:188:ASP:HB2	1.34	0.90
1:A:110:GLN:HB3	1:A:228[A]:VAL:HG13	1.51	0.90
1:A:261:MET:HA	1:A:261:MET:HE2	1.71	0.73
1:A:127:LEU:HD11	1:A:166:LEU:HD13	1.72	0.72
1:A:110:GLN:HG3	1:A:229[A]:ASN:HB3	1.73	0.70
1:A:143:ARG:HB3	1:A:144:PRO:HD3	1.73	0.69
1:A:121:MET:HB2	1:A:122:PRO:HD3	1.75	0.69
1:A:110:GLN:HG3	1:A:229[B]:ASN:HB2	1.74	0.68
1:A:158:PHE:HB3	1:A:159:PRO:HD3	1.77	0.65
1:A:261:MET:HE2	1:A:264:LEU:HD12	1.80	0.62
1:A:158:PHE:CE1	1:A:162[B]:ILE:HD11	2.36	0.61
1:A:261:MET:CE	1:A:264:LEU:HD12	2.31	0.61
1:A:134:LEU:HD22	1:A:138:LEU:HD22	1.83	0.60
1:A:112:ARG:NH1	2:A:415:HEM:O1D	2.32	0.59
1:A:183:GLN:NE2	1:A:188:ASP:HB2	2.13	0.58
1:A:146:GLY:O	1:A:147:GLN:HB3	2.04	0.57
1:A:160:ILE:O	1:A:164:MET:HG2	2.05	0.56
1:A:192:THR:OG1	1:A:195:GLU:HG2	2.06	0.54
1:A:276:GLU:C	1:A:278:PRO:HD3	2.30	0.52
1:A:33:ASN:O	1:A:36:ALA:HB3	2.10	0.51
1:A:30:ASN:HB2	4:A:730:HOH:O	2.10	0.51
2:A:415:HEM:HMB2	2:A:415:HEM:HBB2	1.93	0.50
1:A:291:ARG:HG2	1:A:338:VAL:HG22	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:266:LYS:HD2	1:A:383:ILE:HD12	1.93	0.50
1:A:73:GLU:OE1	1:A:308:HIS:NE2	2.39	0.49
1:A:205:ILE:HB	1:A:206:PRO:HD3	1.95	0.49
1:A:108:GLN:HG3	1:A:355:HIS:CE1	2.48	0.49
1:A:344:LYS:HE3	1:A:346:SER:HB2	1.94	0.48
1:A:359:GLY:HA3	2:A:415:HEM:C3C	2.49	0.48
1:A:56:THR:O	1:A:61:GLY:HA2	2.13	0.48
1:A:325:SER:O	1:A:331:GLU:HG3	2.13	0.48
1:A:97:ASP:O	1:A:240:ARG:HD2	2.14	0.47
1:A:110:GLN:HB2	4:A:707:HOH:O	2.13	0.47
1:A:134:LEU:HD12	1:A:162[A]:ILE:HG12	1.97	0.47
1:A:30:ASN:ND2	4:A:555:HOH:O	2.47	0.47
1:A:290:ARG:HD3	1:A:345:VAL:HG13	1.98	0.46
1:A:158:PHE:O	1:A:162[B]:ILE:HG13	2.16	0.46
1:A:111:PHE:HD1	1:A:241:MET:HE2	1.81	0.45
1:A:98:PHE:HB3	1:A:244:LEU:HB2	1.97	0.45
1:A:174:ILE:HB	1:A:175:PRO:HD3	1.98	0.45
1:A:319:LEU:HG	1:A:321:PRO:HG3	1.97	0.45
1:A:261:MET:HA	1:A:261:MET:CE	2.45	0.45
1:A:318:ILE:HD13	1:A:320:LEU:HD21	1.97	0.45
1:A:99:ILE:HG13	1:A:240:ARG:HB3	1.99	0.45
1:A:302:THR:O	1:A:314:LYS:HG3	2.16	0.45
1:A:110:GLN:CB	1:A:228[A]:VAL:HG13	2.36	0.45
1:A:384:ALA:HA	1:A:385:PRO:HD3	1.79	0.45
1:A:114:LEU:HD23	1:A:241:MET:HE3	2.00	0.44
1:A:127:LEU:CD1	1:A:166:LEU:HD13	2.43	0.44
1:A:114:LEU:HD23	1:A:241:MET:CE	2.47	0.44
1:A:334:CYS:O	1:A:337:HIS:HB3	2.16	0.44
1:A:101[B]:THR:HG21	3:A:416:CAM:H31	2.00	0.44
1:A:114:LEU:O	1:A:117:GLN:HB2	2.18	0.43
1:A:188:ASP:HB3	1:A:190:SER:H	1.83	0.43
1:A:14:LEU:HD11	1:A:18:VAL:CG1	2.47	0.43
1:A:50:VAL:HA	1:A:51:PRO:HD3	1.90	0.43
1:A:121:MET:CB	1:A:122:PRO:HD3	2.41	0.43
1:A:322:GLN:HB3	1:A:348:THR:O	2.18	0.43
1:A:294:LEU:HD23	1:A:294:LEU:H	1.84	0.42
1:A:293:SER:O	1:A:323:MET:HG3	2.20	0.42
1:A:266:LYS:HD2	1:A:383:ILE:CD1	2.49	0.42
1:A:47:GLU:HB2	1:A:49:ASN:ND2	2.34	0.42
1:A:287:GLU:OE1	1:A:342:ARG:HD2	2.20	0.42
1:A:149:ASN:ND2	1:A:402:LEU:H	2.18	0.42
1:A:161:ARG:HD3	1:A:171:GLU:OE2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:111:PHE:HB3	1:A:241:MET:HE2	2.02	0.42
1:A:91:GLU:H	1:A:91:GLU:CD	2.24	0.41
1:A:357:CYS:HB3	1:A:360:GLN:HB3	2.02	0.41
1:A:39:GLN:NE2	1:A:39:GLN:H	2.19	0.41
1:A:231:ARG:HG3	1:A:231:ARG:H	1.75	0.41
1:A:134:LEU:O	1:A:138:LEU:HB2	2.21	0.40
1:A:272:GLN:NE2	1:A:276:GLU:OE2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	410/414 (99%)	392 (96%)	18 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	356/357 (100%)	344 (97%)	12 (3%)	49	49

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	SER
1	A	49	ASN
1	A	101[A]	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	101[B]	THR
1	A	108	GLN
1	A	134	LEU
1	A	165[A]	LEU
1	A	165[B]	LEU
1	A	235	SER
1	A	261	MET
1	A	371[A]	LEU
1	A	371[B]	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	ASN
1	A	39	GLN
1	A	49	ASN
1	A	69	GLN
1	A	108	GLN
1	A	149	ASN
1	A	213	GLN
1	A	225	ASN
1	A	337	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	A	415	1	49,50,50	2.21	11 (22%)	46,82,82	1.55	7 (15%)
3	CAM	A	416	-	12,12,12	1.50	2 (16%)	21,21,21	1.67	4 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	415	1	-	0/14/114/114	0/0/8/8
3	CAM	A	416	-	-	0/0/31/31	0/0/2/2

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	415	HEM	C3C-C2C	-6.11	1.33	1.43
2	A	415	HEM	C3B-C2B	-5.50	1.34	1.43
2	A	415	HEM	C3D-C2D	-5.28	1.34	1.43
2	A	415	HEM	C3C-CAC	5.09	1.56	1.40
2	A	415	HEM	C3B-CAB	4.70	1.55	1.40
2	A	415	HEM	CMC-C2C	3.22	1.57	1.47
2	A	415	HEM	C4A-C3A	3.21	1.44	1.40
3	A	416	CAM	C1-C2	3.12	1.57	1.53
2	A	415	HEM	FE-NB	2.88	2.08	1.97
2	A	415	HEM	CMB-C2B	2.58	1.55	1.47
2	A	415	HEM	CMD-C2D	2.50	1.55	1.47
3	A	416	CAM	C7-C4	2.32	1.61	1.54
2	A	415	HEM	FE-ND	2.15	2.05	1.97

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	415	HEM	C3B-C4B-NB	-5.93	109.75	114.00
3	A	416	CAM	C9-C7-C8	-4.88	96.81	107.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	415	HEM	C4A-CHB-C1B	-3.53	122.83	127.47
2	A	415	HEM	CMA-C3A-C4A	-3.13	123.81	128.62
2	A	415	HEM	CHD-C1D-ND	-3.08	122.03	124.58
3	A	416	CAM	C8-C7-C1	2.96	119.33	113.13
2	A	415	HEM	C2D-C1D-ND	-2.84	109.58	112.93
3	A	416	CAM	C9-C7-C1	2.66	118.70	113.13
3	A	416	CAM	C6-C1-C2	2.43	107.06	102.92
2	A	415	HEM	CBD-CAD-C3D	2.25	119.28	114.37
2	A	415	HEM	CMA-C3A-C2A	2.17	129.04	124.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.