



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 12:34 AM GMT

PDB ID : 3CX9
Title : Crystal Structure of Human serum albumin complexed with Myristic acid and lysophosphatidylethanolamine
Authors : Guo, S.; Yang, F.; Chen, L.; Bian, C.; Huang, M.
Deposited on : 2008-04-24
Resolution : 2.80 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1799 (2.80-2.80)
Clashscore	79885	2295 (2.80-2.80)
Ramachandran outliers	78287	2252 (2.80-2.80)
Sidechain outliers	78261	2254 (2.80-2.80)
RSRZ outliers	66119	1802 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	582	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	MYR	A	1002	-	X
2	MYR	A	1004	-	X
2	MYR	A	1005	-	X
2	MYR	A	1006	-	X

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 4591 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serum albumin.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	582	Total	C	N	O	S	0	0	0
			4493	2845	756	851	41			

- Molecule 2 is MYRISTIC ACID (three-letter code: MYR) (formula: C₁₄H₂₈O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C		0	0
			9	9			
2	A	1	Total	C	O	0	0
			16	14	2		
2	A	1	Total	C		0	0
			11	11			
2	A	1	Total	C	O	0	0
			16	14	2		
2	A	1	Total	C	O	0	0
			16	14	2		

- Molecule 3 is (2S)-3-{[(R)-(2-AMINOETHOXY)(HYDROXY)PHOSPHORYL]OXY}-2-HYDROXYPROPYLHEXADECANOATE (three-letter code: LPX) (formula: C₂₁H₄₄NO₇P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	30	21	1	7	1	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Serum albumin



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	183.89Å 39.02Å 95.63Å 90.00° 104.69° 90.00°	Depositor
Resolution (Å)	50.00 – 2.80 29.02 – 2.78	Depositor EDS
% Data completeness (in resolution range)	95.7 (50.00-2.80) 94.3 (29.02-2.78)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.25 (at 2.76Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.219 , 0.295 0.237 , 0.310	Depositor DCC
R_{free} test set	812 reflections (5.06%)	DCC
Wilson B-factor (Å ²)	73.6	Xtriage
Anisotropy	0.262	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 46.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 16057 reflections	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	4591	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MYR, LPX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.66	0/4582	0.71	1/6205 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	278	CYS	CA-CB-SG	-5.85	103.46	114.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	563	ASP	Peptide
1	A	564	LYS	Peptide
1	A	565	GLU	Peptide

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit,

and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4493	0	4290	145	0
2	A	68	0	116	12	0
3	A	30	0	43	24	0
All	All	4591	0	4449	147	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 16.

All (147) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:222:ARG:HH12	3:A:2001:LPX:H16A	1.19	1.06
1:A:235:VAL:O	1:A:239:THR:HG22	1.60	1.00
1:A:27:PHE:CE2	1:A:42:LEU:HD21	2.05	0.90
1:A:27:PHE:CD2	1:A:42:LEU:HD21	2.07	0.90
1:A:238:LEU:HD21	3:A:2001:LPX:H21	1.55	0.89
1:A:418:VAL:HG11	2:A:1004:MYR:H141	1.54	0.88
1:A:219:LEU:HD12	1:A:235:VAL:HG12	1.55	0.87
1:A:222:ARG:HD2	1:A:295:ASN:ND2	1.91	0.85
1:A:422:THR:O	1:A:426:VAL:HG13	1.79	0.83
1:A:222:ARG:NH1	3:A:2001:LPX:H16A	1.95	0.81
1:A:563:ASP:CG	1:A:564:LYS:CB	2.50	0.80
1:A:563:ASP:OD1	1:A:564:LYS:CB	2.30	0.80
1:A:565:GLU:O	1:A:568:PHE:HB2	1.82	0.79
1:A:242:HIS:CD2	3:A:2001:LPX:HO5	2.01	0.78
1:A:222:ARG:HH12	3:A:2001:LPX:C16	1.96	0.76
1:A:394:LEU:CD2	1:A:398:LEU:HD22	2.16	0.75
1:A:42:LEU:HD11	1:A:73:LYS:HG2	1.68	0.74
1:A:394:LEU:HD22	1:A:398:LEU:HD22	1.66	0.74
1:A:512:ASP:O	1:A:516:LEU:HD23	1.88	0.74
1:A:341:TYR:CD1	1:A:345:LEU:HD13	2.23	0.74
1:A:373:VAL:HG13	1:A:374:PHE:HD1	1.54	0.73
1:A:27:PHE:CD2	1:A:42:LEU:CD2	2.72	0.72
1:A:418:VAL:HG11	2:A:1004:MYR:C14	2.20	0.71
1:A:563:ASP:CB	1:A:564:LYS:CB	2.69	0.71
1:A:348:ARG:NH1	2:A:1003:MYR:O1	2.22	0.70
1:A:27:PHE:CZ	1:A:42:LEU:HD21	2.26	0.70
1:A:27:PHE:CG	1:A:42:LEU:HD21	2.28	0.69
1:A:245:CYS:SG	3:A:2001:LPX:H3A	2.35	0.67
1:A:488:PHE:HA	1:A:491:LEU:HD22	1.77	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:84:TYR:HB3	1:A:87:MET:HE3	1.77	0.66
1:A:27:PHE:CG	1:A:42:LEU:CD2	2.79	0.66
1:A:418:VAL:HG21	2:A:1004:MYR:H132	1.80	0.63
1:A:222:ARG:HD2	1:A:295:ASN:HD22	1.65	0.62
1:A:242:HIS:HE1	3:A:2001:LPX:C20	2.13	0.61
1:A:428:ARG:HH21	1:A:526:GLN:HE22	1.48	0.61
1:A:373:VAL:HG13	1:A:374:PHE:CD1	2.36	0.60
1:A:241:VAL:CG2	3:A:2001:LPX:H5A	2.33	0.59
1:A:563:ASP:HB3	1:A:564:LYS:CB	2.31	0.59
1:A:298:MET:CE	1:A:337:ARG:HA	2.33	0.59
1:A:222:ARG:HD2	1:A:295:ASN:HD21	1.68	0.58
1:A:344:VAL:HG13	1:A:450:GLU:OE2	2.02	0.58
1:A:238:LEU:HD21	3:A:2001:LPX:C21	2.30	0.58
1:A:457:LEU:HD21	2:A:1004:MYR:H72	1.86	0.57
1:A:423:LEU:CD2	2:A:1004:MYR:H142	2.34	0.57
1:A:558:CYS:SG	1:A:567:CYS:CB	2.93	0.56
1:A:565:GLU:O	1:A:568:PHE:N	2.36	0.56
1:A:242:HIS:NE2	3:A:2001:LPX:O5	2.32	0.56
1:A:430:LEU:HA	1:A:433:VAL:HG12	1.88	0.56
1:A:50:ALA:O	1:A:54:VAL:HG23	2.07	0.55
1:A:231:VAL:O	1:A:235:VAL:HG13	2.06	0.55
1:A:382:GLU:HA	1:A:385:GLN:HE21	1.71	0.55
1:A:420:THR:CG2	1:A:527:THR:HG23	2.36	0.55
1:A:488:PHE:O	1:A:491:LEU:HD22	2.07	0.55
1:A:100:GLU:OE1	1:A:247:HIS:HE1	1.89	0.55
1:A:42:LEU:CD1	1:A:73:LYS:HE2	2.38	0.54
1:A:132:GLU:O	1:A:133:THR:CB	2.56	0.53
1:A:241:VAL:CG2	3:A:2001:LPX:C5	2.86	0.53
1:A:423:LEU:HD23	2:A:1004:MYR:H142	1.90	0.53
1:A:485:ARG:HD3	2:A:1003:MYR:H52	1.91	0.53
1:A:242:HIS:CE1	3:A:2001:LPX:C20	2.91	0.53
1:A:429:ASN:HD22	1:A:432:LYS:NZ	2.07	0.53
1:A:420:THR:HG21	1:A:527:THR:HG23	1.91	0.52
1:A:36:PHE:O	1:A:38:ASP:N	2.43	0.52
1:A:10:ARG:NH2	1:A:255:ASP:OD2	2.43	0.52
1:A:370:TYR:O	1:A:370:TYR:CD1	2.63	0.52
1:A:418:VAL:HG21	2:A:1004:MYR:C13	2.39	0.51
1:A:298:MET:HE2	1:A:302:LEU:HD12	1.91	0.51
1:A:110:PRO:HG2	1:A:112:LEU:HD12	1.92	0.50
1:A:27:PHE:CE1	1:A:42:LEU:HD21	2.47	0.50
1:A:467:THR:O	1:A:467:THR:HG23	2.11	0.50
1:A:298:MET:HE1	1:A:337:ARG:HA	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:241:VAL:HG22	3:A:2001:LPX:H5A	1.94	0.50
1:A:84:TYR:CB	1:A:87:MET:HE3	2.41	0.50
1:A:202:SER:OG	1:A:481:LEU:CD1	2.60	0.50
1:A:558:CYS:SG	1:A:567:CYS:HB2	2.51	0.50
1:A:242:HIS:CE1	3:A:2001:LPX:HO5	2.25	0.50
1:A:370:TYR:O	1:A:370:TYR:HD1	1.95	0.49
1:A:195:LYS:NZ	1:A:451:ASP:OD2	2.45	0.49
1:A:445:ARG:O	1:A:448:CYS:HB3	2.12	0.49
1:A:27:PHE:CD1	1:A:42:LEU:HD21	2.47	0.49
1:A:66:LEU:HB3	1:A:251:LEU:HD13	1.93	0.49
1:A:198:LEU:HD13	1:A:458:ASN:CG	2.34	0.49
1:A:341:TYR:OH	1:A:381:VAL:HG21	2.14	0.48
1:A:100:GLU:OE1	1:A:247:HIS:CE1	2.67	0.48
1:A:418:VAL:HG21	2:A:1004:MYR:C14	2.44	0.48
1:A:542:GLU:HA	1:A:542:GLU:OE1	2.14	0.48
1:A:360:CYS:HB3	1:A:370:TYR:HD2	1.79	0.47
1:A:237:ASP:O	1:A:241:VAL:CG1	2.63	0.47
1:A:234:LEU:O	1:A:238:LEU:HB2	2.15	0.47
1:A:383:GLU:HB3	1:A:384:PRO:HD3	1.97	0.47
1:A:360:CYS:SG	1:A:370:TYR:HB3	2.55	0.47
1:A:110:PRO:O	1:A:111:ASN:CG	2.53	0.47
1:A:488:PHE:HA	1:A:491:LEU:CD2	2.43	0.46
1:A:13:ASP:OD2	1:A:283:LEU:HD13	2.15	0.46
1:A:66:LEU:HB3	1:A:251:LEU:CD1	2.46	0.46
1:A:463:LEU:O	1:A:467:THR:HG22	2.16	0.46
1:A:540:THR:HG23	1:A:543:GLN:HG3	1.97	0.46
1:A:132:GLU:OE1	1:A:136:LYS:HG2	2.15	0.45
1:A:84:TYR:HB3	1:A:87:MET:CE	2.44	0.45
1:A:116:VAL:O	1:A:116:VAL:HG23	2.16	0.45
1:A:151:ALA:HB3	1:A:152:PRO:HD3	1.99	0.45
1:A:245:CYS:CB	3:A:2001:LPX:H3A	2.46	0.45
1:A:27:PHE:CG	1:A:42:LEU:HD23	2.50	0.45
1:A:429:ASN:O	1:A:430:LEU:C	2.54	0.45
1:A:551:PHE:O	1:A:555:VAL:HG22	2.17	0.45
1:A:36:PHE:HB2	1:A:140:TYR:CD1	2.52	0.45
1:A:95:GLU:OE2	1:A:99:ASN:HB2	2.17	0.45
3:A:2001:LPX:H15	3:A:2001:LPX:H18A	1.59	0.44
1:A:35:PRO:O	1:A:38:ASP:HB3	2.17	0.44
3:A:2001:LPX:H7	3:A:2001:LPX:H10A	1.83	0.44
1:A:3:HIS:ND1	1:A:6:GLU:HA	2.33	0.44
1:A:245:CYS:SG	3:A:2001:LPX:C3	3.04	0.44
1:A:132:GLU:O	1:A:133:THR:HB	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:305:LEU:O	1:A:306:ALA:C	2.55	0.44
1:A:42:LEU:HD12	1:A:73:LYS:HE2	2.00	0.43
1:A:409:VAL:HB	1:A:533:VAL:HG21	2.00	0.43
1:A:222:ARG:NH1	3:A:2001:LPX:H14	2.34	0.43
1:A:430:LEU:HD23	1:A:456:VAL:HG11	2.01	0.43
1:A:461:CYS:O	1:A:465:GLU:N	2.52	0.43
1:A:238:LEU:CD2	3:A:2001:LPX:H21	2.38	0.42
1:A:236:THR:O	1:A:239:THR:HG23	2.19	0.42
1:A:540:THR:HG23	1:A:543:GLN:OE1	2.19	0.42
1:A:242:HIS:HE1	3:A:2001:LPX:H21	1.84	0.42
1:A:282:PRO:O	1:A:283:LEU:C	2.57	0.42
1:A:367:HIS:O	1:A:371:ALA:HB2	2.20	0.42
1:A:401:TYR:CE2	1:A:522:GLN:HG2	2.55	0.42
1:A:222:ARG:HH12	3:A:2001:LPX:C14	2.33	0.42
1:A:418:VAL:CG1	2:A:1004:MYR:H141	2.39	0.42
1:A:430:LEU:O	1:A:433:VAL:CG1	2.68	0.42
1:A:259:ASP:O	1:A:262:LYS:HB3	2.20	0.42
1:A:241:VAL:HG21	3:A:2001:LPX:H5A	2.02	0.41
1:A:567:CYS:O	1:A:571:GLU:HB2	2.19	0.41
1:A:218:ARG:NH2	1:A:222:ARG:HD3	2.36	0.41
1:A:298:MET:HE3	1:A:337:ARG:HA	2.03	0.41
1:A:482:VAL:HG23	1:A:483:ASN:OD1	2.19	0.41
1:A:418:VAL:HG21	2:A:1004:MYR:H141	2.02	0.41
1:A:488:PHE:CA	1:A:491:LEU:HD22	2.49	0.41
1:A:517:SER:O	1:A:518:GLU:C	2.58	0.41
1:A:437:CYS:O	1:A:445:ARG:HG2	2.20	0.41
1:A:242:HIS:CE1	3:A:2001:LPX:H20A	2.55	0.41
1:A:428:ARG:HD2	1:A:526:GLN:HE22	1.86	0.40
1:A:86:GLU:O	1:A:89:ASP:HB2	2.22	0.40
1:A:298:MET:HE2	1:A:302:LEU:CD1	2.51	0.40
1:A:550:ASP:HB3	1:A:575:LEU:HD11	2.03	0.40
1:A:467:THR:N	1:A:468:PRO:HD3	2.37	0.40
1:A:493:VAL:HG12	1:A:495:GLU:HG3	2.03	0.40
1:A:565:GLU:O	1:A:568:PHE:CB	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	580/582 (100%)	540 (93%)	34 (6%)	6 (1%)	22 60

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	564	LYS
1	A	38	ASP
1	A	133	THR
1	A	558	CYS
1	A	37	GLU
1	A	306	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	468/509 (92%)	420 (90%)	48 (10%)	10 28

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	LYS
1	A	37	GLU
1	A	94	GLN
1	A	121	ASP
1	A	131	GLU
1	A	132	GLU
1	A	135	LEU
1	A	178	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	179	LEU
1	A	185	LEU
1	A	199	LYS
1	A	218	ARG
1	A	222	ARG
1	A	235	VAL
1	A	238	LEU
1	A	239	THR
1	A	241	VAL
1	A	252	GLU
1	A	292	GLU
1	A	294	GLU
1	A	301	ASP
1	A	302	LEU
1	A	311	GLU
1	A	334	TYR
1	A	345	LEU
1	A	352	THR
1	A	356	THR
1	A	357	LEU
1	A	381	VAL
1	A	387	LEU
1	A	394	LEU
1	A	398	LEU
1	A	415	VAL
1	A	417	GLN
1	A	426	VAL
1	A	453	LEU
1	A	460	LEU
1	A	470	SER
1	A	481	LEU
1	A	485	ARG
1	A	491	LEU
1	A	513	ILE
1	A	516	LEU
1	A	524	LYS
1	A	540	THR
1	A	555	VAL
1	A	565	GLU
1	A	574	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	GLN
1	A	105	HIS
1	A	111	ASN
1	A	130	ASN
1	A	247	HIS
1	A	295	ASN
1	A	385	GLN
1	A	405	ASN
1	A	429	ASN
1	A	522	GLN
1	A	526	GLN
1	A	580	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	MYR	A	1002	-	8,8,15	1.66	2 (25%)	7,7,15	0.43	0
2	MYR	A	1003	-	15,15,15	0.44	0	15,15,15	1.26	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MYR	A	1004	-	10,10,15	1.89	1 (10%)	9,9,15	0.76	0
2	MYR	A	1005	-	15,15,15	0.56	0	15,15,15	0.77	0
2	MYR	A	1006	-	15,15,15	0.55	0	15,15,15	0.77	0
3	LPX	A	2001	-	29,29,29	0.82	1 (3%)	33,33,33	0.92	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MYR	A	1002	-	-	0/6/6/13	0/0/0/0
2	MYR	A	1003	-	-	0/13/13/13	0/0/0/0
2	MYR	A	1004	-	-	0/8/8/13	0/0/0/0
2	MYR	A	1005	-	-	0/13/13/13	0/0/0/0
2	MYR	A	1006	-	-	0/13/13/13	0/0/0/0
3	LPX	A	2001	-	-	0/31/31/31	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1004	MYR	C4-C5	-5.90	1.52	1.55
3	A	2001	LPX	O6-C6	3.73	1.45	1.33
2	A	1002	MYR	C4-C5	-3.60	1.53	1.55
2	A	1002	MYR	C12-C11	-2.79	1.54	1.55

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2001	LPX	O6-C6-C7	3.32	122.38	111.94
2	A	1003	MYR	O2-C1-C2	2.98	124.75	114.22
2	A	1003	MYR	O1-C1-C2	-2.96	112.86	123.03
3	A	2001	LPX	O6-C6-O7	-2.26	117.27	123.43

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	582/582 (100%)	0.21	18 (3%) 47 47	58, 67, 72, 78	2 (0%)

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	562	ASP	6.3
1	A	566	THR	4.5
1	A	561	ALA	3.6
1	A	170	GLN	3.2
1	A	365	ASP	3.1
1	A	172	ALA	2.8
1	A	577	ALA	2.7
1	A	3	HIS	2.7
1	A	565	GLU	2.6
1	A	559	CYS	2.4
1	A	511	ALA	2.3
1	A	152	PRO	2.2
1	A	25	ILE	2.2
1	A	171	ALA	2.2
1	A	530	VAL	2.1
1	A	154	LEU	2.0
1	A	217	ALA	2.0
1	A	560	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	MYR	A	1002	9/16	0.50	4.59	74,77,82,82	0
2	MYR	A	1004	11/16	0.40	3.49	71,76,84,85	0
2	MYR	A	1005	16/16	0.37	2.79	62,69,75,76	0
2	MYR	A	1006	16/16	0.32	2.50	78,81,86,89	0
2	MYR	A	1003	16/16	0.30	1.64	60,67,73,74	0
3	LPX	A	2001	30/30	0.29	1.51	82,91,97,97	0

6.5 Other polymers

There are no such residues in this entry.