



# Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 12:47 PM GMT

PDB ID : 1D1T  
Title : MUTANT OF HUMAN SIGMA ALCOHOL DEHYDROGENASE WITH  
LEUCINE AT POSITION 141  
Authors : Xie, P.T.; Hurley, T.D.  
Deposited on : 1999-09-21  
Resolution : 2.40 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	2207 (2.40-2.40)
Clashscore	79885	2789 (2.40-2.40)
Ramachandran outliers	78287	2736 (2.40-2.40)
Sidechain outliers	78261	2737 (2.40-2.40)
RSRZ outliers	66119	2210 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	373	
1	B	373	
1	C	373	
1	D	373	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	ZN	D	410	-	X
3	ACT	A	502	-	X
3	ACT	A	513	-	X
3	ACT	B	506	-	X

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Geometry	Electron density
3	ACT	D	512	-	X
3	ACT	D	514	-	X
4	CAC	A	994	-	X
4	CAC	B	991	X	-
4	CAC	B	993	X	-
4	CAC	B	995	X	X

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 11799 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALCOHOL DEHYDROGENASE CLASS IV SIGMA CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	373	Total	C	N	O	S	0	0	0
			2789	1773	468	526	22			
1	B	373	Total	C	N	O	S	0	0	0
			2789	1773	468	526	22			
1	C	373	Total	C	N	O	S	0	0	0
			2789	1773	468	526	22			
1	D	373	Total	C	N	O	S	0	0	0
			2789	1773	468	526	22			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	141	LEU	MET	ENGINEERED	UNP P40394
B	141	LEU	MET	ENGINEERED	UNP P40394
C	141	LEU	MET	ENGINEERED	UNP P40394
D	141	LEU	MET	ENGINEERED	UNP P40394

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	5	Total	Zn	0	0
			5	5		
2	A	6	Total	Zn	0	0
			6	6		
2	D	5	Total	Zn	0	0
			5	5		
2	C	3	Total	Zn	0	0
			3	3		

- Molecule 3 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is CACODYLATE ION (three-letter code: CAC) (formula: C<sub>2</sub>H<sub>6</sub>AsO<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	As	C	O	0	0
			5	1	2	2		
4	B	1	Total	As	C	O	0	0
			5	1	2	2		
4	B	1	Total	As	C	O	0	0
			5	1	2	2		
4	A	1	Total	As	C	O	0	0
			5	1	2	2		
4	B	1	Total	As	C	O	0	0
			5	1	2	2		

- Molecule 5 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C<sub>21</sub>H<sub>27</sub>N<sub>7</sub>O<sub>14</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
5	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
5	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
5	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	79	Total	O	0	0
			79	79		
6	B	126	Total	O	0	0
			126	126		
6	C	45	Total	O	0	0
			45	45		
6	D	121	Total	O	0	0
			121	121		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: ALCOHOL DEHYDROGENASE CLASS IV SIGMA CHAIN

Chain A:




#### • Molecule 1: ALCOHOL DEHYDROGENASE CLASS IV SIGMA CHAIN

Chain B:



#### • Molecule 1: ALCOHOL DEHYDROGENASE CLASS IV SIGMA CHAIN


Chain C:



#### • Molecule 1: ALCOHOL DEHYDROGENASE CLASS IV SIGMA CHAIN



Chain D: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	85.90Å 90.50Å 119.80Å 90.00° 99.30° 90.00°	Depositor
Resolution (Å)	50.00 – 2.40 45.50 – 2.40	Depositor EDS
% Data completeness (in resolution range)	77.0 (50.00-2.40) 90.8 (45.50-2.40)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.42 (at 2.39Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, $R_{free}$	0.216 , 0.274 0.205 , 0.258	Depositor DCC
$R_{free}$ test set	4522 reflections (7.58%)	DCC
Wilson B-factor (Å <sup>2</sup> )	37.8	Xtriage
Anisotropy	0.500	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 31.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 64216 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	11799	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.08% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CAC, ZN, NAD, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.46	0/2840	0.69	1/3840 (0.0%)
1	B	0.50	0/2840	0.72	1/3840 (0.0%)
1	C	0.42	0/2840	0.66	0/3840
1	D	0.48	0/2840	0.71	1/3840 (0.0%)
All	All	0.46	0/11360	0.69	3/15360 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	368	ILE	N-CA-C	-6.16	94.36	111.00
1	D	323	LYS	N-CA-C	-5.16	97.08	111.00
1	A	368	ILE	N-CA-C	-5.14	97.11	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2789	0	2860	48	0
1	B	2789	0	2860	64	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2789	0	2860	59	0
1	D	2789	0	2860	53	0
2	A	6	0	0	0	0
2	B	5	0	0	0	0
2	C	3	0	0	0	0
2	D	5	0	0	0	0
3	A	16	0	12	2	0
3	B	8	0	6	1	0
3	C	8	0	6	1	0
3	D	20	0	15	3	0
4	A	5	0	0	0	0
4	B	20	0	0	1	0
5	A	44	0	26	2	0
5	B	44	0	26	2	0
5	C	44	0	26	2	0
5	D	44	0	26	4	0
6	A	79	0	0	5	0
6	B	126	0	0	4	0
6	C	45	0	0	2	0
6	D	121	0	0	9	0
All	All	11799	0	11583	216	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 9.

All (216) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:92:LEU:HD13	1:D:324:SER:HB2	1.64	0.78
1:C:307:LEU:O	1:C:312:ARG:HD2	1.82	0.78
1:D:351:PRO:HD2	1:D:354:LYS:HD2	1.64	0.77
1:D:344:GLN:HB2	6:D:882:HOH:O	1.85	0.77
1:C:204:GLY:O	1:C:207:VAL:HG12	1.84	0.76
1:A:276:ILE:HD11	1:A:301:LEU:HD11	1.65	0.76
1:C:301:LEU:HB2	1:D:305:PRO:HG3	1.70	0.74
1:B:90:ILE:HG13	1:B:160:ILE:HD13	1.68	0.74
1:B:179:GLY:O	1:B:207:VAL:HA	1.90	0.71
1:C:26:ILE:HG22	1:C:132:CYS:HB2	1.73	0.70
1:B:24:GLU:HG2	1:B:132:CYS:SG	2.32	0.70
1:C:295:PRO:HG3	6:D:716:HOH:O	1.92	0.68
1:B:184:VAL:HG12	1:B:185:LYS:HE2	1.75	0.68
1:B:58:VAL:HA	6:B:928:HOH:O	1.93	0.68
1:D:231:LYS:HE2	1:D:344:GLN:NE2	2.10	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:A:501:ACT:H1	6:A:912:HOH:O	1.96	0.66
1:D:231:LYS:HE2	1:D:344:GLN:HE21	1.59	0.66
1:B:92:LEU:HD13	1:B:324:SER:HB3	1.76	0.66
1:B:24:GLU:HG3	6:B:896:HOH:O	1.95	0.65
1:B:353:LYS:HD2	1:B:353:LYS:H	1.61	0.65
1:A:345:LEU:O	1:A:369:ARG:HB2	1.96	0.65
1:C:301:LEU:HD12	1:C:302:THR:H	1.62	0.64
1:C:178:THR:HG21	5:C:3377:NAD:C4N	2.27	0.64
1:B:69:ALA:O	1:B:91:PRO:HD2	1.97	0.64
1:B:41:LEU:HD11	1:B:72:ILE:HG12	1.78	0.64
1:B:208:ILE:HG23	1:B:219:ILE:HG21	1.78	0.63
1:B:276:ILE:HD11	1:B:301:LEU:HD11	1.81	0.62
1:B:224:LEU:HD23	1:B:243:PRO:HD2	1.81	0.62
1:D:92:LEU:HA	6:D:778:HOH:O	1.98	0.62
1:C:92:LEU:HD13	1:C:324:SER:HB2	1.82	0.61
1:C:301:LEU:HD12	1:C:302:THR:N	2.16	0.61
1:A:62:PRO:HG2	1:A:137:VAL:HA	1.82	0.61
1:B:164:ALA:HB1	1:B:169:VAL:HG11	1.81	0.61
1:C:27:GLU:HG2	1:C:131:THR:HB	1.82	0.60
1:D:185:LYS:HD2	1:D:322:LEU:HD23	1.83	0.60
1:D:309:PHE:HB2	6:D:716:HOH:O	2.00	0.60
1:D:271:HIS:HB2	1:D:274:THR:OG1	2.02	0.60
1:B:33:THR:HG22	1:B:34:LYS:HG3	1.82	0.60
1:B:143:THR:O	1:B:144:SER:HB2	2.02	0.59
1:D:361:LEU:HB3	1:D:367:SER:HB2	1.83	0.59
1:B:92:LEU:HD11	1:B:158:ALA:HB2	1.84	0.59
1:D:64:ILE:HA	6:D:688:HOH:O	2.02	0.59
1:D:272:LEU:HB3	1:D:301:LEU:HD13	1.84	0.59
1:D:174:CYS:SG	5:D:4377:NAD:H5N	2.44	0.58
1:D:196:VAL:HB	1:D:265:THR:HG22	1.84	0.58
1:C:231:LYS:O	1:C:235:VAL:HG23	2.02	0.58
1:C:95:PRO:HG2	1:C:111:CYS:HB3	1.86	0.57
1:B:271:HIS:HB2	1:B:274:THR:OG1	2.03	0.57
1:A:172:ILE:O	1:A:172:ILE:HG22	2.02	0.57
1:D:272:LEU:HG	6:D:824:HOH:O	2.04	0.57
1:C:301:LEU:O	1:D:302:THR:HA	2.05	0.57
1:D:328:VAL:HB	1:D:329:PRO:HD3	1.86	0.57
1:D:64:ILE:HG13	1:D:137:VAL:HG11	1.86	0.57
1:C:17:GLN:HG2	1:C:18:LYS:HG3	1.87	0.57
1:B:365:GLY:HA2	6:B:755:HOH:O	2.06	0.56
1:C:164:ALA:HB1	1:C:169:VAL:HG11	1.86	0.56
1:D:224:LEU:HD23	1:D:243:PRO:HD2	1.87	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:143:THR:O	1:A:144:SER:HB2	2.06	0.56
1:B:176:PHE:HE2	1:B:209:MET:HE2	1.71	0.56
1:B:152:VAL:HG21	1:B:157:VAL:HG22	1.87	0.56
1:C:91:PRO:HB2	1:C:143:THR:HG22	1.88	0.55
1:B:234:ALA:HA	1:D:81:THR:HG21	1.87	0.55
1:C:143:THR:O	1:C:144:SER:HB2	2.07	0.55
1:B:93:PHE:HB2	1:B:141:LEU:HB3	1.89	0.55
1:C:283:HIS:HD2	1:C:286:TYR:H	1.55	0.55
1:B:152:VAL:CG2	1:B:157:VAL:HG22	2.37	0.54
1:B:209:MET:HG3	1:B:235:VAL:HG13	1.89	0.54
1:A:317:CYS:SG	1:A:320:GLY:HA2	2.47	0.54
1:B:178:THR:HG21	5:B:2377:NAD:C4N	2.39	0.53
1:C:174:CYS:SG	1:C:175:GLY:N	2.82	0.53
1:C:283:HIS:CD2	1:C:285:ASN:H	2.27	0.53
1:D:16:GLU:HB3	1:D:19:GLN:OE1	2.09	0.53
1:D:32:LYS:HD2	1:D:129:ARG:NH2	2.23	0.53
1:A:164:ALA:HB1	1:A:169:VAL:HG11	1.91	0.52
1:C:192:GLY:HA2	1:C:217:SER:OG	2.10	0.52
1:A:178:THR:HG21	5:A:1377:NAD:C4N	2.40	0.52
1:D:185:LYS:HD2	1:D:322:LEU:CD2	2.39	0.52
1:A:33:THR:HG22	1:A:34:LYS:HG3	1.90	0.52
1:A:93:PHE:CE2	3:A:501:ACT:H3	2.44	0.52
1:A:284:MET:HE1	1:B:116:ILE:HD13	1.91	0.51
1:D:31:PRO:HD3	1:D:37:ARG:HB2	1.93	0.51
1:D:303:TYR:O	1:D:305:PRO:HD3	2.11	0.51
1:C:15:TRP:O	1:C:16:GLU:HG2	2.11	0.51
1:C:92:LEU:HA	6:C:950:HOH:O	2.11	0.50
1:B:199:GLY:O	1:B:204:GLY:HA3	2.11	0.50
1:B:276:ILE:HD11	1:B:301:LEU:CD1	2.42	0.50
1:D:267:GLU:HG3	1:D:275:MET:HA	1.93	0.50
1:B:63:VAL:HG23	1:B:138:HIS:O	2.11	0.50
1:C:174:CYS:SG	5:C:3377:NAD:H5N	2.51	0.50
1:D:34:LYS:NZ	3:D:509:ACT:H3	2.27	0.49
1:A:164:ALA:O	1:A:166:PRO:HD3	2.12	0.49
1:C:200:LEU:HD12	1:C:223:ASP:HB2	1.94	0.49
1:C:231:LYS:HZ3	1:C:344:GLN:HE21	1.60	0.49
4:B:992:CAC:AS	4:B:993:CAC:O2	2.91	0.49
1:B:72:ILE:HD13	1:B:88:LYS:HA	1.94	0.49
1:B:209:MET:HG3	1:B:235:VAL:CG1	2.43	0.49
1:D:34:LYS:HD3	3:D:509:ACT:H1	1.94	0.48
1:B:284:MET:CE	1:B:310:THR:HG21	2.43	0.48
1:B:52:VAL:HG22	1:B:57:MET:HG2	1.94	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:296:PRO:HG2	1:C:299:LYS:HG3	1.94	0.48
1:A:301:LEU:HD12	1:A:302:THR:N	2.29	0.48
1:B:301:LEU:HD12	1:B:302:THR:N	2.29	0.48
1:C:231:LYS:NZ	1:C:344:GLN:HE21	2.11	0.48
1:A:351:PRO:HG2	1:A:354:LYS:HD2	1.95	0.48
1:A:284:MET:HE1	1:B:116:ILE:CD1	2.43	0.48
1:C:354:LYS:HE2	1:C:357:GLU:HB2	1.95	0.48
1:D:26:ILE:HG22	1:D:132:CYS:HB2	1.95	0.48
1:A:132:CYS:HA	6:A:741:HOH:O	2.14	0.48
1:B:93:PHE:CE2	3:B:506:ACT:H2	2.49	0.47
1:D:199:GLY:O	1:D:204:GLY:HA3	2.14	0.47
1:A:276:ILE:CD1	1:A:301:LEU:HD11	2.41	0.47
1:C:98:ARG:HH21	1:C:98:ARG:HG2	1.79	0.47
1:A:89:VAL:HG12	1:A:159:LYS:HA	1.95	0.47
1:B:94:LEU:HB3	1:B:324:SER:HG	1.79	0.47
1:B:197:VAL:HG21	1:B:208:ILE:HG12	1.94	0.47
1:D:357:GLU:O	1:D:361:LEU:HD22	2.13	0.47
1:B:330:LYS:O	1:B:334:GLU:HG3	2.14	0.47
1:C:276:ILE:HD11	1:C:301:LEU:HD11	1.96	0.47
1:B:274:THR:HA	1:B:277:ASP:HB2	1.97	0.47
1:D:178:THR:HG21	5:D:4377:NAD:C4N	2.44	0.47
1:A:179:GLY:O	1:A:207:VAL:HA	2.14	0.47
1:C:51:HIS:HB3	1:C:57:MET:HB2	1.97	0.47
1:C:331:LEU:O	1:C:340:PHE:HZ	1.98	0.47
1:A:69:ALA:HA	1:A:170:CYS:HB2	1.97	0.47
1:C:93:PHE:CZ	3:C:505:ACT:H3	2.50	0.47
1:B:343:ASP:HB3	1:D:99:GLU:HG2	1.97	0.47
1:B:272:LEU:HD11	1:B:299:LYS:HB3	1.97	0.46
1:B:174:CYS:SG	5:B:2377:NAD:H5N	2.55	0.46
1:D:101:ASN:O	1:D:105:ASN:HB2	2.16	0.46
1:D:38:ILE:O	1:D:149:TYR:HA	2.15	0.46
1:C:2:THR:HB	1:C:7:ILE:HD11	1.98	0.46
1:C:68:GLU:OE1	1:C:171:LEU:HD23	2.15	0.46
1:C:171:LEU:HD22	1:C:369:ARG:HG3	1.97	0.46
1:A:162:ASP:N	6:A:887:HOH:O	2.49	0.46
1:D:94:LEU:HD22	1:D:319:PHE:HB3	1.98	0.46
1:A:231:LYS:HD2	1:A:344:GLN:HG3	1.98	0.45
1:C:100:CYS:HB2	6:C:849:HOH:O	2.16	0.45
1:B:255:SER:O	1:B:259:GLY:N	2.50	0.45
1:A:301:LEU:HB2	1:B:305:PRO:HG3	1.98	0.45
1:A:62:PRO:CG	1:A:137:VAL:HG12	2.47	0.45
1:D:272:LEU:HB3	1:D:301:LEU:CD1	2.46	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:174:CYS:SG	1:B:175:GLY:N	2.89	0.45
1:A:328:VAL:HB	1:A:329:PRO:HD3	1.98	0.45
1:B:90:ILE:CG1	1:B:160:ILE:HD13	2.43	0.44
1:A:84:LYS:O	1:A:87:ASP:HB2	2.18	0.44
1:C:274:THR:HA	1:C:277:ASP:HB2	1.98	0.44
1:D:190:LYS:HG3	1:D:264:TYR:OH	2.16	0.44
1:B:221:GLY:O	1:B:240:CYS:HA	2.17	0.44
1:C:334:GLU:O	1:C:339:LYS:HB2	2.16	0.44
1:D:223:ASP:OD1	5:D:4377:NAD:H1B	2.17	0.44
1:C:69:ALA:HA	1:C:170:CYS:HB2	1.99	0.44
1:C:301:LEU:CB	1:D:305:PRO:HG3	2.42	0.44
1:B:209:MET:CG	1:B:235:VAL:HG13	2.48	0.44
1:B:83:VAL:HG12	1:B:159:LYS:HB2	1.98	0.44
1:D:138:HIS:CE1	6:D:867:HOH:O	2.71	0.44
1:A:164:ALA:HA	1:A:165:PRO:HD3	1.79	0.44
1:A:323:LYS:HG2	6:A:914:HOH:O	2.17	0.43
1:A:64:ILE:HA	6:A:884:HOH:O	2.17	0.43
1:A:98:ARG:HA	1:A:103:CYS:HB3	1.99	0.43
1:A:26:ILE:HG22	1:A:132:CYS:HB2	2.00	0.43
1:B:353:LYS:N	1:B:353:LYS:HD2	2.31	0.43
1:A:301:LEU:HD12	1:A:302:THR:H	1.84	0.43
1:D:365:GLY:HA2	6:D:860:HOH:O	2.18	0.43
1:C:90:ILE:HG13	1:C:160:ILE:HD13	2.00	0.43
1:A:99:GLU:O	1:A:104:ARG:NH2	2.51	0.43
1:D:34:LYS:HZ1	3:D:509:ACT:H3	1.84	0.43
1:C:48:THR:O	1:C:51:HIS:HB2	2.18	0.43
1:D:246:SER:OG	1:D:248:LYS:HG2	2.18	0.43
1:A:276:ILE:HD11	1:A:301:LEU:CD1	2.40	0.43
1:B:93:PHE:HA	1:B:141:LEU:O	2.18	0.43
1:A:51:HIS:HE1	5:A:1377:NAD:O2D	2.01	0.43
1:B:355:ILE:HG23	1:B:356:SER:N	2.34	0.43
1:C:95:PRO:HB3	1:C:156:SER:OG	2.19	0.42
1:B:196:VAL:HB	1:B:265:THR:HG22	2.01	0.42
1:A:353:LYS:HE2	1:A:353:LYS:HB2	1.88	0.42
1:C:309:PHE:CZ	1:D:294:VAL:HG22	2.54	0.42
1:B:284:MET:HE2	1:B:310:THR:HG21	2.01	0.42
1:C:171:LEU:CD2	1:C:369:ARG:HG3	2.49	0.42
1:A:185:LYS:HD2	1:A:322:LEU:CD2	2.49	0.42
1:B:164:ALA:HA	1:B:165:PRO:HD2	1.95	0.42
1:C:196:VAL:HB	1:C:265:THR:HG22	2.01	0.42
1:C:220:ILE:HG12	1:C:239:GLU:HG3	2.01	0.42
1:B:97:CYS:O	1:B:98:ARG:HB2	2.19	0.42

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:13:VAL:HG12	1:B:14:LEU:N	2.34	0.42
1:B:276:ILE:CG1	1:B:301:LEU:HD11	2.50	0.42
1:A:274:THR:HA	1:A:277:ASP:HB2	2.02	0.42
1:A:284:MET:CE	1:B:116:ILE:CD1	2.98	0.42
1:C:273:GLU:H	1:C:273:GLU:CD	2.23	0.41
1:C:317:CYS:SG	1:C:320:GLY:HA2	2.59	0.41
1:A:267:GLU:HG3	1:A:275:MET:HA	2.01	0.41
1:A:168:LYS:HE2	1:A:343:ASP:OD2	2.21	0.41
1:C:9:CYS:HB2	1:C:148:GLU:HB2	2.03	0.41
1:B:141:LEU:O	1:B:142:ASN:HB2	2.21	0.41
1:A:284:MET:HA	1:A:312:ARG:CZ	2.50	0.41
1:D:200:LEU:HD13	1:D:232:ALA:HB2	2.03	0.41
1:A:92:LEU:HD22	1:A:324:SER:HB2	2.03	0.41
1:C:16:GLU:HB2	1:C:19:GLN:OE1	2.21	0.41
1:A:130:PHE:HZ	1:A:150:THR:OG1	2.03	0.41
1:D:284:MET:HG2	6:D:714:HOH:O	2.20	0.41
1:C:179:GLY:O	1:C:207:VAL:HA	2.20	0.41
1:B:41:LEU:HD11	1:B:72:ILE:CG1	2.48	0.41
1:C:164:ALA:HA	1:C:165:PRO:HD2	1.88	0.41
1:B:142:ASN:ND2	6:B:933:HOH:O	2.49	0.41
1:C:93:PHE:HA	1:C:141:LEU:O	2.21	0.41
1:C:335:PHE:HB2	1:C:340:PHE:CE2	2.56	0.41
1:A:331:LEU:HA	1:A:331:LEU:HD23	1.70	0.41
1:A:355:ILE:HG23	1:A:356:SER:N	2.36	0.41
1:D:284:MET:HA	1:D:312:ARG:CZ	2.52	0.40
1:A:172:ILE:O	1:A:172:ILE:CG2	2.67	0.40
1:C:350:LEU:HB3	1:C:351:PRO:HD2	2.04	0.40
1:C:62:PRO:HG2	1:C:137:VAL:HA	2.03	0.40
1:D:121:GLY:HA2	1:D:139:HIS:O	2.22	0.40
1:A:368:ILE:HG22	1:A:369:ARG:N	2.36	0.40
1:D:294:VAL:HG23	5:D:4377:NAD:H1D	2.03	0.40
1:D:179:GLY:HA3	1:D:206:SER:HB2	2.02	0.40
1:D:355:ILE:HG13	1:D:372:LEU:HD11	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	371/373 (100%)	340 (92%)	27 (7%)	4 (1%)	21	29
1	B	371/373 (100%)	343 (92%)	25 (7%)	3 (1%)	27	39
1	C	371/373 (100%)	335 (90%)	31 (8%)	5 (1%)	18	24
1	D	371/373 (100%)	344 (93%)	22 (6%)	5 (1%)	18	24
All	All	1484/1492 (100%)	1362 (92%)	105 (7%)	17 (1%)	21	29

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	174	CYS
1	B	175	GLY
1	C	174	CYS
1	C	324	SER
1	D	109	ASN
1	D	174	CYS
1	A	174	CYS
1	A	65	VAL
1	A	175	GLY
1	C	284	MET
1	D	144	SER
1	A	368	ILE
1	B	65	VAL
1	C	175	GLY
1	D	67	HIS
1	D	368	ILE
1	C	236	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	312/312 (100%)	304 (97%)	8 (3%)	59	79
1	B	312/312 (100%)	304 (97%)	8 (3%)	59	79

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	312/312 (100%)	306 (98%)	6 (2%)	69	87
1	D	312/312 (100%)	309 (99%)	3 (1%)	85	95
All	All	1248/1248 (100%)	1223 (98%)	25 (2%)	68	86

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	THR
1	A	19	GLN
1	A	118	THR
1	A	218	ARG
1	A	244	LYS
1	A	247	THR
1	A	268	VAL
1	A	354	LYS
1	B	24	GLU
1	B	57	MET
1	B	185	LYS
1	B	244	LYS
1	B	268	VAL
1	B	274	THR
1	B	310	THR
1	B	344	GLN
1	C	27	GLU
1	C	57	MET
1	C	78	GLU
1	C	104	ARG
1	C	147	THR
1	C	256	GLU
1	D	133	LYS
1	D	344	GLN
1	D	361	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	HIS
1	A	142	ASN
1	A	225	ASN
1	A	261	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	344	GLN
1	C	225	ASN
1	C	283	HIS
1	C	344	GLN
1	D	17	GLN
1	D	344	GLN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 41 ligands modelled in this entry, 19 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	NAD	A	1377	2	48,48,48	1.84	11 (22%)	73,73,73	2.25	19 (26%)
3	ACT	A	501	2	1,3,3	1.45	0	0,3,3	0.00	-
3	ACT	A	502	2	1,3,3	0.67	0	0,3,3	0.00	-
3	ACT	A	504	2	1,3,3	1.61	0	0,3,3	0.00	-
3	ACT	A	513	2	1,3,3	1.43	0	0,3,3	0.00	-
4	CAC	A	994	-	4,4,4	2.68	2 (50%)	6,6,6	9.20	1 (16%)
5	NAD	B	2377	2	48,48,48	1.80	6 (12%)	73,73,73	2.14	21 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	ACT	B	506	2	1,3,3	1.08	0	0,3,3	0.00	-
3	ACT	B	507	2	1,3,3	1.72	0	0,3,3	0.00	-
4	CAC	B	991	2	4,4,4	2.02	2 (50%)	6,6,6	8.69	3 (50%)
4	CAC	B	992	2	4,4,4	1.92	1 (25%)	6,6,6	12.21	3 (50%)
4	CAC	B	993	2	4,4,4	3.48	1 (25%)	6,6,6	7.78	4 (66%)
4	CAC	B	995	-	4,4,4	2.51	2 (50%)	6,6,6	12.29	3 (50%)
5	NAD	C	3377	2	48,48,48	1.80	9 (18%)	73,73,73	2.04	17 (23%)
3	ACT	C	505	2	1,3,3	0.80	0	0,3,3	0.00	-
3	ACT	C	510	2	1,3,3	2.52	1 (100%)	0,3,3	0.00	-
5	NAD	D	4377	2	48,48,48	1.92	10 (20%)	73,73,73	2.12	20 (27%)
3	ACT	D	508	-	1,3,3	1.95	0	0,3,3	0.00	-
3	ACT	D	509	2	1,3,3	0.99	0	0,3,3	0.00	-
3	ACT	D	511	2	1,3,3	1.93	0	0,3,3	0.00	-
3	ACT	D	512	-	1,3,3	0.27	0	0,3,3	0.00	-
3	ACT	D	514	2	1,3,3	2.38	1 (100%)	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAD	A	1377	2	-	0/30/62/62	0/3/5/5
3	ACT	A	501	2	-	0/0/0/0	0/0/0/0
3	ACT	A	502	2	-	0/0/0/0	0/0/0/0
3	ACT	A	504	2	-	0/0/0/0	0/0/0/0
3	ACT	A	513	2	-	0/0/0/0	0/0/0/0
4	CAC	A	994	-	-	0/0/0/0	0/0/0/0
5	NAD	B	2377	2	-	0/30/62/62	0/3/5/5
3	ACT	B	506	2	-	0/0/0/0	0/0/0/0
3	ACT	B	507	2	-	0/0/0/0	0/0/0/0
4	CAC	B	991	2	-	0/0/0/0	0/0/0/0
4	CAC	B	992	2	-	0/0/0/0	0/0/0/0
4	CAC	B	993	2	-	0/0/0/0	0/0/0/0
4	CAC	B	995	-	-	0/0/0/0	0/0/0/0
5	NAD	C	3377	2	-	0/30/62/62	0/3/5/5
3	ACT	C	505	2	-	0/0/0/0	0/0/0/0
3	ACT	C	510	2	-	0/0/0/0	0/0/0/0
5	NAD	D	4377	2	-	0/30/62/62	0/3/5/5
3	ACT	D	508	-	-	0/0/0/0	0/0/0/0
3	ACT	D	509	2	-	0/0/0/0	0/0/0/0

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ACT	D	511	2	-	0/0/0/0	0/0/0/0
3	ACT	D	512	-	-	0/0/0/0	0/0/0/0
3	ACT	D	514	2	-	0/0/0/0	0/0/0/0

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	4377	NAD	C3N-C7N	-8.92	1.35	1.50
5	C	3377	NAD	C3N-C7N	-7.21	1.38	1.50
5	B	2377	NAD	C3N-C7N	-6.69	1.39	1.50
5	A	1377	NAD	C3N-C7N	-6.56	1.39	1.50
4	B	993	CAC	O2-AS	-6.44	1.61	1.68
5	B	2377	NAD	C2A-N3A	5.49	1.43	1.32
5	B	2377	NAD	C2A-N1A	4.59	1.42	1.33
4	A	994	CAC	O2-AS	-4.54	1.63	1.68
5	A	1377	NAD	PA-O3	-4.30	1.52	1.59
4	B	995	CAC	O2-AS	-4.04	1.63	1.68
5	C	3377	NAD	C2A-N3A	3.90	1.39	1.32
5	A	1377	NAD	C2A-N3A	3.90	1.39	1.32
5	D	4377	NAD	C2N-C3N	-3.89	1.33	1.38
5	B	2377	NAD	C2N-C3N	-3.66	1.33	1.38
5	D	4377	NAD	O4D-C1D	3.56	1.46	1.41
5	D	4377	NAD	C2A-N1A	3.39	1.40	1.33
5	A	1377	NAD	C2A-N1A	3.32	1.40	1.33
5	C	3377	NAD	PA-O3	-3.32	1.53	1.59
5	C	3377	NAD	C2A-N1A	3.31	1.40	1.33
5	A	1377	NAD	PN-O3	-3.24	1.53	1.60
5	C	3377	NAD	PN-O3	-3.14	1.54	1.60
5	D	4377	NAD	C2A-N3A	3.13	1.38	1.32
5	B	2377	NAD	C4A-N3A	3.12	1.40	1.35
4	B	991	CAC	AS-C1	3.02	1.95	1.90
5	A	1377	NAD	C2N-C3N	-3.00	1.34	1.38
4	B	992	CAC	O2-AS	-2.97	1.64	1.68
5	A	1377	NAD	C8A-N7A	2.92	1.40	1.34
5	C	3377	NAD	C2N-C3N	-2.81	1.34	1.38
5	C	3377	NAD	C8A-N7A	2.75	1.40	1.34
5	A	1377	NAD	C2N-N1N	-2.73	1.31	1.35
5	B	2377	NAD	C8A-N7A	2.68	1.39	1.34
5	C	3377	NAD	C1B-N9A	-2.63	1.40	1.48
5	A	1377	NAD	O5D-C5D	2.60	1.55	1.44
5	D	4377	NAD	C8A-N7A	2.60	1.39	1.34
4	B	991	CAC	AS-C2	-2.57	1.86	1.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	510	ACT	CH3-C	2.52	1.52	1.48
5	C	3377	NAD	C4A-N3A	2.43	1.39	1.35
5	D	4377	NAD	C8A-N9A	2.40	1.40	1.36
3	D	514	ACT	CH3-C	2.38	1.52	1.48
5	D	4377	NAD	O4B-C1B	2.35	1.45	1.41
4	A	994	CAC	AS-C1	2.27	1.94	1.90
4	B	995	CAC	AS-C1	2.23	1.94	1.90
5	D	4377	NAD	C4N-C3N	-2.19	1.35	1.39
5	A	1377	NAD	C8A-N9A	2.14	1.39	1.36
5	A	1377	NAD	C4A-N3A	2.13	1.38	1.35
5	D	4377	NAD	C4A-N3A	2.08	1.38	1.35

All (91) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	995	CAC	O2-AS-O1	-29.88	106.09	112.54
4	B	992	CAC	O2-AS-O1	-29.53	106.17	112.54
4	A	994	CAC	O2-AS-O1	-22.34	107.72	112.54
4	B	991	CAC	O2-AS-O1	-21.02	108.00	112.54
4	B	993	CAC	O2-AS-O1	-18.10	108.63	112.54
5	A	1377	NAD	N3A-C2A-N1A	-9.12	121.08	128.71
5	D	4377	NAD	O7N-C7N-N7N	-8.38	110.49	122.59
5	B	2377	NAD	O7N-C7N-N7N	-8.36	110.51	122.59
5	D	4377	NAD	N3A-C2A-N1A	-8.26	121.80	128.71
5	A	1377	NAD	O7N-C7N-N7N	-7.50	111.75	122.59
5	C	3377	NAD	O7N-C7N-N7N	-7.26	112.10	122.59
5	C	3377	NAD	N3A-C2A-N1A	-6.83	123.00	128.71
5	B	2377	NAD	N3A-C2A-N1A	-6.02	123.67	128.71
5	A	1377	NAD	O7N-C7N-C3N	5.10	125.33	119.58
5	B	2377	NAD	C4A-C5A-N7A	5.02	113.82	109.52
5	D	4377	NAD	C8A-N9A-C4A	-4.70	103.31	106.90
4	B	993	CAC	O2-AS-C2	-4.55	105.43	109.15
5	A	1377	NAD	C4B-O4B-C1B	-4.54	104.82	109.75
5	A	1377	NAD	O2N-PN-O1N	-4.37	105.53	118.72
5	A	1377	NAD	O4D-C1D-N1N	-4.13	103.73	107.95
5	C	3377	NAD	C4B-O4B-C1B	-4.11	105.28	109.75
5	B	2377	NAD	O4D-C1D-N1N	-4.07	103.79	107.95
5	D	4377	NAD	O2N-PN-O3	4.02	119.62	108.79
5	C	3377	NAD	C2D-C1D-N1N	3.97	120.58	113.86
5	B	2377	NAD	O4D-C1D-C2D	-3.91	100.77	106.77
5	C	3377	NAD	O7N-C7N-C3N	3.87	123.94	119.58
5	C	3377	NAD	O3-PN-O1N	3.84	118.00	108.83

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	2377	NAD	C8A-N9A-C4A	-3.83	103.98	106.90
4	B	992	CAC	O2-AS-C2	-3.79	106.06	109.15
5	D	4377	NAD	O2N-PN-O1N	-3.74	107.44	118.72
5	D	4377	NAD	C3N-C7N-N7N	3.62	121.89	117.77
5	B	2377	NAD	N6A-C6A-N1A	3.58	126.39	119.36
5	C	3377	NAD	O4D-C1D-C2D	-3.53	101.35	106.77
5	B	2377	NAD	C4B-O4B-C1B	-3.49	105.96	109.75
5	C	3377	NAD	O4D-C1D-N1N	-3.48	104.39	107.95
5	A	1377	NAD	O2N-PN-O3	3.48	118.18	108.79
5	B	2377	NAD	O2N-PN-O1N	-3.45	108.30	118.72
5	A	1377	NAD	C8A-N9A-C4A	-3.45	104.27	106.90
5	A	1377	NAD	O4B-C4B-C3B	3.40	112.07	105.17
5	C	3377	NAD	O4B-C4B-C3B	3.33	111.93	105.17
5	B	2377	NAD	O2N-PN-O3	3.33	117.76	108.79
5	D	4377	NAD	C2D-C1D-N1N	3.23	119.32	113.86
5	C	3377	NAD	C2B-C3B-C4B	-3.19	96.29	102.65
4	B	993	CAC	O2-AS-C1	3.08	111.67	109.15
5	A	1377	NAD	C3N-C7N-N7N	-2.91	114.46	117.77
5	D	4377	NAD	C3D-C2D-C1D	-2.90	96.36	100.91
5	B	2377	NAD	O5B-C5B-C4B	-2.90	98.30	108.94
5	A	1377	NAD	C2D-C1D-N1N	2.86	118.70	113.86
5	D	4377	NAD	O4B-C4B-C3B	2.84	110.93	105.17
5	C	3377	NAD	O2N-PN-O1N	-2.77	110.35	118.72
5	B	2377	NAD	C2B-C3B-C4B	-2.74	97.20	102.65
5	B	2377	NAD	O4B-C4B-C3B	2.72	110.68	105.17
5	B	2377	NAD	C5A-C6A-N6A	-2.72	114.57	120.72
5	C	3377	NAD	O5B-C5B-C4B	-2.69	99.06	108.94
5	D	4377	NAD	C4B-O4B-C1B	-2.65	106.87	109.75
4	B	995	CAC	O2-AS-C1	2.64	111.32	109.15
5	C	3377	NAD	C8A-N9A-C4A	-2.61	104.90	106.90
5	A	1377	NAD	O4D-C1D-C2D	-2.61	102.76	106.77
5	D	4377	NAD	O2A-PA-O3	2.53	117.14	105.14
5	A	1377	NAD	C8A-N9A-C1B	2.50	131.31	126.38
5	A	1377	NAD	O5B-C5B-C4B	-2.49	99.79	108.94
5	B	2377	NAD	O4B-C1B-C2B	-2.47	102.99	106.77
5	B	2377	NAD	C6A-C5A-C4A	2.47	121.77	117.25
5	D	4377	NAD	O5B-PA-O1A	2.45	118.98	109.37
5	C	3377	NAD	C3N-C7N-N7N	2.45	120.55	117.77
5	B	2377	NAD	C2D-C1D-N1N	2.41	117.94	113.86
5	D	4377	NAD	O5B-C5B-C4B	-2.37	100.23	108.94
4	B	995	CAC	O2-AS-C2	-2.37	107.22	109.15
5	D	4377	NAD	O4D-C1D-C2D	-2.36	103.15	106.77

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	991	CAC	O2-AS-C2	-2.36	107.22	109.15
5	D	4377	NAD	O5D-C5D-C4D	2.34	117.51	108.94
5	D	4377	NAD	C8A-N9A-C1B	2.32	130.95	126.38
5	B	2377	NAD	O7N-C7N-C3N	2.31	122.18	119.58
5	A	1377	NAD	C5A-C4A-N9A	2.31	110.50	107.16
5	A	1377	NAD	C2B-C3B-C4B	-2.29	98.08	102.65
5	C	3377	NAD	O2A-PA-O3	2.27	115.92	105.14
5	A	1377	NAD	C6N-N1N-C2N	-2.26	119.48	122.04
5	A	1377	NAD	O4B-C1B-N9A	2.26	110.54	108.44
5	D	4377	NAD	O4D-C1D-N1N	-2.24	105.66	107.95
5	D	4377	NAD	C6N-N1N-C1D	2.23	124.86	119.33
5	B	2377	NAD	C1B-N9A-C4A	2.23	130.49	126.64
4	B	992	CAC	O2-AS-C1	2.17	110.93	109.15
5	A	1377	NAD	C6N-N1N-C1D	2.16	124.69	119.33
4	B	993	CAC	C2-AS-C1	2.15	114.33	109.43
5	B	2377	NAD	C6N-N1N-C2N	-2.11	119.65	122.04
5	D	4377	NAD	C2N-N1N-C1D	-2.09	114.15	119.33
5	D	4377	NAD	C4A-C5A-N7A	2.08	111.31	109.52
4	B	991	CAC	O2-AS-C1	2.04	110.82	109.15
5	C	3377	NAD	O4B-C1B-N9A	-2.02	106.56	108.44
5	C	3377	NAD	C6N-N1N-C1D	2.02	124.34	119.33
5	B	2377	NAD	O2A-PA-O3	2.01	114.66	105.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	373/373 (100%)	-0.08	5 (1%) 74 73	16, 40, 58, 65	0
1	B	373/373 (100%)	-0.25	1 (0%) 91 92	12, 33, 49, 62	0
1	C	373/373 (100%)	0.25	8 (2%) 60 58	22, 52, 67, 74	0
1	D	373/373 (100%)	-0.28	1 (0%) 91 92	16, 30, 46, 57	0
All	All	1492/1492 (100%)	-0.09	15 (1%) 79 79	12, 38, 62, 74	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	GLY	3.5
1	C	1	GLY	2.8
1	A	83	VAL	2.7
1	C	362	LEU	2.7
1	D	1	GLY	2.5
1	C	232	ALA	2.5
1	C	332	VAL	2.4
1	C	247	THR	2.3
1	A	64	ILE	2.2
1	C	237	ALA	2.2
1	A	58	VAL	2.2
1	B	1	GLY	2.2
1	A	76	ILE	2.2
1	C	345	LEU	2.1
1	C	340	PHE	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates

There are no carbohydrates in this entry.

## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	ACT	D	512	4/4	0.19	87.00	32,35,38,39	0
3	ACT	D	514	4/4	0.48	19.16	49,52,53,54	4
3	ACT	B	506	4/4	0.20	10.43	12,26,27,37	0
4	CAC	A	994	5/5	0.16	4.84	69,70,71,73	0
2	ZN	D	410	1/1	0.21	3.97	47,47,47,47	1
4	CAC	B	995	5/5	0.24	3.71	74,74,76,77	0
3	ACT	A	513	4/4	0.35	3.62	52,52,53,54	4
3	ACT	A	502	4/4	0.28	2.18	50,51,51,51	4
3	ACT	C	505	4/4	0.17	1.66	33,34,35,41	0
3	ACT	A	501	4/4	0.17	0.94	37,39,40,41	0
3	ACT	B	507	4/4	0.14	0.40	23,24,25,29	0
3	ACT	D	511	4/4	0.13	0.10	26,29,32,32	0
5	NAD	D	4377	44/44	0.13	0.02	21,29,35,37	0
3	ACT	A	504	4/4	0.14	-0.05	15,18,19,19	0
3	ACT	D	509	4/4	0.14	-0.07	16,18,20,20	0
3	ACT	D	508	4/4	0.12	-0.23	23,25,26,31	0
5	NAD	B	2377	44/44	0.12	-0.45	14,25,35,39	0
2	ZN	A	402	1/1	0.17	-0.52	50,50,50,50	1
2	ZN	B	375	1/1	0.12	-0.61	28,28,28,28	0
2	ZN	B	404	1/1	0.11	-0.67	31,31,31,31	0
2	ZN	D	409	1/1	0.12	-0.70	48,48,48,48	0
5	NAD	A	1377	44/44	0.11	-0.72	23,30,35,38	0
2	ZN	C	375	1/1	0.10	-0.96	43,43,43,43	0
2	ZN	B	405	1/1	0.09	-1.13	51,51,51,51	0
5	NAD	C	3377	44/44	0.11	-1.17	19,49,55,60	0
2	ZN	A	403	1/1	0.11	-1.37	49,49,49,49	0
2	ZN	C	376	1/1	0.09	-1.39	46,46,46,46	0
2	ZN	B	376	1/1	0.09	-1.52	28,28,28,28	0
2	ZN	D	375	1/1	0.10	-1.59	30,30,30,30	0
4	CAC	B	992	5/5	0.09	-1.76	49,52,55,57	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	ZN	D	411	1/1	0.08	-2.03	48,48,48,48	0
2	ZN	D	376	1/1	0.11	-2.04	29,29,29,29	0
4	CAC	B	991	5/5	0.10	-2.13	17,32,35,38	0
3	ACT	C	510	4/4	0.09	-2.13	33,33,34,34	0
4	CAC	B	993	5/5	0.12	-2.24	47,49,51,55	0
2	ZN	A	408	1/1	0.09	-2.38	47,47,47,47	0
2	ZN	A	401	1/1	0.09	-2.53	48,48,48,48	0
2	ZN	C	407	1/1	0.05	-2.72	63,63,63,63	0
2	ZN	A	375	1/1	0.07	-2.85	49,49,49,49	0
2	ZN	A	376	1/1	0.07	-2.97	35,35,35,35	0
2	ZN	B	406	1/1	0.04	-39.00	42,42,42,42	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.