



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 06:33 AM GMT

PDB ID : 2D1C
Title : Crystal Structure Of TT0538 protein from Thermus thermophilus HB8
Authors : Lokanath, N.K.; Kunishima, N.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)
Deposited on : 2005-08-15
Resolution : 1.80 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3513 (1.80-1.80)
Clashscore	79885	4461 (1.80-1.80)
Ramachandran outliers	78287	4404 (1.80-1.80)
Sidechain outliers	78261	4403 (1.80-1.80)
RSRZ outliers	66119	3515 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	496	
1	B	496	

2 Entry composition i


There are 4 unique types of molecules in this entry. The entry contains 8644 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isocitrate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	495	Total	C	N	O	S	0	0	0
			3826	2429	667	719	11			
1	B	495	Total	C	N	O	S	5	0	0
			3826	2429	667	719	11			

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDEPHOSPHATE (three-letter code: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is CITRIC ACID (three-letter code: CIT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			13	6	7		
3	B	1	Total	C	O	0	0
			13	6	7		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	438	Total	O	0	0
			438	438		
4	B	432	Total	O	0	0
			432	432		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Isocitrate dehydrogenase

Chain A: 



- Molecule 1: Isocitrate dehydrogenase

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	73.02Å 95.18Å 72.99Å 90.00° 92.07° 90.00°	Depositor
Resolution (Å)	36.49 – 1.80 46.00 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.7 (36.49-1.80) 99.4 (46.00-1.80)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.31 (at 1.79Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.207 , 0.238 0.207 , 0.237	Depositor DCC
R_{free} test set	4617 reflections (5.02%)	DCC
Wilson B-factor (Å ²)	19.2	Xtriage
Anisotropy	0.187	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 33.2	EDS
Estimated twinning fraction	0.023 for -l,k,h 0.031 for -h,-k,l 0.457 for l,-k,h	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 92436 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8644	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/3897	0.62	0/5281
1	B	0.39	1/3897 (0.0%)	0.67	0/5281
All	All	0.35	1/7794 (0.0%)	0.65	0/10562

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	474	TRP	NE1-CE2	8.52	1.48	1.37

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3826	0	3898	65	0
1	B	3826	0	3898	85	0
2	A	48	0	25	1	0
2	B	48	0	25	2	0
3	A	13	0	5	0	0
3	B	13	0	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	438	0	0	4	0
4	B	432	0	0	14	0
All	All	8644	0	7856	134	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 9.

All (134) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:144:TYR:CE1	1:B:245:MET:HG3	2.01	0.95
1:B:144:TYR:HE1	1:B:245:MET:HG3	1.49	0.77
1:B:359:PRO:O	1:B:362:THR:HG22	1.85	0.76
1:A:343:LYS:HB2	1:A:346:GLU:HG3	1.69	0.74
1:A:290:ASN:ND2	1:A:343:LYS:HB3	2.08	0.69
1:B:343:LYS:HB2	1:B:346:GLU:HG3	1.74	0.69
1:A:245:MET:HE1	4:B:1718:HOH:O	1.95	0.66
1:B:290:ASN:ND2	1:B:343:LYS:HB3	2.10	0.66
1:A:143:LEU:HD11	1:B:143:LEU:HD11	1.79	0.65
1:B:117:ARG:HB3	1:B:365:ARG:HH21	1.60	0.65
1:A:477:LEU:HD12	1:B:477:LEU:HD12	1.80	0.64
1:B:395:PHE:HB2	1:B:476:HIS:HB3	1.78	0.64
1:A:203:LYS:O	1:A:207:GLU:HG3	1.99	0.63
1:B:323:TYR:CE2	1:B:357:LYS:HG2	2.34	0.62
1:B:33:GLU:HG3	4:B:1637:HOH:O	1.99	0.62
1:B:185:LYS:HD2	1:B:187:HIS:CE1	2.34	0.62
1:A:421:LYS:HD2	1:A:449:LEU:HD11	1.81	0.61
1:A:493:GLN:NE2	1:B:97:LYS:HE3	2.16	0.61
1:A:245:MET:SD	1:B:245:MET:CE	2.89	0.61
1:B:116:VAL:HG12	1:B:133:LEU:CD1	2.32	0.59
1:B:365:ARG:NH1	4:B:1965:HOH:O	2.23	0.59
1:A:245:MET:HE2	4:B:1716:HOH:O	2.02	0.59
1:A:78:ARG:HD3	1:B:435:GLY:O	2.03	0.58
1:A:245:MET:SD	1:B:245:MET:HE1	2.43	0.58
1:B:285:LYS:HE3	1:B:286:TYR:CE2	2.38	0.58
1:B:349:GLU:HG3	1:B:353:GLN:HE21	1.69	0.58
1:B:97:LYS:HG2	4:B:1727:HOH:O	2.03	0.57
1:B:253:LEU:HD23	1:B:253:LEU:C	2.25	0.57
1:A:191:LYS:HE2	1:A:194:ILE:HD12	1.85	0.57
1:A:435:GLY:O	1:B:78:ARG:HD2	2.05	0.56
1:A:10:LYS:HD3	4:A:1756:HOH:O	2.04	0.56
1:B:31:GLY:HA2	1:B:87:PRO:HD2	1.87	0.56
1:A:117:ARG:NH2	1:A:362:THR:HG23	2.20	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:143:LEU:HD12	1:B:245:MET:CE	2.35	0.56
1:B:289:LYS:O	1:B:291:VAL:HG13	2.05	0.55
1:B:116:VAL:CG2	1:B:258:ILE:HG12	2.36	0.55
1:A:105:LYS:HE3	1:B:428:THR:OG1	2.06	0.55
1:B:250:LEU:O	1:B:254:THR:HG23	2.07	0.55
1:A:365:ARG:HG2	1:A:365:ARG:HH11	1.72	0.55
1:B:361:LYS:O	1:B:363:GLN:N	2.39	0.54
1:A:233:ARG:O	1:A:236:GLN:HG2	2.08	0.54
1:A:30:ILE:HG12	1:A:282:SER:O	2.07	0.54
1:B:116:VAL:HG12	1:B:133:LEU:HD12	1.90	0.54
1:A:202:LEU:HD22	1:A:243:THR:HG23	1.90	0.54
1:B:185:LYS:HD2	1:B:187:HIS:HE1	1.71	0.53
1:B:116:VAL:HG22	1:B:258:ILE:HG12	1.89	0.53
1:A:395:PHE:HB2	1:A:476:HIS:HB3	1.90	0.53
1:A:253:LEU:HD23	1:A:253:LEU:C	2.29	0.53
1:A:31:GLY:HA2	1:A:87:PRO:HD2	1.91	0.53
1:A:268:ASN:HB2	1:A:275:ILE:HB	1.91	0.52
1:B:202:LEU:HD22	1:B:243:THR:HG23	1.91	0.52
1:B:261:LEU:HB3	1:B:280:HIS:HB3	1.92	0.52
1:A:97:LYS:HE3	1:B:493:GLN:NE2	2.25	0.52
1:B:203:LYS:O	1:B:207:GLU:HG3	2.10	0.52
1:A:97:LYS:HG2	4:A:1729:HOH:O	2.10	0.51
1:B:406:GLY:O	1:B:410:GLU:HG3	2.10	0.51
1:A:189:ALA:HA	1:A:221:ILE:O	2.10	0.51
1:B:185:LYS:HE2	4:B:1904:HOH:O	2.11	0.51
1:A:463:ASP:O	1:A:467:ARG:HG3	2.12	0.50
1:B:407:LYS:HG2	4:B:1868:HOH:O	2.11	0.49
1:A:165:LYS:HE2	1:B:439:ASP:OD2	2.12	0.49
1:B:233:ARG:O	1:B:236:GLN:HG2	2.12	0.49
1:B:142:ASP:CG	1:B:143:LEU:H	2.16	0.49
1:B:357:LYS:O	1:B:359:PRO:HD3	2.13	0.49
1:A:261:LEU:HB3	1:A:280:HIS:HB3	1.95	0.48
1:B:177:LEU:C	1:B:177:LEU:HD23	2.34	0.48
1:B:117:ARG:HB3	1:B:365:ARG:NH2	2.29	0.47
1:B:233:ARG:HD3	4:B:1839:HOH:O	2.13	0.47
1:B:374:GLN:HE21	1:B:374:GLN:HA	1.79	0.47
1:B:189:ALA:HA	1:B:221:ILE:O	2.14	0.47
1:B:71:GLN:NE2	4:B:1937:HOH:O	2.47	0.47
1:B:285:LYS:HE3	1:B:286:TYR:CZ	2.50	0.47
1:A:30:ILE:HD13	1:A:283:ALA:HB3	1.98	0.46
1:B:463:ASP:O	1:B:467:ARG:HG3	2.15	0.46
1:B:230:LEU:O	1:B:234:PRO:HB3	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:268:ASN:HB2	1:B:275:ILE:HB	1.98	0.46
1:B:8:THR:HG21	4:B:1833:HOH:O	2.16	0.46
1:A:95:GLY:O	1:B:196:LYS:HE3	2.15	0.46
1:A:289:LYS:O	1:A:291:VAL:HG13	2.17	0.45
1:A:290:ASN:HD21	1:A:343:LYS:HB3	1.78	0.45
1:A:406:GLY:O	1:A:410:GLU:HG3	2.17	0.45
1:B:374:GLN:NE2	1:B:374:GLN:HA	2.32	0.45
1:A:133:LEU:HD12	1:A:133:LEU:C	2.38	0.45
1:B:374:GLN:HB3	1:B:376:ASP:OD1	2.17	0.44
1:A:78:ARG:NH2	4:A:1894:HOH:O	2.50	0.44
1:B:290:ASN:HD21	1:B:343:LYS:HB3	1.78	0.44
1:B:306:ARG:NH2	1:B:318:GLU:OE1	2.49	0.44
1:B:299:LEU:HD21	1:B:321:LEU:HD23	1.99	0.44
1:B:116:VAL:CG1	1:B:133:LEU:CD1	2.95	0.44
1:A:273:VAL:HG12	1:A:274:ALA:N	2.33	0.44
1:A:144:TYR:N	1:A:144:TYR:CD1	2.86	0.43
1:A:16:GLU:H	1:A:16:GLU:CD	2.21	0.43
1:A:196:LYS:HE3	1:B:95:GLY:O	2.18	0.43
1:B:165:LYS:O	1:B:169:LYS:HG3	2.18	0.43
1:A:72:GLU:HA	1:A:75:GLU:OE1	2.19	0.43
1:A:58:ALA:HA	1:A:61:PHE:CD2	2.53	0.43
1:B:101:VAL:HG13	4:B:1792:HOH:O	2.19	0.43
1:B:141:GLU:O	1:B:142:ASP:HB3	2.19	0.42
1:B:293:ASN:HB3	2:B:1003:NAP:N1A	2.34	0.42
1:B:245:MET:HE3	1:B:245:MET:HB3	1.94	0.42
1:A:349:GLU:O	1:A:353:GLN:HG3	2.20	0.42
1:A:23:THR:HB	1:A:83:VAL:HG22	2.01	0.42
1:A:208:GLN:NE2	1:A:379:ILE:HG21	2.34	0.42
1:A:364:VAL:HG23	1:A:364:VAL:O	2.19	0.42
1:B:17:ASP:OD1	1:B:19:ARG:HB2	2.19	0.42
1:A:142:ASP:CG	1:A:143:LEU:H	2.23	0.42
1:B:88:LEU:O	2:B:1003:NAP:H2N	2.20	0.42
1:A:230:LEU:O	1:A:234:PRO:HB3	2.19	0.42
1:B:273:VAL:HG12	1:B:274:ALA:N	2.34	0.42
1:A:144:TYR:CE2	1:B:191:LYS:HE2	2.55	0.42
1:A:56:ALA:O	1:A:88:LEU:HD22	2.20	0.42
1:A:60:VAL:HG21	1:A:70:PRO:HD3	2.02	0.42
1:B:445:ARG:HD2	1:B:445:ARG:C	2.40	0.42
1:B:60:VAL:HG11	1:B:70:PRO:HD3	2.00	0.41
1:A:125:PRO:CB	1:B:125:PRO:HB2	2.50	0.41
1:A:421:LYS:HE2	4:A:1838:HOH:O	2.20	0.41
1:A:431:TYR:HA	1:A:432:PRO:C	2.41	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:184:LYS:HD2	1:A:184:LYS:N	2.35	0.41
1:A:141:GLU:HB2	1:A:142:ASP:H	1.76	0.41
1:B:357:LYS:N	4:B:1934:HOH:O	2.54	0.41
1:A:144:TYR:N	1:A:144:TYR:HD1	2.19	0.41
1:B:30:ILE:HD13	1:B:283:ALA:HB3	2.02	0.41
1:B:375:VAL:HG13	4:B:1877:HOH:O	2.20	0.41
1:A:144:TYR:HA	1:B:194:ILE:HG21	2.03	0.41
1:A:125:PRO:HG3	4:B:1843:HOH:O	2.20	0.41
1:A:183:ARG:HD2	1:A:239:VAL:CG2	2.52	0.41
1:B:141:GLU:HB2	1:B:142:ASP:H	1.74	0.40
1:B:326:GLU:OE1	1:B:360:ARG:N	2.53	0.40
1:B:133:LEU:C	1:B:133:LEU:HD12	2.40	0.40
1:A:88:LEU:O	2:A:1002:NAP:H2N	2.21	0.40
1:A:125:PRO:HB3	1:B:125:PRO:CB	2.51	0.40
1:A:142:ASP:HB3	1:A:244:ASN:HB3	2.04	0.40
1:B:258:ILE:HD12	1:B:258:ILE:C	2.41	0.40
1:B:61:PHE:CE1	1:B:68:GLY:HA3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	493/496 (99%)	470 (95%)	23 (5%)	0	100	100
1	B	493/496 (99%)	471 (96%)	21 (4%)	1 (0%)	56	38
All	All	986/992 (99%)	941 (95%)	44 (4%)	1 (0%)	59	41

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	362	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	407/408 (100%)	404 (99%)	3 (1%)	91	88
1	B	407/408 (100%)	400 (98%)	7 (2%)	73	61
All	All	814/816 (100%)	804 (99%)	10 (1%)	82	74

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	THR
1	A	252	ASP
1	A	422	MET
1	B	8	THR
1	B	20	LYS
1	B	245	MET
1	B	361	LYS
1	B	364	VAL
1	B	365	ARG
1	B	422	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	208	GLN
1	A	211	GLN
1	A	399	ASN
1	B	71	GLN
1	B	208	GLN
1	B	353	GLN
1	B	374	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAP	A	1002	-	52,52,52	3.28	25 (48%)	80,80,80	3.26	24 (30%)
3	CIT	A	1585	-	12,12,12	1.34	2 (16%)	17,17,17	1.54	1 (5%)
2	NAP	B	1003	-	52,52,52	3.29	25 (48%)	80,80,80	3.23	24 (30%)
3	CIT	B	1586	-	12,12,12	1.32	2 (16%)	17,17,17	1.57	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	1002	-	-	0/35/67/67	0/3/5/5
3	CIT	A	1585	-	-	0/16/16/16	0/0/0/0
2	NAP	B	1003	-	-	0/35/67/67	0/3/5/5
3	CIT	B	1586	-	-	0/16/16/16	0/0/0/0

All (54) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1002	NAP	C4N-C3N	10.40	1.57	1.39
2	B	1003	NAP	C4N-C3N	10.31	1.57	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1003	NAP	O4D-C1D	-7.52	1.29	1.41
2	A	1002	NAP	O4D-C1D	-7.51	1.29	1.41
2	A	1002	NAP	O2D-C2D	7.18	1.60	1.43
2	B	1003	NAP	O2D-C2D	7.15	1.60	1.43
2	A	1002	NAP	PA-O3	-6.19	1.48	1.59
2	B	1003	NAP	PA-O3	-6.18	1.48	1.59
2	B	1003	NAP	C5N-C4N	5.65	1.52	1.39
2	A	1002	NAP	C5N-C4N	5.61	1.52	1.39
2	B	1003	NAP	C5D-C4D	5.33	1.69	1.51
2	A	1002	NAP	C5D-C4D	5.20	1.68	1.51
2	A	1002	NAP	C2N-N1N	5.16	1.41	1.35
2	B	1003	NAP	C2N-N1N	5.06	1.41	1.35
2	B	1003	NAP	PN-O5D	5.00	1.76	1.60
2	A	1002	NAP	PN-O5D	4.99	1.76	1.60
2	A	1002	NAP	O5D-C5D	-4.80	1.24	1.44
2	B	1003	NAP	O5D-C5D	-4.79	1.25	1.44
2	A	1002	NAP	O4D-C4D	-4.16	1.35	1.45
2	B	1003	NAP	C3B-C4B	-4.11	1.41	1.53
2	A	1002	NAP	C3B-C4B	-4.05	1.41	1.53
2	B	1003	NAP	O4D-C4D	-4.05	1.35	1.45
2	A	1002	NAP	O2B-C2B	3.83	1.56	1.44
2	B	1003	NAP	O2B-C2B	3.77	1.56	1.44
2	A	1002	NAP	PA-O2A	-3.66	1.38	1.55
2	B	1003	NAP	PA-O2A	-3.60	1.39	1.55
2	B	1003	NAP	C4A-N3A	3.58	1.41	1.35
2	B	1003	NAP	O4B-C1B	3.56	1.46	1.41
2	A	1002	NAP	C4A-N3A	3.42	1.40	1.35
2	A	1002	NAP	O4B-C1B	3.19	1.46	1.41
3	B	1586	CIT	C2-C3	3.16	1.57	1.53
3	A	1585	CIT	C2-C3	3.15	1.57	1.53
2	B	1003	NAP	C2B-C1B	-3.04	1.47	1.52
2	B	1003	NAP	C2N-C3N	3.03	1.43	1.38
2	A	1002	NAP	C2N-C3N	2.96	1.43	1.38
2	A	1002	NAP	C2B-C1B	-2.89	1.47	1.52
2	A	1002	NAP	C6N-N1N	2.84	1.43	1.35
2	B	1003	NAP	C6N-N1N	2.78	1.43	1.35
2	B	1003	NAP	C8A-N7A	-2.68	1.29	1.34
2	A	1002	NAP	C8A-N7A	-2.64	1.29	1.34
2	A	1002	NAP	C3D-C4D	2.60	1.60	1.53
2	B	1003	NAP	C3D-C4D	2.58	1.60	1.53
2	B	1003	NAP	P2B-O2X	-2.55	1.45	1.54
2	A	1002	NAP	P2B-O2X	-2.48	1.45	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1003	NAP	O5B-C5B	2.45	1.55	1.44
2	A	1002	NAP	O5B-C5B	2.41	1.54	1.44
2	B	1003	NAP	O3D-C3D	-2.38	1.37	1.43
2	A	1002	NAP	C8A-N9A	2.29	1.40	1.36
3	A	1585	CIT	C4-C3	2.29	1.56	1.53
2	B	1003	NAP	C8A-N9A	2.16	1.39	1.36
2	A	1002	NAP	O3D-C3D	-2.13	1.37	1.43
2	A	1002	NAP	P2B-O3X	-2.10	1.47	1.54
3	B	1586	CIT	C4-C3	2.08	1.56	1.53
2	B	1003	NAP	P2B-O3X	-2.02	1.47	1.54

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1002	NAP	O4D-C1D-N1N	14.16	122.43	107.95
2	A	1002	NAP	C4D-O4D-C1D	14.13	125.09	109.75
2	B	1003	NAP	O4D-C1D-N1N	14.13	122.40	107.95
2	B	1003	NAP	C4D-O4D-C1D	14.00	124.95	109.75
2	A	1002	NAP	C5N-C4N-C3N	-8.82	108.87	120.32
2	B	1003	NAP	C5N-C4N-C3N	-8.75	108.96	120.32
2	A	1002	NAP	O4D-C1D-C2D	-7.50	95.28	106.77
2	B	1003	NAP	O4D-C1D-C2D	-7.30	95.57	106.77
2	A	1002	NAP	C2N-C3N-C4N	5.71	124.77	118.31
2	B	1003	NAP	C2N-C3N-C4N	5.64	124.70	118.31
2	B	1003	NAP	O3D-C3D-C4D	5.60	127.57	111.08
2	A	1002	NAP	O3D-C3D-C4D	5.57	127.48	111.08
2	A	1002	NAP	O4B-C1B-N9A	-5.14	103.66	108.44
2	B	1003	NAP	N3A-C2A-N1A	-4.88	124.62	128.71
2	A	1002	NAP	N3A-C2A-N1A	-4.76	124.73	128.71
3	B	1586	CIT	O6-C6-C3	4.63	119.62	112.89
2	A	1002	NAP	C6N-C5N-C4N	4.57	126.70	119.44
2	B	1003	NAP	O4B-C1B-N9A	-4.50	104.26	108.44
2	B	1003	NAP	C6N-C5N-C4N	4.49	126.57	119.44
3	A	1585	CIT	O6-C6-C3	4.42	119.31	112.89
2	A	1002	NAP	C8A-N9A-C4A	-4.34	103.59	106.90
2	B	1003	NAP	C8A-N9A-C4A	-4.24	103.66	106.90
2	A	1002	NAP	C3N-C7N-N7N	3.83	122.12	117.77
2	B	1003	NAP	C3N-C7N-N7N	3.81	122.10	117.77
2	A	1002	NAP	O3B-C3B-C4B	3.73	122.08	111.08
2	B	1003	NAP	O3B-C3B-C4B	3.70	121.97	111.08
2	A	1002	NAP	C2D-C3D-C4D	-3.29	96.09	102.65
2	B	1003	NAP	C2D-C3D-C4D	-3.20	96.28	102.65

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1003	NAP	PN-O3-PA	3.18	146.62	132.95
2	A	1002	NAP	PN-O3-PA	3.07	146.15	132.95
2	B	1003	NAP	O4D-C4D-C3D	-3.03	99.03	105.17
2	A	1002	NAP	O4D-C4D-C3D	-2.99	99.11	105.17
2	B	1003	NAP	C4B-O4B-C1B	-2.83	106.68	109.75
2	A	1002	NAP	O5B-C5B-C4B	2.69	118.81	108.94
2	A	1002	NAP	O7N-C7N-N7N	-2.61	118.82	122.59
2	A	1002	NAP	C4B-O4B-C1B	-2.61	106.92	109.75
2	B	1003	NAP	O7N-C7N-N7N	-2.60	118.84	122.59
2	B	1003	NAP	O5B-C5B-C4B	2.56	118.33	108.94
2	A	1002	NAP	C4A-C5A-N7A	2.48	111.65	109.52
2	B	1003	NAP	C4A-C5A-N7A	2.43	111.60	109.52
2	B	1003	NAP	P2B-O2B-C2B	2.31	126.83	121.96
2	A	1002	NAP	P2B-O2B-C2B	2.30	126.80	121.96
2	B	1003	NAP	C6N-N1N-C2N	2.23	124.56	122.04
2	B	1003	NAP	O5D-C5D-C4D	-2.19	100.90	108.94
2	A	1002	NAP	C6N-N1N-C2N	2.17	124.48	122.04
2	A	1002	NAP	C5D-C4D-C3D	2.14	123.78	115.21
2	A	1002	NAP	O3-PA-O5B	-2.13	93.89	103.41
2	B	1003	NAP	C5D-C4D-C3D	2.10	123.62	115.21
2	A	1002	NAP	O5D-C5D-C4D	-2.07	101.36	108.94
2	B	1003	NAP	O3-PA-O5B	-2.06	94.19	103.41

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	495/496 (99%)	0.02	8 (1%) 68 64	8, 22, 42, 60	0
1	B	495/496 (99%)	0.01	9 (1%) 65 60	7, 22, 42, 69	1 (0%)
All	All	990/992 (99%)	0.01	17 (1%) 67 62	7, 22, 42, 69	1 (0%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	367	TYR	7.5
1	B	362	THR	6.0
1	B	366	GLY	5.9
1	A	362	THR	4.8
1	B	358	THR	3.5
1	B	360	ARG	3.1
1	B	361	LYS	3.0
1	A	7	GLU	2.9
1	B	370	PHE	2.7
1	B	339	ASP	2.6
1	A	145	ALA	2.5
1	B	340	ARG	2.5
1	A	146	GLY	2.5
1	A	37	ALA	2.3
1	A	351	ILE	2.2
1	A	340	ARG	2.1
1	A	184	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	CIT	B	1586	13/13	0.14	1.82	18,24,27,27	0
3	CIT	A	1585	13/13	0.13	0.85	17,26,28,31	0
2	NAP	A	1002	48/48	0.11	0.08	17,23,26,28	0
2	NAP	B	1003	48/48	0.10	-0.05	17,22,26,29	0

6.5 Other polymers

There are no such residues in this entry.