



Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 05:06 PM GMT

PDB ID : 2D4Q
Title : Crystal structure of the Sec-PH domain of the human neurofibromatosis type 1 protein
Authors : D'angelo, I.; Welte, S.; Bonneau, F.; Scheffzek, K.
Deposited on : 2005-10-22
Resolution : 2.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2929 (2.30-2.30)
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)
RSRZ outliers	66119	2930 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	257	
1	B	257	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	OXN	A	701	-	X
2	OXN	B	702	-	X
3	POP	B	602	-	X

2 Entry composition i


There are 4 unique types of molecules in this entry. The entry contains 4320 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neurofibromin.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	257	Total	C	N	O	S	89	0	0
			2082	1349	346	382	5			
1	B	255	Total	C	N	O	S	73	0	0
			2059	1336	340	378	5			

- Molecule 2 is OXTOXYNOL-10 (three-letter code: OXN) (formula: C₃₄H₆₂O₁₁).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			24	20	4		
2	B	1	Total	C	O	0	0
			24	20	4		

- Molecule 3 is PYROPHOSPHATE 2- (three-letter code: POP) (formula: H₂O₇P₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	P	0	0
			9	7	2		
3	B	1	Total	O	P	0	0
			9	7	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	58	Total	O	0	0
			58	58		
4	B	55	Total	O	0	0
			55	55		

4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	113.50Å 113.50Å 125.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.30 14.99 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.5 (15.00-2.30) 100.0 (14.99-2.35)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.48 (at 2.34Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.240 , 0.280 0.243 , 0.290	Depositor DCC
R_{free} test set	1720 reflections (4.97%)	DCC
Wilson B-factor (Å ²)	41.4	Xtriage
Anisotropy	0.259	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 36.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 34716 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4320	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OXN, POP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.55	0/2133	0.73	1/2892 (0.0%)
1	B	0.59	0/2109	0.77	0/2861
All	All	0.57	0/4242	0.75	1/5753 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1720	HIS	N-CA-C	7.57	131.44	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2082	0	2082	39	1
1	B	2059	0	2050	52	1
2	A	24	0	30	1	0
2	B	24	0	30	1	0
3	B	18	0	0	2	0
4	A	58	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	55	0	0	4	0
All	All	4320	0	4192	91	1

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 11.

All (91) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:1575:ALA:HB1	1:B:1704:LYS:HD2	1.09	1.06
1:A:1605:HIS:O	1:A:1609:THR:HG22	1.54	1.06
1:B:1793:HIS:HD2	1:B:1795:GLU:H	1.18	0.90
1:B:1623:ASP:OD2	1:B:1625:THR:HG23	1.72	0.88
1:B:1793:HIS:CD2	1:B:1795:GLU:H	1.98	0.81
1:B:1575:ALA:CB	1:B:1704:LYS:HD2	2.04	0.80
1:A:1611:LYS:HB3	1:A:1612:PRO:HD3	1.65	0.78
1:B:1625:THR:HG21	1:B:1709:THR:HG23	1.66	0.77
1:A:1793:HIS:HD2	1:A:1795:GLU:H	1.33	0.76
1:B:1751:VAL:O	4:B:88:HOH:O	2.05	0.72
1:A:1662:ASN:ND2	1:A:1665:VAL:H	1.90	0.69
1:B:1604:TYR:CZ	1:B:1608:LEU:HD11	2.30	0.66
1:A:1662:ASN:C	1:A:1662:ASN:HD22	1.98	0.66
1:B:1566:LEU:O	1:B:1571:ILE:HD11	1.96	0.65
1:B:1687:PHE:CG	1:B:1756:VAL:HG11	2.32	0.65
1:B:1737:GLY:O	1:B:1806:ILE:HG12	1.97	0.64
1:B:1779:THR:HG22	1:B:1790:THR:HB	1.80	0.63
1:A:1598:ASN:HD21	1:A:1600:ASP:HB2	1.65	0.62
1:A:1666:ARG:O	1:A:1669:THR:HG22	2.01	0.61
1:B:1634:LYS:HA	3:B:602:POP:O2	2.02	0.60
1:A:1669:THR:HG23	4:A:81:HOH:O	2.02	0.59
1:B:1695:ALA:HA	1:B:1698:ILE:O	2.02	0.59
1:B:1720:HIS:O	1:B:1793:HIS:HE1	1.86	0.59
1:A:1695:ALA:O	1:A:1701:GLU:HA	2.03	0.59
1:A:1790:THR:HG23	4:A:29:HOH:O	2.02	0.59
1:B:1806:ILE:HD13	4:B:42:HOH:O	2.04	0.57
1:B:1623:ASP:OD2	1:B:1625:THR:CG2	2.50	0.56
1:B:1584:ILE:HD13	1:B:1698:ILE:HD13	1.88	0.56
1:A:1687:PHE:CG	1:A:1756:VAL:HG11	2.41	0.55
1:B:1569:LEU:O	1:B:1570:SER:HB2	2.07	0.55
1:B:1793:HIS:HD2	1:B:1795:GLU:N	1.98	0.55
1:A:1793:HIS:CD2	1:A:1795:GLU:H	2.21	0.55
1:B:1598:ASN:HD22	1:B:1601:LEU:H	1.55	0.55
1:A:1737:GLY:O	1:A:1806:ILE:HG12	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:1605:HIS:O	1:A:1609:THR:CG2	2.43	0.54
1:A:1669:THR:CG2	4:A:81:HOH:O	2.54	0.54
1:B:1656:VAL:HB	1:B:1685:LEU:HD23	1.90	0.54
1:A:1592:PHE:CD1	1:A:1602:LEU:HD22	2.42	0.54
1:B:1682:SER:C	1:B:1684:ARG:H	2.12	0.54
1:A:1598:ASN:ND2	1:A:1601:LEU:H	2.06	0.53
1:B:1750:LYS:HA	1:B:1754:GLN:O	2.08	0.53
1:A:1624:LEU:HD13	1:A:1665:VAL:HG11	1.92	0.51
1:A:1695:ALA:HB1	1:A:1701:GLU:HA	1.92	0.51
1:A:1695:ALA:HB1	1:A:1701:GLU:CA	2.41	0.51
1:B:1593:LYS:HB3	1:B:1596:GLN:HG2	1.93	0.51
1:B:1778:PHE:HE1	1:B:1780:LEU:HD13	1.76	0.51
1:B:1606:VAL:HG21	1:B:1641:TRP:HH2	1.76	0.51
1:B:1748:ARG:HD3	1:B:1755:SER:HB3	1.92	0.51
1:A:1598:ASN:HD22	1:A:1601:LEU:H	1.59	0.51
1:A:1807:ARG:O	1:A:1811:GLU:HG3	2.11	0.51
1:B:1571:ILE:HD12	4:B:16:HOH:O	2.11	0.50
1:A:1574:GLN:HG2	1:A:1575:ALA:N	2.26	0.50
1:B:1598:ASN:HD21	1:B:1600:ASP:HB2	1.75	0.50
1:B:1776:ASN:HA	1:B:1793:HIS:O	2.10	0.50
1:A:1622:VAL:HG13	1:A:1658:ILE:HA	1.93	0.50
1:B:1598:ASN:HD22	1:B:1601:LEU:HG	1.76	0.49
1:A:1702:GLN:HE21	1:A:1702:GLN:HA	1.75	0.49
1:B:1797:GLU:O	1:B:1801:GLN:HG2	2.13	0.48
1:A:1594:THR:HG21	1:A:1632:ARG:HG2	1.95	0.48
1:B:1598:ASN:ND2	1:B:1601:LEU:H	2.12	0.48
1:B:1778:PHE:CE1	1:B:1780:LEU:HD13	2.49	0.48
1:B:1634:LYS:HG2	3:B:602:POP:O2	2.15	0.47
1:B:1604:TYR:CE1	1:B:1608:LEU:HD21	2.50	0.47
1:B:1604:TYR:CE2	1:B:1608:LEU:HD11	2.50	0.47
1:A:1691:PRO:HB3	1:A:1703:GLN:NE2	2.29	0.47
1:B:1674:ARG:HG3	4:B:11:HOH:O	2.16	0.46
1:A:1645:PHE:HB2	1:A:1650:TYR:CZ	2.51	0.46
1:B:1603:ILE:HD11	1:B:1637:PHE:CE1	2.50	0.46
1:A:1702:GLN:O	1:A:1702:GLN:HG3	2.15	0.46
1:B:1677:THR:HG23	1:B:1678:GLY:N	2.31	0.45
1:B:1611:LYS:HB3	1:B:1612:PRO:HD3	1.98	0.45
1:B:1720:HIS:O	1:B:1793:HIS:CE1	2.70	0.44
1:A:1799:ILE:O	1:A:1803:ILE:HG13	2.18	0.44
1:A:1660:ASN:ND2	1:A:1759:ASN:HD22	2.15	0.44
1:A:1662:ASN:HD21	1:A:1665:VAL:H	1.60	0.44
1:B:1638:LEU:HG	1:B:1668:TYR:OH	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:1624:LEU:HD13	1:B:1665:VAL:HG11	2.00	0.43
1:A:1645:PHE:HB2	1:A:1650:TYR:CE1	2.53	0.43
1:A:1620:ILE:HD13	2:A:701:OXN:H191	2.01	0.43
1:A:1690:CYS:SG	1:A:1693:LYS:HG2	2.59	0.42
1:B:1602:LEU:HD13	1:B:1641:TRP:HZ2	1.84	0.42
1:A:1662:ASN:ND2	1:A:1662:ASN:C	2.71	0.42
1:B:1593:LYS:H	1:B:1597:ILE:HD12	1.84	0.42
1:A:1703:GLN:HE22	1:A:1710:LEU:HD21	1.85	0.42
1:B:1743:VAL:HG13	1:B:1762:TYR:HE1	1.85	0.41
1:B:1653:VAL:HG21	2:B:702:OXN:H221	2.01	0.41
1:A:1699:GLU:O	1:A:1700:HIS:C	2.58	0.41
1:B:1675:LEU:C	1:B:1675:LEU:HD23	2.40	0.41
1:B:1765:SER:HB2	1:B:1810:TRP:CZ2	2.55	0.41
1:A:1779:THR:HG22	4:A:48:HOH:O	2.21	0.40
1:B:1566:LEU:O	1:B:1571:ILE:CD1	2.69	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:1667:GLU:OE1	1:B:1667:GLU:OE2[3_455]	2.11	0.09

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/257 (99%)	239 (94%)	15 (6%)	1 (0%)	43	52
1	B	251/257 (98%)	240 (96%)	10 (4%)	1 (0%)	43	52
All	All	506/514 (98%)	479 (95%)	25 (5%)	2 (0%)	43	52

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1596	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1683	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	227/227 (100%)	213 (94%)	14 (6%)	26	33
1	B	224/227 (99%)	204 (91%)	20 (9%)	14	16
All	All	451/454 (99%)	417 (92%)	34 (8%)	19	23

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1594	THR
1	A	1609	THR
1	A	1614	TYR
1	A	1639	SER
1	A	1660	ASN
1	A	1662	ASN
1	A	1669	THR
1	A	1699	GLU
1	A	1702	GLN
1	A	1716	LEU
1	A	1725	LEU
1	A	1790	THR
1	A	1801	GLN
1	A	1806	ILE
1	B	1571	ILE
1	B	1602	LEU
1	B	1614	TYR
1	B	1625	THR
1	B	1638	LEU
1	B	1660	ASN
1	B	1694	LEU
1	B	1701	GLU
1	B	1710	LEU
1	B	1715	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1723	LEU
1	B	1730	THR
1	B	1749	THR
1	B	1776	ASN
1	B	1780	LEU
1	B	1789	LEU
1	B	1790	THR
1	B	1797	GLU
1	B	1802	SER
1	B	1806	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1596	GLN
1	A	1598	ASN
1	A	1660	ASN
1	A	1662	ASN
1	A	1672	HIS
1	A	1702	GLN
1	A	1785	GLN
1	A	1793	HIS
1	A	1801	GLN
1	B	1598	ASN
1	B	1672	HIS
1	B	1754	GLN
1	B	1759	ASN
1	B	1777	GLN
1	B	1793	HIS
1	B	1801	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	OXN	A	701	-	23,24,45	1.95	6 (26%)	28,30,53	2.37	6 (21%)
3	POP	B	601	-	8,8,8	1.81	2 (25%)	13,13,13	1.76	2 (15%)
3	POP	B	602	-	8,8,8	1.87	3 (37%)	13,13,13	1.78	3 (23%)
2	OXN	B	702	-	23,24,45	2.14	8 (34%)	28,30,53	2.31	6 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OXN	A	701	-	-	0/20/22/43	0/1/1/1
3	POP	B	601	-	-	0/6/6/6	0/0/0/0
3	POP	B	602	-	-	0/6/6/6	0/0/0/0
2	OXN	B	702	-	-	0/20/22/43	0/1/1/1

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	702	OXN	C10-C9	4.20	1.46	1.39
2	B	702	OXN	C5-C1	4.01	1.65	1.51
2	A	701	OXN	C10-C9	3.73	1.45	1.39
2	A	701	OXN	C5-C1	3.51	1.64	1.51
3	B	602	POP	P1-O	3.45	1.68	1.60
2	A	701	OXN	C14-C9	3.33	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	601	POP	P1-O	3.31	1.68	1.60
3	B	601	POP	P2-O6	3.07	1.61	1.50
2	B	702	OXN	C14-C9	3.01	1.44	1.39
2	B	702	OXN	C6-C9	2.96	1.58	1.53
2	B	702	OXN	C23-C22	2.74	1.63	1.48
2	B	702	OXN	C2-C1	2.74	1.53	1.46
2	A	701	OXN	C23-C22	2.61	1.62	1.48
3	B	602	POP	P2-O	2.58	1.66	1.60
2	A	701	OXN	C2-C1	2.45	1.52	1.46
2	A	701	OXN	C4-C1	2.36	1.52	1.46
2	B	702	OXN	C4-C1	2.17	1.51	1.46
2	B	702	OXN	C11-C10	2.14	1.42	1.38
3	B	602	POP	P2-O6	2.06	1.57	1.50

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	OXN	C16-O15-C12	8.03	138.38	117.94
2	B	702	OXN	C16-O15-C12	7.96	138.22	117.94
2	B	702	OXN	C2-C1-C4	-5.84	100.01	119.11
2	A	701	OXN	C2-C1-C4	-5.74	100.33	119.11
3	B	602	POP	O5-P2-O4	-4.00	96.34	110.82
2	A	701	OXN	C7-C6-C9	-3.96	100.48	110.25
3	B	601	POP	O5-P2-O4	-3.85	96.90	110.82
3	B	601	POP	O5-P2-O	3.47	115.33	104.29
2	A	701	OXN	C5-C6-C9	3.13	115.44	107.87
2	B	702	OXN	C7-C6-C9	-2.96	102.93	110.25
3	B	602	POP	O5-P2-O	2.83	113.29	104.29
2	B	702	OXN	O21-C22-C23	2.80	123.16	110.47
2	B	702	OXN	C22-O21-C20	2.78	125.59	113.38
2	A	701	OXN	C22-O21-C20	2.68	125.15	113.38
2	A	701	OXN	O21-C22-C23	2.66	122.54	110.47
2	B	702	OXN	C5-C6-C9	2.38	113.62	107.87
3	B	602	POP	O6-P2-O	2.13	113.23	106.65

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	257/257 (100%)	0.13	13 (5%)	27 37	24, 43, 79, 99	25 (9%)
1	B	255/257 (99%)	-0.01	12 (4%)	30 40	21, 37, 72, 92	19 (7%)
All	All	512/514 (99%)	0.06	25 (4%)	29 39	21, 41, 76, 99	44 (8%)

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1562	GLU	5.0
1	A	1775	GLU	4.0
1	B	1727	HIS	3.9
1	A	1698	ILE	3.8
1	A	1681	GLY	3.6
1	A	1604	TYR	3.6
1	A	1563	PHE	3.2
1	B	1692	GLY	2.9
1	A	1595	GLY	2.8
1	B	1747	GLU	2.8
1	B	1678	GLY	2.8
1	A	1700	HIS	2.8
1	A	1699	GLU	2.5
1	A	1727	HIS	2.5
1	B	1683	LYS	2.4
1	B	1595	GLY	2.4
1	B	1561	GLU	2.4
1	B	1701	GLU	2.3
1	A	1614	TYR	2.2
1	A	1596	GLN	2.2
1	B	1726	ALA	2.1
1	A	1568	THR	2.1
1	B	1597	ILE	2.1
1	B	1682	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	1704	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	POP	B	602	9/9	0.24	4.24	55,76,86,95	0
2	OXN	A	701	24/45	0.22	2.57	58,78,88,89	0
2	OXN	B	702	24/45	0.20	2.43	37,66,83,86	0
3	POP	B	601	9/9	0.17	0.43	68,92,93,96	0

6.5 Other polymers ⓘ

There are no such residues in this entry.