



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 26, 2014 – 03:28 PM GMT

PDB ID : 1D7F
Title : CRYSTAL STRUCTURE OF ASPARAGINE 233-REPLACED CYCLODEX-
TRIN GLUCANOTRANSFERASE FROM ALKALOPHILIC BACILLUS SP.
1011 DETERMINED AT 1.9 Å RESOLUTION
Authors : Ishii, N.; Haga, K.; Yamane, K.; Harata, K.
Deposited on : 1999-10-18
Resolution : 1.90 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	4465 (1.90-1.90)
Ramachandran outliers	78287	4413 (1.90-1.90)
Sidechain outliers	78261	4414 (1.90-1.90)
RSRZ outliers	66119	3686 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	686	
1	B	686	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11435 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYCLODEXTRIN GLUCANOTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	686	Total	C	N	O	S	0	0	0
			5310	3352	905	1037	16			
1	B	686	Total	C	N	O	S	0	0	0
			5310	3352	905	1037	16			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	233	ASN	HIS	ENGINEERED	UNP P05618
A	452	PRO	ARG	CONFLICT	UNP P05618
A	454	GLY	ALA	CONFLICT	UNP P05618
B	233	ASN	HIS	ENGINEERED	UNP P05618
B	452	PRO	ARG	CONFLICT	UNP P05618
B	454	GLY	ALA	CONFLICT	UNP P05618

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Ca	0	0
			2	2		
2	A	2	Total	Ca	0	0
			2	2		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	431	Total	O	0	0
			431	431		
3	B	380	Total	O	0	0
			380	380		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CYCLODEXTRIN GLUCANOTRANSFERASE

Chain A:



• Molecule 1: CYCLODEXTRIN GLUCANOTRANSFERASE

Chain B:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	64.86Å 74.46Å 79.10Å 85.10° 105.00° 100.90°	Depositor
Resolution (Å)	10.00 – 1.90 20.15 – 1.86	Depositor EDS
% Data completeness (in resolution range)	75.5 (10.00-1.90) 87.7 (20.15-1.86)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.65 (at 1.86Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.156 , 0.203 0.168 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	20.0	Xtriage
Anisotropy	0.056	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 56.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 103616 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11435	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.80	0/5443	1.50	82/7425 (1.1%)
1	B	0.79	2/5443 (0.0%)	1.46	73/7425 (1.0%)
All	All	0.79	2/10886 (0.0%)	1.48	155/14850 (1.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	228	VAL	CA-CB	5.97	1.67	1.54
1	B	254	THR	CA-CB	5.34	1.67	1.53

All (155) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	331	ARG	NE-CZ-NH2	-16.58	112.01	120.30
1	A	668	ARG	NE-CZ-NH1	-15.25	112.67	120.30
1	A	668	ARG	NE-CZ-NH2	14.77	127.69	120.30
1	A	331	ARG	NE-CZ-NH2	-13.75	113.42	120.30
1	A	590	ARG	NE-CZ-NH2	-13.06	113.77	120.30
1	A	590	ARG	NE-CZ-NH1	12.60	126.60	120.30
1	A	331	ARG	NE-CZ-NH1	12.34	126.47	120.30
1	A	375	ARG	NE-CZ-NH1	12.33	126.46	120.30
1	A	375	ARG	NE-CZ-NH2	-12.19	114.21	120.30
1	B	331	ARG	NE-CZ-NH1	12.09	126.35	120.30
1	B	284	ARG	NE-CZ-NH1	11.61	126.10	120.30
1	B	590	ARG	NE-CZ-NH1	11.54	126.07	120.30
1	B	24	ARG	NE-CZ-NH1	9.85	125.22	120.30
1	A	284	ARG	NE-CZ-NH2	-9.74	115.43	120.30
1	B	590	ARG	NE-CZ-NH2	-9.53	115.54	120.30
1	B	353	ARG	NE-CZ-NH2	-9.02	115.79	120.30
1	A	112	TYR	CB-CG-CD2	-8.71	115.77	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	662	TRP	CD1-CG-CD2	8.63	113.21	106.30
1	B	413	TRP	CD1-CG-CD2	8.60	113.18	106.30
1	B	662	TRP	CD1-CG-CD2	8.60	113.18	106.30
1	A	490	TRP	CD1-CG-CD2	8.57	113.16	106.30
1	A	103	ARG	NE-CZ-NH1	8.55	124.58	120.30
1	A	616	TRP	CD1-CG-CD2	8.48	113.08	106.30
1	A	564	ARG	NE-CZ-NH1	-8.36	116.12	120.30
1	B	101	TRP	CD1-CG-CD2	8.28	112.92	106.30
1	B	375	ARG	NE-CZ-NH2	-8.14	116.23	120.30
1	B	636	TRP	CD1-CG-CD2	8.12	112.80	106.30
1	A	677	THR	N-CA-CB	-8.10	94.91	110.30
1	B	564	ARG	NE-CZ-NH1	8.09	124.34	120.30
1	B	218	TRP	CD1-CG-CD2	7.99	112.69	106.30
1	A	284	ARG	NE-CZ-NH1	7.94	124.27	120.30
1	A	329	MET	CG-SD-CE	-7.91	87.54	100.20
1	A	75	TRP	CD1-CG-CD2	7.88	112.60	106.30
1	B	141	THR	N-CA-CB	-7.87	95.36	110.30
1	A	24	ARG	NE-CZ-NH1	7.86	124.23	120.30
1	A	101	TRP	CD1-CG-CD2	7.82	112.56	106.30
1	A	616	TRP	CE2-CD2-CG	-7.71	101.14	107.30
1	B	684	TRP	CD1-CG-CD2	7.70	112.46	106.30
1	A	413	TRP	CD1-CG-CD2	7.69	112.45	106.30
1	B	490	TRP	CD1-CG-CD2	7.67	112.44	106.30
1	A	636	TRP	CD1-CG-CD2	7.64	112.41	106.30
1	A	54	TRP	CD1-CG-CD2	7.61	112.39	106.30
1	B	413	TRP	CE2-CD2-CG	-7.58	101.23	107.30
1	B	684	TRP	CE2-CD2-CG	-7.56	101.25	107.30
1	B	662	TRP	CE2-CD2-CG	-7.49	101.31	107.30
1	B	101	TRP	CE2-CD2-CG	-7.49	101.31	107.30
1	B	238	TRP	CE2-CD2-CG	-7.48	101.31	107.30
1	B	75	TRP	CD1-CG-CD2	7.44	112.25	106.30
1	B	238	TRP	CD1-CG-CD2	7.44	112.25	106.30
1	A	103	ARG	NE-CZ-NH2	-7.43	116.58	120.30
1	A	684	TRP	CE2-CD2-CG	-7.41	101.38	107.30
1	A	54	TRP	CE2-CD2-CG	-7.31	101.45	107.30
1	B	412	ARG	NE-CZ-NH1	7.27	123.93	120.30
1	B	75	TRP	CE2-CD2-CG	-7.26	101.50	107.30
1	A	294	ARG	NE-CZ-NH1	7.24	123.92	120.30
1	A	544	TRP	CD1-CG-CD2	7.18	112.05	106.30
1	A	684	TRP	CD1-CG-CD2	7.17	112.03	106.30
1	B	490	TRP	CE2-CD2-CG	-7.15	101.58	107.30
1	B	375	ARG	NE-CZ-NH1	7.14	123.87	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	490	TRP	CE2-CD2-CG	-7.12	101.60	107.30
1	A	75	TRP	CE2-CD2-CG	-7.09	101.63	107.30
1	A	636	TRP	CE2-CD2-CG	-7.01	101.69	107.30
1	A	544	TRP	CE2-CD2-CG	-6.98	101.71	107.30
1	B	636	TRP	CE2-CD2-CG	-6.98	101.72	107.30
1	A	662	TRP	CE2-CD2-CG	-6.92	101.77	107.30
1	A	340	ARG	NE-CZ-NH1	6.89	123.75	120.30
1	A	642	VAL	N-CA-CB	-6.86	96.42	111.50
1	B	616	TRP	CE2-CD2-CG	-6.86	101.82	107.30
1	A	339	ARG	NE-CZ-NH1	-6.84	116.88	120.30
1	B	544	TRP	CE2-CD2-CG	-6.83	101.84	107.30
1	A	413	TRP	CE2-CD2-CG	-6.82	101.84	107.30
1	B	684	TRP	CG-CD2-CE3	6.80	140.02	133.90
1	A	258	TRP	CD1-CG-CD2	6.76	111.71	106.30
1	A	339	ARG	NE-CZ-NH2	6.75	123.68	120.30
1	B	218	TRP	CE2-CD2-CG	-6.75	101.90	107.30
1	A	24	ARG	NE-CZ-NH2	-6.64	116.98	120.30
1	A	231	VAL	N-CA-CB	-6.64	96.90	111.50
1	A	238	TRP	CE2-CD2-CG	-6.61	102.01	107.30
1	B	544	TRP	CD1-CG-CD2	6.56	111.55	106.30
1	A	353	ARG	NE-CZ-NH2	-6.56	117.02	120.30
1	A	218	TRP	CD1-CG-CD2	6.53	111.52	106.30
1	B	54	TRP	CE2-CD2-CG	-6.46	102.13	107.30
1	B	637	TYR	CB-CG-CD2	-6.41	117.16	121.00
1	B	616	TRP	CD1-CG-CD2	6.40	111.42	106.30
1	A	112	TYR	CB-CG-CD1	6.36	124.82	121.00
1	A	238	TRP	CD1-CG-CD2	6.33	111.37	106.30
1	A	101	TRP	CE2-CD2-CG	-6.33	102.24	107.30
1	B	325	ASP	CB-CG-OD1	6.27	123.95	118.30
1	B	217	MET	CA-CB-CG	6.26	123.94	113.30
1	A	218	TRP	CE2-CD2-CG	-6.18	102.36	107.30
1	B	377	ARG	NE-CZ-NH2	6.18	123.39	120.30
1	B	388	TYR	CB-CG-CD1	-6.18	117.29	121.00
1	B	258	TRP	CD1-CG-CD2	6.16	111.22	106.30
1	B	258	TRP	CE2-CD2-CG	-6.12	102.41	107.30
1	B	112	TYR	CB-CG-CD2	-6.03	117.38	121.00
1	A	642	VAL	CG1-CB-CG2	5.91	120.35	110.90
1	B	54	TRP	CD1-CG-CD2	5.91	111.02	106.30
1	A	383	THR	N-CA-CB	-5.90	99.09	110.30
1	B	238	TRP	CG-CD2-CE3	5.86	139.17	133.90
1	A	684	TRP	CG-CD2-CE3	5.85	139.16	133.90
1	A	258	TRP	CE2-CD2-CG	-5.83	102.64	107.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	84	TYR	CB-CG-CD1	-5.80	117.52	121.00
1	A	637	TYR	CB-CG-CD2	-5.76	117.55	121.00
1	B	80	VAL	N-CA-CB	-5.67	99.02	111.50
1	A	412	ARG	NE-CZ-NH1	5.63	123.12	120.30
1	B	413	TRP	CB-CG-CD1	-5.61	119.71	127.00
1	A	80	VAL	N-CA-CB	-5.58	99.23	111.50
1	B	103	ARG	NE-CZ-NH2	-5.58	117.51	120.30
1	B	65	TYR	CB-CG-CD1	-5.57	117.66	121.00
1	A	421	TYR	CB-CG-CD1	-5.56	117.67	121.00
1	A	490	TRP	CG-CD1-NE1	-5.55	104.55	110.10
1	B	684	TRP	CB-CG-CD1	-5.54	119.80	127.00
1	A	398	ARG	NE-CZ-NH2	-5.54	117.53	120.30
1	B	353	ARG	NE-CZ-NH1	5.51	123.05	120.30
1	B	74	ILE	CA-CB-CG1	-5.49	100.56	111.00
1	A	606	LEU	CA-CB-CG	5.49	127.92	115.30
1	A	249	TYR	CB-CG-CD2	-5.46	117.72	121.00
1	B	413	TRP	CG-CD1-NE1	-5.44	104.66	110.10
1	B	24	ARG	NE-CZ-NH2	-5.41	117.60	120.30
1	B	301	TYR	CB-CG-CD1	-5.41	117.76	121.00
1	B	662	TRP	CG-CD2-CE3	5.40	138.76	133.90
1	A	340	ARG	NE-CZ-NH2	-5.39	117.61	120.30
1	A	662	TRP	CG-CD1-NE1	-5.39	104.71	110.10
1	A	101	TRP	CG-CD1-NE1	-5.38	104.72	110.10
1	B	218	TRP	CG-CD1-NE1	-5.36	104.74	110.10
1	B	490	TRP	CG-CD2-CE3	5.36	138.72	133.90
1	A	597	THR	N-CA-CB	-5.34	100.15	110.30
1	A	75	TRP	CG-CD1-NE1	-5.33	104.77	110.10
1	B	284	ARG	NE-CZ-NH2	-5.31	117.64	120.30
1	A	233	ASN	OD1-CG-ND2	-5.30	109.71	121.90
1	A	616	TRP	CG-CD1-NE1	-5.26	104.84	110.10
1	B	662	TRP	CG-CD1-NE1	-5.26	104.84	110.10
1	B	101	TRP	CG-CD2-CE3	5.24	138.62	133.90
1	A	610	VAL	N-CA-CB	-5.24	99.98	111.50
1	A	616	TRP	CB-CG-CD1	-5.22	120.22	127.00
1	A	642	VAL	CB-CA-C	5.20	121.28	111.40
1	B	290	ARG	NE-CZ-NH2	5.20	122.90	120.30
1	B	383	THR	N-CA-CB	-5.20	100.41	110.30
1	A	616	TRP	CG-CD2-CE3	5.19	138.57	133.90
1	A	75	TRP	CG-CD2-CE3	5.18	138.57	133.90
1	B	334	THR	N-CA-CB	-5.18	100.46	110.30
1	B	531	PHE	N-CA-C	-5.18	97.02	111.00
1	B	413	TRP	CG-CD2-CE3	5.13	138.52	133.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	544	TRP	CG-CD2-CE3	5.12	138.51	133.90
1	B	456	TYR	CB-CG-CD1	-5.12	117.93	121.00
1	B	436	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	A	515	ILE	CA-CB-CG1	-5.12	101.28	111.00
1	A	281	LEU	CA-CB-CG	5.10	127.02	115.30
1	A	413	TRP	CG-CD1-NE1	-5.10	105.00	110.10
1	A	63	ASP	CB-CG-OD1	5.08	122.87	118.30
1	A	54	TRP	CG-CD2-CE3	5.03	138.42	133.90
1	A	626	TYR	CB-CG-CD2	-5.03	117.98	121.00
1	B	238	TRP	CG-CD1-NE1	-5.02	105.08	110.10
1	B	636	TRP	CG-CD1-NE1	-5.01	105.09	110.10
1	B	216	LYS	CB-CG-CD	-5.00	98.59	111.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5310	0	5049	42	0
1	B	5310	0	5049	45	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	431	0	0	4	0
3	B	380	0	0	3	0
All	All	11435	0	10098	87	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

All (87) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:82:ASN:HD22	1:A:96:ALA:HB1	1.40	0.85
1:B:431:VAL:HG23	1:B:490:TRP:HE3	1.52	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:18:TYR:HB2	1:B:71:ILE:HG12	1.70	0.71
1:B:231:VAL:HG22	1:B:239:GLN:HE22	1.56	0.70
1:B:141:THR:HG22	1:B:198:ALA:HB3	1.74	0.68
1:A:203:ASN:O	1:A:677:THR:HG21	1.94	0.68
1:B:378:LEU:HD12	1:B:379:PRO:HD2	1.80	0.62
1:A:82:ASN:ND2	1:A:101:TRP:H	1.98	0.62
1:A:82:ASN:HD21	1:A:101:TRP:H	1.47	0.62
1:B:449:THR:HG23	1:B:451:LEU:H	1.64	0.62
1:B:226:ILE:HB	1:B:254:THR:HB	1.80	0.61
1:A:231:VAL:HG22	1:A:239:GLN:HE22	1.64	0.60
1:B:459:VAL:HG22	1:B:489:VAL:HB	1.82	0.60
1:A:344:GLN:HB3	1:A:434:ILE:HD11	1.84	0.60
1:A:499:PRO:HB2	1:A:573:SER:HB3	1.83	0.60
1:A:378:LEU:HD21	1:A:381:PHE:CZ	2.37	0.60
1:A:503:ASN:HD22	1:A:504:VAL:H	1.49	0.59
1:A:590:ARG:HD3	1:A:639:ASP:OD2	2.03	0.59
1:B:590:ARG:HD3	1:B:639:ASP:OD2	2.02	0.59
1:A:11:ASN:ND2	3:A:5376:HOH:O	2.35	0.59
1:A:599:ALA:H	1:A:602:GLN:HE21	1.50	0.59
1:A:120:ASN:O	1:A:124:THR:HG23	2.04	0.58
1:B:124:THR:O	1:B:128:HIS:HD2	1.86	0.58
1:A:284:ARG:HD2	3:A:5370:HOH:O	2.04	0.58
1:A:170:ASP:OD1	1:A:177:HIS:HE1	1.89	0.56
1:B:564:ARG:HD3	1:B:573:SER:O	2.06	0.56
1:B:126:HIS:HE1	1:B:224:ASP:OD1	1.89	0.55
1:B:334:THR:HG22	1:B:337:GLY:HA3	1.88	0.55
1:B:231:VAL:HG22	1:B:239:GLN:NE2	2.21	0.55
1:B:625:MET:HG2	1:B:638:TYR:HB2	1.89	0.54
1:B:333:HIS:HD2	3:B:5362:HOH:O	1.89	0.54
1:B:170:ASP:OD1	1:B:177:HIS:HE1	1.91	0.54
1:A:515:ILE:HD13	1:A:553:ILE:HD11	1.90	0.54
1:B:401:ASN:HD22	1:B:403:ALA:H	1.57	0.53
1:B:364:GLN:HG3	1:B:378:LEU:HD11	1.91	0.52
1:B:415:ASN:ND2	1:B:417:ASP:H	2.08	0.52
1:A:81:GLU:OE2	1:A:103:ARG:HD2	2.11	0.50
1:B:415:ASN:HD22	1:B:417:ASP:H	1.58	0.50
1:A:124:THR:O	1:A:128:HIS:HD2	1.94	0.49
1:A:599:ALA:H	1:A:602:GLN:NE2	2.11	0.49
1:A:228:VAL:HG22	1:A:231:VAL:HG23	1.94	0.49
1:B:649:GLU:HA	1:B:668:ARG:O	2.12	0.48
1:A:562:ASP:HB3	1:A:575:ILE:HG23	1.96	0.47
1:B:141:THR:HG21	1:B:155:GLY:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:549:ILE:HD11	1:A:551:VAL:HB	1.96	0.47
1:B:592:VAL:HB	1:B:681:ASN:HA	1.96	0.46
1:B:228:VAL:HG22	1:B:231:VAL:HG23	1.96	0.46
1:B:413:TRP:HB3	1:B:420:ILE:HG23	1.97	0.46
1:B:361:GLY:HA3	1:B:366:MET:SD	2.56	0.45
1:A:333:HIS:HD2	3:A:5087:HOH:O	2.00	0.45
1:A:503:ASN:HD22	1:A:504:VAL:N	2.14	0.45
1:A:231:VAL:HG22	1:A:239:GLN:NE2	2.31	0.45
1:A:663:GLU:HB2	1:A:685:GLN:O	2.17	0.45
1:A:603:ASN:HD22	1:A:636:TRP:HH2	1.65	0.45
1:A:361:GLY:HA3	1:A:366:MET:SD	2.57	0.45
1:A:185:THR:HG22	1:A:188:ASN:H	1.82	0.45
1:B:24:ARG:HD3	1:B:24:ARG:HA	1.89	0.45
1:A:410:HIS:HB2	3:A:5412:HOH:O	2.16	0.44
1:A:82:ASN:ND2	1:A:96:ALA:HB1	2.22	0.44
1:B:603:ASN:O	1:B:654:LYS:HA	2.18	0.44
1:A:420:ILE:HA	1:A:432:VAL:O	2.17	0.43
1:B:4:THR:HB	1:B:399:LYS:HD2	2.00	0.43
1:A:193:ASN:OD1	1:A:199:ASP:HB2	2.18	0.43
1:B:49:TYR:CE1	1:B:97:TYR:HA	2.53	0.43
1:A:508:MET:HA	1:A:580:GLU:O	2.18	0.43
1:B:284:ARG:HB3	3:B:5126:HOH:O	2.18	0.43
1:B:374:ASN:OD1	1:B:375:ARG:HD3	2.19	0.42
1:B:587:VAL:HG13	1:B:644:ALA:HB2	2.00	0.42
1:B:648:ILE:O	1:B:669:THR:HA	2.20	0.42
1:A:26:SER:O	1:A:56:GLY:HA3	2.19	0.42
1:B:78:GLN:HG2	1:B:80:VAL:HB	2.01	0.42
1:B:284:ARG:HD3	3:B:5112:HOH:O	2.19	0.42
1:A:270:HIS:CE1	1:A:284:ARG:HH21	2.38	0.42
1:B:80:VAL:HG13	1:B:105:PHE:HA	2.02	0.41
1:A:530:TYR:HA	1:A:534:THR:O	2.20	0.41
1:B:530:TYR:HB3	1:B:532:GLY:O	2.20	0.41
1:B:647:THR:HA	1:B:670:PHE:O	2.20	0.41
1:A:246:ILE:HG13	1:A:247:ASN:N	2.35	0.41
1:B:455:SER:HA	1:B:469:LEU:O	2.21	0.41
1:A:14:THR:HB	1:A:399:LYS:HD3	2.03	0.41
1:A:126:HIS:HE1	1:A:224:ASP:OD2	2.03	0.41
1:B:435:ASN:HB2	1:B:482:LEU:HD13	2.03	0.41
1:B:647:THR:HG23	1:B:669:THR:HG23	2.03	0.40
1:A:140:HIS:HD2	1:A:141:THR:O	2.05	0.40
1:B:88:ASN:O	1:B:92:VAL:O	2.40	0.40
1:B:299:ASN:HB2	1:B:416:ASN:O	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:520:ARG:HD2	1:A:520:ARG:HH21	1.68	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	684/686 (100%)	664 (97%)	19 (3%)	1 (0%)	59	48
1	B	684/686 (100%)	663 (97%)	19 (3%)	2 (0%)	50	37
All	All	1368/1372 (100%)	1327 (97%)	38 (3%)	3 (0%)	56	44

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	262	VAL
1	B	600	LEU
1	B	657	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	564/564 (100%)	511 (91%)	53 (9%)	13	4
1	B	564/564 (100%)	519 (92%)	45 (8%)	17	7
All	All	1128/1128 (100%)	1030 (91%)	98 (9%)	15	6

All (98) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	SER
1	A	8	ASN
1	A	13	SER
1	A	21	PHE
1	A	46	LEU
1	A	66	LEU
1	A	74	ILE
1	A	103	ARG
1	A	124	THR
1	A	163	LEU
1	A	169	ASN
1	A	197	LEU
1	A	199	ASP
1	A	211	LEU
1	A	221	LEU
1	A	228	VAL
1	A	246	ILE
1	A	280	LEU
1	A	281	LEU
1	A	307	LEU
1	A	328	ASP
1	A	350	LEU
1	A	353	ARG
1	A	372	PRO
1	A	375	ARG
1	A	378	LEU
1	A	383	THR
1	A	390	VAL
1	A	420	ILE
1	A	429	VAL
1	A	432	VAL
1	A	435	ASN
1	A	464	LEU
1	A	494	THR
1	A	497	THR
1	A	500	ILE
1	A	503	ASN
1	A	515	ILE
1	A	536	VAL
1	A	549	ILE
1	A	560	ILE
1	A	588	THR
1	A	590	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	597	THR
1	A	606	LEU
1	A	610	VAL
1	A	613	LEU
1	A	642	VAL
1	A	653	LEU
1	A	656	GLN
1	A	658	SER
1	A	677	THR
1	A	680	VAL
1	B	21	PHE
1	B	46	LEU
1	B	66	LEU
1	B	71	ILE
1	B	74	ILE
1	B	103	ARG
1	B	141	THR
1	B	163	LEU
1	B	169	ASN
1	B	174	LEU
1	B	197	LEU
1	B	204	ASN
1	B	211	LEU
1	B	228	VAL
1	B	231	VAL
1	B	254	THR
1	B	260	LEU
1	B	280	LEU
1	B	284	ARG
1	B	307	LEU
1	B	334	THR
1	B	342	LEU
1	B	346	LEU
1	B	350	LEU
1	B	353	ARG
1	B	372	PRO
1	B	375	ARG
1	B	383	THR
1	B	401	ASN
1	B	415	ASN
1	B	420	ILE
1	B	432	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	449	THR
1	B	482	LEU
1	B	494	THR
1	B	497	THR
1	B	520	ARG
1	B	549	ILE
1	B	564	ARG
1	B	590	ARG
1	B	593	ILE
1	B	600	LEU
1	B	613	LEU
1	B	653	LEU
1	B	659	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	11	ASN
1	A	78	GLN
1	A	82	ASN
1	A	126	HIS
1	A	177	HIS
1	A	239	GLN
1	A	296	ASN
1	A	333	HIS
1	A	435	ASN
1	A	503	ASN
1	A	594	ASN
1	A	602	GLN
1	A	603	ASN
1	B	126	HIS
1	B	128	HIS
1	B	177	HIS
1	B	204	ASN
1	B	239	GLN
1	B	270	HIS
1	B	333	HIS
1	B	364	GLN
1	B	401	ASN
1	B	410	HIS
1	B	415	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	548	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	686/686 (100%)	-0.52	1 (0%) 93 94	8, 17, 30, 54	0
1	B	686/686 (100%)	-0.39	3 (0%) 90 91	10, 19, 40, 67	0
All	All	1372/1372 (100%)	-0.46	4 (0%) 91 93	8, 18, 35, 67	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	600	LEU	4.0
1	A	91	GLY	2.3
1	B	90	SER	2.2
1	B	656	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	CA	A	5003	1/1	0.07	-0.62	30,30,30,30	0
2	CA	B	5002	1/1	0.06	-1.00	19,19,19,19	0
2	CA	B	5004	1/1	0.06	-1.47	29,29,29,29	0
2	CA	A	5001	1/1	0.03	-6.19	14,14,14,14	0

6.5 Other polymers

There are no such residues in this entry.