



wwPDB X-ray Structure Validation Summary Report

Mar 31, 2014 – 05:55 PM BST

PDB ID : 4D8Q
Title : Molecular architecture of the eukaryotic chaperonin TRiC/CCT derived by a combination of chemical crosslinking and mass-spectrometry, XL-MS
Authors : Leitner, A.; Joachimiak, L.A.; Bracher, A.; Walzthoeni, T.; Chen, B.; Monke-meyer, L.; Pechmann, S.; Holmes, S.; Cong, Y.; Ma, B.; Ludtke, S.; Chiu, W.; Hartl, F.U.; Aebersold, R.; Frydman, J.
Deposited on : 2012-01-11
Resolution : 3.80 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable23004

1 Overall quality at a glance

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | Similar resolution (#Entries, resolution range(Å)) |
|-----------------------|-----------------------------|---|
| Clashscore | 79885 | 1100 (4.10-3.50) |
| Ramachandran outliers | 78287 | 1050 (4.10-3.50) |
| Sidechain outliers | 78261 | 1042 (4.10-3.50) |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | F | 546 | |
| 1 | N | 546 | |
| 2 | H | 568 | |
| 2 | P | 568 | |
| 3 | G | 550 | |
| 3 | O | 550 | |
| 4 | E | 562 | |
| 4 | M | 562 | |
| 5 | B | 527 | |
| 5 | J | 527 | |
| 6 | D | 528 | |
| 6 | L | 528 | |
| 7 | A | 559 | |
| 7 | I | 559 | |
| 8 | C | 590 | |
| 8 | K | 590 | |

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 60040 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called T-complex protein 1 subunit zeta.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|---------|-------|
| 1 | F | 538 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3836 | 2417 | 640 | 765 | 14 | | | |
| 1 | N | 538 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3836 | 2417 | 640 | 765 | 14 | | | |

- Molecule 2 is a protein called T-complex protein 1 subunit theta.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|---------|-------|
| 2 | H | 521 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3619 | 2286 | 602 | 708 | 23 | | | |
| 2 | P | 521 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3619 | 2286 | 602 | 708 | 23 | | | |

- Molecule 3 is a protein called T-complex protein 1 subunit eta.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|---------|-------|
| 3 | G | 526 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3752 | 2372 | 631 | 730 | 19 | | | |
| 3 | O | 526 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3752 | 2372 | 631 | 730 | 19 | | | |

- Molecule 4 is a protein called T-complex protein 1 subunit epsilon.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|---------|-------|
| 4 | E | 535 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3798 | 2391 | 634 | 752 | 21 | | | |
| 4 | M | 535 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3798 | 2391 | 634 | 752 | 21 | | | |

- Molecule 5 is a protein called T-complex protein 1 subunit beta.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|---------|-------|
| 5 | B | 518 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3689 | 2306 | 623 | 747 | 13 | | | |
| 5 | J | 518 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3689 | 2306 | 623 | 747 | 13 | | | |

- Molecule 6 is a protein called T-complex protein 1 subunit delta.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|---------|-------|
| 6 | D | 523 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3685 | 2306 | 631 | 731 | 17 | | | |
| 6 | L | 523 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3685 | 2306 | 631 | 731 | 17 | | | |

There are 2 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|---------------------|------------|
| D | 345 | ASP | GLY | ENGINEERED MUTATION | UNP P39078 |
| L | 345 | ASP | GLY | ENGINEERED MUTATION | UNP P39078 |

- Molecule 7 is a protein called T-complex protein 1 subunit alpha.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|---------|-------|
| 7 | A | 539 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3770 | 2369 | 638 | 746 | 17 | | | |
| 7 | I | 539 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3770 | 2369 | 638 | 746 | 17 | | | |

- Molecule 8 is a protein called T-complex protein 1 subunit gamma.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|---------|-------|
| 8 | C | 513 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3615 | 2270 | 620 | 699 | 26 | | | |
| 8 | K | 513 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3615 | 2270 | 620 | 699 | 26 | | | |

There are 112 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| C | 1001 | GLY | - | SEE REMARK 999 | UNP P39077 |
| C | 1002 | SER | - | SEE REMARK 999 | UNP P39077 |
| C | 1003 | GLY | - | SEE REMARK 999 | UNP P39077 |
| C | 1004 | SER | - | SEE REMARK 999 | UNP P39077 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| C | 1005 | GLY | - | SEE REMARK 999 | UNP P39077 |
| C | 1006 | TRP | - | SEE REMARK 999 | UNP P39077 |
| C | 1007 | SER | - | SEE REMARK 999 | UNP P39077 |
| C | 1008 | HIS | - | SEE REMARK 999 | UNP P39077 |
| C | 1009 | PRO | - | SEE REMARK 999 | UNP P39077 |
| C | 1010 | GLN | - | SEE REMARK 999 | UNP P39077 |
| C | 1011 | PHE | - | SEE REMARK 999 | UNP P39077 |
| C | 1012 | GLU | - | SEE REMARK 999 | UNP P39077 |
| C | 1013 | LYS | - | SEE REMARK 999 | UNP P39077 |
| C | 1014 | GLY | - | SEE REMARK 999 | UNP P39077 |
| C | 1015 | SER | - | SEE REMARK 999 | UNP P39077 |
| C | 1016 | GLY | - | SEE REMARK 999 | UNP P39077 |
| C | 1017 | LYS | - | SEE REMARK 999 | UNP P39077 |
| C | 1018 | ARG | - | SEE REMARK 999 | UNP P39077 |
| C | 1019 | ARG | - | SEE REMARK 999 | UNP P39077 |
| C | 1020 | TRP | - | SEE REMARK 999 | UNP P39077 |
| C | 1021 | LYS | - | SEE REMARK 999 | UNP P39077 |
| C | 1022 | LYS | - | SEE REMARK 999 | UNP P39077 |
| C | 1023 | ASN | - | SEE REMARK 999 | UNP P39077 |
| C | 1024 | PHE | - | SEE REMARK 999 | UNP P39077 |
| C | 1025 | ILE | - | SEE REMARK 999 | UNP P39077 |
| C | 1026 | ALA | - | SEE REMARK 999 | UNP P39077 |
| C | 1027 | VAL | - | SEE REMARK 999 | UNP P39077 |
| C | 1028 | SER | - | SEE REMARK 999 | UNP P39077 |
| C | 1029 | ALA | - | SEE REMARK 999 | UNP P39077 |
| C | 1030 | ALA | - | SEE REMARK 999 | UNP P39077 |
| C | 1031 | ASN | - | SEE REMARK 999 | UNP P39077 |
| C | 1032 | ARG | - | SEE REMARK 999 | UNP P39077 |
| C | 1033 | PHE | - | SEE REMARK 999 | UNP P39077 |
| C | 1034 | LYS | - | SEE REMARK 999 | UNP P39077 |
| C | 1035 | LYS | - | SEE REMARK 999 | UNP P39077 |
| C | 1036 | ILE | - | SEE REMARK 999 | UNP P39077 |
| C | 1037 | SER | - | SEE REMARK 999 | UNP P39077 |
| C | 1038 | SER | - | SEE REMARK 999 | UNP P39077 |
| C | 1039 | SER | - | SEE REMARK 999 | UNP P39077 |
| C | 1040 | GLY | - | SEE REMARK 999 | UNP P39077 |
| C | 1041 | ALA | - | SEE REMARK 999 | UNP P39077 |
| C | 1042 | LEU | - | SEE REMARK 999 | UNP P39077 |
| C | 1043 | GLY | - | SEE REMARK 999 | UNP P39077 |
| C | 1044 | SER | - | SEE REMARK 999 | UNP P39077 |
| C | 1045 | GLY | - | SEE REMARK 999 | UNP P39077 |
| C | 1046 | HIS | - | SEE REMARK 999 | UNP P39077 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| C | 1047 | HIS | - | SEE REMARK 999 | UNP P39077 |
| C | 1048 | HIS | - | SEE REMARK 999 | UNP P39077 |
| C | 1049 | HIS | - | SEE REMARK 999 | UNP P39077 |
| C | 1050 | HIS | - | SEE REMARK 999 | UNP P39077 |
| C | 1051 | HIS | - | SEE REMARK 999 | UNP P39077 |
| C | 1052 | HIS | - | SEE REMARK 999 | UNP P39077 |
| C | 1053 | HIS | - | SEE REMARK 999 | UNP P39077 |
| C | 1054 | GLY | - | SEE REMARK 999 | UNP P39077 |
| C | 1055 | SER | - | SEE REMARK 999 | UNP P39077 |
| C | 1056 | GLY | - | SEE REMARK 999 | UNP P39077 |
| K | 1001 | GLY | - | SEE REMARK 999 | UNP P39077 |
| K | 1002 | SER | - | SEE REMARK 999 | UNP P39077 |
| K | 1003 | GLY | - | SEE REMARK 999 | UNP P39077 |
| K | 1004 | SER | - | SEE REMARK 999 | UNP P39077 |
| K | 1005 | GLY | - | SEE REMARK 999 | UNP P39077 |
| K | 1006 | TRP | - | SEE REMARK 999 | UNP P39077 |
| K | 1007 | SER | - | SEE REMARK 999 | UNP P39077 |
| K | 1008 | HIS | - | SEE REMARK 999 | UNP P39077 |
| K | 1009 | PRO | - | SEE REMARK 999 | UNP P39077 |
| K | 1010 | GLN | - | SEE REMARK 999 | UNP P39077 |
| K | 1011 | PHE | - | SEE REMARK 999 | UNP P39077 |
| K | 1012 | GLU | - | SEE REMARK 999 | UNP P39077 |
| K | 1013 | LYS | - | SEE REMARK 999 | UNP P39077 |
| K | 1014 | GLY | - | SEE REMARK 999 | UNP P39077 |
| K | 1015 | SER | - | SEE REMARK 999 | UNP P39077 |
| K | 1016 | GLY | - | SEE REMARK 999 | UNP P39077 |
| K | 1017 | LYS | - | SEE REMARK 999 | UNP P39077 |
| K | 1018 | ARG | - | SEE REMARK 999 | UNP P39077 |
| K | 1019 | ARG | - | SEE REMARK 999 | UNP P39077 |
| K | 1020 | TRP | - | SEE REMARK 999 | UNP P39077 |
| K | 1021 | LYS | - | SEE REMARK 999 | UNP P39077 |
| K | 1022 | LYS | - | SEE REMARK 999 | UNP P39077 |
| K | 1023 | ASN | - | SEE REMARK 999 | UNP P39077 |
| K | 1024 | PHE | - | SEE REMARK 999 | UNP P39077 |
| K | 1025 | ILE | - | SEE REMARK 999 | UNP P39077 |
| K | 1026 | ALA | - | SEE REMARK 999 | UNP P39077 |
| K | 1027 | VAL | - | SEE REMARK 999 | UNP P39077 |
| K | 1028 | SER | - | SEE REMARK 999 | UNP P39077 |
| K | 1029 | ALA | - | SEE REMARK 999 | UNP P39077 |
| K | 1030 | ALA | - | SEE REMARK 999 | UNP P39077 |
| K | 1031 | ASN | - | SEE REMARK 999 | UNP P39077 |
| K | 1032 | ARG | - | SEE REMARK 999 | UNP P39077 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| K | 1033 | PHE | - | SEE REMARK 999 | UNP P39077 |
| K | 1034 | LYS | - | SEE REMARK 999 | UNP P39077 |
| K | 1035 | LYS | - | SEE REMARK 999 | UNP P39077 |
| K | 1036 | ILE | - | SEE REMARK 999 | UNP P39077 |
| K | 1037 | SER | - | SEE REMARK 999 | UNP P39077 |
| K | 1038 | SER | - | SEE REMARK 999 | UNP P39077 |
| K | 1039 | SER | - | SEE REMARK 999 | UNP P39077 |
| K | 1040 | GLY | - | SEE REMARK 999 | UNP P39077 |
| K | 1041 | ALA | - | SEE REMARK 999 | UNP P39077 |
| K | 1042 | LEU | - | SEE REMARK 999 | UNP P39077 |
| K | 1043 | GLY | - | SEE REMARK 999 | UNP P39077 |
| K | 1044 | SER | - | SEE REMARK 999 | UNP P39077 |
| K | 1045 | GLY | - | SEE REMARK 999 | UNP P39077 |
| K | 1046 | HIS | - | SEE REMARK 999 | UNP P39077 |
| K | 1047 | HIS | - | SEE REMARK 999 | UNP P39077 |
| K | 1048 | HIS | - | SEE REMARK 999 | UNP P39077 |
| K | 1049 | HIS | - | SEE REMARK 999 | UNP P39077 |
| K | 1050 | HIS | - | SEE REMARK 999 | UNP P39077 |
| K | 1051 | HIS | - | SEE REMARK 999 | UNP P39077 |
| K | 1052 | HIS | - | SEE REMARK 999 | UNP P39077 |
| K | 1053 | HIS | - | SEE REMARK 999 | UNP P39077 |
| K | 1054 | GLY | - | SEE REMARK 999 | UNP P39077 |
| K | 1055 | SER | - | SEE REMARK 999 | UNP P39077 |
| K | 1056 | GLY | - | SEE REMARK 999 | UNP P39077 |

- Molecule 9 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|-----------------|---------|---------|
| 9 | P | 1 | Total Mg 1 1 | 0 | 0 |
| 9 | G | 1 | Total Mg 1 1 | 0 | 0 |
| 9 | J | 1 | Total Mg 1 1 | 0 | 0 |
| 9 | D | 1 | Total Mg 1 1 | 0 | 0 |
| 9 | K | 1 | Total Mg 1 1 | 0 | 0 |
| 9 | E | 1 | Total Mg 1 1 | 0 | 0 |
| 9 | H | 1 | Total Mg 1 1 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---------|---------|
| 9 | B | 1 | Total | Mg | 0 | 0 |
| | | | 1 | 1 | | |
| 9 | I | 1 | Total | Mg | 0 | 0 |
| | | | 1 | 1 | | |
| 9 | C | 1 | Total | Mg | 0 | 0 |
| | | | 1 | 1 | | |
| 9 | A | 1 | Total | Mg | 0 | 0 |
| | | | 1 | 1 | | |
| 9 | N | 1 | Total | Mg | 0 | 0 |
| | | | 1 | 1 | | |
| 9 | O | 1 | Total | Mg | 0 | 0 |
| | | | 1 | 1 | | |
| 9 | L | 1 | Total | Mg | 0 | 0 |
| | | | 1 | 1 | | |
| 9 | F | 1 | Total | Mg | 0 | 0 |
| | | | 1 | 1 | | |
| 9 | M | 1 | Total | Mg | 0 | 0 |
| | | | 1 | 1 | | |

- Molecule 10 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




| Mol | Chain | Residues | Atoms | | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---|----|---------|---------|
| 10 | F | 1 | Total | C | N | O | P | |
| | | | 27 | 10 | 5 | 10 | 2 | 0 |
| 10 | H | 1 | Total | C | N | O | P | |
| | | | 27 | 10 | 5 | 10 | 2 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---|----|---|---------|---------|
| 10 | G | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 27 | 10 | 5 | 10 | 2 | | |
| 10 | E | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 27 | 10 | 5 | 10 | 2 | | |
| 10 | B | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 27 | 10 | 5 | 10 | 2 | | |
| 10 | D | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 27 | 10 | 5 | 10 | 2 | | |
| 10 | A | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 27 | 10 | 5 | 10 | 2 | | |
| 10 | C | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 27 | 10 | 5 | 10 | 2 | | |
| 10 | N | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 27 | 10 | 5 | 10 | 2 | | |
| 10 | P | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 27 | 10 | 5 | 10 | 2 | | |
| 10 | O | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 27 | 10 | 5 | 10 | 2 | | |
| 10 | M | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 27 | 10 | 5 | 10 | 2 | | |
| 10 | J | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 27 | 10 | 5 | 10 | 2 | | |
| 10 | L | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 27 | 10 | 5 | 10 | 2 | | |
| 10 | I | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 27 | 10 | 5 | 10 | 2 | | |
| 10 | K | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 27 | 10 | 5 | 10 | 2 | | |

- Molecule 11 is BERYLLIUM TRIFLUORIDE ION (three-letter code: BEF) (formula: BeF₃).



| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---|---------|---------|
| 11 | F | 1 | Total | Be | F | 0 | 0 |
| | | | 4 | 1 | 3 | | |
| 11 | H | 1 | Total | Be | F | 0 | 0 |
| | | | 4 | 1 | 3 | | |
| 11 | G | 1 | Total | Be | F | 0 | 0 |
| | | | 4 | 1 | 3 | | |
| 11 | E | 1 | Total | Be | F | 0 | 0 |
| | | | 4 | 1 | 3 | | |
| 11 | B | 1 | Total | Be | F | 0 | 0 |
| | | | 4 | 1 | 3 | | |
| 11 | D | 1 | Total | Be | F | 0 | 0 |
| | | | 4 | 1 | 3 | | |
| 11 | A | 1 | Total | Be | F | 0 | 0 |
| | | | 4 | 1 | 3 | | |
| 11 | C | 1 | Total | Be | F | 0 | 0 |
| | | | 4 | 1 | 3 | | |
| 11 | N | 1 | Total | Be | F | 0 | 0 |
| | | | 4 | 1 | 3 | | |
| 11 | P | 1 | Total | Be | F | 0 | 0 |
| | | | 4 | 1 | 3 | | |
| 11 | O | 1 | Total | Be | F | 0 | 0 |
| | | | 4 | 1 | 3 | | |
| 11 | M | 1 | Total | Be | F | 0 | 0 |
| | | | 4 | 1 | 3 | | |
| 11 | J | 1 | Total | Be | F | 0 | 0 |
| | | | 4 | 1 | 3 | | |
| 11 | L | 1 | Total | Be | F | 0 | 0 |
| | | | 4 | 1 | 3 | | |

Continued on next page...

Continued from previous page...


| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf |
|-----|-------|----------|------------|---------|--------|---------|---------|
| 11 | I | 1 | Total 4 | Be 1 | F 3 | 0 | 0 |
| 11 | K | 1 | Total 4 | Be 1 | F 3 | 0 | 0 |

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: T-complex protein 1 subunit zeta



- Molecule 1: T-complex protein 1 subunit zeta




- Molecule 2: T-complex protein 1 subunit theta




- Molecule 2: T-complex protein 1 subunit theta





- Molecule 3: T-complex protein 1 subunit eta

Chain G:




- Molecule 3: T-complex protein 1 subunit eta

Chain 0: 



- Molecule 4: T-complex protein 1 subunit epsilon


Chain E:



- Molecule 4: T-complex protein 1 subunit epsilon


Chain M:






• Molecule 5: T-complex protein 1 subunit beta

Chain B:




• Molecule 5: T-complex protein 1 subunit beta

Chain J:




• Molecule 6: T-complex protein 1 subunit delta

Chain D:




• Molecule 6: T-complex protein 1 subunit delta

Chain L:




• Molecule 7: T-complex protein 1 subunit alpha

Chain A:




• Molecule 7: T-complex protein 1 subunit alpha

Chain I:




• Molecule 8: T-complex protein 1 subunit gamma

Chain C:



• Molecule 8: T-complex protein 1 subunit gamma

Chain K:



4 Data and refinement statistics

EDS was not executed - this section will therefore be incomplete.

| Property | Value | Source |
|--|---|-----------|
| Space group | P 1 | Depositor |
| Cell constants a, b, c, α , β , γ | 159.10Å 162.54Å 268.10Å 85.23° 81.15° 61.17° | Depositor |
| Resolution (Å) | 30.00 – 3.80 | Depositor |
| % Data completeness (in resolution range) | 91.6 (30.00-3.80) | Depositor |
| R_{merge} | (Not available) | Depositor |
| R_{sym} | (Not available) | Depositor |
| $\langle I/\sigma(I) \rangle$ ¹ | 2.14 (at 3.75Å) | Xtriage |
| Refinement program | REFMAC 5.5.0109 | Depositor |
| R, R_{free} | 0.257 , 0.305 | Depositor |
| Wilson B-factor (Å ²) | 116.0 | Xtriage |
| Anisotropy | 0.040 | Xtriage |
| Estimated twinning fraction | 0.024 for -h,-h+k,-l | Xtriage |
| L-test for twinning | $\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$ | Xtriage |
| Outliers | 0 of 209266 reflections | Xtriage |
| Total number of atoms | 60040 | wwPDB-VP |
| Average B, all atoms (Å ²) | 141.0 | wwPDB-VP |

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, BEF, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------|-------------|---------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 1 | F | 0.35 | 0/3886 | 0.55 | 0/5318 |
| 1 | N | 0.34 | 0/3886 | 0.53 | 0/5318 |
| 2 | H | 0.35 | 0/3661 | 0.55 | 0/5005 |
| 2 | P | 0.36 | 0/3661 | 0.54 | 0/5005 |
| 3 | G | 0.36 | 0/3803 | 0.53 | 0/5194 |
| 3 | O | 0.36 | 0/3803 | 0.51 | 0/5194 |
| 4 | E | 0.34 | 0/3849 | 0.52 | 0/5252 |
| 4 | M | 0.34 | 0/3849 | 0.52 | 0/5252 |
| 5 | B | 0.36 | 0/3726 | 0.56 | 0/5077 |
| 5 | J | 0.35 | 0/3726 | 0.54 | 0/5077 |
| 6 | D | 0.36 | 0/3723 | 0.56 | 0/5089 |
| 6 | L | 0.34 | 0/3723 | 0.52 | 0/5089 |
| 7 | A | 0.36 | 0/3805 | 0.54 | 0/5196 |
| 7 | I | 0.35 | 0/3805 | 0.53 | 0/5196 |
| 8 | C | 0.38 | 0/3657 | 0.57 | 0/5003 |
| 8 | K | 0.35 | 0/3657 | 0.55 | 0/5003 |
| All | All | 0.35 | 0/60220 | 0.54 | 0/82268 |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1 | F | 0 | 1 |

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|---------|
| 1 | F | 194 | VAL | Peptide |

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | F | 3836 | 0 | 0 | 9 | 0 |
| 1 | N | 3836 | 0 | 0 | 5 | 0 |
| 2 | H | 3619 | 0 | 0 | 14 | 0 |
| 2 | P | 3619 | 0 | 0 | 8 | 0 |
| 3 | G | 3752 | 0 | 0 | 13 | 0 |
| 3 | O | 3752 | 0 | 0 | 11 | 0 |
| 4 | E | 3798 | 0 | 0 | 6 | 0 |
| 4 | M | 3798 | 0 | 0 | 6 | 0 |
| 5 | B | 3689 | 0 | 0 | 17 | 0 |
| 5 | J | 3689 | 0 | 0 | 6 | 0 |
| 6 | D | 3685 | 0 | 0 | 18 | 0 |
| 6 | L | 3685 | 0 | 0 | 11 | 0 |
| 7 | A | 3770 | 0 | 0 | 14 | 0 |
| 7 | I | 3770 | 0 | 0 | 11 | 0 |
| 8 | C | 3615 | 0 | 0 | 16 | 0 |
| 8 | K | 3615 | 0 | 0 | 11 | 0 |
| 9 | A | 1 | 0 | 0 | 0 | 0 |
| 9 | B | 1 | 0 | 0 | 0 | 0 |
| 9 | C | 1 | 0 | 0 | 0 | 0 |
| 9 | D | 1 | 0 | 0 | 0 | 0 |
| 9 | E | 1 | 0 | 0 | 0 | 0 |
| 9 | F | 1 | 0 | 0 | 0 | 0 |
| 9 | G | 1 | 0 | 0 | 0 | 0 |
| 9 | H | 1 | 0 | 0 | 0 | 0 |
| 9 | I | 1 | 0 | 0 | 0 | 0 |
| 9 | J | 1 | 0 | 0 | 0 | 0 |
| 9 | K | 1 | 0 | 0 | 0 | 0 |
| 9 | L | 1 | 0 | 0 | 0 | 0 |
| 9 | M | 1 | 0 | 0 | 0 | 0 |
| 9 | N | 1 | 0 | 0 | 0 | 0 |
| 9 | O | 1 | 0 | 0 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 9 | P | 1 | 0 | 0 | 0 | 0 |
| 10 | A | 27 | 0 | 0 | 0 | 0 |
| 10 | B | 27 | 0 | 0 | 1 | 0 |
| 10 | C | 27 | 0 | 0 | 1 | 0 |
| 10 | D | 27 | 0 | 0 | 1 | 0 |
| 10 | E | 27 | 0 | 0 | 1 | 0 |
| 10 | F | 27 | 0 | 0 | 0 | 0 |
| 10 | G | 27 | 0 | 0 | 0 | 0 |
| 10 | H | 27 | 0 | 0 | 0 | 0 |
| 10 | I | 27 | 0 | 0 | 0 | 0 |
| 10 | J | 27 | 0 | 0 | 1 | 0 |
| 10 | K | 27 | 0 | 0 | 1 | 0 |
| 10 | L | 27 | 0 | 0 | 0 | 0 |
| 10 | M | 27 | 0 | 0 | 1 | 0 |
| 10 | N | 27 | 0 | 0 | 0 | 0 |
| 10 | O | 27 | 0 | 0 | 0 | 0 |
| 10 | P | 27 | 0 | 0 | 0 | 0 |
| 11 | A | 4 | 0 | 0 | 0 | 0 |
| 11 | B | 4 | 0 | 0 | 0 | 0 |
| 11 | C | 4 | 0 | 0 | 1 | 0 |
| 11 | D | 4 | 0 | 0 | 1 | 0 |
| 11 | E | 4 | 0 | 0 | 1 | 0 |
| 11 | F | 4 | 0 | 0 | 0 | 0 |
| 11 | G | 4 | 0 | 0 | 0 | 0 |
| 11 | H | 4 | 0 | 0 | 0 | 0 |
| 11 | I | 4 | 0 | 0 | 0 | 0 |
| 11 | J | 4 | 0 | 0 | 1 | 0 |
| 11 | K | 4 | 0 | 0 | 1 | 0 |
| 11 | L | 4 | 0 | 0 | 0 | 0 |
| 11 | M | 4 | 0 | 0 | 1 | 0 |
| 11 | N | 4 | 0 | 0 | 0 | 0 |
| 11 | O | 4 | 0 | 0 | 0 | 0 |
| 11 | P | 4 | 0 | 0 | 0 | 0 |
| All | All | 60040 | 0 | 0 | 175 | 0 |

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 3.

The worst 5 of 175 close contacts within the same asymmetric unit are listed below.

| Atom-1 | Atom-2 | Distance(Å) | Clash(Å) |
|--------------|---------------|-------------|----------|
| 7:A:16:GLY:O | 7:A:548:ASP:N | 2.11 | 0.83 |
| 7:I:16:GLY:O | 7:I:548:ASP:N | 2.19 | 0.75 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Distance(Å) | Clash(Å) |
|---------------|----------------|-------------|----------|
| 2:P:24:ALA:O | 2:P:28:ILE:N | 2.21 | 0.72 |
| 8:C:162:LYS:O | 8:C:164:VAL:N | 2.28 | 0.66 |
| 7:A:26:ARG:CG | 7:A:26:ARG:NH1 | 2.58 | 0.66 |

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|----------|----------|-------------|----|
| 1 | F | 536/546 (98%) | 477 (89%) | 56 (10%) | 3 (1%) | 33 | 86 |
| 1 | N | 536/546 (98%) | 483 (90%) | 51 (10%) | 2 (0%) | 43 | 90 |
| 2 | H | 513/568 (90%) | 445 (87%) | 57 (11%) | 11 (2%) | 11 | 67 |
| 2 | P | 513/568 (90%) | 458 (89%) | 47 (9%) | 8 (2%) | 14 | 72 |
| 3 | G | 524/550 (95%) | 467 (89%) | 48 (9%) | 9 (2%) | 14 | 71 |
| 3 | O | 524/550 (95%) | 479 (91%) | 36 (7%) | 9 (2%) | 14 | 71 |
| 4 | E | 533/562 (95%) | 482 (90%) | 45 (8%) | 6 (1%) | 21 | 79 |
| 4 | M | 533/562 (95%) | 494 (93%) | 31 (6%) | 8 (2%) | 15 | 73 |
| 5 | B | 516/527 (98%) | 452 (88%) | 48 (9%) | 16 (3%) | 7 | 59 |
| 5 | J | 516/527 (98%) | 460 (89%) | 42 (8%) | 14 (3%) | 8 | 62 |
| 6 | D | 521/528 (99%) | 457 (88%) | 46 (9%) | 18 (4%) | 6 | 56 |
| 6 | L | 521/528 (99%) | 474 (91%) | 33 (6%) | 14 (3%) | 8 | 62 |
| 7 | A | 533/559 (95%) | 470 (88%) | 50 (9%) | 13 (2%) | 9 | 64 |
| 7 | I | 533/559 (95%) | 483 (91%) | 36 (7%) | 14 (3%) | 8 | 62 |
| 8 | C | 507/590 (86%) | 445 (88%) | 54 (11%) | 8 (2%) | 14 | 72 |
| 8 | K | 507/590 (86%) | 454 (90%) | 43 (8%) | 10 (2%) | 11 | 68 |
| All | All | 8366/8860 (94%) | 7480 (89%) | 723 (9%) | 163 (2%) | 12 | 69 |

5 of 163 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 2 | H | 323 | VAL |
| 2 | H | 442 | PRO |
| 2 | H | 502 | ASP |
| 3 | G | 8 | PRO |
| 4 | E | 389 | LYS |

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-----------------|------------|-----------|-------------|----|
| 1 | F | 380/463 (82%) | 342 (90%) | 38 (10%) | 11 | 53 |
| 1 | N | 380/463 (82%) | 352 (93%) | 28 (7%) | 20 | 67 |
| 2 | H | 352/473 (74%) | 314 (89%) | 38 (11%) | 9 | 49 |
| 2 | P | 352/473 (74%) | 323 (92%) | 29 (8%) | 17 | 63 |
| 3 | G | 373/454 (82%) | 332 (89%) | 41 (11%) | 9 | 48 |
| 3 | O | 373/454 (82%) | 340 (91%) | 33 (9%) | 14 | 60 |
| 4 | E | 382/483 (79%) | 340 (89%) | 42 (11%) | 9 | 48 |
| 4 | M | 382/483 (79%) | 346 (91%) | 36 (9%) | 13 | 56 |
| 5 | B | 374/441 (85%) | 325 (87%) | 49 (13%) | 6 | 38 |
| 5 | J | 374/441 (85%) | 340 (91%) | 34 (9%) | 14 | 58 |
| 6 | D | 374/454 (82%) | 340 (91%) | 34 (9%) | 14 | 58 |
| 6 | L | 374/454 (82%) | 344 (92%) | 30 (8%) | 17 | 64 |
| 7 | A | 375/471 (80%) | 335 (89%) | 40 (11%) | 10 | 49 |
| 7 | I | 375/471 (80%) | 341 (91%) | 34 (9%) | 14 | 58 |
| 8 | C | 359/497 (72%) | 312 (87%) | 47 (13%) | 6 | 38 |
| 8 | K | 359/497 (72%) | 318 (89%) | 41 (11%) | 8 | 45 |
| All | All | 5938/7472 (80%) | 5344 (90%) | 594 (10%) | 11 | 53 |

5 of 594 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 7 | A | 373 | LEU |
| 1 | N | 56 | THR |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 7 | I | 457 | ILE |
| 7 | A | 442 | SER |
| 8 | C | 204 | VAL |

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 48 ligands modelled in this entry, 16 are monoatomic - leaving 32 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 10 | ADP | A | 602 | 9,11 | 29,29,29 | 1.05 | 2 (6%) | 45,45,45 | 1.87 | 8 (17%) |
| 11 | BEF | A | 603 | 10 | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | B | 602 | 11,9 | 29,29,29 | 1.10 | 2 (6%) | 45,45,45 | 1.76 | 10 (22%) |
| 11 | BEF | B | 603 | 10 | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | C | 602 | 11,9 | 29,29,29 | 1.08 | 2 (6%) | 45,45,45 | 1.80 | 7 (15%) |
| 11 | BEF | C | 603 | 10 | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | D | 602 | 11,9 | 29,29,29 | 1.03 | 2 (6%) | 45,45,45 | 1.85 | 8 (17%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 11 | BEF | D | 603 | 10 | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | E | 602 | 9,11 | 29,29,29 | 1.06 | 2 (6%) | 45,45,45 | 1.87 | 10 (22%) |
| 11 | BEF | E | 603 | 10 | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | F | 602 | 11,9 | 29,29,29 | 1.11 | 2 (6%) | 45,45,45 | 1.67 | 6 (13%) |
| 11 | BEF | F | 603 | 10 | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | G | 602 | 9 | 29,29,29 | 1.02 | 2 (6%) | 45,45,45 | 1.89 | 8 (17%) |
| 11 | BEF | G | 603 | - | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | H | 602 | 9 | 29,29,29 | 1.07 | 2 (6%) | 45,45,45 | 1.77 | 8 (17%) |
| 11 | BEF | H | 603 | - | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | I | 602 | 9,11 | 29,29,29 | 1.07 | 2 (6%) | 45,45,45 | 1.84 | 7 (15%) |
| 11 | BEF | I | 603 | 10 | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | J | 602 | 11,9 | 29,29,29 | 1.08 | 2 (6%) | 45,45,45 | 1.81 | 7 (15%) |
| 11 | BEF | J | 603 | 10 | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | K | 602 | 11,9 | 29,29,29 | 1.11 | 2 (6%) | 45,45,45 | 1.79 | 9 (20%) |
| 11 | BEF | K | 603 | 10 | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | L | 602 | 11,9 | 29,29,29 | 1.06 | 2 (6%) | 45,45,45 | 1.83 | 9 (20%) |
| 11 | BEF | L | 603 | 10 | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | M | 602 | 11,9 | 29,29,29 | 1.08 | 2 (6%) | 45,45,45 | 1.83 | 8 (17%) |
| 11 | BEF | M | 603 | 10 | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | N | 602 | 9,11 | 29,29,29 | 1.09 | 2 (6%) | 45,45,45 | 1.78 | 7 (15%) |
| 11 | BEF | N | 603 | 10 | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | O | 602 | 9 | 29,29,29 | 1.09 | 2 (6%) | 45,45,45 | 1.84 | 8 (17%) |
| 11 | BEF | O | 603 | - | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |
| 10 | ADP | P | 602 | 9 | 29,29,29 | 1.05 | 2 (6%) | 45,45,45 | 1.82 | 8 (17%) |
| 11 | BEF | P | 603 | - | 0,3,3 | 0.00 | - | 0,3,3 | 0.00 | - |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|------------|---------|
| 10 | ADP | A | 602 | 9,11 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | A | 603 | 10 | - | 0/0/0/0 | 0/0/0/0 |
| 10 | ADP | B | 602 | 11,9 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | B | 603 | 10 | - | 0/0/0/0 | 0/0/0/0 |
| 10 | ADP | C | 602 | 11,9 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | C | 603 | 10 | - | 0/0/0/0 | 0/0/0/0 |
| 10 | ADP | D | 602 | 11,9 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | D | 603 | 10 | - | 0/0/0/0 | 0/0/0/0 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|------------|---------|
| 10 | ADP | E | 602 | 9,11 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | E | 603 | 10 | - | 0/0/0/0 | 0/0/0/0 |
| 10 | ADP | F | 602 | 11,9 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | F | 603 | 10 | - | 0/0/0/0 | 0/0/0/0 |
| 10 | ADP | G | 602 | 9 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | G | 603 | - | - | 0/0/0/0 | 0/0/0/0 |
| 10 | ADP | H | 602 | 9 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | H | 603 | - | - | 0/0/0/0 | 0/0/0/0 |
| 10 | ADP | I | 602 | 9,11 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | I | 603 | 10 | - | 0/0/0/0 | 0/0/0/0 |
| 10 | ADP | J | 602 | 11,9 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | J | 603 | 10 | - | 0/0/0/0 | 0/0/0/0 |
| 10 | ADP | K | 602 | 11,9 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | K | 603 | 10 | - | 0/0/0/0 | 0/0/0/0 |
| 10 | ADP | L | 602 | 11,9 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | L | 603 | 10 | - | 0/0/0/0 | 0/0/0/0 |
| 10 | ADP | M | 602 | 11,9 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | M | 603 | 10 | - | 0/0/0/0 | 0/0/0/0 |
| 10 | ADP | N | 602 | 9,11 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | N | 603 | 10 | - | 0/0/0/0 | 0/0/0/0 |
| 10 | ADP | O | 602 | 9 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | O | 603 | - | - | 0/0/0/0 | 0/0/0/0 |
| 10 | ADP | P | 602 | 9 | - | 0/16/32/32 | 0/1/3/3 |
| 11 | BEF | P | 603 | - | - | 0/0/0/0 | 0/0/0/0 |

The worst 5 of 32 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|-------|-------------|----------|
| 10 | A | 602 | ADP | C5-C4 | 3.29 | 1.47 | 1.40 |
| 10 | C | 602 | ADP | C5-C4 | 3.25 | 1.47 | 1.40 |
| 10 | K | 602 | ADP | C4-N9 | -3.23 | 1.33 | 1.37 |
| 10 | N | 602 | ADP | C5-C4 | 3.23 | 1.47 | 1.40 |
| 10 | G | 602 | ADP | C5-C4 | 3.22 | 1.47 | 1.40 |

The worst 5 of 128 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 10 | M | 602 | ADP | N3-C2-N1 | -6.76 | 123.06 | 128.71 |
| 10 | E | 602 | ADP | N3-C2-N1 | -6.66 | 123.14 | 128.71 |
| 10 | I | 602 | ADP | N3-C2-N1 | -6.58 | 123.21 | 128.71 |
| 10 | O | 602 | ADP | N3-C2-N1 | -6.46 | 123.31 | 128.71 |
| 10 | H | 602 | ADP | N3-C2-N1 | -6.46 | 123.31 | 128.71 |

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.