



wwPDB X-ray Structure Validation Summary Report

Feb 28, 2014 – 08:20 AM GMT

PDB ID : 4D8R
Title : Molecular architecture of the eukaryotic chaperonin TRiC/CCT derived by a combination of chemical crosslinking and mass-spectrometry, XL-MS
Authors : Leitner, A.; Joachimiak, L.A.; Bracher, A.; Walzthoeni, T.; Chen, B.; Monke-meyer, L.; Pechmann, S.; Holmes, S.; Cong, Y.; Ma, B.; Ludtke, S.; Chiu, W.; Hartl, F.U.; Aebersold, R.; Frydman, J.
Deposited on : 2012-01-11
Resolution : 3.80 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1162 (4.20-3.40)
Clashscore	79885	1100 (4.10-3.50)
Ramachandran outliers	78287	1050 (4.10-3.50)
Sidechain outliers	78261	1042 (4.10-3.50)
RSRZ outliers	66119	1163 (4.20-3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	f	546	
1	n	546	
2	h	568	
2	p	568	
3	g	550	
3	o	550	
4	e	562	
4	m	562	
5	b	527	
5	j	527	
6	d	528	
6	l	528	
7	a	559	
7	i	559	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	c	590	 A horizontal bar chart showing the quality of chain c. The bar is divided into three segments: a small red segment at the beginning, a long green segment in the middle, and a small yellow segment at the end. The green segment represents the majority of the chain.
8	k	590	 A horizontal bar chart showing the quality of chain k. The bar is divided into three segments: a small red segment at the beginning, a long green segment in the middle, and a small yellow segment at the end. The green segment represents the majority of the chain.

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 60040 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called T-complex protein 1 subunit zeta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	f	538	Total	C	N	O	S	0	0	0
			3836	2417	640	765	14			
1	n	538	Total	C	N	O	S	0	0	0
			3836	2417	640	765	14			

- Molecule 2 is a protein called T-complex protein 1 subunit theta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	h	521	Total	C	N	O	S	0	0	0
			3619	2286	602	708	23			
2	p	521	Total	C	N	O	S	0	0	0
			3619	2286	602	708	23			

- Molecule 3 is a protein called T-complex protein 1 subunit eta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	g	526	Total	C	N	O	S	0	0	0
			3752	2372	631	730	19			
3	o	526	Total	C	N	O	S	0	0	0
			3752	2372	631	730	19			

- Molecule 4 is a protein called T-complex protein 1 subunit epsilon.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	e	535	Total	C	N	O	S	0	0	0
			3798	2391	634	752	21			
4	m	535	Total	C	N	O	S	0	0	0
			3798	2391	634	752	21			

- Molecule 5 is a protein called T-complex protein 1 subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	b	518	Total	C	N	O	S	0	0	0
			3689	2306	623	747	13			
5	j	518	Total	C	N	O	S	0	0	0
			3689	2306	623	747	13			

- Molecule 6 is a protein called T-complex protein 1 subunit delta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	d	523	Total	C	N	O	S	0	0	0
			3685	2306	631	731	17			
6	l	523	Total	C	N	O	S	0	0	0
			3685	2306	631	731	17			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
d	345	ASP	GLY	ENGINEERED MUTATION	UNP P39078
l	345	ASP	GLY	ENGINEERED MUTATION	UNP P39078

- Molecule 7 is a protein called T-complex protein 1 subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	a	539	Total	C	N	O	S	0	0	0
			3770	2369	638	746	17			
7	i	539	Total	C	N	O	S	0	0	0
			3770	2369	638	746	17			

- Molecule 8 is a protein called T-complex protein 1 subunit gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	c	513	Total	C	N	O	S	0	0	0
			3615	2270	620	699	26			
8	k	513	Total	C	N	O	S	0	0	0
			3615	2270	620	699	26			

There are 112 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
c	1001	GLY	-	SEE REMARK 999	UNP P39077
c	1002	SER	-	SEE REMARK 999	UNP P39077
c	1003	GLY	-	SEE REMARK 999	UNP P39077
c	1004	SER	-	SEE REMARK 999	UNP P39077

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	1005	GLY	-	SEE REMARK 999	UNP P39077
c	1006	TRP	-	SEE REMARK 999	UNP P39077
c	1007	SER	-	SEE REMARK 999	UNP P39077
c	1008	HIS	-	SEE REMARK 999	UNP P39077
c	1009	PRO	-	SEE REMARK 999	UNP P39077
c	1010	GLN	-	SEE REMARK 999	UNP P39077
c	1011	PHE	-	SEE REMARK 999	UNP P39077
c	1012	GLU	-	SEE REMARK 999	UNP P39077
c	1013	LYS	-	SEE REMARK 999	UNP P39077
c	1014	GLY	-	SEE REMARK 999	UNP P39077
c	1015	SER	-	SEE REMARK 999	UNP P39077
c	1016	GLY	-	SEE REMARK 999	UNP P39077
c	1017	LYS	-	SEE REMARK 999	UNP P39077
c	1018	ARG	-	SEE REMARK 999	UNP P39077
c	1019	ARG	-	SEE REMARK 999	UNP P39077
c	1020	TRP	-	SEE REMARK 999	UNP P39077
c	1021	LYS	-	SEE REMARK 999	UNP P39077
c	1022	LYS	-	SEE REMARK 999	UNP P39077
c	1023	ASN	-	SEE REMARK 999	UNP P39077
c	1024	PHE	-	SEE REMARK 999	UNP P39077
c	1025	ILE	-	SEE REMARK 999	UNP P39077
c	1026	ALA	-	SEE REMARK 999	UNP P39077
c	1027	VAL	-	SEE REMARK 999	UNP P39077
c	1028	SER	-	SEE REMARK 999	UNP P39077
c	1029	ALA	-	SEE REMARK 999	UNP P39077
c	1030	ALA	-	SEE REMARK 999	UNP P39077
c	1031	ASN	-	SEE REMARK 999	UNP P39077
c	1032	ARG	-	SEE REMARK 999	UNP P39077
c	1033	PHE	-	SEE REMARK 999	UNP P39077
c	1034	LYS	-	SEE REMARK 999	UNP P39077
c	1035	LYS	-	SEE REMARK 999	UNP P39077
c	1036	ILE	-	SEE REMARK 999	UNP P39077
c	1037	SER	-	SEE REMARK 999	UNP P39077
c	1038	SER	-	SEE REMARK 999	UNP P39077
c	1039	SER	-	SEE REMARK 999	UNP P39077
c	1040	GLY	-	SEE REMARK 999	UNP P39077
c	1041	ALA	-	SEE REMARK 999	UNP P39077
c	1042	LEU	-	SEE REMARK 999	UNP P39077
c	1043	GLY	-	SEE REMARK 999	UNP P39077
c	1044	SER	-	SEE REMARK 999	UNP P39077
c	1045	GLY	-	SEE REMARK 999	UNP P39077
c	1046	HIS	-	SEE REMARK 999	UNP P39077

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	1047	HIS	-	SEE REMARK 999	UNP P39077
c	1048	HIS	-	SEE REMARK 999	UNP P39077
c	1049	HIS	-	SEE REMARK 999	UNP P39077
c	1050	HIS	-	SEE REMARK 999	UNP P39077
c	1051	HIS	-	SEE REMARK 999	UNP P39077
c	1052	HIS	-	SEE REMARK 999	UNP P39077
c	1053	HIS	-	SEE REMARK 999	UNP P39077
c	1054	GLY	-	SEE REMARK 999	UNP P39077
c	1055	SER	-	SEE REMARK 999	UNP P39077
c	1056	GLY	-	SEE REMARK 999	UNP P39077
k	1001	GLY	-	SEE REMARK 999	UNP P39077
k	1002	SER	-	SEE REMARK 999	UNP P39077
k	1003	GLY	-	SEE REMARK 999	UNP P39077
k	1004	SER	-	SEE REMARK 999	UNP P39077
k	1005	GLY	-	SEE REMARK 999	UNP P39077
k	1006	TRP	-	SEE REMARK 999	UNP P39077
k	1007	SER	-	SEE REMARK 999	UNP P39077
k	1008	HIS	-	SEE REMARK 999	UNP P39077
k	1009	PRO	-	SEE REMARK 999	UNP P39077
k	1010	GLN	-	SEE REMARK 999	UNP P39077
k	1011	PHE	-	SEE REMARK 999	UNP P39077
k	1012	GLU	-	SEE REMARK 999	UNP P39077
k	1013	LYS	-	SEE REMARK 999	UNP P39077
k	1014	GLY	-	SEE REMARK 999	UNP P39077
k	1015	SER	-	SEE REMARK 999	UNP P39077
k	1016	GLY	-	SEE REMARK 999	UNP P39077
k	1017	LYS	-	SEE REMARK 999	UNP P39077
k	1018	ARG	-	SEE REMARK 999	UNP P39077
k	1019	ARG	-	SEE REMARK 999	UNP P39077
k	1020	TRP	-	SEE REMARK 999	UNP P39077
k	1021	LYS	-	SEE REMARK 999	UNP P39077
k	1022	LYS	-	SEE REMARK 999	UNP P39077
k	1023	ASN	-	SEE REMARK 999	UNP P39077
k	1024	PHE	-	SEE REMARK 999	UNP P39077
k	1025	ILE	-	SEE REMARK 999	UNP P39077
k	1026	ALA	-	SEE REMARK 999	UNP P39077
k	1027	VAL	-	SEE REMARK 999	UNP P39077
k	1028	SER	-	SEE REMARK 999	UNP P39077
k	1029	ALA	-	SEE REMARK 999	UNP P39077
k	1030	ALA	-	SEE REMARK 999	UNP P39077
k	1031	ASN	-	SEE REMARK 999	UNP P39077
k	1032	ARG	-	SEE REMARK 999	UNP P39077

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
k	1033	PHE	-	SEE REMARK 999	UNP P39077
k	1034	LYS	-	SEE REMARK 999	UNP P39077
k	1035	LYS	-	SEE REMARK 999	UNP P39077
k	1036	ILE	-	SEE REMARK 999	UNP P39077
k	1037	SER	-	SEE REMARK 999	UNP P39077
k	1038	SER	-	SEE REMARK 999	UNP P39077
k	1039	SER	-	SEE REMARK 999	UNP P39077
k	1040	GLY	-	SEE REMARK 999	UNP P39077
k	1041	ALA	-	SEE REMARK 999	UNP P39077
k	1042	LEU	-	SEE REMARK 999	UNP P39077
k	1043	GLY	-	SEE REMARK 999	UNP P39077
k	1044	SER	-	SEE REMARK 999	UNP P39077
k	1045	GLY	-	SEE REMARK 999	UNP P39077
k	1046	HIS	-	SEE REMARK 999	UNP P39077
k	1047	HIS	-	SEE REMARK 999	UNP P39077
k	1048	HIS	-	SEE REMARK 999	UNP P39077
k	1049	HIS	-	SEE REMARK 999	UNP P39077
k	1050	HIS	-	SEE REMARK 999	UNP P39077
k	1051	HIS	-	SEE REMARK 999	UNP P39077
k	1052	HIS	-	SEE REMARK 999	UNP P39077
k	1053	HIS	-	SEE REMARK 999	UNP P39077
k	1054	GLY	-	SEE REMARK 999	UNP P39077
k	1055	SER	-	SEE REMARK 999	UNP P39077
k	1056	GLY	-	SEE REMARK 999	UNP P39077

- Molecule 9 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	p	1	Total Mg 1 1	0	0
9	g	1	Total Mg 1 1	0	0
9	j	1	Total Mg 1 1	0	0
9	d	1	Total Mg 1 1	0	0
9	k	1	Total Mg 1 1	0	0
9	e	1	Total Mg 1 1	0	0
9	h	1	Total Mg 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	b	1	Total	Mg	0	0
			1	1		
9	i	1	Total	Mg	0	0
			1	1		
9	c	1	Total	Mg	0	0
			1	1		
9	a	1	Total	Mg	0	0
			1	1		
9	n	1	Total	Mg	0	0
			1	1		
9	o	1	Total	Mg	0	0
			1	1		
9	l	1	Total	Mg	0	0
			1	1		
9	f	1	Total	Mg	0	0
			1	1		
9	m	1	Total	Mg	0	0
			1	1		

- Molecule 10 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	f	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	h	1	Total 27	C 10	N 5	O 10	P 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	g	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	e	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	b	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	d	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	a	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	c	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	n	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	p	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	o	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	m	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	j	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	l	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	i	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	k	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 11 is BERYLLIUM TRIFLUORIDE ION (three-letter code: BEF) (formula: BeF₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	f	1	Total	Be	F	0	0
			4	1	3		
11	h	1	Total	Be	F	0	0
			4	1	3		
11	g	1	Total	Be	F	0	0
			4	1	3		
11	e	1	Total	Be	F	0	0
			4	1	3		
11	b	1	Total	Be	F	0	0
			4	1	3		
11	d	1	Total	Be	F	0	0
			4	1	3		
11	a	1	Total	Be	F	0	0
			4	1	3		
11	c	1	Total	Be	F	0	0
			4	1	3		
11	n	1	Total	Be	F	0	0
			4	1	3		
11	p	1	Total	Be	F	0	0
			4	1	3		
11	o	1	Total	Be	F	0	0
			4	1	3		
11	m	1	Total	Be	F	0	0
			4	1	3		
11	j	1	Total	Be	F	0	0
			4	1	3		
11	l	1	Total	Be	F	0	0
			4	1	3		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	i	1	Total 4	Be 1	F 3	0	0
11	k	1	Total 4	Be 1	F 3	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: T-complex protein 1 subunit zeta




- Molecule 1: T-complex protein 1 subunit zeta




- Molecule 2: T-complex protein 1 subunit theta




- Molecule 2: T-complex protein 1 subunit theta






• Molecule 3: T-complex protein 1 subunit eta

Chain g:




• Molecule 3: T-complex protein 1 subunit eta

Chain o:




• Molecule 4: T-complex protein 1 subunit epsilon

Chain e:




• Molecule 4: T-complex protein 1 subunit epsilon

Chain m:




- Molecule 5: T-complex protein 1 subunit beta

Chain b:




- Molecule 5: T-complex protein 1 subunit beta

Chain j:




- Molecule 6: T-complex protein 1 subunit delta

Chain d:




- Molecule 6: T-complex protein 1 subunit delta

Chain 1:




- Molecule 7: T-complex protein 1 subunit alpha

Chain a:




- Molecule 7: T-complex protein 1 subunit alpha

Chain i:



- Molecule 8: T-complex protein 1 subunit gamma


Chain c:



- Molecule 8: T-complex protein 1 subunit gamma

Chain k:





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	159.10Å 162.54Å 268.10Å 85.23° 81.15° 61.17°	Depositor
Resolution (Å)	30.00 – 3.80 30.01 – 3.80	Depositor EDS
% Data completeness (in resolution range)	91.6 (30.00-3.80) 91.5 (30.01-3.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 3.75Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.257 , 0.305 0.437 , 0.445	Depositor DCC
R_{free} test set	10463 reflections (5.00%)	DCC
Wilson B-factor (Å ²)	116.0	Xtriage
Anisotropy	0.040	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 52.9	EDS
Estimated twinning fraction	0.024 for -h,-h+k,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 209266 reflections	Xtriage
F_o, F_c correlation	0.67	EDS
Total number of atoms	60040	wwPDB-VP
Average B, all atoms (Å ²)	136.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, BEF, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	f	0.34	0/3886	0.52	1/5318 (0.0%)
1	n	0.35	0/3886	0.54	0/5318
2	h	0.35	0/3661	0.52	0/5005
2	p	0.36	0/3661	0.54	0/5005
3	g	0.37	0/3803	0.53	0/5194
3	o	0.38	0/3803	0.53	0/5194
4	e	0.36	0/3849	0.51	0/5252
4	m	0.36	0/3849	0.53	0/5252
5	b	0.35	0/3726	0.54	0/5077
5	j	0.40	1/3726 (0.0%)	0.55	0/5077
6	d	0.35	0/3723	0.53	0/5089
6	l	0.36	0/3723	0.54	0/5089
7	a	0.35	0/3805	0.53	0/5196
7	i	0.35	0/3805	0.53	0/5196
8	c	0.35	0/3657	0.55	0/5003
8	k	0.34	0/3657	0.56	1/5003 (0.0%)
All	All	0.36	1/60220 (0.0%)	0.53	2/82268 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	d	0	1
6	l	0	1
All	All	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	j	452	SER	CB-OG	7.94	1.52	1.42

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	k	79	LEU	CA-CB-CG	5.19	127.24	115.30
1	f	434	LEU	CA-CB-CG	5.12	127.07	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	d	243	PRO	Peptide
6	l	243	PRO	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	f	3836	0	0	0	0
1	n	3836	0	0	0	0
2	h	3619	0	0	0	0
2	p	3619	0	0	0	0
3	g	3752	0	0	0	0
3	o	3752	0	0	0	0
4	e	3798	0	0	0	0
4	m	3798	0	0	0	0
5	b	3689	0	0	0	0
5	j	3689	0	0	0	0
6	d	3685	0	0	0	0
6	l	3685	0	0	0	0
7	a	3770	0	0	0	0
7	i	3770	0	0	0	0
8	c	3615	0	0	0	0
8	k	3615	0	0	0	0
9	a	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	b	1	0	0	0	0
9	c	1	0	0	0	0
9	d	1	0	0	0	0
9	e	1	0	0	0	0
9	f	1	0	0	0	0
9	g	1	0	0	0	0
9	h	1	0	0	0	0
9	i	1	0	0	0	0
9	j	1	0	0	0	0
9	k	1	0	0	0	0
9	l	1	0	0	0	0
9	m	1	0	0	0	0
9	n	1	0	0	0	0
9	o	1	0	0	0	0
9	p	1	0	0	0	0
10	a	27	0	0	0	0
10	b	27	0	0	0	0
10	c	27	0	0	0	0
10	d	27	0	0	0	0
10	e	27	0	0	0	0
10	f	27	0	0	0	0
10	g	27	0	0	0	0
10	h	27	0	0	0	0
10	i	27	0	0	0	0
10	j	27	0	0	0	0
10	k	27	0	0	0	0
10	l	27	0	0	0	0
10	m	27	0	0	0	0
10	n	27	0	0	0	0
10	o	27	0	0	0	0
10	p	27	0	0	0	0
11	a	4	0	0	0	0
11	b	4	0	0	0	0
11	c	4	0	0	0	0
11	d	4	0	0	0	0
11	e	4	0	0	0	0
11	f	4	0	0	0	0
11	g	4	0	0	0	0
11	h	4	0	0	0	0
11	i	4	0	0	0	0
11	j	4	0	0	0	0
11	k	4	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	l	4	0	0	0	0
11	m	4	0	0	0	0
11	n	4	0	0	0	0
11	o	4	0	0	0	0
11	p	4	0	0	0	0
All	All	60040	0	0	0	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 3.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	f	536/546 (98%)	484 (90%)	49 (9%)	3 (1%)	33	86
1	n	536/546 (98%)	486 (91%)	48 (9%)	2 (0%)	43	90
2	h	513/568 (90%)	460 (90%)	46 (9%)	7 (1%)	16	74
2	p	513/568 (90%)	450 (88%)	53 (10%)	10 (2%)	12	69
3	g	524/550 (95%)	477 (91%)	38 (7%)	9 (2%)	14	71
3	o	524/550 (95%)	472 (90%)	41 (8%)	11 (2%)	11	67
4	e	533/562 (95%)	500 (94%)	27 (5%)	6 (1%)	21	79
4	m	533/562 (95%)	492 (92%)	33 (6%)	8 (2%)	15	73
5	b	516/527 (98%)	461 (89%)	41 (8%)	14 (3%)	8	62
5	j	516/527 (98%)	459 (89%)	47 (9%)	10 (2%)	12	69
6	d	521/528 (99%)	473 (91%)	34 (6%)	14 (3%)	8	62
6	l	521/528 (99%)	469 (90%)	41 (8%)	11 (2%)	11	67
7	a	533/559 (95%)	482 (90%)	43 (8%)	8 (2%)	15	73
7	i	533/559 (95%)	484 (91%)	37 (7%)	12 (2%)	10	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	c	507/590 (86%)	456 (90%)	44 (9%)	7 (1%)	16	74
8	k	507/590 (86%)	448 (88%)	50 (10%)	9 (2%)	13	70
All	All	8366/8860 (94%)	7553 (90%)	672 (8%)	141 (2%)	14	71

5 of 141 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	h	323	VAL
2	h	442	PRO
2	h	502	ASP
3	g	8	PRO
4	e	389	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	f	380/463 (82%)	354 (93%)	26 (7%)	22	71
1	n	380/463 (82%)	353 (93%)	27 (7%)	21	70
2	h	352/473 (74%)	320 (91%)	32 (9%)	14	58
2	p	352/473 (74%)	315 (90%)	37 (10%)	10	50
3	g	373/454 (82%)	334 (90%)	39 (10%)	10	50
3	o	373/454 (82%)	340 (91%)	33 (9%)	14	60
4	e	382/483 (79%)	340 (89%)	42 (11%)	9	48
4	m	382/483 (79%)	346 (91%)	36 (9%)	13	56
5	b	374/441 (85%)	330 (88%)	44 (12%)	8	43
5	j	374/441 (85%)	339 (91%)	35 (9%)	13	56
6	d	374/454 (82%)	342 (91%)	32 (9%)	15	61
6	l	374/454 (82%)	341 (91%)	33 (9%)	14	60
7	a	375/471 (80%)	347 (92%)	28 (8%)	19	67
7	i	375/471 (80%)	348 (93%)	27 (7%)	21	69
8	c	359/497 (72%)	325 (90%)	34 (10%)	12	55

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
8	k	359/497 (72%)	320 (89%)	39 (11%)	9 48
All	All	5938/7472 (80%)	5394 (91%)	544 (9%)	13 57

5 of 544 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
8	c	78	MET
2	p	21	TYR
7	i	542	ASP
8	c	148	ASP
8	c	528	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 48 ligands modelled in this entry, 16 are monoatomic - leaving 32 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	ADP	a	602	9,11	29,29,29	1.08	2 (6%)	45,45,45	1.83	8 (17%)
11	BEF	a	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	b	602	11,9	29,29,29	1.13	2 (6%)	45,45,45	1.70	8 (17%)
11	BEF	b	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	c	602	11,9	29,29,29	1.05	2 (6%)	45,45,45	1.72	7 (15%)
11	BEF	c	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	d	602	11,9	29,29,29	1.08	2 (6%)	45,45,45	1.77	8 (17%)
11	BEF	d	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	e	602	11,9	29,29,29	1.05	2 (6%)	45,45,45	1.81	8 (17%)
11	BEF	e	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	f	602	11,9	29,29,29	1.10	1 (3%)	45,45,45	1.89	8 (17%)
11	BEF	f	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	g	602	9	29,29,29	1.10	2 (6%)	45,45,45	1.83	9 (20%)
11	BEF	g	603	-	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	h	602	9	29,29,29	1.05	2 (6%)	45,45,45	1.79	7 (15%)
11	BEF	h	603	-	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	i	602	11,9	29,29,29	1.04	2 (6%)	45,45,45	1.85	8 (17%)
11	BEF	i	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	j	602	11,9	29,29,29	1.17	2 (6%)	45,45,45	1.74	8 (17%)
11	BEF	j	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	k	602	11,9	29,29,29	1.05	2 (6%)	45,45,45	1.84	7 (15%)
11	BEF	k	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	l	602	11,9	29,29,29	1.05	2 (6%)	45,45,45	1.83	8 (17%)
11	BEF	l	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	m	602	9,11	29,29,29	1.09	2 (6%)	45,45,45	1.83	7 (15%)
11	BEF	m	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	n	602	11,9	29,29,29	1.09	2 (6%)	45,45,45	1.77	8 (17%)
11	BEF	n	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	o	602	9	29,29,29	1.09	2 (6%)	45,45,45	1.94	9 (20%)
11	BEF	o	603	-	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	p	602	9	29,29,29	1.03	2 (6%)	45,45,45	1.93	8 (17%)
11	BEF	p	603	-	0,3,3	0.00	-	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	ADP	a	602	9,11	-	0/16/32/32	0/1/3/3
11	BEF	a	603	10	-	0/0/0/0	0/0/0/0
10	ADP	b	602	11,9	-	0/16/32/32	0/1/3/3
11	BEF	b	603	10	-	0/0/0/0	0/0/0/0
10	ADP	c	602	11,9	-	0/16/32/32	0/1/3/3
11	BEF	c	603	10	-	0/0/0/0	0/0/0/0
10	ADP	d	602	11,9	-	0/16/32/32	0/1/3/3
11	BEF	d	603	10	-	0/0/0/0	0/0/0/0
10	ADP	e	602	11,9	-	0/16/32/32	0/1/3/3
11	BEF	e	603	10	-	0/0/0/0	0/0/0/0
10	ADP	f	602	11,9	-	0/16/32/32	0/1/3/3
11	BEF	f	603	10	-	0/0/0/0	0/0/0/0
10	ADP	g	602	9	-	0/16/32/32	0/1/3/3
11	BEF	g	603	-	-	0/0/0/0	0/0/0/0
10	ADP	h	602	9	-	0/16/32/32	0/1/3/3
11	BEF	h	603	-	-	0/0/0/0	0/0/0/0
10	ADP	i	602	11,9	-	0/16/32/32	0/1/3/3
11	BEF	i	603	10	-	0/0/0/0	0/0/0/0
10	ADP	j	602	11,9	-	0/16/32/32	0/1/3/3
11	BEF	j	603	10	-	0/0/0/0	0/0/0/0
10	ADP	k	602	11,9	-	0/16/32/32	0/1/3/3
11	BEF	k	603	10	-	0/0/0/0	0/0/0/0
10	ADP	l	602	11,9	-	0/16/32/32	0/1/3/3
11	BEF	l	603	10	-	0/0/0/0	0/0/0/0
10	ADP	m	602	9,11	-	0/16/32/32	0/1/3/3
11	BEF	m	603	10	-	0/0/0/0	0/0/0/0
10	ADP	n	602	11,9	-	0/16/32/32	0/1/3/3
11	BEF	n	603	10	-	0/0/0/0	0/0/0/0
10	ADP	o	602	9	-	0/16/32/32	0/1/3/3
11	BEF	o	603	-	-	0/0/0/0	0/0/0/0
10	ADP	p	602	9	-	0/16/32/32	0/1/3/3
11	BEF	p	603	-	-	0/0/0/0	0/0/0/0

The worst 5 of 31 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	f	602	ADP	C5-C4	3.42	1.48	1.40
10	m	602	ADP	C5-C4	3.38	1.48	1.40
10	n	602	ADP	C5-C4	3.37	1.48	1.40
10	b	602	ADP	C5-C4	3.33	1.48	1.40
10	k	602	ADP	C5-C4	3.30	1.47	1.40

The worst 5 of 126 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
10	h	602	ADP	N3-C2-N1	-6.64	123.15	128.71
10	p	602	ADP	N3-C2-N1	-6.63	123.17	128.71
10	o	602	ADP	N3-C2-N1	-6.53	123.25	128.71
10	a	602	ADP	N3-C2-N1	-6.51	123.27	128.71
10	l	602	ADP	N3-C2-N1	-6.49	123.28	128.71

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	f	538/546 (98%)	0.46	22 (4%)	35	24	132, 160, 198, 229	0
1	n	538/546 (98%)	0.41	10 (1%)	64	42	112, 129, 161, 201	0
2	h	521/568 (91%)	0.52	24 (4%)	31	22	133, 160, 194, 273	0
2	p	521/568 (91%)	0.39	14 (2%)	52	34	101, 140, 177, 203	0
3	g	526/550 (95%)	0.41	17 (3%)	45	30	115, 141, 181, 238	0
3	o	526/550 (95%)	0.41	10 (1%)	64	42	99, 128, 174, 247	0
4	e	535/562 (95%)	0.37	8 (1%)	70	48	100, 124, 173, 249	0
4	m	535/562 (95%)	0.37	8 (1%)	70	48	94, 113, 161, 235	0
5	b	518/527 (98%)	0.33	2 (0%)	90	79	100, 116, 141, 176	0
5	j	518/527 (98%)	0.32	0	100	100	90, 110, 131, 155	0
6	d	523/528 (99%)	0.40	18 (3%)	43	29	112, 136, 166, 182	0
6	l	523/528 (99%)	0.35	10 (1%)	64	42	103, 129, 170, 196	0
7	a	539/559 (96%)	0.47	17 (3%)	45	30	112, 135, 177, 208	0
7	i	539/559 (96%)	0.41	16 (2%)	48	31	101, 132, 185, 212	0
8	c	513/590 (86%)	0.49	15 (2%)	49	32	121, 143, 186, 223	0
8	k	513/590 (86%)	0.47	17 (3%)	44	29	114, 131, 176, 246	0
All	All	8426/8860 (95%)	0.41	208 (2%)	54	36	90, 133, 180, 273	0

The worst 5 of 208 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	o	4	GLY	4.9
4	m	25	MET	4.9
8	c	384	GLY	4.4
4	e	25	MET	4.3
3	g	362	TYR	4.3

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
9	MG	i	601	1/1	0.49	1.07	111,111,111,111	0
11	BEF	g	603	4/4	0.26	0.25	128,132,132,134	0
11	BEF	j	603	4/4	0.26	0.01	93,94,94,96	0
10	ADP	i	602	27/27	0.33	-0.09	113,121,126,127	0
10	ADP	h	602	27/27	0.34	-0.10	152,159,166,167	0
10	ADP	f	602	27/27	0.35	-0.13	149,154,159,160	0
10	ADP	k	602	27/27	0.31	-0.17	115,117,120,121	0
10	ADP	b	602	27/27	0.30	-0.22	104,109,115,115	0
10	ADP	m	602	27/27	0.29	-0.26	102,106,108,109	0
10	ADP	e	602	27/27	0.26	-0.32	117,124,127,128	0
9	MG	h	601	1/1	0.23	-0.33	151,151,151,151	0
11	BEF	m	603	4/4	0.23	-0.36	99,100,101,103	0
10	ADP	d	602	27/27	0.27	-0.39	125,135,149,151	0
11	BEF	p	603	4/4	0.25	-0.41	130,132,133,133	0
10	ADP	j	602	27/27	0.28	-0.43	94,100,106,107	0
10	ADP	a	602	27/27	0.26	-0.43	126,139,146,148	0
11	BEF	b	603	4/4	0.23	-0.50	103,105,105,107	0
10	ADP	o	602	27/27	0.28	-0.50	119,128,133,134	0
10	ADP	n	602	27/27	0.30	-0.59	112,116,123,124	0
10	ADP	l	602	27/27	0.24	-0.60	117,129,144,145	0
10	ADP	g	602	27/27	0.27	-0.61	132,141,149,150	0
10	ADP	p	602	27/27	0.26	-0.62	133,145,154,156	0
11	BEF	f	603	4/4	0.20	-0.73	152,152,154,156	0
11	BEF	h	603	4/4	0.17	-0.83	55,55,55,55	0
10	ADP	c	602	27/27	0.23	-0.92	134,138,142,143	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
11	BEF	i	603	4/4	0.18	-0.94	104,105,105,106	0
11	BEF	o	603	4/4	0.19	-0.98	116,118,119,119	0
9	MG	o	601	1/1	0.18	-0.98	115,115,115,115	0
11	BEF	e	603	4/4	0.18	-0.99	114,114,116,118	0
11	BEF	l	603	4/4	0.18	-1.05	107,110,111,111	0
9	MG	b	601	1/1	0.21	-1.07	97,97,97,97	0
11	BEF	d	603	4/4	0.19	-1.26	116,120,121,121	0
9	MG	c	601	1/1	0.17	-1.35	129,129,129,129	0
11	BEF	k	603	4/4	0.16	-1.43	110,111,111,112	0
9	MG	j	601	1/1	0.15	-1.46	88,88,88,88	0
9	MG	d	601	1/1	0.16	-1.47	115,115,115,115	0
9	MG	l	601	1/1	0.13	-1.59	107,107,107,107	0
9	MG	g	601	1/1	0.24	-1.65	129,129,129,129	0
11	BEF	a	603	4/4	0.12	-1.75	118,120,121,121	0
11	BEF	n	603	4/4	0.19	-1.80	115,115,116,118	0
9	MG	f	601	1/1	0.20	-1.84	143,143,143,143	0
11	BEF	c	603	4/4	0.15	-1.85	126,127,127,129	0
9	MG	n	601	1/1	0.18	-2.15	108,108,108,108	0
9	MG	p	601	1/1	0.17	-2.17	131,131,131,131	0
9	MG	k	601	1/1	0.17	-2.25	111,111,111,111	0
9	MG	e	601	1/1	0.14	-2.31	102,102,102,102	0
9	MG	m	601	1/1	0.13	-2.33	84,84,84,84	0
9	MG	a	601	1/1	0.12	-2.52	126,126,126,126	0

6.5 Other polymers ⓘ

There are no such residues in this entry.