



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 08:02 PM GMT

PDB ID : 3D9A
Title : High Resolution Crystal Structure Structure of HyHel10 Fab Complexed to Hen Egg Lysozyme
Authors : DeSantis, M.E.; Li, M.; Shanmuganathan, A.; Acchione, M.; Walter, R.; Wlodawer, A.; Smith-Gill, S.
Deposited on : 2008-05-27
Resolution : 1.20 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	1158 (1.26-1.14)
Ramachandran outliers	78287	1106 (1.26-1.14)
Sidechain outliers	78261	1104 (1.26-1.14)
RSRZ outliers	66119	1038 (1.26-1.14)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	C	129	
2	L	213	
3	H	210	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4947 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lysozyme C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	129	Total	C	N	O	S	0	0	0
			1001	613	193	185	10			

- Molecule 2 is a protein called Light Chain of HyHel10 Antibody Fragment (Fab).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	213	Total	C	N	O	S	0	2	0
			1655	1029	280	340	6			

- Molecule 3 is a protein called Heavy Chain of HyHel10 Antibody Fragment (Fab).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	210	Total	C	N	O	S	0	1	0
			1608	1016	256	330	6			

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	155	Total	O	0	0
			155	155		
4	H	260	Total	O	0	0
			260	260		
4	L	268	Total	O	0	0
			268	268		

3 Residue-property plots i

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Lysozyme C

Chain C:




• Molecule 2: Light Chain of HyHel10 Antibody Fragment (Fab)

Chain L:



• Molecule 3: Heavy Chain of HyHel10 Antibody Fragment (Fab)

Chain H:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	39.84Å 77.39Å 89.11Å 90.00° 96.66° 90.00°	Depositor
Resolution (Å)	50.00 – 1.20 35.23 – 1.20	Depositor EDS
% Data completeness (in resolution range)	99.3 (50.00-1.20) 94.4 (35.23-1.20)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.99 (at 1.20Å)	Xtriage
Refinement program	REFMAC 5.4.0057	Depositor
R, R_{free}	0.190 , 0.205 0.198 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	14.1	Xtriage
Anisotropy	0.217	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.46 , 61.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 165984 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4947	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.53	0/1021	0.72	0/1379
2	L	0.54	0/1699	0.71	2/2308 (0.1%)
3	H	0.57	0/1655	0.76	1/2272 (0.0%)
All	All	0.55	0/4375	0.73	3/5959 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	H	0	1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	211	ARG	NE-CZ-NH2	7.59	124.09	120.30
3	H	498	ALA	N-CA-C	6.80	129.38	111.00
2	L	211	ARG	NE-CZ-NH1	-5.32	117.64	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	H	497	VAL	Peptide

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens

added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1001	0	956	38	0
2	L	1655	0	1582	36	0
3	H	1608	0	1546	52	0
4	C	155	0	0	30	0
4	H	260	0	0	30	1
4	L	268	0	0	15	1
All	All	4947	0	4084	122	1

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 15.

All (122) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:L:176:SER:HB3	4:L:454:HOH:O	1.09	1.26
3:H:406:GLY:N	4:H:644:HOH:O	1.61	1.24
3:H:376:ASN:HB2	4:H:721:HOH:O	1.34	1.20
1:C:625:LEU:HD12	4:C:814:HOH:O	1.46	1.13
3:H:497:VAL:HG11	4:H:757:HOH:O	1.50	1.09
1:C:617:LEU:O	4:C:805:HOH:O	1.72	1.08
3:H:362:SER:OG	3:H:363:LEU:CD1	2.06	1.04
2:L:189:HIS:O	2:L:211:ARG:HD3	1.56	1.03
3:H:306:GLU:OE1	4:H:644:HOH:O	1.80	1.00
3:H:405:GLN:O	4:H:605:HOH:O	1.87	0.93
3:H:397:ASN:ND2	3:H:401:ASP:OD2	2.04	0.90
3:H:362:SER:OG	3:H:363:LEU:HD12	1.72	0.89
2:L:70:ASP:HB3	4:L:291:HOH:O	1.71	0.89
2:L:28:SER:OG	4:L:366:HOH:O	1.92	0.88
1:C:703:ASN:ND2	4:C:782:HOH:O	2.07	0.87
3:H:484:PRO:O	3:H:487:THR:HG22	1.77	0.84
2:L:176:SER:CB	4:L:454:HOH:O	1.82	0.82
2:L:189:HIS:O	2:L:211:ARG:CD	2.27	0.82
1:C:618:ASP:OD1	4:C:806:HOH:O	1.97	0.81
2:L:11:LEU:HD22	2:L:13:VAL:HG22	1.60	0.80
1:C:703:ASN:OD1	4:C:749:HOH:O	2.00	0.79
2:L:10:THR:HG23	4:L:434:HOH:O	1.83	0.78
3:H:499:HIS:HB3	3:H:504:THR:OG1	1.84	0.78
1:C:724:ILE:CG2	4:C:789:HOH:O	2.31	0.77
1:C:665:ASN:OD1	4:C:868:HOH:O	2.04	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:H:301:ASP:O	4:H:647:HOH:O	2.03	0.75
3:H:407[A]:THR:HG22	4:H:533:HOH:O	1.86	0.75
1:C:703:ASN:ND2	4:C:749:HOH:O	2.18	0.75
1:C:629:VAL:CG2	4:C:789:HOH:O	2.34	0.74
1:C:625:LEU:HD22	4:C:815:HOH:O	1.87	0.73
1:C:703:ASN:CG	4:C:749:HOH:O	2.26	0.73
3:H:376:ASN:CB	4:H:721:HOH:O	2.07	0.72
1:C:614:ARG:HD3	4:C:847:HOH:O	1.88	0.72
3:H:361:PRO:HA	3:H:364:LYS:HG3	1.70	0.71
2:L:190:ASN:OD1	4:L:346:HOH:O	2.08	0.70
3:H:306:GLU:CG	4:H:533:HOH:O	2.38	0.70
3:H:360:ASN:HB3	3:H:363:LEU:HD13	1.76	0.68
1:C:709:VAL:HG23	4:C:849:HOH:O	1.93	0.67
3:H:320:LEU:HD13	4:H:729:HOH:O	1.93	0.67
2:L:22:SER:OG	2:L:24:ARG:NE	2.23	0.67
2:L:85:MET:SD	2:L:103:LYS:HD3	2.35	0.67
3:H:476:THR:HG23	4:H:603:HOH:O	1.94	0.67
3:H:442:VAL:HG13	4:H:757:HOH:O	1.95	0.66
3:H:376:ASN:CG	4:H:721:HOH:O	2.31	0.65
3:H:363:LEU:N	3:H:363:LEU:HD12	2.11	0.64
1:C:629:VAL:HG23	4:C:789:HOH:O	1.98	0.62
3:H:421:VAL:HG21	3:H:506:VAL:HG21	1.82	0.62
3:H:405:GLN:HG2	4:H:519:HOH:O	1.99	0.62
1:C:696:LYS:NZ	2:L:32:ASN:HD21	1.98	0.61
1:C:656:LEU:HD12	4:C:869:HOH:O	2.01	0.61
3:H:362:SER:C	3:H:363:LEU:HD12	2.20	0.61
3:H:306:GLU:HG2	4:H:533:HOH:O	1.99	0.60
1:C:623:TYR:OH	4:C:872:HOH:O	2.01	0.60
3:H:430:ALA:HB1	4:H:634:HOH:O	2.01	0.60
3:H:421:VAL:HG22	4:H:757:HOH:O	2.01	0.60
3:H:306:GLU:HG3	3:H:395:CYS:SG	2.43	0.57
1:C:696:LYS:NZ	2:L:31:ASN:HD21	2.02	0.57
1:C:629:VAL:HG21	4:C:789:HOH:O	2.03	0.57
2:L:10:THR:CG2	4:L:447:HOH:O	2.52	0.57
1:C:701:ASP:OD2	1:C:703:ASN:ND2	2.37	0.56
2:L:105:GLU:OE2	2:L:173:TYR:OH	2.21	0.56
3:H:421:VAL:HG21	3:H:506:VAL:CG2	2.36	0.55
1:C:673:ARG:HG3	4:C:864:HOH:O	2.07	0.54
3:H:469:VAL:HG23	4:H:746:HOH:O	2.06	0.54
3:H:306:GLU:CD	4:H:533:HOH:O	2.45	0.54
3:H:421:VAL:CG2	4:H:757:HOH:O	2.56	0.54
1:C:658:ILE:HD11	4:C:869:HOH:O	2.06	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:H:364:LYS:CG	4:H:624:HOH:O	2.55	0.53
2:L:166:GLN:NE2	4:L:426:HOH:O	2.37	0.53
1:C:696:LYS:HZ3	2:L:31:ASN:HD21	1.56	0.53
2:L:83:PHE:CE1	2:L:166:GLN:HB3	2.44	0.53
3:H:476:THR:HG21	4:H:701:HOH:O	2.09	0.53
1:C:615:HIS:HD2	4:C:738:HOH:O	1.92	0.53
3:H:363:LEU:N	3:H:363:LEU:CD1	2.72	0.52
3:H:301:ASP:HA	4:H:572:HOH:O	2.08	0.52
2:L:83:PHE:CZ	2:L:166:GLN:HB3	2.45	0.52
1:C:724:ILE:HG21	4:C:789:HOH:O	2.05	0.52
2:L:10:THR:HG22	4:L:447:HOH:O	2.08	0.52
3:H:502:SER:OG	3:H:504:THR:HG23	2.10	0.52
1:C:618:ASP:O	4:C:745:HOH:O	2.19	0.51
2:L:183:LYS:O	2:L:187:GLU:HG3	2.11	0.50
3:H:334:TRP:HB3	3:H:378:TYR:CZ	2.47	0.50
2:L:94:TRP:CD2	2:L:95:PRO:HA	2.46	0.50
2:L:40:SER:O	4:L:441:HOH:O	2.19	0.49
1:C:643:THR:CG2	1:C:651:THR:CG2	2.90	0.49
1:C:625:LEU:HG	4:C:789:HOH:O	2.12	0.49
1:C:729:LEU:N	1:C:729:LEU:HD23	2.27	0.49
3:H:421:VAL:CG2	3:H:506:VAL:HG21	2.44	0.48
1:C:672:SER:CB	4:C:868:HOH:O	2.61	0.48
2:L:23:CYS:C	2:L:24:ARG:HD3	2.34	0.48
3:H:407[B]:THR:HG23	4:H:533:HOH:O	2.14	0.48
2:L:24:ARG:NE	4:L:311:HOH:O	2.47	0.47
2:L:10:THR:HG21	4:L:447:HOH:O	2.14	0.47
1:C:616:GLY:HA3	2:L:31:ASN:ND2	2.30	0.46
1:C:623:TYR:O	4:C:805:HOH:O	2.20	0.46
3:H:450:VAL:CG2	3:H:477:LEU:HD13	2.46	0.46
3:H:362:SER:OG	3:H:363:LEU:HD13	2.07	0.45
2:L:12:SER:OG	4:L:447:HOH:O	2.20	0.45
2:L:136:LEU:CD2	2:L:196:ALA:HB2	2.48	0.44
2:L:31:ASN:HD22	2:L:31:ASN:H	1.65	0.44
3:H:471:GLN:NE2	4:H:701:HOH:O	2.50	0.43
1:C:727:CYS:HB3	4:C:787:HOH:O	2.17	0.43
2:L:136:LEU:HD23	2:L:196:ALA:HB2	1.99	0.43
3:H:362:SER:OG	3:H:363:LEU:HD11	2.10	0.43
3:H:436:VAL:HB	4:H:645:HOH:O	2.18	0.43
1:C:628:TRP:HB2	4:C:814:HOH:O	2.19	0.42
3:H:487:THR:HG21	4:H:752:HOH:O	2.19	0.42
2:L:24:ARG:HD3	2:L:24:ARG:N	2.34	0.42
3:H:362:SER:CB	3:H:363:LEU:HD12	2.48	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:695:ALA:HB2	4:C:869:HOH:O	2.18	0.42
1:C:601:LYS:N	1:C:640:THR:HG1	2.16	0.42
3:H:488:TRP:CD1	3:H:489:PRO:HA	2.54	0.42
3:H:507:ASP:O	3:H:508:LYS:HD2	2.19	0.42
1:C:725:ARG:NE	4:C:764:HOH:O	2.49	0.42
1:C:672:SER:HB3	4:C:868:HOH:O	2.20	0.42
2:L:103:LYS:HD2	4:L:303:HOH:O	2.19	0.42
2:L:11:LEU:CD2	2:L:13:VAL:HG22	2.42	0.41
3:H:477:LEU:HA	4:H:655:HOH:O	2.21	0.41
3:H:487:THR:HG23	4:H:577:HOH:O	2.21	0.41
3:H:364:LYS:HG2	4:H:624:HOH:O	2.19	0.40
2:L:136:LEU:HD13	2:L:175:MET:HG2	2.04	0.40
2:L:187:GLU:HG2	4:L:362:HOH:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
4:L:469:HOH:O	4:H:538:HOH:O[2_656]	1.98	0.22

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	127/129 (98%)	125 (98%)	2 (2%)	0	100	100
2	L	213/213 (100%)	210 (99%)	3 (1%)	0	100	100
3	H	209/210 (100%)	205 (98%)	4 (2%)	0	100	100
All	All	549/552 (100%)	540 (98%)	9 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	105/105 (100%)	104 (99%)	1 (1%)	85	59
2	L	193/191 (101%)	189 (98%)	4 (2%)	66	24
3	H	188/187 (100%)	183 (97%)	5 (3%)	57	15
All	All	486/483 (101%)	476 (98%)	10 (2%)	66	24

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	725	ARG
2	L	11	LEU
2	L	24	ARG
2	L	31	ASN
2	L	143	ASP
3	H	332	ASP
3	H	401	ASP
3	H	440	CYS
3	H	473	ASP
3	H	508	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	615	HIS
1	C	637	ASN
1	C	677	ASN
1	C	693	ASN
1	C	713	ASN
1	C	721	GLN
2	L	31	ASN
2	L	32	ASN
2	L	53	GLN
2	L	92	ASN
2	L	190	ASN
3	H	303	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	C	129/129 (100%)	0.87	14 (10%) 6 7	12, 16, 25, 39	0
2	L	213/213 (100%)	0.87	25 (11%) 5 6	10, 19, 27, 31	0
3	H	210/210 (100%)	0.99	31 (14%) 3 4	11, 19, 27, 34	0
All	All	552/552 (100%)	0.92	70 (12%) 4 5	10, 18, 27, 39	0

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	729	LEU	8.6
1	C	728	ARG	7.3
2	L	202	THR	6.4
2	L	83	PHE	6.0
2	L	41	HIS	6.0
1	C	670	PRO	5.9
3	H	503	SER	4.6
1	C	649	GLY	4.1
3	H	415	LYS	4.1
2	L	203	SER	3.9
1	C	727	CYS	3.7
3	H	504	THR	3.6
2	L	156	GLN	3.6
3	H	505	LYS	3.5
2	L	199	LYS	3.5
3	H	440	CYS	3.4
1	C	703	ASN	3.4
1	C	645	ARG	3.4
3	H	473	ASP	3.2
3	H	458	SER	3.2
3	H	413	ALA	3.2
1	C	709	VAL	3.1
1	C	662	TRP	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	726	GLY	3.0
2	L	157	ASN	3.0
3	H	301	ASP	2.9
3	H	336	TRP	2.9
3	H	405	GLN	2.8
3	H	471	GLN	2.7
3	H	501	ALA	2.7
2	L	201	SER	2.6
2	L	188	ARG	2.6
3	H	456	SER	2.6
3	H	498	ALA	2.6
2	L	153	SER	2.6
1	C	725	ARG	2.6
3	H	364	LYS	2.6
1	C	617	LEU	2.5
3	H	500	PRO	2.5
2	L	142	LYS	2.5
2	L	11	LEU	2.5
2	L	133	VAL	2.5
1	C	668	ARG	2.5
2	L	163	TRP	2.4
3	H	380	LEU	2.3
2	L	70	ASP	2.3
3	H	344	ARG	2.3
2	L	24	ARG	2.3
2	L	117	ILE	2.3
2	L	169	LYS	2.3
2	L	132	VAL	2.3
3	H	502	SER	2.3
3	H	320	LEU	2.3
2	L	190	ASN	2.2
3	H	337	ILE	2.2
2	L	205	ILE	2.2
3	H	418	PRO	2.2
3	H	341	PRO	2.2
1	C	721	GLN	2.2
3	H	388	GLU	2.1
2	L	160	LEU	2.1
2	L	152	GLY	2.1
3	H	461	SER	2.1
3	H	407[A]	THR	2.1
2	L	143	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	H	472	SER	2.0
3	H	506	VAL	2.0
3	H	433	ASN	2.0
2	L	57	GLY	2.0
3	H	369	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.