



Full wwPDB X-ray Structure Validation Report (i)

Feb 26, 2014 – 04:12 PM GMT

PDB ID : 1DDH

Title : MHC CLASS I H-2DD HEAVY CHAIN COMPLEXED WITH BETA-2 MICROGLOBULIN AND AN IMMUNODOMINANT PEPTIDE P18-I10 FROM THE HUMAN IMMUNODEFICIENCY VIRUS ENVELOPE GLYCOPROTEIN 120

Authors : Li, H.; Margulies, D.H.; Mariuzza, R.A.

Deposited on : 1998-06-22

Resolution : 3.10 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.15 2013

Xtriage (Phenix) : dev-1323

EDS : stable22639

Percentile statistics : 21963

Refmac : 5.8.0049

CCP4 : 6.3.0 (Settle)

Ideal geometry (proteins) : Engh & Huber (2001)


Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)

Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance (i)

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	1078 (3.16-3.04)
Ramachandran outliers	78287	1044 (3.16-3.04)
Sidechain outliers	78261	1044 (3.16-3.04)
RSRZ outliers	66119	1008 (3.18-3.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	274	
2	B	99	
3	P	10	

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 3051 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MHC CLASS I H-2DD HEAVY CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	274	2185	1364	394	417	10	8	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	68	ASN	LYS	CONFLICT	UNP P01900
A	181	ALA	ARG	CONFLICT	UNP P01900
A	212	GLU	ASP	CONFLICT	UNP P01900
A	254	GLN	GLU	CONFLICT	UNP P01900

- Molecule 2 is a protein called BETA-2 MICROGLOBULIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	99	786	499	133	146	8	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	85	ALA	ASP	CONFLICT	UNP P01887

- Molecule 3 is a protein called HUMAN IMMUNODEFICIENCY VIRUS ENVELOPE GLYCOPROTEIN 120.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O				
3	P	10	76	48	16	12		0	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	4	Total O 4 4	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: MHC CLASS I H-2DD HEAVY CHAIN

Chain A:



- Molecule 2: BETA-2 MICROGLOBULIN

Chain B:



- Molecule 3: HUMAN IMMUNODEFICIENCY VIRUS ENVELOPE GLYCOPROTEIN 120

Chain P:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	51.33Å 91.35Å 108.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 3.10 91.35 – 3.00	Depositor EDS
% Data completeness (in resolution range)	86.4 (8.00-3.10) 85.5 (91.35-3.00)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$< I/\sigma(I) >$ ¹	3.01 (at 3.01Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R , R_{free}	0.229 , 0.337 0.270 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	62.5	Xtriage
Anisotropy	0.425	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 49.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$< L > = 0.49$, $< L^2 > = 0.32$	Xtriage
Outliers	0 of 9163 reflections	Xtriage
F_o , F_c correlation	0.86	EDS
Total number of atoms	3051	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.46	0/2246	0.73	0/3050
2	B	0.51	0/812	0.75	0/1102
3	P	0.48	0/77	0.92	0/101
All	All	0.47	0/3135	0.74	0/4253

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2185	0	1990	149	0
2	B	786	0	731	59	0
3	P	76	0	82	7	0
4	A	4	0	0	0	0
All	All	3051	0	2803	205	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 35.

All (205) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:103:VAL:HA	1:A:109:LEU:HA	1.44	0.99
1:A:35:ARG:HG3	1:A:35:ARG:HH11	1.31	0.95
1:A:9:VAL:HB	1:A:97:TRP:HB3	1.54	0.90
2:B:83:LYS:HG2	2:B:90:PRO:HB3	1.55	0.87
1:A:213:ILE:HG12	1:A:214:THR:H	1.40	0.84
1:A:45:TYR:CD2	1:A:63:GLU:HB3	2.13	0.84
2:B:13:HIS:HB2	2:B:21:ASN:HD21	1.45	0.81
2:B:30:PHE:HE2	2:B:35:ILE:HB	1.47	0.79
2:B:39:MET:CE	2:B:68:THR:HG22	2.13	0.79
1:A:111:ARG:HG3	1:A:111:ARG:HH11	1.48	0.78
1:A:12:VAL:HG13	1:A:94:THR:HG22	1.65	0.77
1:A:1:MET:HA	1:A:110:LEU:HD13	1.66	0.76
2:B:37:ILE:HG12	2:B:82:VAL:HG22	1.69	0.74
1:A:176:ASN:HB2	1:A:180:LEU:HD12	1.71	0.73
1:A:202:ARG:HG3	1:A:246:SER:OG	1.89	0.72
1:A:213:ILE:HG12	1:A:214:THR:N	2.04	0.72
1:A:8:PHE:CE2	1:A:98:MET:SD	2.83	0.72
1:A:23:MET:HG3	1:A:37:ASP:HA	1.71	0.71
1:A:71:GLU:O	1:A:75:ARG:HG2	1.90	0.71
2:B:52:SER:O	2:B:53:ASP:HB2	1.90	0.70
1:A:35:ARG:HG3	1:A:35:ARG:NH1	2.02	0.68
1:A:4:SER:O	1:A:28:VAL:HA	1.92	0.68
2:B:13:HIS:HB2	2:B:21:ASN:ND2	2.10	0.67
1:A:116:PHE:CE2	1:A:147:TRP:HH2	2.13	0.67
1:A:13:SER:HB3	1:A:78:LEU:HD13	1.77	0.66
1:A:94:THR:OG1	1:A:119:ASP:HA	1.95	0.66
2:B:46:ILE:HD13	2:B:68:THR:HG21	1.77	0.65
1:A:7:TYR:CE2	3:P:2:GLY:HA2	2.31	0.65
2:B:28:THR:OG1	2:B:29:GLN:N	2.29	0.65
1:A:259:CYS:HB3	1:A:272:LEU:CD1	2.27	0.65
1:A:209:TYR:CD1	1:A:210:PRO:HA	2.32	0.64
2:B:5:PRO:CA	2:B:30:PHE:HB3	2.27	0.64
1:A:124:ILE:HG13	1:A:134:THR:O	1.97	0.64
1:A:103:VAL:HG22	1:A:109:LEU:HB3	1.81	0.63
1:A:111:ARG:HD3	1:A:113:TYR:OH	1.98	0.63
2:B:5:PRO:HA	2:B:30:PHE:HB3	1.80	0.63
1:A:204:TRP:CE3	1:A:206:LEU:HD21	2.34	0.63
1:A:13:SER:O	1:A:15:PRO:HD3	2.00	0.61
1:A:185:PRO:HA	1:A:206:LEU:O	2.00	0.61
1:A:22:TYR:HD2	1:A:36:PHE:HE2	1.49	0.61
1:A:242:GLN:O	1:A:243:LYS:HB2	2.01	0.61
1:A:13:SER:O	1:A:92:SER:HA	2.02	0.59
1:A:205:ALA:C	1:A:206:LEU:HD23	2.22	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:230:LEU:HD12	1:A:243:LYS:NZ	2.18	0.59
1:A:138:MET:O	1:A:141:GLN:HB2	2.02	0.59
1:A:26:GLY:HA3	1:A:34:VAL:HG23	1.85	0.59
1:A:5:LEU:HA	1:A:27:TYR:O	2.03	0.59
1:A:111:ARG:HG3	1:A:111:ARG:NH1	2.15	0.58
1:A:70:ASN:OD1	3:P:4:GLY:HA2	2.04	0.58
1:A:123:TYR:CE1	1:A:140:ALA:HA	2.38	0.58
1:A:261:VAL:HB	1:A:270:LEU:HB3	1.84	0.58
1:A:74:PHE:HE1	1:A:95:LEU:HD13	1.69	0.58
1:A:199:VAL:O	1:A:249:VAL:HG22	2.04	0.58
2:B:12:ARG:NH1	2:B:13:HIS:NE2	2.51	0.57
1:A:35:ARG:HB2	1:A:48:ARG:HG3	1.86	0.57
2:B:25:CYS:O	2:B:27:VAL:HG23	2.05	0.57
1:A:23:MET:HA	1:A:36:PHE:O	2.05	0.57
2:B:30:PHE:CE2	2:B:35:ILE:HB	2.33	0.56
1:A:204:TRP:HE3	1:A:206:LEU:HD21	1.69	0.56
1:A:44:ARG:NH1	1:A:61:GLU:HA	2.20	0.56
2:B:34:HIS:O	2:B:84:HIS:HD2	1.88	0.56
2:B:46:ILE:O	2:B:49:VAL:HG22	2.05	0.56
1:A:35:ARG:CG	1:A:35:ARG:HH11	2.12	0.56
2:B:30:PHE:HE2	2:B:35:ILE:CB	2.18	0.56
1:A:116:PHE:HE2	1:A:147:TRP:HH2	1.51	0.56
1:A:26:GLY:HA3	1:A:34:VAL:CG2	2.35	0.55
1:A:1:MET:HA	1:A:110:LEU:CD1	2.35	0.55
1:A:204:TRP:HH2	1:A:234:ARG:NH2	2.04	0.55
1:A:58:GLU:O	1:A:62:ARG:HB2	2.07	0.55
1:A:167:TRP:HB3	1:A:171:TYR:CE2	2.42	0.54
1:A:75:ARG:NH1	1:A:75:ARG:HG3	2.21	0.54
1:A:47:PRO:HB3	1:A:60:TRP:CZ2	2.42	0.54
1:A:24:GLU:HB2	1:A:36:PHE:HB3	1.90	0.54
2:B:35:ILE:HG12	2:B:36:GLU:N	2.23	0.54
2:B:44:LYS:HB2	2:B:44:LYS:NZ	2.23	0.54
1:A:5:LEU:HB2	1:A:168:LEU:HD13	1.91	0.53
1:A:22:TYR:HE1	1:A:74:PHE:CD2	2.25	0.53
1:A:98:MET:HG2	1:A:115:GLN:HE21	1.72	0.53
1:A:9:VAL:HG21	1:A:97:TRP:HE3	1.74	0.53
1:A:74:PHE:HZ	1:A:97:TRP:HB2	1.73	0.53
1:A:13:SER:HA	1:A:20:PRO:HG3	1.90	0.53
1:A:202:ARG:HH12	2:B:99:MET:HG2	1.73	0.53
1:A:22:TYR:CD2	1:A:36:PHE:HE2	2.27	0.52
1:A:111:ARG:HD3	1:A:113:TYR:CZ	2.44	0.52
1:A:130:LEU:HD11	1:A:160:LEU:HD12	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:93:HIS:HD2	1:A:119:ASP:OD2	1.91	0.52
2:B:39:MET:HE1	2:B:68:THR:HG22	1.89	0.51
1:A:231:VAL:HG13	1:A:244:TRP:CZ2	2.45	0.51
1:A:75:ARG:HH11	1:A:75:ARG:HG3	1.74	0.51
1:A:187:ALA:O	1:A:188:HIS:HB3	2.10	0.51
1:A:211:ALA:HB2	1:A:241:PHE:CZ	2.46	0.51
1:A:33:PHE:O	1:A:48:ARG:N	2.43	0.51
1:A:118:TYR:O	1:A:119:ASP:HB2	2.11	0.51
2:B:23:LEU:O	2:B:67:HIS:HA	2.10	0.51
2:B:41:LYS:O	2:B:42:ASN:HB2	2.11	0.51
2:B:2:GLN:NE2	2:B:85:ALA:HB1	2.25	0.50
1:A:66:ARG:NH2	3:P:2:GLY:HA3	2.26	0.50
1:A:20:PRO:HG2	1:A:78:LEU:HD12	1.94	0.50
1:A:116:PHE:HE2	1:A:147:TRP:CH2	2.30	0.50
1:A:22:TYR:CE1	1:A:74:PHE:HD2	2.30	0.50
1:A:111:ARG:HH12	1:A:128:GLU:HA	1.77	0.50
1:A:50:ARG:O	1:A:53:GLU:HB2	2.11	0.50
1:A:4:SER:HB2	1:A:6:ARG:HD3	1.94	0.49
1:A:205:ALA:O	1:A:206:LEU:HD23	2.11	0.49
2:B:44:LYS:HB2	2:B:44:LYS:HZ3	1.77	0.49
1:A:66:ARG:NH1	1:A:66:ARG:HB3	2.27	0.49
2:B:32:PRO:HB2	2:B:33:PRO:HD2	1.93	0.49
1:A:102:ASP:O	1:A:110:LEU:N	2.39	0.49
1:A:47:PRO:HB2	1:A:53:GLU:HG3	1.94	0.49
1:A:179:LEU:O	1:A:181:ALA:N	2.46	0.49
1:A:163:GLU:O	1:A:167:TRP:HB2	2.13	0.49
1:A:9:VAL:HG11	1:A:74:PHE:HE2	1.78	0.48
2:B:70:PHE:CE2	2:B:72:PRO:HG3	2.48	0.48
1:A:213:ILE:CG1	1:A:214:THR:H	2.18	0.48
1:A:22:TYR:HB3	1:A:38:SER:OG	2.14	0.48
1:A:225:THR:O	1:A:227:GLU:N	2.46	0.48
1:A:97:TRP:CH2	3:P:3:PRO:HG2	2.49	0.47
1:A:85:TYR:HE2	1:A:118:TYR:CD2	2.31	0.47
1:A:97:TRP:HZ2	1:A:114:TRP:CZ2	2.32	0.47
1:A:15:PRO:HD3	1:A:92:SER:HA	1.94	0.47
1:A:204:TRP:HA	1:A:244:TRP:HB3	1.95	0.47
2:B:12:ARG:HD3	2:B:22:ILE:HD13	1.96	0.47
1:A:255:GLN:CA	1:A:255:GLN:HE21	2.28	0.47
1:A:22:TYR:CE1	1:A:74:PHE:CD2	3.02	0.47
2:B:30:PHE:CE2	2:B:35:ILE:HD12	2.49	0.47
1:A:44:ARG:HH12	1:A:61:GLU:HA	1.80	0.47
2:B:9:VAL:CG1	2:B:23:LEU:HD21	2.45	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:5:PRO:HB3	2:B:30:PHE:HB3	1.97	0.46
2:B:30:PHE:O	2:B:62:PHE:HB2	2.15	0.46
1:A:189:VAL:HA	1:A:202:ARG:O	2.15	0.46
1:A:243:LYS:HG2	1:A:244:TRP:H	1.80	0.46
1:A:243:LYS:HG2	1:A:244:TRP:N	2.30	0.46
2:B:5:PRO:HA	2:B:28:THR:O	2.15	0.46
1:A:205:ALA:O	1:A:208:PHE:HE1	1.99	0.46
1:A:25:VAL:HG13	1:A:35:ARG:NH1	2.31	0.46
2:B:64:ILE:HG12	2:B:65:LEU:N	2.31	0.46
1:A:51:TRP:CH2	1:A:171:TYR:HB3	2.50	0.46
1:A:104:GLU:HG3	1:A:105:SER:N	2.30	0.46
2:B:14:PRO:HA	2:B:15:PRO:HD2	1.78	0.46
1:A:238:ASP:C	1:A:240:THR:H	2.19	0.45
1:A:230:LEU:HD12	1:A:243:LYS:HZ1	1.80	0.45
1:A:253:LYS:O	1:A:255:GLN:N	2.50	0.45
1:A:103:VAL:HG21	1:A:165:VAL:HG13	1.97	0.45
2:B:39:MET:O	2:B:46:ILE:HG13	2.16	0.45
1:A:219:LEU:HA	1:A:256:LYS:O	2.16	0.45
2:B:12:ARG:C	2:B:13:HIS:HD2	2.20	0.45
2:B:12:ARG:O	2:B:13:HIS:HD2	1.99	0.45
1:A:216:THR:OG1	1:A:260:HIS:HB2	2.16	0.45
1:A:234:ARG:HG3	2:B:10:TYR:CZ	2.52	0.45
2:B:67:HIS:ND1	2:B:67:HIS:O	2.50	0.45
1:A:7:TYR:CD2	3:P:2:GLY:HA2	2.51	0.45
1:A:146:LYS:HD3	1:A:147:TRP:CD1	2.51	0.45
1:A:167:TRP:O	1:A:171:TYR:CD2	2.70	0.45
1:A:238:ASP:OD1	1:A:240:THR:OG1	2.34	0.45
1:A:259:CYS:HB3	1:A:272:LEU:HD11	1.98	0.44
1:A:204:TRP:HE3	1:A:206:LEU:CD2	2.31	0.44
1:A:45:TYR:HE2	1:A:66:ARG:HH12	1.63	0.44
2:B:33:PRO:HB3	2:B:62:PHE:CE2	2.52	0.44
1:A:217:TRP:HE1	1:A:245:ALA:C	2.21	0.44
2:B:12:ARG:HB3	2:B:22:ILE:HB	2.00	0.44
2:B:46:ILE:CD1	2:B:68:THR:HG21	2.47	0.44
1:A:202:ARG:NH1	2:B:99:MET:CE	2.81	0.44
1:A:103:VAL:CG2	1:A:168:LEU:HD23	2.47	0.44
2:B:53:ASP:HB3	2:B:54:MET:H	1.57	0.44
1:A:28:VAL:HG13	1:A:179:LEU:HD11	1.99	0.43
3:P:7:PHE:N	3:P:7:PHE:CD1	2.86	0.43
1:A:15:PRO:HG2	1:A:91:GLY:C	2.38	0.43
1:A:95:LEU:HD23	1:A:95:LEU:HA	1.57	0.43
2:B:35:ILE:HD11	2:B:82:VAL:HG13	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:172:LEU:O	1:A:176:ASN:N	2.52	0.43
1:A:147:TRP:CD1	1:A:147:TRP:N	2.87	0.43
1:A:85:TYR:CE2	1:A:118:TYR:CD2	3.06	0.43
1:A:119:ASP:O	2:B:31:HIS:NE2	2.51	0.43
1:A:195:PRO:O	1:A:197:GLY:N	2.51	0.43
2:B:83:LYS:CG	2:B:90:PRO:HB3	2.39	0.43
1:A:166:GLU:O	1:A:170:ARG:HG3	2.19	0.42
1:A:85:TYR:CB	1:A:87:GLN:HG3	2.49	0.42
1:A:130:LEU:CD1	1:A:160:LEU:HD12	2.49	0.42
2:B:51:MET:CE	2:B:64:ILE:HD11	2.49	0.42
1:A:219:LEU:HD13	1:A:257:TYR:CE1	2.55	0.42
1:A:229:GLU:O	1:A:245:ALA:HA	2.19	0.42
1:A:97:TRP:CZ3	3:P:3:PRO:HG2	2.54	0.42
2:B:31:HIS:O	2:B:84:HIS:HE1	2.03	0.42
1:A:20:PRO:HG2	1:A:78:LEU:CD1	2.50	0.42
1:A:27:TYR:CE2	1:A:32:GLU:HB2	2.55	0.42
2:B:5:PRO:CB	2:B:30:PHE:HB3	2.48	0.42
1:A:28:VAL:O	1:A:28:VAL:HG13	2.20	0.42
2:B:9:VAL:HG13	2:B:23:LEU:HD21	2.01	0.42
2:B:30:PHE:H	2:B:30:PHE:HD1	1.68	0.41
1:A:81:ALA:HB1	1:A:118:TYR:CZ	2.55	0.41
2:B:44:LYS:CB	2:B:44:LYS:NZ	2.83	0.41
2:B:53:ASP:O	2:B:54:MET:CB	2.69	0.41
2:B:56:PHE:CE2	2:B:60:TRP:CE3	3.09	0.41
1:A:22:TYR:CD2	1:A:71:GLU:HB2	2.56	0.41
1:A:6:ARG:HB3	1:A:98:MET:CE	2.51	0.41
1:A:160:LEU:O	1:A:164:CYS:HB3	2.20	0.41
1:A:204:TRP:CH2	1:A:234:ARG:NH2	2.87	0.41
1:A:82:LEU:CD1	1:A:82:LEU:H	2.34	0.41
1:A:41:GLU:O	1:A:43:PRO:HD3	2.20	0.41
2:B:48:LYS:O	2:B:50:GLU:N	2.54	0.41
1:A:111:ARG:CG	1:A:111:ARG:NH1	2.84	0.40
1:A:268:GLU:HB3	1:A:269:PRO:HD2	2.03	0.40
2:B:56:PHE:HB2	2:B:60:TRP:O	2.21	0.40
1:A:6:ARG:NH2	1:A:113:TYR:CD2	2.90	0.40
2:B:84:HIS:ND1	2:B:86:SER:OG	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	272/274 (99%)	215 (79%)	38 (14%)	19 (7%)	2 13
2	B	97/99 (98%)	73 (75%)	17 (18%)	7 (7%)	2 12
3	P	8/10 (80%)	4 (50%)	2 (25%)	2 (25%)	0 0
All	All	377/383 (98%)	292 (78%)	57 (15%)	28 (7%)	2 11

All (28) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	180	LEU
1	A	181	ALA
1	A	195	PRO
1	A	196	GLU
1	A	227	GLU
1	A	254	GLN
2	B	53	ASP
2	B	54	MET
3	P	9	THR
1	A	188	HIS
1	A	251	LEU
1	A	41	GLU
1	A	179	LEU
1	A	226	GLN
1	A	243	LYS
2	B	29	GLN
2	B	98	ASP
1	A	163	GLU
1	A	127	ASN
1	A	233	THR
2	B	20	PRO
2	B	49	VAL
1	A	53	GLU
1	A	267	PRO
2	B	47	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	P	6	ALA
1	A	120	GLY
1	A	213	ILE

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	216/229 (94%)	190 (88%)	26 (12%)	7 27
2	B	86/93 (92%)	72 (84%)	14 (16%)	3 12
3	P	7/7 (100%)	7 (100%)	0	100 100
All	All	309/329 (94%)	269 (87%)	40 (13%)	6 24

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	VAL
1	A	31	THR
1	A	35	ARG
1	A	45	TYR
1	A	50	ARG
1	A	54	GLN
1	A	66	ARG
1	A	74	PHE
1	A	83	ARG
1	A	95	LEU
1	A	106	ASP
1	A	109	LEU
1	A	134	THR
1	A	138	MET
1	A	154	GLU
1	A	155	ARG
1	A	174	ASN
1	A	178	THR
1	A	190	THR
1	A	225	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	227	GLU
1	A	234	ARG
1	A	238	ASP
1	A	240	THR
1	A	255	GLN
1	A	272	LEU
2	B	4	THR
2	B	11	SER
2	B	23	LEU
2	B	28	THR
2	B	30	PHE
2	B	39	MET
2	B	44	LYS
2	B	53	ASP
2	B	55	SER
2	B	58	LYS
2	B	71	THR
2	B	87	MET
2	B	89	GLU
2	B	97	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	ASN
1	A	68	ASN
1	A	115	GLN
1	A	149	GLN
1	A	255	GLN
2	B	2	GLN

5.3.3 RNA (i)

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	274/274 (100%)	-0.11	1 (0%) 90 45	5, 36, 82, 142	2 (0%)
2	B	99/99 (100%)	-0.11	0 100 100	5, 26, 74, 99	0
3	P	10/10 (100%)	-0.13	0 100 100	11, 57, 113, 119	0
All	All	383/383 (100%)	-0.11	1 (0%) 91 53	5, 34, 80, 142	2 (0%)

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	MET	4.9

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.