



# Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 05:24 AM GMT

PDB ID : 3DJY  
Title : Nonaged Form of Human ButyrylcholinesteraseInhibited by Tabun  
Authors : Carletti, E.; Nachon, F.  
Deposited on : 2008-06-24  
Resolution : 2.10 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance


The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	3012 (2.10-2.10)
Clashscore	79885	3649 (2.10-2.10)
Ramachandran outliers	78287	3610 (2.10-2.10)
Sidechain outliers	78261	3611 (2.10-2.10)
RSRZ outliers	66119	3013 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	529	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
4	NAG	A	535	-	X
4	NAG	A	536	-	X
4	NAG	A	537	-	X
7	PO4	A	544	-	X

## 2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 4656 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cholinesterase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	527	Total	C	N	O	P	S	0	1	0
			4221	2722	710	773	1	15			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	17	GLN	ASN	ENGINEERED	UNP P06276
A	455	GLN	ASN	ENGINEERED	UNP P06276
A	481	GLN	ASN	ENGINEERED	UNP P06276
A	486	GLN	ASN	ENGINEERED	UNP P06276

- Molecule 2 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	3	Total	C	N	O	0	0
			38	22	2	14		
2	A	3	Total	C	N	O	0	0
			38	22	2	14		

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	17	GLN	ASN	ENGINEERED	UNP P06276
A	455	GLN	ASN	ENGINEERED	UNP P06276
A	481	GLN	ASN	ENGINEERED	UNP P06276
A	486	GLN	ASN	ENGINEERED	UNP P06276
A	17	GLN	ASN	ENGINEERED	UNP P06276
A	455	GLN	ASN	ENGINEERED	UNP P06276
A	481	GLN	ASN	ENGINEERED	UNP P06276
A	486	GLN	ASN	ENGINEERED	UNP P06276


- Molecule 3 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	2	Total	C	N	O	0	0
			24	14	1	9		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	17	GLN	ASN	ENGINEERED	UNP P06276
A	455	GLN	ASN	ENGINEERED	UNP P06276
A	481	GLN	ASN	ENGINEERED	UNP P06276
A	486	GLN	ASN	ENGINEERED	UNP P06276

- Molecule 4 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Na	0	0
			1	1		

- Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	Cl	0	0
			2	2		

- Molecule 7 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	O	P	0	0
			5	4	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	285	Total	O	0	0
			285	285		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Cholinesterase



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	156.58Å 156.58Å 127.74Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	55.38 – 2.10 55.36 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (55.38-2.10) 99.0 (55.36-2.10)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.61 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.4.0069	Depositor
R, $R_{free}$	0.211 , 0.249 0.211 , 0.250	Depositor DCC
$R_{free}$ test set	918 reflections (2.04%)	DCC
Wilson B-factor (Å <sup>2</sup> )	33.6	Xtriage
Anisotropy	0.205	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 56.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	0 of 45876 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4656	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.38% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, CL, SUN, PO4, NA, FUL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.82	2/4326 (0.0%)	0.78	1/5871 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	419	TYR	CD1-CE1	6.33	1.48	1.39
1	A	367	GLU	CG-CD	5.76	1.60	1.51

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	377	VAL	CB-CA-C	-5.03	101.84	111.40

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	359	PRO	Peptide
1	A	380	GLN	Peptide

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4221	0	4116	89	0
2	A	76	0	68	1	0
3	A	24	0	22	1	0
4	A	42	0	39	1	0
5	A	1	0	0	0	0
6	A	2	0	0	1	0
7	A	5	0	0	0	0
8	A	285	0	0	9	0
All	All	4656	0	4245	92	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 11.

All (92) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:4:ILE:H	1:A:4:ILE:HD12	1.12	1.06
1:A:4:ILE:N	1:A:4:ILE:HD12	1.67	1.03
1:A:518:GLN:H	1:A:518:GLN:HE21	1.02	1.00
1:A:50:THR:O	1:A:51:LYS:HB3	1.63	0.95
1:A:17:GLN:HE21	1:A:17:GLN:HA	1.32	0.93
6:A:543:CL:CL	8:A:733:HOH:O	2.24	0.91
1:A:377:VAL:HG23	1:A:377:VAL:O	1.71	0.89
1:A:378:ASP:O	1:A:380:GLN:N	2.08	0.86
1:A:378:ASP:OD1	1:A:380:GLN:OE1	1.95	0.83
1:A:518:GLN:HE21	1:A:518:GLN:N	1.81	0.77
1:A:4:ILE:CD1	1:A:4:ILE:H	1.95	0.74
1:A:377:VAL:HA	1:A:378:ASP:HB2	1.71	0.72
1:A:50:THR:O	1:A:51:LYS:CB	2.37	0.72
1:A:253:SER:O	1:A:254:ARG:HD3	1.93	0.68
1:A:379:ASP:HB2	1:A:381:ARG:HG3	1.80	0.63
1:A:282:TYR:HD2	1:A:282:TYR:O	1.82	0.63
1:A:320:GLY:HA3	1:A:419:TYR:CZ	2.35	0.62
1:A:453:ARG:HG3	8:A:721:HOH:O	2.00	0.62
1:A:379:ASP:O	1:A:380:GLN:HB2	2.00	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:320:GLY:HA3	1:A:419:TYR:CE1	2.35	0.61
4:A:535:NAG:O6	8:A:611:HOH:O	2.16	0.60
1:A:500:TYR:CZ	1:A:511:MET:HB2	2.37	0.60
1:A:414:ASN:HB2	8:A:624:HOH:O	2.04	0.58
1:A:61:TYR:CD1	1:A:124:SER:HB3	2.38	0.58
1:A:500:TYR:CE1	1:A:511:MET:HB2	2.40	0.57
1:A:4:ILE:N	1:A:4:ILE:CD1	2.40	0.56
1:A:502:THR:O	1:A:508:THR:HB	2.06	0.56
1:A:304:ASP:N	1:A:304:ASP:OD1	2.40	0.55
1:A:379:ASP:CB	1:A:381:ARG:HG3	2.38	0.54
1:A:117:GLY:HA2	1:A:198:SUN:C2	2.38	0.54
1:A:17:GLN:NE2	1:A:17:GLN:HA	2.13	0.54
1:A:190:LYS:HB3	3:A:534:FUL:H5	1.91	0.53
1:A:109:VAL:HB	1:A:192:VAL:HG22	1.90	0.53
1:A:495:SER:O	1:A:496:THR:OG1	2.17	0.53
1:A:235:SER:OG	1:A:238:GLU:HG3	2.09	0.52
1:A:267:LYS:HE3	1:A:271:GLU:OE1	2.10	0.52
1:A:377:VAL:CG2	1:A:377:VAL:O	2.39	0.52
1:A:53:SER:O	1:A:54:ASP:HB2	2.09	0.51
1:A:378:ASP:O	1:A:379:ASP:C	2.49	0.51
1:A:378:ASP:O	1:A:378:ASP:OD1	2.29	0.50
1:A:495:SER:O	1:A:496:THR:CB	2.60	0.50
1:A:255:GLU:CD	1:A:255:GLU:H	2.14	0.50
1:A:227:PHE:CD2	1:A:227:PHE:C	2.84	0.50
1:A:3:ASP:N	8:A:725:HOH:O	2.44	0.50
2:A:531:NAG:H61	8:A:641:HOH:O	2.11	0.49
1:A:110:LEU:HD11	1:A:475:ALA:CB	2.42	0.49
1:A:518:GLN:H	1:A:518:GLN:NE2	1.88	0.49
1:A:278:PHE:C	1:A:280:VAL:H	2.17	0.48
1:A:157:PRO:HD2	1:A:240:ARG:CD	2.44	0.48
1:A:156:LEU:HD13	1:A:243:THR:HG21	1.95	0.48
1:A:361:VAL:O	1:A:366:LYS:NZ	2.47	0.47
1:A:282:TYR:O	1:A:282:TYR:CD2	2.67	0.47
1:A:267:LYS:HD2	1:A:267:LYS:HA	1.76	0.47
1:A:240:ARG:NH1	1:A:257:GLU:OE2	2.47	0.47
1:A:381:ARG:NH1	1:A:384:ASN:OD1	2.47	0.47
1:A:378:ASP:OD1	1:A:378:ASP:C	2.54	0.46
1:A:253:SER:O	1:A:254:ARG:CD	2.63	0.45
1:A:377:VAL:N	1:A:378:ASP:HA	2.30	0.45
1:A:117:GLY:HA2	1:A:198:SUN:H2C2	1.99	0.45
1:A:452:ARG:C	1:A:454:ASP:H	2.19	0.45
1:A:197:GLU:HA	1:A:223:GLN:O	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:236:LEU:HA	1:A:236:LEU:HD12	1.71	0.45
1:A:318:LEU:HD23	1:A:318:LEU:C	2.37	0.45
1:A:452:ARG:HG2	8:A:612:HOH:O	2.17	0.45
1:A:448:LEU:N	1:A:449:PRO:CD	2.80	0.45
1:A:352:GLU:HA	1:A:355:LYS:HE3	1.98	0.45
1:A:71:GLN:HG2	8:A:826:HOH:O	2.16	0.44
1:A:372[B]:HIS:CD2	8:A:803:HOH:O	2.70	0.44
1:A:448:LEU:HB2	1:A:449:PRO:HD3	2.00	0.43
1:A:24:THR:O	1:A:101:ALA:HB3	2.18	0.43
1:A:381:ARG:NH2	1:A:383:GLU:OE1	2.51	0.43
1:A:156:LEU:HD22	1:A:261:ILE:HD11	2.01	0.43
1:A:133:LEU:HD23	1:A:468:VAL:HG13	2.00	0.43
1:A:253:SER:C	1:A:254:ARG:HD3	2.38	0.43
1:A:319:VAL:O	1:A:418:PHE:HA	2.19	0.43
1:A:350:PHE:CE2	1:A:370:LEU:HD12	2.54	0.42
1:A:247:ALA:O	1:A:248:LYS:C	2.58	0.42
1:A:358:PHE:N	1:A:359:PRO:HD3	2.34	0.42
1:A:347:ARG:HB2	1:A:385:TYR:CZ	2.55	0.42
1:A:69:ILE:HD11	1:A:88:LEU:HD11	2.02	0.42
1:A:222:LEU:N	1:A:222:LEU:HD12	2.34	0.42
1:A:428:LEU:CD1	1:A:430:TRP:HB2	2.49	0.42
1:A:137:GLU:OE2	1:A:469:LYS:HE2	2.20	0.42
1:A:117:GLY:HA2	1:A:198:SUN:H2C3	2.01	0.41
1:A:376:TRP:CD1	1:A:380:GLN:NE2	2.89	0.41
1:A:227:PHE:CE2	1:A:303:PRO:HB2	2.56	0.41
1:A:209:LEU:HD23	1:A:312:PHE:HB3	2.03	0.41
1:A:255:GLU:CD	1:A:255:GLU:N	2.74	0.40
1:A:244:LEU:O	1:A:247:ALA:HB3	2.21	0.40
1:A:323:LYS:HB3	1:A:436:VAL:HB	2.02	0.40
1:A:288:VAL:HG12	1:A:288:VAL:O	2.21	0.40
1:A:522:TRP:O	1:A:527:PRO:HD3	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	525/529 (99%)	491 (94%)	26 (5%)	8 (2%)	15 8

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	51	LYS
1	A	379	ASP
1	A	496	THR
1	A	453	ARG
1	A	378	ASP
1	A	506	GLU
1	A	361	VAL
1	A	377	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	452/453 (100%)	428 (95%)	24 (5%)	32 28

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ILE
1	A	17	GLN
1	A	40	ARG
1	A	50	THR
1	A	105	LYS
1	A	156	LEU
1	A	176	GLN
1	A	195	PHE
1	A	236	LEU
1	A	255	GLU
1	A	262	LYS
1	A	268	ASP
1	A	274	LEU
1	A	278	PHE
1	A	280	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	282	TYR
1	A	428	LEU
1	A	454	ASP
1	A	471	TRP
1	A	486	GLN
1	A	497	GLU
1	A	506	GLU
1	A	509	ARG
1	A	518	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	GLN
1	A	172	GLN
1	A	275	ASN
1	A	289	ASN
1	A	380	GLN
1	A	518	GLN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	SUN	A	198	1	13,13,14	6.17	5 (38%)	15,17,19	2.69	6 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SUN	A	198	1	-	0/16/18/20	0/0/0/0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	198	SUN	O-C	21.20	1.26	1.11
1	A	198	SUN	CA-C	4.40	1.56	1.48
1	A	198	SUN	P1-N1	3.46	1.71	1.62
1	A	198	SUN	P1-OG	2.81	1.65	1.57
1	A	198	SUN	P1-O1	2.15	1.48	1.46

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	198	SUN	P1-N1-C1	-6.04	107.03	119.86
1	A	198	SUN	P1-O2-C3	-4.47	108.42	120.70
1	A	198	SUN	OG-P1-O1	-4.02	108.33	115.95
1	A	198	SUN	O2-P1-OG	3.87	109.36	99.93
1	A	198	SUN	C1-N1-C2	-2.60	103.94	113.67
1	A	198	SUN	OG-CB-CA	2.22	111.84	108.69

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.5 Carbohydrates ⓘ

8 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	A	530	1,2	12,14,15	1.26	2 (16%)	15,19,21	2.19	3 (20%)
2	NAG	A	531	2	12,14,15	0.78	1 (8%)	15,19,21	1.36	2 (13%)
2	FUL	A	532	2	9,10,11	0.93	0	10,14,16	1.53	3 (30%)
3	NAG	A	533	1,3	12,14,15	0.59	0	15,19,21	2.26	4 (26%)
3	FUL	A	534	3	9,10,11	0.90	0	10,14,16	1.78	1 (10%)
2	NAG	A	538	1,2	12,14,15	0.75	1 (8%)	15,19,21	1.17	2 (13%)
2	NAG	A	539	2	12,14,15	0.53	0	15,19,21	0.99	1 (6%)
2	FUL	A	540	2	9,10,11	0.93	1 (11%)	10,14,16	1.25	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsions and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	530	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	531	2	-	0/6/23/26	0/1/1/1
2	FUL	A	532	2	-	0/0/17/20	0/1/1/1
3	NAG	A	533	1,3	-	0/6/23/26	0/1/1/1
3	FUL	A	534	3	-	0/0/17/20	0/1/1/1
2	NAG	A	538	1,2	-	2/6/23/26	0/1/1/1
2	NAG	A	539	2	-	0/6/23/26	0/1/1/1
2	FUL	A	540	2	-	0/0/17/20	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	530	NAG	C2-N2	-2.72	1.43	1.46
2	A	530	NAG	O5-C5	-2.61	1.40	1.45
2	A	531	NAG	O5-C5	-2.47	1.40	1.45
2	A	538	NAG	O5-C5	-2.11	1.41	1.45
2	A	540	FUL	O5-C5	-2.06	1.41	1.45

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	533	NAG	O5-C5-C6	6.79	114.11	106.98
2	A	530	NAG	C3-C2-N2	-6.38	102.05	111.76
3	A	534	FUL	C4-C3-C2	-4.40	104.59	110.50
2	A	540	FUL	C3-C4-C5	3.46	115.59	109.84

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	530	NAG	O5-C5-C6	3.39	110.54	106.98
2	A	531	NAG	O5-C5-C6	3.09	110.22	106.98
3	A	533	NAG	C3-C4-C5	-2.94	104.96	110.20
2	A	531	NAG	C3-C2-N2	-2.89	107.36	111.76
2	A	530	NAG	C2-N2-C7	2.83	127.84	123.09
2	A	538	NAG	C2-N2-C7	-2.82	118.36	123.09
2	A	539	NAG	C3-C2-N2	-2.64	107.74	111.76
3	A	533	NAG	O5-C5-C4	-2.52	107.45	110.65
2	A	532	FUL	C4-C3-C2	-2.49	107.17	110.50
2	A	538	NAG	O4-C4-C3	-2.42	104.92	110.35
2	A	532	FUL	O2-C2-C3	2.38	115.31	110.18
2	A	532	FUL	O5-C5-C6	2.04	111.31	108.03
3	A	533	NAG	O3-C3-C2	2.01	113.31	109.09

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	538	NAG	O7-C7-N2-C2
2	A	538	NAG	C8-C7-N2-C2

There are no ring outliers.

## 5.6 Ligand geometry ⓘ

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	NAG	A	535	1	12,14,15	0.52	0	15,19,21	1.46	3 (20%)
4	NAG	A	536	1	12,14,15	0.56	0	15,19,21	1.68	2 (13%)
4	NAG	A	537	1	12,14,15	0.68	0	15,19,21	1.85	2 (13%)
7	PO4	A	544	-	4,4,4	0.19	0	6,6,6	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	535	1	-	0/6/23/26	0/1/1/1
4	NAG	A	536	1	-	0/6/23/26	0/1/1/1
4	NAG	A	537	1	-	0/6/23/26	0/1/1/1
7	PO4	A	544	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	537	NAG	O5-C5-C6	5.16	112.40	106.98
4	A	536	NAG	O5-C5-C6	4.53	111.74	106.98
4	A	537	NAG	O5-C5-C4	-4.01	105.57	110.65
4	A	535	NAG	C4-C3-C2	-2.85	104.35	111.32
4	A	535	NAG	O5-C5-C4	2.78	114.18	110.65
4	A	536	NAG	O5-C5-C4	-2.46	107.53	110.65
4	A	535	NAG	C2-N2-C7	-2.40	119.07	123.09

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	527/529 (99%)	-0.07	18 (3%)	43 47	21, 35, 60, 73	10 (1%)

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	54	ASP	4.5
1	A	453	ARG	4.0
1	A	55	ILE	3.4
1	A	50	THR	3.0
1	A	255	GLU	2.9
1	A	3	ASP	2.6
1	A	455	GLN	2.6
1	A	248	LYS	2.5
1	A	51	LYS	2.5
1	A	253	SER	2.5
1	A	53	SER	2.4
1	A	377	VAL	2.3
1	A	378	ASP	2.3
1	A	270	GLN	2.1
1	A	282	TYR	2.1
1	A	237	TYR	2.1
1	A	348	LYS	2.1
1	A	4	ILE	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
1	SUN	A	198	14/15	0.13	-0.11	25,32,41,44	0

### 6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	FUL	A	532	10/11	0.21	7.52	67,69,71,72	0
3	FUL	A	534	10/11	0.28	6.24	54,56,57,58	10
2	NAG	A	531	14/15	0.19	6.00	63,65,71,73	0
3	NAG	A	533	14/15	0.24	2.93	61,65,66,68	0
2	NAG	A	538	14/15	0.18	0.49	67,71,74,75	0
2	FUL	A	540	10/11	0.18	0.37	70,71,72,73	0
2	NAG	A	530	14/15	0.11	-0.30	47,52,58,62	0
2	NAG	A	539	14/15	0.29	-	71,76,79,79	0

### 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	NAG	A	535	14/15	0.27	11.29	73,77,78,78	0
4	NAG	A	536	14/15	0.15	5.25	53,66,69,70	0
4	NAG	A	537	14/15	0.40	3.61	83,87,89,89	0
7	PO4	A	544	5/5	0.10	2.57	51,53,55,56	0
5	NA	A	541	1/1	0.18	1.07	57,57,57,57	1
6	CL	A	542	1/1	0.17	0.38	58,58,58,58	0
6	CL	A	543	1/1	0.05	-6.49	70,70,70,70	0

### 6.5 Other polymers ⓘ

There are no such residues in this entry.