



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2014 – 01:29 AM GMT

PDB ID : 4DKP  
Title : Crystal structure of clade A/E 93TH057 HIV-1 gp120 core in complex with AWS-I-50  
Authors : Kwon, Y.D.; LaLonde, J.M.; Jones, D.M.; Sun, A.W.; Courter, J.R.; Soeta, T.; Kobayashi, T.; Princiotta, A.M.; Wu, X.; Mascola, J.; Schon, A.; Freire, E.; Sodroski, J.; Madani, N.; Smith III, A.B.; Kwong, P.D.  
Deposited on : 2012-02-03  
Resolution : 1.80 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	3513 (1.80-1.80)
Clashscore	79885	4461 (1.80-1.80)
Ramachandran outliers	78287	4404 (1.80-1.80)
Sidechain outliers	78261	4403 (1.80-1.80)
RSRZ outliers	66119	3515 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	353	
1	C	353	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	NAG	A	502	-	X
2	NAG	A	506	-	X
2	NAG	A	507	-	X
2	NAG	A	510	-	X
2	NAG	A	511	-	X
2	NAG	C	502	-	X

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Geometry	Electron density
2	NAG	C	504	-	X
2	NAG	C	506	-	X
2	NAG	C	507	-	X
2	NAG	C	508	-	X
2	NAG	C	509	-	X
2	NAG	C	510	-	X
2	NAG	C	511	-	X
3	EPE	C	512	-	X
4	OLL	A	513	-	X
4	OLL	C	513	-	X

## 2 Entry composition i


There are 5 unique types of molecules in this entry. The entry contains 6171 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called clade A/E 93TH057 HIV-1 gp120 core.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	339	Total	C	N	O	S	0	0	0
			2654	1666	460	507	21			
1	C	339	Total	C	N	O	S	0	0	0
			2654	1666	460	507	21			

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is 4-(2-HYDROXYETHYL)-1-PIPERAZINEETHANESULFONIC ACID (three-letter code: EPE) (formula: C<sub>8</sub>H<sub>18</sub>N<sub>2</sub>O<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	C	1	Total	C	N	O	S	0	0
			13	8	2	2	1		

- Molecule 4 is N-[(1S,2S)-2-AMINO-2,3-DIHYDRO-1H-INDEN-1-YL]-N'-(4-CHLORO-3-FLUOROPHENYL)ETHANEDIAMIDE (three-letter code: 0LL) (formula: C<sub>17</sub>H<sub>15</sub>ClFN<sub>3</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	Cl	F	N	O	0	0
			24	17	1	1	3	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	C	1	Total	C	Cl	F	N	O	0	0
			24	17	1	1	3	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	296	Total	O	0	0
			296	296		
5	C	183	Total	O	0	0
			183	183		


### 3 Residue-property plots i

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: clade A/E 93TH057 HIV-1 gp120 core



- Molecule 1: clade A/E 93TH057 HIV-1 gp120 core



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	64.67Å 68.48Å 94.75Å 90.00° 91.60° 90.00°	Depositor
Resolution (Å)	33.70 – 1.80 37.70 – 1.80	Depositor EDS
% Data completeness (in resolution range)	96.3 (33.70-1.80) 89.9 (37.70-1.80)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.51 (at 1.79Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, $R_{free}$	0.199 , 0.225 0.191 , 0.219	Depositor DCC
$R_{free}$ test set	3510 reflections (5.07%)	DCC
Wilson B-factor (Å <sup>2</sup> )	25.3	Xtriage
Anisotropy	0.313	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 45.4	EDS
Estimated twinning fraction	0.026 for h,-k,-l	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 74245 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	6171	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.54% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EPE, OLL, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.22	0/2709	0.40	0/3678
1	C	0.21	0/2709	0.39	0/3678
All	All	0.21	0/5418	0.39	0/7356

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2654	0	0	14	0
1	C	2654	0	0	11	0
2	A	154	0	143	2	0
2	C	154	0	143	1	0
3	A	15	0	17	0	0
3	C	13	0	17	0	0
4	A	24	0	15	1	0
4	C	24	0	15	0	0
5	A	296	0	0	13	0
5	C	183	0	0	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	6171	0	350	28	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 5.

All (28) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:461:ASN:ND2	5:A:889:HOH:O	2.07	0.85
1:A:471:GLY:O	5:A:659:HOH:O	1.94	0.85
1:A:350:LYS:NZ	5:A:622:HOH:O	2.17	0.76
1:A:246:GLN:OE1	5:A:681:HOH:O	2.05	0.74
1:A:240:LYS:O	5:A:766:HOH:O	2.11	0.68
1:A:344:GLN:OE1	5:A:682:HOH:O	2.12	0.67
4:A:513:OLL:H3	5:A:868:HOH:O	1.94	0.66
2:A:508:NAG:O6	5:A:874:HOH:O	2.14	0.66
1:A:472:GLY:N	5:A:850:HOH:O	2.29	0.66
1:C:270:ILE:O	1:C:348:LYS:NZ	2.31	0.63
1:A:432:GLN:OE1	5:A:886:HOH:O	2.15	0.63
1:C:348:LYS:NZ	5:C:720:HOH:O	2.34	0.60
1:A:480:ARG:NH2	5:A:715:HOH:O	2.37	0.58
2:C:506:NAG:H5	5:C:742:HOH:O	2.04	0.57
1:C:88:ASN:ND2	5:C:782:HOH:O	2.40	0.55
1:C:477:ASP:OD1	5:C:780:HOH:O	2.19	0.54
1:A:391:PHE:O	5:A:698:HOH:O	2.19	0.52
1:A:361:PHE:O	1:A:393:ASN:ND2	2.44	0.51
1:C:45:TRP:NE1	1:C:91:GLU:OE2	2.45	0.49
1:A:327:ARG:NH2	1:A:422:GLN:OE1	2.47	0.48
1:C:492:GLU:OE1	1:C:492:GLU:N	2.48	0.46
1:A:232:ASN:ND2	5:A:623:HOH:O	2.47	0.46
1:C:480:ARG:NE	5:C:780:HOH:O	2.48	0.45
1:A:343:LYS:O	1:A:346:THR:OG1	2.35	0.45
1:C:91:GLU:OE1	1:C:487:LYS:NZ	2.50	0.45
1:C:268:GLU:O	1:C:289:ASN:ND2	2.50	0.43
2:A:504:NAG:HN2	1:C:61:HIS:CG	2.37	0.43
1:C:46:LYS:NZ	1:C:490:GLN:OE1	2.51	0.43

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	333/353 (94%)	326 (98%)	7 (2%)	0	100	100
1	C	333/353 (94%)	321 (96%)	12 (4%)	0	100	100
All	All	666/706 (94%)	647 (97%)	19 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	303/311 (97%)	302 (100%)	1 (0%)	96	94
1	C	303/311 (97%)	300 (99%)	3 (1%)	85	80
All	All	606/622 (97%)	602 (99%)	4 (1%)	91	88

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	82	GLN
1	C	411	ASN
1	C	461	ASN
1	C	463	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	NAG	A	501	1	12,14,15	0.65	0	15,19,21	0.82	1 (6%)
2	NAG	A	502	1	12,14,15	0.69	1 (8%)	15,19,21	0.81	1 (6%)
2	NAG	A	503	1	12,14,15	0.62	0	15,19,21	0.87	1 (6%)
2	NAG	A	504	1	12,14,15	0.67	0	15,19,21	0.86	1 (6%)
2	NAG	A	505	1	12,14,15	0.69	1 (8%)	15,19,21	0.84	1 (6%)
2	NAG	A	506	1	12,14,15	0.64	0	15,19,21	0.88	1 (6%)
2	NAG	A	507	1	12,14,15	0.68	1 (8%)	15,19,21	0.90	1 (6%)
2	NAG	A	508	1	12,14,15	0.71	1 (8%)	15,19,21	0.77	0
2	NAG	A	509	1	12,14,15	0.67	0	15,19,21	0.85	1 (6%)
2	NAG	A	510	1	12,14,15	0.63	0	15,19,21	0.85	1 (6%)
2	NAG	A	511	1	12,14,15	0.65	0	15,19,21	0.83	1 (6%)
3	EPE	A	512	-	15,15,15	0.71	1 (6%)	20,20,20	1.81	6 (30%)
4	OLL	A	513	-	26,26,26	1.39	6 (23%)	37,37,37	2.89	9 (24%)
2	NAG	C	501	1	12,14,15	0.66	0	15,19,21	0.73	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	C	502	1	12,14,15	0.72	1 (8%)	15,19,21	0.94	1 (6%)
2	NAG	C	503	1	12,14,15	0.61	0	15,19,21	0.94	1 (6%)
2	NAG	C	504	1	12,14,15	0.69	1 (8%)	15,19,21	0.86	1 (6%)
2	NAG	C	505	1	12,14,15	0.66	0	15,19,21	0.89	1 (6%)
2	NAG	C	506	1	12,14,15	0.66	0	15,19,21	0.90	1 (6%)
2	NAG	C	507	1	12,14,15	0.69	1 (8%)	15,19,21	1.02	1 (6%)
2	NAG	C	508	1	12,14,15	0.63	0	15,19,21	0.82	0
2	NAG	C	509	1	12,14,15	0.67	0	15,19,21	0.82	1 (6%)
2	NAG	C	510	1	12,14,15	0.68	1 (8%)	15,19,21	0.86	1 (6%)
2	NAG	C	511	1	12,14,15	0.65	0	15,19,21	0.72	0
3	EPE	C	512	-	12,13,15	0.37	0	14,15,20	1.52	3 (21%)
4	OLL	C	513	-	26,26,26	1.52	6 (23%)	37,37,37	2.88	11 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	501	1	-	0/6/23/26	0/1/1/1
2	NAG	A	502	1	-	0/6/23/26	0/1/1/1
2	NAG	A	503	1	-	0/6/23/26	0/1/1/1
2	NAG	A	504	1	-	0/6/23/26	0/1/1/1
2	NAG	A	505	1	-	0/6/23/26	0/1/1/1
2	NAG	A	506	1	-	0/6/23/26	0/1/1/1
2	NAG	A	507	1	-	0/6/23/26	0/1/1/1
2	NAG	A	508	1	-	0/6/23/26	0/1/1/1
2	NAG	A	509	1	-	0/6/23/26	0/1/1/1
2	NAG	A	510	1	-	0/6/23/26	0/1/1/1
2	NAG	A	511	1	-	0/6/23/26	0/1/1/1
3	EPE	A	512	-	-	0/9/19/19	0/1/1/1
4	OLL	A	513	-	-	0/12/24/24	0/1/3/3
2	NAG	C	501	1	-	0/6/23/26	0/1/1/1
2	NAG	C	502	1	-	0/6/23/26	0/1/1/1
2	NAG	C	503	1	-	0/6/23/26	0/1/1/1
2	NAG	C	504	1	-	0/6/23/26	0/1/1/1
2	NAG	C	505	1	-	0/6/23/26	0/1/1/1
2	NAG	C	506	1	-	0/6/23/26	0/1/1/1
2	NAG	C	507	1	-	0/6/23/26	0/1/1/1
2	NAG	C	508	1	-	0/6/23/26	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	509	1	-	0/6/23/26	0/1/1/1
2	NAG	C	510	1	-	0/6/23/26	0/1/1/1
2	NAG	C	511	1	-	0/6/23/26	0/1/1/1
3	EPE	C	512	-	-	0/6/17/19	0/1/1/1
4	OLL	C	513	-	-	0/12/24/24	0/1/3/3

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	513	OLL	C13-N14	2.95	1.41	1.35
4	C	513	OLL	C13-C12	2.85	1.57	1.53
4	C	513	OLL	C13-N14	2.82	1.41	1.35
4	C	513	OLL	C12-N11	2.50	1.39	1.34
3	A	512	EPE	C10-S	2.44	1.81	1.77
4	C	513	OLL	C07-C08	2.41	1.59	1.54
4	C	513	OLL	C03-C07	2.39	1.53	1.51
4	A	513	OLL	C03-C07	2.29	1.53	1.51
4	A	513	OLL	C13-C12	2.21	1.56	1.53
2	A	508	NAG	O5-C5	-2.19	1.41	1.45
4	C	513	OLL	C07-N11	2.18	1.49	1.46
4	A	513	OLL	C07-C08	2.12	1.58	1.54
4	A	513	OLL	C12-N11	2.11	1.38	1.34
2	C	502	NAG	O5-C5	-2.09	1.41	1.45
2	C	507	NAG	O5-C5	-2.07	1.41	1.45
4	A	513	OLL	C18-C15	2.06	1.42	1.39
2	A	505	NAG	O5-C5	-2.02	1.41	1.45
2	C	504	NAG	O5-C5	-2.02	1.41	1.45
2	C	510	NAG	O5-C5	-2.01	1.41	1.45
2	A	507	NAG	O5-C5	-2.00	1.41	1.45
2	A	502	NAG	O5-C5	-2.00	1.41	1.45

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	513	OLL	C12-C13-N14	12.41	125.44	112.01
4	A	513	OLL	C12-C13-N14	12.00	125.00	112.01
4	A	513	OLL	C13-C12-N11	7.02	120.08	113.31
4	C	513	OLL	C13-C12-N11	6.80	119.87	113.31
4	A	513	OLL	O16-C13-C12	-6.41	114.38	121.31
4	C	513	OLL	O16-C13-C12	-6.36	114.43	121.31
4	A	513	OLL	C08-C07-N11	-4.14	106.41	115.12
3	A	512	EPE	C5-N4-C3	4.05	118.91	108.86

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	512	EPE	O1S-S-C10	3.90	110.15	106.81
3	C	512	EPE	C5-N4-C3	3.69	118.03	108.86
4	C	513	OLL	O17-C12-C13	-3.28	117.76	121.31
4	A	513	OLL	O17-C12-C13	-3.26	117.79	121.31
2	C	507	NAG	O5-C5-C6	2.88	110.00	106.98
4	C	513	OLL	C08-C07-N11	-2.71	109.42	115.12
3	A	512	EPE	O3S-S-C10	2.68	109.32	105.93
4	C	513	OLL	C18-C15-C22	-2.67	116.53	119.66
2	C	506	NAG	O5-C5-C6	2.66	109.77	106.98
2	C	503	NAG	O5-C5-C6	2.58	109.69	106.98
2	C	502	NAG	O5-C5-C6	2.53	109.64	106.98
4	A	513	OLL	C18-C15-C22	-2.48	116.75	119.66
2	C	505	NAG	O5-C5-C6	2.47	109.58	106.98
2	A	507	NAG	O5-C5-C6	2.47	109.57	106.98
4	A	513	OLL	C03-C07-N11	2.45	117.44	114.22
2	A	511	NAG	O5-C5-C6	2.44	109.54	106.98
2	A	504	NAG	O5-C5-C6	2.42	109.52	106.98
2	A	509	NAG	O5-C5-C6	2.41	109.51	106.98
4	C	513	OLL	C04-C03-C07	2.39	112.09	110.50
2	C	510	NAG	O5-C5-C6	2.36	109.46	106.98
2	C	504	NAG	O5-C5-C6	2.30	109.40	106.98
2	A	503	NAG	O5-C5-C6	2.29	109.39	106.98
3	A	512	EPE	C5-C6-N1	-2.27	106.14	110.61
3	C	512	EPE	C7-N4-C3	2.27	117.17	111.32
3	C	512	EPE	C7-N4-C5	2.27	117.17	111.32
3	A	512	EPE	C7-N4-C3	2.25	117.12	111.32
2	A	510	NAG	O5-C5-C6	2.23	109.32	106.98
2	A	506	NAG	O5-C5-C6	2.23	109.32	106.98
2	A	502	NAG	O5-C5-C6	2.20	109.29	106.98
2	C	509	NAG	O5-C5-C6	2.17	109.26	106.98
4	A	513	OLL	C04-C03-C07	2.11	111.91	110.50
3	A	512	EPE	C7-N4-C5	2.11	116.77	111.32
4	A	513	OLL	C02-C03-C04	-2.10	118.04	120.80
4	C	513	OLL	C03-C07-N11	2.08	116.96	114.22
2	A	505	NAG	O5-C5-C6	2.08	109.17	106.98
4	C	513	OLL	C07-N11-C12	2.07	128.26	122.12
4	C	513	OLL	C04-C09-C08	2.06	105.45	102.43
4	C	513	OLL	C02-C03-C04	-2.06	118.09	120.80
2	A	501	NAG	O5-C5-C6	2.01	109.09	106.98

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	339/353 (96%)	0.48	25 (7%) 14 10	17, 29, 61, 90	0
1	C	339/353 (96%)	0.93	53 (15%) 3 2	21, 43, 83, 111	0
All	All	678/706 (96%)	0.71	78 (11%) 5 4	17, 35, 75, 111	0

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	44	VAL	9.0
1	C	492	GLU	8.1
1	A	124	GLY	7.5
1	C	460	ALA	7.3
1	A	44	VAL	6.7
1	C	462	ASN	6.3
1	A	198	GLY	6.1
1	A	492	GLU	6.0
1	A	123	THR	5.5
1	A	199	SER	5.5
1	C	89	VAL	5.4
1	A	301	ASN	5.3
1	C	301	ASN	5.3
1	C	458	GLY	5.1
1	C	491	ILE	4.8
1	C	461	ASN	4.7
1	C	465	ASN	4.7
1	C	464	SER	4.6
1	C	45	TRP	4.5
1	A	430	THR	4.3
1	C	396	ILE	4.2
1	C	459	GLY	4.0
1	C	261	LEU	3.9
1	C	87	GLU	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	82	GLN	3.7
1	C	123	THR	3.7
1	C	354	ASN	3.5
1	C	355	ASN	3.5
1	C	466	GLU	3.4
1	A	200	VAL	3.4
1	C	324	GLY	3.4
1	A	479	TRP	3.2
1	C	86	LEU	3.2
1	C	124	GLY	3.2
1	C	429	GLY	3.2
1	C	84	ILE	3.2
1	C	254	VAL	3.1
1	C	359	ILE	3.1
1	C	85	HIS	3.0
1	C	463	THR	3.0
1	C	251	ILE	3.0
1	C	471	GLY	3.0
1	A	45	TRP	3.0
1	C	483	LEU	2.9
1	C	88	ASN	2.8
1	C	358	THR	2.8
1	A	254	VAL	2.8
1	A	473	GLY	2.7
1	A	394	THR	2.7
1	A	255	VAL	2.7
1	C	198	GLY	2.6
1	C	479	TRP	2.6
1	C	199	SER	2.5
1	C	278	THR	2.5
1	C	472	GLY	2.5
1	C	353	PHE	2.5
1	C	430	THR	2.5
1	C	473	GLY	2.5
1	A	87	GLU	2.4
1	A	483	LEU	2.4
1	C	90	THR	2.3
1	A	411	ASN	2.2
1	C	360	ILE	2.2
1	A	471	GLY	2.2
1	C	46	LYS	2.2
1	A	122	LEU	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	212	PRO	2.1
1	A	365	SER	2.1
1	C	475	ILE	2.1
1	A	80	ASN	2.1
1	C	61	HIS	2.1
1	C	285	ILE	2.1
1	C	452	ILE	2.1
1	A	253	PRO	2.1
1	C	376	PHE	2.1
1	A	324	GLY	2.1
1	C	260	LEU	2.1
1	A	261	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	NAG	C	508	14/15	0.63	218.33	82,89,100,105	0
2	NAG	A	511	14/15	0.37	8.22	73,84,96,97	0
2	NAG	C	509	14/15	0.17	7.30	41,50,61,64	0
2	NAG	C	507	14/15	0.41	6.71	63,83,94,96	0
2	NAG	A	510	14/15	0.45	5.25	93,99,107,108	0
2	NAG	A	502	14/15	0.35	5.14	48,69,79,85	0
2	NAG	C	502	14/15	0.47	4.80	79,100,108,108	0
2	NAG	C	510	14/15	0.33	4.54	70,80,92,98	0
2	NAG	C	511	14/15	0.23	4.43	37,53,63,69	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NAG	A	506	14/15	0.15	3.80	31,46,60,61	0
4	OLL	C	513	24/24	0.33	3.76	32,77,83,86	0
2	NAG	A	507	14/15	0.26	3.53	45,60,74,83	0
2	NAG	C	504	14/15	0.27	2.91	63,75,81,82	0
3	EPE	C	512	13/15	0.15	2.79	23,25,32,37	0
4	OLL	A	513	24/24	0.24	2.57	37,57,74,78	0
2	NAG	C	506	14/15	0.16	2.53	34,50,63,64	0
2	NAG	C	505	14/15	0.19	1.48	34,45,49,50	0
2	NAG	A	505	14/15	0.14	0.81	28,40,50,58	0
3	EPE	A	512	15/15	0.15	0.79	19,22,27,33	0
2	NAG	A	504	14/15	0.16	0.78	22,40,49,49	0
2	NAG	C	501	14/15	0.15	0.57	48,61,71,74	0
2	NAG	A	501	14/15	0.10	0.16	34,45,54,57	0
2	NAG	A	508	14/15	0.14	0.02	26,44,60,70	0
2	NAG	C	503	14/15	0.12	-0.35	19,23,27,27	0
2	NAG	A	509	14/15	0.09	-0.51	33,47,52,62	0
2	NAG	A	503	14/15	0.09	-1.07	19,26,30,36	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.