



# Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 12:07 AM GMT

PDB ID : 3DRB  
Title : Crystal structure of Human Brain-type Creatine Kinase  
Authors : Moon, J.H.; Bong, S.M.; Hwang, K.Y.; Chi, Y.M.  
Deposited on : 2008-07-11  
Resolution : 2.00 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	4888 (2.00-2.00)
Clashscore	79885	6188 (2.00-2.00)
Ramachandran outliers	78287	6102 (2.00-2.00)
Sidechain outliers	78261	6100 (2.00-2.00)
RSRZ outliers	66119	4890 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	381	
1	B	381	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	MG	B	500	-	X
3	ADP	B	400	-	X

## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 6478 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Creatine kinase B-type.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	376	Total	C	N	O	S	0	0	0
			2959	1860	518	566	15			
1	B	376	Total	C	N	O	S	0	0	0
			2959	1860	518	566	15			

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Mg	0	0
			1	1		

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>10</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	299	Total 299	O 299	0	0
4	B	233	Total 233	O 233	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Creatine kinase B-type

Chain A:



#### • Molecule 1: Creatine kinase B-type

Chain B:



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	97.72Å 97.72Å 166.91Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.17 – 2.00 42.17 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.5 (42.17-2.00) 97.6 (42.17-1.90)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	7.30 (at 1.89Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, $R_{free}$	0.196 , 0.227 0.201 , 0.229	Depositor DCC
$R_{free}$ test set	3167 reflections (5.32%)	DCC
Wilson B-factor (Å <sup>2</sup> )	21.5	Xtriage
Anisotropy	0.420	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 38.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 62671 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	6478	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.01% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.31	0/3023	0.58	1/4087 (0.0%)
1	B	0.30	0/3023	0.58	0/4087
All	All	0.31	0/6046	0.58	1/8174 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	296	HIS	N-CA-C	-5.17	97.04	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2959	0	2894	64	2
1	B	2959	0	2894	108	0
2	B	1	0	0	0	0
3	B	27	0	12	3	0
4	A	299	0	0	10	0
4	B	233	0	0	9	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	6478	0	5800	167	2

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 14.

All (167) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:137:ILE:H	1:A:234:HIS:HD2	1.16	0.93
1:B:367:LEU:HD12	1:B:368:GLU:N	1.84	0.92
1:B:293:ALA:H	1:B:338:ASN:HD21	1.18	0.86
1:A:37:GLU:O	1:A:41:GLU:HG3	1.77	0.83
1:A:42:LEU:HG	4:A:968:HOH:O	1.82	0.79
1:B:340:ASP:HB3	4:B:823:HOH:O	1.84	0.78
1:A:274:ASN:HD21	1:A:277:LEU:H	1.28	0.78
1:A:28:ASN:ND2	1:A:31:ALA:H	1.82	0.77
1:A:66:HIS:HB3	1:A:68:TYR:CE1	2.20	0.76
1:A:68:TYR:CE2	1:B:262:THR:HG23	2.21	0.75
1:A:45:LYS:HD2	4:A:968:HOH:O	1.87	0.74
1:B:363:MET:O	1:B:366:ARG:HG3	1.88	0.73
1:B:366:ARG:HD2	1:B:366:ARG:O	1.88	0.73
1:A:274:ASN:ND2	1:A:277:LEU:H	1.86	0.73
1:B:293:ALA:H	1:B:338:ASN:ND2	1.86	0.72
1:B:367:LEU:HD12	1:B:368:GLU:H	1.53	0.71
1:A:107:LYS:HE2	4:A:846:HOH:O	1.92	0.70
1:A:364:GLU:O	1:A:368:GLU:HG3	1.93	0.69
1:B:8:ASN:O	1:B:12:LEU:HD23	1.93	0.69
1:A:274:ASN:HD22	1:A:276:HIS:H	1.41	0.68
1:B:315:LEU:HD23	1:B:356:GLY:HA2	1.76	0.68
1:B:276:HIS:CD2	1:B:277:LEU:HD13	2.29	0.67
1:A:316:ARG:HB2	1:A:352:MET:HE2	1.75	0.67
1:A:28:ASN:HA	1:A:70:MET:HG3	1.75	0.67
1:A:276:HIS:CD2	1:A:277:LEU:HD13	2.30	0.67
1:A:189:ASP:HB3	4:A:730:HOH:O	1.94	0.67
1:A:321:GLY:O	1:B:156:LYS:HE2	1.95	0.67
1:B:305:HIS:ND1	1:B:306:GLU:N	2.43	0.66
1:A:335:ASP:HB2	4:A:1060:HOH:O	1.93	0.66
1:B:125:TYR:HB3	1:B:297:ILE:HD11	1.77	0.66
1:B:302:LEU:HD23	1:B:364:GLU:HA	1.78	0.65
1:A:130:ARG:HH11	1:A:132:ARG:HD2	1.61	0.65
1:B:310:GLU:O	1:B:314:ARG:HG2	1.97	0.65
1:B:254:CYS:O	1:B:258:THR:HG23	1.96	0.64
1:B:132:ARG:NE	3:B:400:ADP:O2B	2.30	0.64

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:311:VAL:O	1:B:315:LEU:HD13	1.98	0.64
1:A:274:ASN:C	1:A:274:ASN:HD22	2.01	0.63
1:B:111:ASN:HD22	1:B:114:ASN:ND2	1.99	0.61
1:B:179:MET:HE1	1:B:184:GLN:HA	1.82	0.61
1:A:307:LYS:O	1:A:311:VAL:HG23	2.01	0.61
1:A:314:ARG:O	1:A:381:LYS:HG2	2.00	0.60
1:A:274:ASN:ND2	1:A:276:HIS:H	2.00	0.60
1:A:284:PRO:HA	1:A:287:LEU:HD22	1.83	0.59
1:B:35:THR:HA	4:B:872:HOH:O	2.02	0.59
1:B:361:ILE:O	1:B:364:GLU:HB3	2.01	0.59
1:B:234:HIS:C	1:B:235:LEU:HD12	2.23	0.59
1:B:199:SER:O	1:B:203:LEU:HD23	2.02	0.59
1:B:281:LEU:HD12	1:B:286:ASN:O	2.03	0.58
1:B:320:ARG:HB2	1:B:335:ASP:HB3	1.86	0.58
1:B:341:ARG:HH11	1:B:341:ARG:HG2	1.68	0.57
1:B:228:TRP:HB2	1:B:236:ARG:HB2	1.86	0.57
1:B:197:PRO:HD3	1:B:211:TRP:CE2	2.39	0.57
1:B:172:ARG:HG2	1:B:173:TYR:N	2.20	0.56
1:B:305:HIS:HD1	1:B:306:GLU:N	2.01	0.56
1:B:109:ASP:O	1:B:347:VAL:HG23	2.06	0.56
1:A:160:GLU:OE1	1:A:267:LYS:HE2	2.06	0.56
1:B:127:LEU:HD12	1:B:127:LEU:N	2.21	0.55
1:B:315:LEU:HB3	4:B:842:HOH:O	2.06	0.55
1:B:158:ALA:O	1:B:162:LEU:HD22	2.07	0.54
1:B:226:LEU:N	1:B:226:LEU:HD12	2.22	0.54
1:B:133:THR:HA	1:B:290:GLY:O	2.07	0.54
1:A:165:LEU:HB3	1:A:169:LEU:HB3	1.90	0.54
1:A:241:GLN:HB2	4:A:691:HOH:O	2.07	0.53
1:B:302:LEU:HD12	1:B:308:PHE:CD1	2.44	0.53
1:A:318:GLN:HE21	1:A:339:ALA:HA	1.73	0.53
1:A:90:ASP:HB2	1:A:91:PRO:HD3	1.91	0.53
1:B:371:GLN:O	1:B:372:ALA:HB2	2.08	0.53
1:B:316:ARG:HD3	1:B:340:ASP:OD1	2.10	0.52
1:B:345:SER:OG	1:B:348:GLU:HG3	2.09	0.52
1:B:126:VAL:HG13	1:B:295:VAL:HB	1.91	0.52
1:B:90:ASP:HB2	1:B:91:PRO:HD3	1.92	0.52
1:B:234:HIS:O	1:B:235:LEU:HD12	2.10	0.51
1:B:366:ARG:C	1:B:366:ARG:HD2	2.31	0.51
1:A:137:ILE:H	1:A:234:HIS:CD2	2.09	0.51
1:B:161:ALA:O	1:B:263:LEU:HD13	2.11	0.50
1:B:124:ASN:O	1:B:298:LYS:HD2	2.11	0.50
1:A:132:ARG:HG2	1:A:238:ILE:HG23	1.94	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:345:SER:OG	1:A:348:GLU:HG3	2.12	0.50
1:A:238:ILE:N	1:A:238:ILE:HD12	2.26	0.49
1:B:10:LEU:HD23	1:B:10:LEU:C	2.33	0.49
1:A:28:ASN:HD22	1:A:31:ALA:H	1.56	0.49
1:B:277:LEU:HD22	4:B:809:HOH:O	2.13	0.49
1:B:303:GLY:HA3	1:B:334:PHE:CZ	2.48	0.49
1:A:71:THR:HG21	1:A:201:LEU:HD21	1.95	0.49
1:B:315:LEU:N	1:B:315:LEU:HD12	2.28	0.49
1:A:292:ARG:HH22	1:A:335:ASP:CG	2.16	0.49
1:B:245:ASN:C	1:B:245:ASN:HD22	2.16	0.49
1:B:132:ARG:C	1:B:132:ARG:HD2	2.33	0.48
1:B:299:LEU:HB3	1:B:302:LEU:HB2	1.94	0.48
1:B:197:PRO:HA	1:B:202:LEU:HD23	1.96	0.48
1:A:259:GLN:NE2	4:A:1117:HOH:O	2.47	0.48
1:A:353:VAL:O	1:A:357:VAL:HG23	2.14	0.47
1:A:291:LEU:C	1:A:291:LEU:HD23	2.34	0.47
1:B:181:GLU:HB3	4:B:664:HOH:O	2.14	0.47
1:A:160:GLU:HG3	4:A:821:HOH:O	2.12	0.47
1:B:301:ASN:ND2	1:B:364:GLU:OE2	2.47	0.47
1:B:179:MET:HE3	1:B:184:GLN:HB2	1.95	0.47
1:A:69:ILE:O	1:A:69:ILE:HG23	2.15	0.47
1:A:96:ARG:HG3	1:A:96:ARG:HH11	1.80	0.46
1:B:363:MET:O	1:B:366:ARG:CG	2.62	0.46
1:A:195:ASP:HB3	4:A:603:HOH:O	2.16	0.46
1:A:274:ASN:HD22	1:A:276:HIS:N	2.12	0.46
1:B:245:ASN:ND2	1:B:248:GLU:H	2.14	0.46
1:A:274:ASN:ND2	1:A:274:ASN:C	2.67	0.46
1:B:53:LEU:HD11	1:B:88:LEU:HD22	1.99	0.45
1:A:68:TYR:CD1	1:B:266:SER:HB3	2.51	0.45
1:A:240:MET:O	1:A:241:GLN:HB3	2.17	0.45
1:B:305:HIS:CD2	1:B:366:ARG:HE	2.35	0.45
1:A:180:THR:OG1	1:A:183:GLU:HG3	2.16	0.45
1:B:116:GLN:HG2	1:B:351:GLN:OE1	2.16	0.45
1:B:277:LEU:HG	1:B:287:LEU:HD13	1.98	0.45
1:B:197:PRO:O	1:B:203:LEU:HD21	2.17	0.45
1:B:361:ILE:O	1:B:365:GLN:HG3	2.17	0.44
1:B:107:LYS:HD3	1:B:108:THR:H	1.82	0.44
1:B:115:LEU:HD13	1:B:115:LEU:C	2.38	0.44
1:B:375:ASP:OD1	1:B:376:LEU:N	2.46	0.44
1:B:377:MET:HB3	1:B:378:PRO:CD	2.48	0.44
1:B:377:MET:HB3	1:B:378:PRO:HD3	1.99	0.44
1:A:304:LYS:HE3	4:B:805:HOH:O	2.16	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:301:ASN:OD1	1:B:302:LEU:N	2.50	0.44
1:B:125:TYR:O	1:B:297:ILE:HD12	2.18	0.44
1:B:106:HIS:CE1	1:B:289:THR:HG23	2.52	0.44
1:B:353:VAL:O	1:B:357:VAL:HG23	2.17	0.44
1:A:255:THR:O	1:A:259:GLN:HG3	2.18	0.44
1:B:125:TYR:C	1:B:297:ILE:HD12	2.39	0.44
1:B:132:ARG:NH2	4:B:1131:HOH:O	2.50	0.43
1:B:341:ARG:HG2	1:B:341:ARG:NH1	2.32	0.43
1:A:121:LEU:HB3	1:A:126:VAL:HG21	2.01	0.43
1:B:97:HIS:HE1	1:B:284:PRO:O	2.01	0.43
1:A:187:LEU:HB3	1:A:193:LEU:HB2	2.00	0.43
1:A:173:TYR:OH	1:A:216:GLY:HA3	2.19	0.43
1:B:359:LEU:O	1:B:363:MET:SD	2.77	0.42
1:B:36:PRO:HD3	4:B:872:HOH:O	2.18	0.42
1:B:378:PRO:O	1:B:379:ALA:HB3	2.19	0.42
1:A:15:PRO:HD2	1:A:18:ASP:OD2	2.19	0.42
1:B:154:ILE:HD13	1:B:234:HIS:CD2	2.55	0.42
1:B:192:PHE:CE2	1:B:223:LYS:HE2	2.55	0.42
1:B:316:ARG:NH1	4:B:823:HOH:O	2.51	0.42
1:A:344:PHE:CB	1:A:349:LEU:HD13	2.50	0.42
1:B:366:ARG:NH1	1:B:366:ARG:HG3	2.35	0.42
1:B:79:GLU:HB2	1:B:272:MET:SD	2.59	0.42
1:A:298:LYS:HG2	1:A:333:VAL:HG22	2.01	0.42
1:B:301:ASN:CG	1:B:367:LEU:HD21	2.41	0.42
1:B:194:PHE:CG	1:B:231:GLU:HG3	2.55	0.41
1:A:8:ASN:HD22	1:A:11:LYS:HE3	1.85	0.41
1:B:349:LEU:HA	1:B:349:LEU:HD12	1.88	0.41
1:B:135:ARG:NH2	1:B:257:LEU:HD21	2.35	0.41
1:B:377:MET:H	1:B:378:PRO:HD2	1.85	0.41
1:B:180:THR:OG1	1:B:183:GLU:HG3	2.21	0.41
1:A:69:ILE:HG22	1:B:266:SER:HB2	2.02	0.41
1:A:69:ILE:HG21	1:B:266:SER:O	2.21	0.41
1:B:315:LEU:HD23	1:B:356:GLY:CA	2.46	0.41
1:B:191:HIS:ND1	3:B:400:ADP:O2'	2.46	0.41
1:A:267:LYS:O	1:A:268:ASP:HB2	2.20	0.41
1:A:259:GLN:O	1:A:263:LEU:HD23	2.18	0.41
1:B:344:PHE:HB2	1:B:349:LEU:HD13	2.02	0.41
1:B:241:GLN:HG2	1:B:249:VAL:HG22	2.03	0.41
1:B:366:ARG:HG3	1:B:366:ARG:HH11	1.85	0.41
1:B:185:GLN:OE1	1:B:196:LYS:HE3	2.21	0.41
1:A:130:ARG:NH1	1:A:132:ARG:HD2	2.32	0.41
1:B:191:HIS:HA	3:B:400:ADP:O2'	2.21	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:108:THR:HG22	1:B:109:ASP:N	2.36	0.41
1:A:190:ASP:O	1:A:191:HIS:HB2	2.20	0.41
1:B:307:LYS:O	1:B:311:VAL:HG23	2.21	0.40
1:A:292:ARG:NH1	4:A:1118:HOH:O	2.45	0.40
1:B:315:LEU:N	1:B:315:LEU:CD1	2.85	0.40
1:B:298:LYS:O	1:B:299:LEU:HD23	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:245:ASN:ND2	1:A:245:ASN:ND2[7_555]	1.99	0.21
1:A:41:GLU:OE2	1:A:41:GLU:OE2[8_554]	2.19	0.01

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	374/381 (98%)	365 (98%)	8 (2%)	1 (0%)	50	44
1	B	374/381 (98%)	348 (93%)	19 (5%)	7 (2%)	12	4
All	All	748/762 (98%)	713 (95%)	27 (4%)	8 (1%)	21	10

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	374	ASP
1	B	372	ALA
1	B	377	MET
1	B	378	PRO
1	B	375	ASP
1	A	332	GLY
1	B	370	GLY
1	B	197	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	322/327 (98%)	309 (96%)	13 (4%)	42	36
1	B	322/327 (98%)	309 (96%)	13 (4%)	42	36
All	All	644/654 (98%)	618 (96%)	26 (4%)	42	36

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	LEU
1	A	28	ASN
1	A	68	TYR
1	A	121	LEU
1	A	142	LEU
1	A	187	LEU
1	A	212	PRO
1	A	240	MET
1	A	274	ASN
1	A	277	LEU
1	A	287	LEU
1	A	317	LEU
1	A	349	LEU
1	B	142	LEU
1	B	162	LEU
1	B	179	MET
1	B	226	LEU
1	B	245	ASN
1	B	277	LEU
1	B	302	LEU
1	B	318	GLN
1	B	349	LEU
1	B	362	GLU
1	B	363	MET
1	B	366	ARG
1	B	375	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	28	ASN
1	A	114	ASN
1	A	124	ASN
1	A	186	GLN
1	A	222	ASN
1	A	230	ASN
1	A	234	HIS
1	A	274	ASN
1	A	286	ASN
1	A	296	HIS
1	A	318	GLN
1	A	371	GLN
1	B	27	ASN
1	B	58	GLN
1	B	97	HIS
1	B	114	ASN
1	B	124	ASN
1	B	145	HIS
1	B	222	ASN
1	B	245	ASN
1	B	286	ASN
1	B	338	ASN
1	B	371	GLN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	ADP	B	400	2	29,29,29	1.14	3 (10%)	45,45,45	3.56	19 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	B	400	2	-	0/16/32/32	0/1/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	400	ADP	O4'-C1'	2.12	1.44	1.41
3	B	400	ADP	C2'-C1'	2.12	1.56	1.53
3	B	400	ADP	C8-N7	-2.07	1.30	1.34

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	400	ADP	O2B-PB-O1B	-9.96	77.87	110.44
3	B	400	ADP	N3-C2-N1	-8.62	121.50	128.71
3	B	400	ADP	PA-O3A-PB	-7.31	110.26	131.68
3	B	400	ADP	O3B-PB-O2B	-6.56	82.07	107.61
3	B	400	ADP	O3A-PA-O5'	-6.46	74.53	103.41
3	B	400	ADP	O2B-PB-O3A	5.72	132.26	105.14
3	B	400	ADP	O5'-PA-O1A	-5.44	88.06	109.37
3	B	400	ADP	O3B-PB-O1B	5.37	127.98	110.44
3	B	400	ADP	N3-C4-N9	5.14	134.72	125.43
3	B	400	ADP	O3B-PB-O3A	-4.92	81.79	105.14
3	B	400	ADP	O3A-PB-O1B	-4.89	77.55	111.00
3	B	400	ADP	O2A-PA-O5'	-4.08	87.93	108.51
3	B	400	ADP	C3'-C2'-C1'	3.24	105.98	100.91
3	B	400	ADP	O2A-PA-O3A	2.93	119.06	105.14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	400	ADP	C5-C4-N3	-2.83	119.53	125.70
3	B	400	ADP	O4'-C4'-C3'	2.79	110.82	105.17
3	B	400	ADP	C4-C5-N7	-2.72	107.19	109.52
3	B	400	ADP	C2-N3-C4	2.45	120.99	114.01
3	B	400	ADP	O4'-C1'-N9	2.32	110.60	108.44

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	376/381 (98%)	-0.36	2 (0%) 88 89	14, 23, 41, 65	0
1	B	376/381 (98%)	0.41	35 (9%) 9 8	15, 28, 74, 100	0
All	All	752/762 (98%)	0.03	37 (4%) 28 28	14, 25, 54, 100	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	377	MET	18.8
1	B	380	GLN	16.3
1	B	376	LEU	14.9
1	B	379	ALA	14.6
1	B	381	LYS	12.7
1	B	372	ALA	10.4
1	B	373	ILE	10.3
1	B	375	ASP	10.3
1	B	378	PRO	9.6
1	B	374	ASP	8.1
1	B	369	GLN	7.0
1	B	368	GLU	6.8
1	B	306	GLU	6.1
1	B	359	LEU	5.6
1	B	363	MET	5.5
1	B	307	LYS	5.5
1	B	304	LYS	5.1
1	B	305	HIS	4.8
1	A	68	TYR	4.6
1	B	366	ARG	3.9
1	B	313	LYS	3.7
1	A	69	ILE	3.7
1	B	370	GLY	3.5
1	B	371	GLN	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	314	ARG	3.1
1	B	310	GLU	3.0
1	B	299	LEU	2.9
1	B	302	LEU	2.8
1	B	116	GLN	2.7
1	B	117	GLY	2.7
1	B	13	ARG	2.6
1	B	364	GLU	2.6
1	B	119	ASP	2.4
1	B	113	ASP	2.2
1	B	308	PHE	2.2
1	B	367	LEU	2.0
1	B	120	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	MG	B	500	1/1	0.16	9.01	50,50,50,50	0
3	ADP	B	400	27/27	0.20	5.11	29,37,50,54	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.