



# Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 01:47 PM GMT

PDB ID : 3DRD  
Title : Crystal Structure of 7,8 Diaminopelargonic Acid Synthase Apoenzyme in  
Bacillus subtilis  
Authors : Dey, S.; Sacchettini, J.C.  
Deposited on : 2008-07-11  
Resolution : 2.17 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.17 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	3841 (2.20-2.16)
Clashscore	79885	4835 (2.20-2.16)
Ramachandran outliers	78287	4740 (2.20-2.16)
Sidechain outliers	78261	4741 (2.20-2.16)
RSRZ outliers	66119	3842 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	448	
1	B	448	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6826 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosylmethionine-8-amino-7-oxononanoateaminotransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	419	Total	C	N	O	S	0	0	0
			3296	2102	546	625	23			
1	B	417	Total	C	N	O	S	0	0	0
			3280	2093	544	621	22			

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	121	Total	O	0	0
			121	121		
2	B	129	Total	O	0	0
			129	129		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Adenosylmethionine-8-amino-7-oxononanoateaminotransferase

Chain A:



- Molecule 1: Adenosylmethionine-8-amino-7-oxononanoateaminotransferase

Chain B:



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	58.17Å 102.84Å 74.56Å 90.00° 105.15° 90.00°	Depositor
Resolution (Å)	35.00 – 2.17 37.92 – 2.17	Depositor EDS
% Data completeness (in resolution range)	93.0 (35.00-2.17) 93.0 (37.92-2.17)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.33 (at 2.18Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.205 , 0.265 0.202 , 0.262	Depositor DCC
$R_{free}$ test set	2098 reflections (5.30%)	DCC
Wilson B-factor (Å <sup>2</sup> )	29.1	Xtriage
Anisotropy	0.304	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 25.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	1 of 41693 reflections (0.002%)	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6826	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.13% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.45	0/3363	0.64	0/4536
1	B	0.45	0/3347	0.62	2/4515 (0.0%)
All	All	0.45	0/6710	0.63	2/9051 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
All	All	0	3

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	B	106	ARG	NE-CZ-NH2	-5.56	117.52	120.30
1	B	106	ARG	NE-CZ-NH1	5.45	123.02	120.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	183	ARG	Peptide
1	A	383	GLU	Peptide
1	B	390	ALA	Peptide

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3296	0	3292	92	0
1	B	3280	0	3276	88	0
2	A	121	0	0	3	0
2	B	129	0	0	6	0
All	All	6826	0	6568	168	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 13.

All (168) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:117:MET:HE2	1:A:277:ALA:HB2	1.38	1.03
1:B:188:ASP:OD1	1:B:191:GLU:HG3	1.65	0.97
1:A:350:LYS:HD3	2:A:630:HOH:O	1.65	0.97
1:A:447:GLU:O	1:A:448:ASP:HB2	1.71	0.90
1:A:2:THR:O	1:A:6:ILE:HG13	1.71	0.90
1:B:440:ILE:O	1:B:444:THR:HB	1.74	0.86
1:B:393:ARG:O	1:B:397:LYS:HG2	1.77	0.84
1:A:383:GLU:O	1:A:383:GLU:HG2	1.78	0.82
1:A:117:MET:HE2	1:A:277:ALA:CB	2.09	0.82
1:B:350:LYS:HD2	1:B:350:LYS:H	1.44	0.80
1:A:19:GLN:HE21	1:A:21:LYS:H	1.28	0.79
1:B:77:ALA:HA	1:B:323:LEU:HD13	1.66	0.77
1:B:110:SER:HB2	1:B:316:HIS:HE1	1.52	0.74
1:B:28:LEU:HD22	1:B:403:ARG:HD2	1.70	0.74
1:B:16:PRO:O	1:B:18:THR:CG2	2.36	0.74
1:A:117:MET:CE	1:A:277:ALA:HB2	2.18	0.73
1:B:134:PRO:HG3	2:B:686:HOH:O	1.91	0.71
1:B:19:GLN:HE21	1:B:21:LYS:H	1.37	0.71
1:A:106:ARG:HG2	1:A:299:TYR:CD1	2.26	0.70
1:B:350:LYS:HD2	1:B:350:LYS:N	2.08	0.69
1:B:363:HIS:HB2	1:B:444:THR:HG21	1.75	0.69
1:A:83:GLY:H	1:B:18:THR:HG21	1.57	0.68
1:A:118:GLU:O	1:A:122:LYS:HG2	1.93	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:381:SER:OG	1:B:384:THR:HG21	1.94	0.68
1:B:16:PRO:O	1:B:18:THR:HG22	1.92	0.68
1:A:425:THR:HG22	1:A:428:GLU:H	1.59	0.68
1:B:2:THR:OG1	1:B:3:HIS:N	2.26	0.67
1:B:86:ASN:ND2	1:B:89:ALA:H	1.92	0.67
1:A:308:ASN:N	1:A:308:ASN:OD1	2.26	0.66
1:A:117:MET:CE	1:A:277:ALA:CB	2.72	0.66
1:B:188:ASP:OD1	1:B:191:GLU:CG	2.43	0.65
1:A:87:VAL:HB	1:A:88:PRO:HD3	1.78	0.65
1:A:16:PRO:HG2	1:B:82:LEU:HD22	1.77	0.65
1:A:19:GLN:NE2	1:A:21:LYS:H	1.95	0.64
1:A:307:GLU:HG2	1:A:308:ASN:OD1	1.97	0.64
1:A:18:THR:HG21	1:B:83:GLY:H	1.62	0.63
1:A:383:GLU:O	1:A:383:GLU:CG	2.46	0.63
1:A:384:THR:OG1	1:A:386:GLU:HG2	1.99	0.62
1:B:383:GLU:H	1:B:383:GLU:CD	2.04	0.61
1:A:447:GLU:O	1:A:448:ASP:CB	2.49	0.59
1:A:26:ASN:O	1:A:403:ARG:NH2	2.35	0.59
1:A:16:PRO:O	1:A:18:THR:HG22	2.02	0.59
1:B:389:PRO:HB2	1:B:391:ASP:HB2	1.86	0.58
1:A:315:GLY:HA3	1:B:16:PRO:HB3	1.85	0.58
1:A:1:MET:HG3	1:A:3:HIS:H	1.68	0.58
1:B:384:THR:OG1	1:B:386:GLU:HB2	2.04	0.58
1:B:2:THR:N	1:B:5:LEU:HD12	2.17	0.58
1:B:444:THR:C	1:B:446:LEU:H	2.07	0.57
1:B:304:ASP:HB2	1:B:310:LYS:HE2	1.87	0.57
1:A:86:ASN:HD22	1:A:88:PRO:HD2	1.69	0.57
1:B:381:SER:OG	1:B:384:THR:CG2	2.51	0.57
1:A:440:ILE:O	1:A:444:THR:HB	2.04	0.57
1:A:142:MET:SD	1:A:176:ALA:HB3	2.45	0.57
1:A:93:ALA:O	1:A:97:ILE:HG12	2.05	0.56
1:B:427:GLU:O	1:B:431:GLU:HG3	2.06	0.56
1:A:316:HIS:HB2	1:A:319:THR:HG23	1.88	0.56
1:A:315:GLY:HA3	1:B:16:PRO:CB	2.36	0.55
1:A:1:MET:HG3	1:A:2:THR:N	2.21	0.55
1:B:110:SER:CB	1:B:316:HIS:HE1	2.17	0.55
1:B:16:PRO:O	1:B:18:THR:HG23	2.05	0.55
1:B:110:SER:HB2	1:B:316:HIS:CE1	2.38	0.55
1:B:33:GLY:O	1:B:61:ARG:HD3	2.06	0.55
1:A:133:LYS:HB2	1:A:135:GLU:OE1	2.07	0.55
1:B:389:PRO:HB2	1:B:391:ASP:CB	2.37	0.54
1:B:248:MET:CE	1:B:273:PRO:HA	2.38	0.54

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:54:TRP:CD1	1:B:54:TRP:N	2.74	0.54
1:A:380:ARG:HB3	1:A:388:TYR:CE2	2.42	0.54
1:A:1:MET:HB3	1:A:4:ASP:OD2	2.08	0.54
1:B:425:THR:OG1	1:B:427:GLU:HG2	2.08	0.54
1:B:401:LYS:HA	1:B:401:LYS:HE3	1.88	0.54
1:A:307:GLU:CG	1:A:308:ASN:OD1	2.56	0.53
1:A:285:GLY:HA2	1:B:318:TYR:OH	2.09	0.53
1:A:21:LYS:O	1:A:25:GLU:HG2	2.09	0.53
1:A:373:MET:HG3	1:A:419:LEU:HD21	1.90	0.52
1:A:50:PHE:H	1:A:50:PHE:HD2	1.57	0.52
1:B:86:ASN:HD21	1:B:89:ALA:H	1.57	0.52
1:B:363:HIS:ND1	1:B:444:THR:HG23	2.23	0.52
1:B:87:VAL:HB	1:B:88:PRO:HD3	1.92	0.51
1:A:351:LEU:HD22	1:A:355:LEU:HG	1.91	0.51
1:A:136:LYS:NZ	1:A:245:ASP:O	2.43	0.51
1:A:16:PRO:O	1:A:18:THR:CG2	2.60	0.49
1:B:393:ARG:HD2	2:B:693:HOH:O	2.12	0.49
1:A:259:ARG:HD2	1:A:419:LEU:HD23	1.95	0.49
1:B:118:GLU:O	1:B:122:LYS:HG3	2.13	0.49
1:B:106:ARG:HG2	1:B:299:TYR:CD1	2.48	0.49
1:A:380:ARG:HD2	1:A:386:GLU:OE2	2.13	0.49
1:A:117:MET:CE	1:A:277:ALA:HB3	2.43	0.49
1:B:260:THR:HB	1:B:370:LEU:HG	1.94	0.49
1:A:313:PHE:O	1:A:314:HIS:CG	2.66	0.48
1:A:18:THR:HG21	1:B:83:GLY:N	2.28	0.48
1:B:248:MET:HE3	1:B:273:PRO:HA	1.95	0.48
1:A:361:LEU:HB2	1:A:364:VAL:HG23	1.95	0.48
1:B:394:ILE:O	1:B:398:VAL:HG23	2.14	0.48
1:A:405:LEU:HB3	1:A:435:ILE:HG23	1.96	0.48
1:B:195:GLN:O	1:B:199:GLU:HG3	2.13	0.48
1:B:356:GLN:O	1:B:359:HIS:HB2	2.14	0.47
1:B:315:GLY:HA2	2:B:514:HOH:O	2.14	0.47
1:A:303:TYR:HA	1:B:19:GLN:HE22	1.80	0.47
1:B:34:THR:HG22	1:B:61:ARG:NH2	2.29	0.47
1:A:296:GLU:O	1:A:300:LYS:HG2	2.15	0.47
1:A:117:MET:HE1	1:A:249:ILE:CG2	2.45	0.47
1:B:133:LYS:N	1:B:134:PRO:HD3	2.30	0.47
1:A:16:PRO:CG	1:B:82:LEU:HD22	2.42	0.47
1:A:133:LYS:HG3	1:A:136:LYS:HG3	1.96	0.47
1:B:82:LEU:HD23	1:B:82:LEU:N	2.30	0.46
1:A:318:TYR:OH	1:B:285:GLY:HA2	2.16	0.46
1:B:363:HIS:HB2	1:B:444:THR:CG2	2.44	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:444:THR:HG22	1:B:445:SER:N	2.30	0.46
1:A:86:ASN:ND2	1:A:88:PRO:HD2	2.31	0.46
1:B:412:LEU:CD2	1:B:417:ALA:HB2	2.46	0.46
1:A:118:GLU:HG2	1:A:122:LYS:HE3	1.98	0.45
1:B:359:HIS:O	1:B:382:LYS:NZ	2.49	0.45
1:B:233:TYR:O	1:B:237:VAL:HG12	2.16	0.45
1:B:422:LEU:N	1:B:422:LEU:HD12	2.31	0.45
1:A:392:ARG:NH2	1:A:447:GLU:OE2	2.48	0.45
1:A:218:SER:HB2	1:A:250:VAL:CG1	2.46	0.45
1:A:50:PHE:N	1:A:50:PHE:CD2	2.85	0.45
1:B:393:ARG:CD	2:B:693:HOH:O	2.65	0.45
1:A:361:LEU:HD11	1:A:437:LYS:HG3	1.99	0.45
1:B:125:PHE:CE1	1:B:137:GLN:HB2	2.52	0.45
1:A:22:ASP:CG	1:A:393:ARG:HH22	2.21	0.45
1:A:330:GLU:HA	1:A:330:GLU:OE2	2.17	0.45
1:A:287:LEU:HD23	1:B:321:ASN:HD21	1.83	0.44
1:B:65:LEU:HG	1:B:327:VAL:HG22	1.99	0.44
1:B:339:ASN:O	1:B:343:GLN:HG2	2.18	0.44
1:A:51:SER:HB2	1:A:54:TRP:HA	2.00	0.44
1:A:126:GLN:HE22	1:A:312:PHE:HA	1.83	0.44
1:A:86:ASN:ND2	1:A:89:ALA:H	2.16	0.43
1:B:218:SER:O	1:B:255:THR:HG21	2.18	0.43
2:A:555:HOH:O	1:B:60:HIS:HD2	2.00	0.43
1:B:354:LEU:HD22	2:B:696:HOH:O	2.17	0.43
1:A:338:GLU:O	1:A:339:ASN:C	2.56	0.43
1:A:78:HIS:CE1	1:A:318:TYR:HA	2.53	0.43
1:B:380:ARG:NH2	1:B:389:PRO:HD3	2.35	0.42
1:A:97:ILE:HD11	1:A:107:VAL:HG23	2.01	0.42
1:B:335:PHE:HA	1:B:340:ILE:HG12	1.99	0.42
1:A:358:LEU:O	1:A:364:VAL:HG21	2.19	0.42
1:A:122:LYS:HZ3	1:A:314:HIS:CD2	2.38	0.42
1:A:425:THR:HG22	1:A:427:GLU:N	2.34	0.42
1:A:401:LYS:O	1:A:405:LEU:HD23	2.19	0.42
1:A:81:LEU:HA	1:A:84:MET:O	2.19	0.42
1:B:397:LYS:HG2	1:B:397:LYS:H	1.63	0.42
1:B:18:THR:HB	2:B:748:HOH:O	2.19	0.42
1:B:444:THR:C	1:B:446:LEU:N	2.72	0.42
1:A:364:VAL:O	1:A:379:VAL:HG22	2.20	0.42
1:B:266:CYS:HB2	1:B:271:VAL:HG22	2.02	0.42
1:A:305:ASP:HB2	1:A:308:ASN:OD1	2.19	0.41
1:A:110:SER:HA	1:A:319:THR:HG22	2.02	0.41
1:B:78:HIS:HA	1:B:322:GLN:OE1	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:238:ARG:NH1	1:B:248:MET:HE2	2.34	0.41
1:B:109:TYR:HB2	1:B:319:THR:HG23	2.01	0.41
1:A:288:PRO:HG2	1:B:288:PRO:HG2	2.01	0.41
1:B:446:LEU:O	1:B:447:GLU:C	2.58	0.41
1:A:425:THR:CG2	1:A:427:GLU:H	2.34	0.41
1:A:323:LEU:HA	1:A:323:LEU:HD12	1.85	0.41
1:B:422:LEU:N	1:B:422:LEU:CD1	2.84	0.41
1:A:22:ASP:OD2	1:A:393:ARG:NH2	2.54	0.41
1:B:138:LYS:HD3	1:B:174:TYR:CE1	2.56	0.41
1:A:122:LYS:NZ	1:A:314:HIS:CD2	2.89	0.41
1:B:143:LYS:HD3	1:B:176:ALA:O	2.21	0.41
1:A:203:LEU:O	1:A:203:LEU:HD23	2.20	0.41
1:A:364:VAL:O	1:A:377:GLU:O	2.39	0.41
1:B:110:SER:CB	1:B:316:HIS:CE1	3.02	0.40
1:A:444:THR:CG2	2:A:563:HOH:O	2.69	0.40
1:A:2:THR:HG21	1:A:42:ASN:ND2	2.36	0.40
1:A:106:ARG:O	1:A:293:PHE:HA	2.21	0.40
1:A:380:ARG:HB3	1:A:388:TYR:CD2	2.56	0.40
1:A:253:VAL:O	1:A:280:LYS:HD2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	415/448 (93%)	393 (95%)	15 (4%)	7 (2%)	14	8
1	B	413/448 (92%)	394 (95%)	13 (3%)	6 (2%)	15	10
All	All	828/896 (92%)	787 (95%)	28 (3%)	13 (2%)	14	9

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	383	GLU

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	391	ASP
1	A	339	ASN
1	A	364	VAL
1	B	445	SER
1	A	184	SER
1	A	280	LYS
1	A	304	ASP
1	B	280	LYS
1	B	339	ASN
1	A	53	VAL
1	B	76	ILE
1	B	53	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	355/378 (94%)	318 (90%)	37 (10%)	10	8
1	B	353/378 (93%)	323 (92%)	30 (8%)	15	13
All	All	708/756 (94%)	641 (90%)	67 (10%)	12	10

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LEU
1	A	10	LYS
1	A	18	THR
1	A	25	GLU
1	A	50	PHE
1	A	54	TRP
1	A	55	LEU
1	A	61	ARG
1	A	63	LYS
1	A	65	LEU
1	A	79	SER
1	A	86	ASN
1	A	106	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	143	LYS
1	A	183	ARG
1	A	184	SER
1	A	200	LEU
1	A	204	LEU
1	A	206	GLU
1	A	234	LEU
1	A	237	VAL
1	A	271	VAL
1	A	308	ASN
1	A	323	LEU
1	A	336	GLU
1	A	338	GLU
1	A	351	LEU
1	A	374	CYS
1	A	380	ARG
1	A	394	ILE
1	A	400	LEU
1	A	403	ARG
1	A	412	LEU
1	A	422	LEU
1	A	425	THR
1	A	444	THR
1	A	448	ASP
1	B	2	THR
1	B	7	GLU
1	B	18	THR
1	B	50	PHE
1	B	54	TRP
1	B	82	LEU
1	B	86	ASN
1	B	106	ARG
1	B	143	LYS
1	B	180	TYR
1	B	183	ARG
1	B	234	LEU
1	B	237	VAL
1	B	316	HIS
1	B	338	GLU
1	B	347	LYS
1	B	351	LEU
1	B	357	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	358	LEU
1	B	359	HIS
1	B	379	VAL
1	B	380	ARG
1	B	384	THR
1	B	397	LYS
1	B	400	LEU
1	B	401	LYS
1	B	405	LEU
1	B	444	THR
1	B	446	LEU
1	B	447	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	A	42	ASN
1	A	60	HIS
1	A	86	ASN
1	A	91	GLN
1	A	126	GLN
1	A	137	GLN
1	A	314	HIS
1	A	343	GLN
1	A	352	HIS
1	B	19	GLN
1	B	60	HIS
1	B	86	ASN
1	B	91	GLN
1	B	195	GLN
1	B	316	HIS
1	B	321	ASN
1	B	331	ASN
1	B	343	GLN
1	B	363	HIS

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

There are no ligands in this entry.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	419/448 (93%)	0.18	11 (2%) 53 54	14, 26, 44, 60	1 (0%)
1	B	417/448 (93%)	0.13	10 (2%) 56 57	14, 25, 41, 61	1 (0%)
All	All	836/896 (93%)	0.16	21 (2%) 54 56	14, 25, 42, 61	2 (0%)

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	313	PHE	5.9
1	B	309	LEU	5.3
1	B	2	THR	4.5
1	B	307	GLU	3.8
1	A	307	GLU	3.5
1	B	306	TYR	3.4
1	A	306	TYR	3.3
1	A	309	LEU	3.2
1	B	313	PHE	3.0
1	A	143	LYS	3.0
1	A	383	GLU	3.0
1	B	315	GLY	3.0
1	A	448	ASP	2.9
1	A	3	HIS	2.8
1	B	308	ASN	2.8
1	A	314	HIS	2.8
1	A	308	ASN	2.7
1	B	118	GLU	2.3
1	B	3	HIS	2.3
1	A	305	ASP	2.3
1	B	191	GLU	2.0



## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

There are no ligands in this entry.

## 6.5 Other polymers ⓘ

There are no such residues in this entry.