



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 04:32 PM GMT

PDB ID : 4DR6
Title : Crystal structure of the *Thermus thermophilus* (HB8) 30S ribosomal subunit with codon, near-cognate transfer RNA anticodon stem-loop mismatched at the first codon position and streptomycin bound
Authors : Demirci, H.; Murphy IV, F.; Murphy, E.; Gregory, S.T.; Dahlberg, A.E.; Jogle, G.
Deposited on : 2012-02-16
Resolution : 3.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.
















Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1341 (3.40-3.20)
Clashscore	79885	1696 (3.40-3.20)
Ramachandran outliers	78287	1664 (3.40-3.20)
Sidechain outliers	78261	1662 (3.40-3.20)
RSRZ outliers	66119	1342 (3.40-3.20)
RNA backbone	1838	1042 (3.90-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	1522	
2	B	256	
3	C	239	
4	D	209	
5	E	162	
6	F	101	
7	G	156	
8	H	138	
9	I	128	
10	J	105	
11	K	129	
12	L	135	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
13	M	126	
14	N	61	
15	O	89	
16	P	88	
17	Q	105	
18	R	88	
19	S	93	
20	T	106	
21	U	27	
22	V	4	
23	W	9	
24	a	11	
25	b	3	

2 Entry composition

There are 29 unique types of molecules in this entry. The entry contains 53550 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1514	Total	C	N	O	P	0	0	0
			32546	14496	6020	10517	1513			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1534	C	A	CONFLICT	GB M26923.1
A	1535	A	C	CONFLICT	GB M26923.1

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	236	Total	C	N	O	S	0	0	1
			1896	1211	337	343	5			

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	207	Total	C	N	O	S	0	0	1
			1613	1016	315	281	1			

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	151	Total	C	N	O	S	0	0	1
			1147	724	218	201	4			

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	127	Total	C	N	O	S	0	0	0
			1010	639	197	174				

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	99	Total	C	N	O	S	0	0	1
			793	498	157	137	1			

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	117	Total	C	N	O	S	0	0	0
			873	543	166	161	3			

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	125	Total	C	N	O	S	0	0	1
			973	612	196	163	2			

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	118	Total	C	N	O	S	0	0	0
			937	579	193	163	2			

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	O	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	P	84	Total	C	N	O	S	0	0	1
			701	443	140	117	1			

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	Q	100	Total	C	N	O	S	0	0	0
			834	534	156	142	2			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	96	GLN	GLU	CONFLICT	UNP Q5SHP7

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	R	71	Total	C	N	O		0	0	0
			585	373	116	96				

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	S	81	Total	C	N	O	S	0	0	1
			648	414	120	112	2			

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	T	99	Total	C	N	O	S	0	0	0
			763	470	162	129	2			

- Molecule 21 is a protein called 30S ribosomal protein THX.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	U	25	Total	C	N	O	0	0	1
			209	128	51	30			

- Molecule 22 is a RNA chain called 5'-R(*UP*UP*UP*U)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	V	4	Total	C	N	O	P	0	0	0
			77	36	8	30	3			

- Molecule 23 is a RNA chain called 5'-R(P*UP*UP*GP*AP*GP*GP*(PSU)P*GP*G)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	W	9	Total	C	N	O	P	0	0	0
			197	87	36	65	9			

- Molecule 24 is a RNA chain called 5'-R(P*CP*UP*UP*GP*AP*GP*GP*(PSU)P*GP*GP*U)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	a	11	Total	C	N	O	P	0	0	0
			237	105	41	80	11			


- Molecule 25 is a RNA chain called 5'-R(*UP*UP*U)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	b	2	Total	C	N	O	P	4	0	0
			40	18	4	16	2			

- Molecule 26 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
26	P	3	Total 3 Mg 3	0	0
26	G	1	Total 2 Mg 2	0	1
26	J	1	Total 1 Mg 1	0	0
26	Q	1	Total 1 Mg 1	0	0
26	D	3	Total 3 Mg 3	0	0
26	E	3	Total 3 Mg 3	0	0
26	H	1	Total 1 Mg 1	0	0
26	A	355	Total 355 Mg 355	0	0
26	T	1	Total 1 Mg 1	0	0
26	N	1	Total 1 Mg 1	0	0
26	L	1	Total 1 Mg 1	0	0
26	S	3	Total 3 Mg 3	0	0
26	F	2	Total 2 Mg 2	0	0

- Molecule 27 is STREPTOMYCIN (three-letter code: SRY) (formula: $C_{21}H_{39}N_7O_{12}$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
27	A	1	Total	C	N	O	0	0
			40	21	7	12		

- Molecule 28 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
28	D	1	Total	Zn	0	0
			1	1		
28	N	1	Total	Zn	0	0
			1	1		

- Molecule 29 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
29	A	887	Total	O	0	0
			887	887		
29	C	1	Total	O	0	0
			1	1		
29	D	5	Total	O	0	0
			5	5		
29	E	5	Total	O	0	0
			5	5		
29	L	1	Total	O	0	0
			1	1		
29	N	1	Total	O	0	0
			1	1		
29	P	2	Total	O	0	0
			2	2		
29	S	2	Total	O	0	0
			2	2		
29	T	1	Total	O	0	0
			1	1		
29	U	2	Total	O	0	0
			2	2		




• Molecule 2: 30S ribosomal protein S2

Chain B:




• Molecule 3: 30S ribosomal protein S3

Chain C:




• Molecule 4: 30S ribosomal protein S4

Chain D:




• Molecule 5: 30S ribosomal protein S5

Chain E:




• Molecule 6: 30S ribosomal protein S6

Chain F:



- Molecule 7: 30S ribosomal protein S7

Chain G: 




- Molecule 8: 30S ribosomal protein S8

Chain H: 




- Molecule 9: 30S ribosomal protein S9

Chain I: 




- Molecule 10: 30S ribosomal protein S10

Chain J: 




- Molecule 11: 30S ribosomal protein S11

Chain K: 



- Molecule 12: 30S ribosomal protein S12

Chain L: 



- Molecule 13: 30S ribosomal protein S13

Chain M: 



- Molecule 14: 30S ribosomal protein S14

Chain N: 



- Molecule 15: 30S ribosomal protein S15

Chain O:



- Molecule 16: 30S ribosomal protein S16

Chain P:



- Molecule 17: 30S ribosomal protein S17

Chain Q:



- Molecule 18: 30S ribosomal protein S18

Chain R:



- Molecule 19: 30S ribosomal protein S19

Chain S:




- Molecule 20: 30S ribosomal protein S20

Chain T:



- Molecule 21: 30S ribosomal protein THX

Chain U:




- Molecule 22: 5'-R(*UP*UP*UP*U)-3'

Chain V:



- Molecule 23: 5'-R(P*UP*UP*GP*AP*GP*GP*(PSU)P*GP*G)-3'

Chain W:



- Molecule 24: 5'-R(P*CP*UP*UP*GP*AP*GP*GP*(PSU)P*GP*GP*U)-3'

Chain a:



- Molecule 25: 5'-R(*UP*UP*U)-3'

Chain b:



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	402.60Å 402.60Å 174.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.48 – 3.30 49.48 – 3.30	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.48-3.30) 100.0 (49.48-3.30)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.41 (at 3.33Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_978)	Depositor
R, R_{free}	0.153 , 0.192 0.152 , 0.191	Depositor DCC
R_{free} test set	10742 reflections (5.03%)	DCC
Wilson B-factor (Å ²)	112.1	Xtriage
Anisotropy	0.229	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 72.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 213602 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	53550	wwPDB-VP
Average B, all atoms (Å ²)	120.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, M2G, MA6, 0TD, MG, 2MG, 5MC, UR3, 4OC, SRY, 7MG, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.58	2/36085 (0.0%)	0.99	68/56316 (0.1%)
2	B	0.37	0/1931	0.57	0/2607
3	C	0.34	0/1637	0.55	0/2207
4	D	0.42	1/1733 (0.1%)	0.59	1/2318 (0.0%)
5	E	0.50	0/1163	0.73	0/1566
6	F	0.32	0/856	0.54	0/1154
7	G	0.34	0/1276	0.53	0/1709
8	H	0.52	0/1136	0.71	0/1527
9	I	0.32	0/1029	0.56	1/1379 (0.1%)
10	J	0.35	0/806	0.58	0/1084
11	K	0.40	0/888	0.65	0/1198
12	L	0.47	0/978	0.69	0/1308
13	M	0.33	0/947	0.53	0/1270
14	N	0.38	0/501	0.53	0/664
15	O	0.40	0/745	0.59	0/992
16	P	0.49	0/717	0.69	0/965
17	Q	0.51	0/847	0.72	0/1131
18	R	0.39	0/590	0.59	0/782
19	S	0.30	0/662	0.56	0/892
20	T	0.45	0/765	0.71	0/1007
21	U	0.39	0/213	0.57	0/279
22	V	0.33	0/84	0.75	0/128
23	W	0.34	0/198	0.66	0/308
24	a	0.40	0/242	0.89	0/376
25	b	0.35	0/43	0.59	0/64
All	All	0.53	3/56072 (0.0%)	0.89	70/83231 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	2
8	H	0	2
10	J	0	1
12	L	0	1
20	T	0	1
All	All	0	7

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1502	A	N9-C4	-5.33	1.34	1.37
1	A	609	A	N9-C4	-5.14	1.34	1.37
4	D	26	CYS	CB-SG	5.01	1.90	1.82

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	117	G	N1-C6-O6	11.81	126.99	119.90
1	A	1200	C	N1-C2-O2	7.96	123.67	118.90
1	A	795	C	C6-N1-C2	7.79	123.42	120.30
1	A	117	G	C5-C6-O6	-7.62	124.03	128.60
1	A	251	G	N1-C6-O6	-7.49	115.41	119.90
1	A	1200	C	C2-N1-C1'	7.47	127.02	118.80
1	A	1528	U	C2-N1-C1'	7.39	126.56	117.70
1	A	795	C	N3-C2-O2	7.19	126.93	121.90
1	A	1502	A	C2-N3-C4	-7.08	107.06	110.60
1	A	797	C	C6-N1-C2	6.99	123.10	120.30
1	A	266	G	C5-N7-C8	-6.95	100.83	104.30
1	A	277	C	C6-N1-C2	6.86	123.05	120.30
1	A	117	G	C6-C5-N7	-6.86	126.29	130.40
1	A	266	G	C8-N9-C4	-6.68	103.73	106.40
1	A	559	A	C8-N9-C4	-6.66	103.14	105.80
1	A	266	G	N7-C8-N9	6.42	116.31	113.10
1	A	1403	C	N1-C2-O2	-6.35	115.09	118.90
9	I	39	GLY	N-CA-C	-6.33	97.28	113.10
1	A	1053	G	C8-N9-C4	6.31	108.92	106.40
1	A	795	C	N1-C2-O2	-6.28	115.13	118.90
1	A	722	A	N1-C6-N6	6.06	122.24	118.60
1	A	971	G	C8-N9-C4	6.05	108.82	106.40
1	A	728	A	N1-C6-N6	6.03	122.22	118.60
1	A	129(A)	G	C4-N9-C1'	6.01	134.32	126.50
1	A	824	C	C6-N1-C2	5.92	122.67	120.30
1	A	583	A	C8-N9-C4	5.91	108.16	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1331	G	C8-N9-C4	-5.77	104.09	106.40
1	A	1200	C	C5-C6-N1	5.75	123.87	121.00
1	A	1200	C	C6-N1-C1'	-5.70	113.96	120.80
1	A	559	A	N9-C4-C5	5.68	108.07	105.80
1	A	812	C	C2-N1-C1'	5.66	125.02	118.80
1	A	1342	C	N1-C2-O2	-5.56	115.56	118.90
1	A	1528	U	N3-C2-O2	-5.56	118.31	122.20
1	A	117	G	N9-C4-C5	-5.54	103.18	105.40
1	A	1077	G	C8-N9-C4	5.54	108.61	106.40
1	A	735	C	C6-N1-C2	5.53	122.51	120.30
1	A	783	C	C6-N1-C2	5.53	122.51	120.30
1	A	266	G	N3-C4-N9	-5.52	122.69	126.00
1	A	328	C	C5-C4-N4	5.51	124.06	120.20
1	A	328	C	N3-C4-N4	-5.47	114.17	118.00
1	A	1403	C	N3-C2-O2	5.47	125.73	121.90
1	A	1528	U	N1-C2-O2	5.46	126.62	122.80
1	A	283	C	C5-C6-N1	5.44	123.72	121.00
1	A	251	G	N3-C4-C5	-5.42	125.89	128.60
1	A	1242	C	C6-N1-C2	5.39	122.46	120.30
4	D	12	CYS	CA-CB-SG	5.37	123.67	114.00
1	A	583	A	N1-C6-N6	5.35	121.81	118.60
1	A	753	A	N9-C4-C5	5.32	107.93	105.80
1	A	129(A)	G	C8-N9-C4	-5.31	104.27	106.40
1	A	1417	G	N3-C4-C5	-5.30	125.95	128.60
1	A	306	G	N1-C6-O6	5.27	123.06	119.90
1	A	919	A	C8-N9-C4	5.26	107.90	105.80
1	A	795	C	C2-N1-C1'	-5.21	113.06	118.80
1	A	1525	G	N1-C6-O6	-5.17	116.80	119.90
1	A	117	G	N3-C2-N2	-5.17	116.28	119.90
1	A	135	C	C2-N1-C1'	-5.15	113.14	118.80
1	A	250	A	N1-C6-N6	5.14	121.69	118.60
1	A	1054	C	N1-C2-O2	5.13	121.98	118.90
1	A	241	C	N1-C2-O2	-5.13	115.82	118.90
1	A	559	A	N1-C6-N6	-5.13	115.52	118.60
1	A	284	G	C5-C6-O6	-5.12	125.53	128.60
1	A	577	G	C8-N9-C4	5.10	108.44	106.40
1	A	975	A	C5-N7-C8	-5.09	101.35	103.90
1	A	863	U	C6-N1-C2	5.08	124.05	121.00
1	A	283	C	C6-N1-C2	-5.07	118.27	120.30
1	A	706	A	N1-C6-N6	5.05	121.63	118.60
1	A	753	A	N1-C6-N6	-5.05	115.57	118.60
1	A	1502	A	N1-C6-N6	5.04	121.62	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	117	G	C5-C6-N1	-5.03	108.98	111.50
1	A	722	A	C2-N3-C4	-5.03	108.09	110.60

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	14	GLY	Peptide
2	B	89	GLY	Peptide
8	H	27	PRO	Peptide
8	H	90	GLY	Peptide
10	J	61	GLU	Peptide
12	L	46	LYS	Peptide
20	T	12	ALA	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	32546	0	0	283	0
2	B	1896	0	6	21	0
3	C	1613	0	0	17	0
4	D	1703	0	0	15	0
5	E	1147	0	0	14	0
6	F	843	0	0	7	0
7	G	1257	0	0	12	0
8	H	1116	0	0	15	0
9	I	1010	0	0	12	0
10	J	793	0	0	12	0
11	K	873	0	12	7	0
12	L	973	0	0	13	0
13	M	937	0	0	8	0
14	N	492	0	0	13	0
15	O	734	0	2	3	0
16	P	701	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
17	Q	834	0	12	12	0
18	R	585	0	12	10	0
19	S	648	0	0	12	0
20	T	763	0	0	15	0
21	U	209	0	0	4	0
22	V	77	0	0	0	0
23	W	197	0	0	4	0
24	a	237	0	0	0	0
25	b	40	0	0	0	0
26	A	355	0	0	0	0
26	D	3	0	0	0	0
26	E	3	0	0	0	0
26	F	2	0	0	0	0
26	G	2	0	0	0	0
26	H	1	0	0	0	0
26	J	1	0	0	0	0
26	L	1	0	0	0	0
26	N	1	0	0	0	0
26	P	3	0	0	0	0
26	Q	1	0	0	0	0
26	S	3	0	0	0	0
26	T	1	0	0	0	0
27	A	40	0	37	7	0
28	D	1	0	0	0	0
28	N	1	0	0	0	0
29	A	887	0	0	40	0
29	C	1	0	0	0	0
29	D	5	0	0	0	0
29	E	5	0	0	0	0
29	L	1	0	0	0	0
29	N	1	0	0	0	0
29	P	2	0	0	0	0
29	S	2	0	0	0	0
29	T	1	0	0	0	0
29	U	2	0	0	0	0
All	All	53550	0	81	449	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 10.

All (449) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:451:A:O2'	29:A:2771:HOH:O	1.63	1.17
1:A:279:A:OP2	17:Q:95:TYR:OH	1.79	0.98
1:A:542:G:OP1	4:D:10:ARG:NH2	1.98	0.96
1:A:413:G:N2	1:A:429:U:OP2	1.99	0.96
12:L:27:LEU:O	12:L:29:GLY:N	2.00	0.94
11:K:18:ARG:NH1	11:K:35:PRO:O	2.03	0.91
1:A:298:A:N6	29:A:2233:HOH:O	2.02	0.91
1:A:1124:G:N7	1:A:1145:C:O2'	2.05	0.89
1:A:834:C:N4	29:A:2826:HOH:O	2.04	0.89
1:A:1147:C:O2	9:I:16:ARG:NH2	2.07	0.87
1:A:372:C:O2'	29:A:2764:HOH:O	1.94	0.85
1:A:1030(A):G:N2	1:A:1030(D):A:OP2	2.10	0.84
7:G:152:ALA:O	7:G:155:ARG:NH1	2.11	0.83
1:A:1264:C:N4	29:A:2870:HOH:O	2.11	0.83
1:A:835:U:OP1	18:R:64:ARG:NH2	2.12	0.82
15:O:26:GLU:OE1	15:O:77:ARG:NH1	2.13	0.82
1:A:266:G:O2'	1:A:267:C:OP2	1.98	0.82
1:A:1347:G:O2'	1:A:1348:U:OP2	1.97	0.81
1:A:61:G:O2'	29:A:2002:HOH:O	2.00	0.80
3:C:54:ARG:NH2	3:C:56:ASP:OD1	2.15	0.79
1:A:991:U:O2'	1:A:992:U:O5'	1.98	0.79
7:G:136:LYS:NZ	7:G:140:ASP:OD1	2.16	0.79
1:A:1482:G:N1	29:A:2391:HOH:O	2.17	0.78
1:A:1003:G:N2	1:A:1039:C:O2	2.18	0.77
1:A:1196:U:O2'	29:A:2247:HOH:O	2.03	0.76
1:A:664:G:OP1	18:R:64:ARG:NH1	2.19	0.76
1:A:972:C:OP1	10:J:57:LYS:NZ	2.19	0.76
19:S:36:ARG:NH2	19:S:75:ALA:O	2.19	0.75
1:A:117:G:OP2	29:A:2018:HOH:O	2.04	0.75
1:A:1003(A):G:N2	1:A:1038:C:O2	2.19	0.75
1:A:1347:G:O2'	1:A:1348:U:P	2.45	0.74
1:A:254:G:OP1	17:Q:67:LYS:O	2.05	0.74
1:A:235:C:N4	29:A:2119:HOH:O	2.20	0.74
10:J:78:ASN:OD1	10:J:79:ARG:NH1	2.21	0.74
1:A:130:A:OP2	1:A:190(E):U:O2'	2.06	0.73
13:M:79:LYS:NZ	13:M:83:ASP:OD1	2.21	0.73
1:A:527:7MG:OP2	27:A:1956:SRY:O32	2.05	0.72
1:A:1387:G:O2'	29:A:2237:HOH:O	2.08	0.71
1:A:640:A:N6	29:A:2098:HOH:O	2.23	0.71
19:S:43:GLU:OE2	19:S:43:GLU:N	2.24	0.70
1:A:974:A:OP2	14:N:41:ARG:NH1	2.25	0.70
1:A:328:C:O2'	1:A:329:A:OP2	2.10	0.70
1:A:1304:G:OP2	29:A:2277:HOH:O	2.09	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:914:A:OP1	27:A:1956:SRV:HI33	1.91	0.69
7:G:15:ASP:OD2	7:G:44:TYR:OH	2.10	0.69
1:A:103:C:OP1	20:T:17:ARG:NH1	2.26	0.69
8:H:82:HIS:ND1	8:H:138:TRP:NE1	2.42	0.68
1:A:653:A:OP1	8:H:56:LYS:NZ	2.26	0.68
1:A:31:G:N2	1:A:48:C:OP1	2.27	0.68
8:H:21:LYS:O	8:H:65:TYR:OH	2.12	0.68
1:A:290:C:N4	29:A:2818:HOH:O	2.26	0.68
1:A:409:G:OP1	4:D:24:GLU:O	2.12	0.68
20:T:16:HIS:O	20:T:19:SER:OG	2.13	0.67
1:A:509:A:O2'	1:A:510:A:OP1	2.13	0.67
1:A:1300:G:O2'	1:A:1301:U:P	2.52	0.67
11:K:27:ASN:OD1	11:K:28:THR:N	2.27	0.67
1:A:1152:A:OP1	10:J:68:HIS:ND1	2.28	0.67
1:A:951:G:OP2	13:M:102:ARG:NH2	2.28	0.67
1:A:89:C:C5	1:A:90:U:C4	2.84	0.67
1:A:1528:U:O2'	1:A:1529:G:OP2	2.13	0.66
1:A:1059:C:O3'	14:N:45:ARG:NH2	2.28	0.66
1:A:1328:C:OP1	21:U:20:LYS:NZ	2.28	0.66
1:A:1004:A:O2'	1:A:1005:A:OP1	2.14	0.66
6:F:28:ARG:O	6:F:32:ASN:ND2	2.29	0.66
1:A:126:G:N7	29:A:2422:HOH:O	2.29	0.66
1:A:502:G:OP1	12:L:118:SER:OG	2.14	0.65
1:A:328:C:O2	1:A:328:C:C2'	2.43	0.65
3:C:151:VAL:O	3:C:167:TRP:O	2.15	0.65
1:A:1005:A:C6	1:A:1026:G:N2	2.65	0.65
1:A:1347:G:C2'	1:A:1348:U:OP2	2.45	0.65
1:A:1197:G:OP1	29:A:2249:HOH:O	2.15	0.65
4:D:32:ALA:O	4:D:36:ARG:N	2.29	0.65
1:A:1126:U:C4	1:A:1127:G:N2	2.66	0.64
1:A:1068:G:P	29:A:2237:HOH:O	2.55	0.64
1:A:1028:C:N3	1:A:1034:G:C2	2.66	0.64
18:R:46:GLU:N	18:R:46:GLU:OE2	2.31	0.63
1:A:299:G:O6	29:A:2235:HOH:O	2.11	0.63
1:A:910:C:OP2	12:L:21:LYS:NZ	2.31	0.62
1:A:1190:G:O2'	1:A:1191:A:P	2.58	0.62
1:A:23:C:N4	29:A:2692:HOH:O	2.33	0.62
9:I:5:TYR:OH	9:I:7:THR:OG1	2.17	0.62
1:A:1190:G:O2'	1:A:1191:A:OP2	2.17	0.62
1:A:1004:A:N7	1:A:1037:C:N3	2.47	0.62
4:D:102:ASP:OD1	4:D:103:ASN:N	2.32	0.62
12:L:27:LEU:C	12:L:29:GLY:N	2.49	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
27:A:1956:SRY:O13	27:A:1956:SRY:HI32	1.99	0.61
1:A:1249:C:O2'	9:I:73:GLN:NE2	2.33	0.61
1:A:1054:C:C3'	1:A:1054:C:O2	2.48	0.61
1:A:289:G:P	29:A:2015:HOH:O	2.58	0.61
1:A:89:C:C4	1:A:90:U:N3	2.69	0.61
17:Q:101:ARG:N	17:Q:101:ARG:HD3	2.16	0.60
1:A:1316:G:N1	1:A:1319:A:OP2	2.34	0.60
1:A:1003:G:N2	1:A:1039:C:C2	2.69	0.60
1:A:581:G:N1	1:A:759:A:OP2	2.35	0.60
20:T:67:ALA:O	20:T:73:HIS:CB	2.50	0.60
6:F:41:GLU:OE1	18:R:35:ARG:NH1	2.35	0.60
17:Q:27:PHE:CE1	17:Q:36:ILE:CD1	2.85	0.60
5:E:24:ARG:NH1	5:E:24:ARG:CG	2.64	0.60
13:M:16:ASP:OD2	13:M:17:VAL:N	2.34	0.59
1:A:1313:U:O4	19:S:4:SER:OG	2.19	0.59
17:Q:68:ARG:N	17:Q:70:ARG:NH1	2.51	0.59
1:A:88:A:C5	1:A:89:C:N3	2.70	0.59
1:A:1533:C:O2'	1:A:1534:C:OP1	2.21	0.59
1:A:707:C:OP1	11:K:85:ARG:NH1	2.35	0.59
1:A:738:C:OP2	6:F:92:LYS:NZ	2.35	0.59
1:A:89:C:C2'	1:A:90:U:O5'	2.50	0.59
1:A:79:G:C2	1:A:91:C:C2	2.91	0.59
1:A:1399:C:O2	1:A:1401:G:C5	2.56	0.59
1:A:1498:UR3:O2'	1:A:1499:A:OP2	2.20	0.59
3:C:14:ILE:O	3:C:16:ARG:N	2.36	0.59
1:A:73:C:N4	29:A:2482:HOH:O	2.34	0.58
8:H:102:ARG:N	8:H:102:ARG:CD	2.65	0.58
1:A:1027:C:C4'	1:A:1027:C:OP1	2.51	0.58
1:A:1126:U:O4	1:A:1127:G:N2	2.36	0.58
9:I:24:GLY:N	9:I:60:ASP:OD1	2.35	0.58
4:D:150:GLU:N	4:D:150:GLU:OE2	2.36	0.58
15:O:45:VAL:CG1	15:O:46:HIS:N	2.66	0.58
1:A:427:U:OP1	4:D:13:ARG:NH2	2.36	0.58
1:A:914:A:P	27:A:1956:SRY:HI33	2.42	0.58
6:F:80:ARG:NH1	6:F:88:VAL:O	2.36	0.58
8:H:82:HIS:ND1	8:H:138:TRP:CE2	2.71	0.58
1:A:1035:A:C6	1:A:1036:G:C6	2.92	0.57
1:A:1300:G:O2'	1:A:1301:U:OP2	2.21	0.57
9:I:32:ASP:OD1	9:I:33:PHE:N	2.37	0.57
1:A:890:G:O2'	1:A:906:G:O6	2.22	0.57
1:A:501:C:OP1	12:L:117:ARG:NH2	2.38	0.57
20:T:69:GLY:O	20:T:73:HIS:CE1	2.57	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
13:M:86:CYS:SG	13:M:87:TYR:N	2.76	0.57
1:A:1015:A:N3	1:A:1218:C:O2'	2.37	0.57
4:D:150:GLU:CD	4:D:150:GLU:N	2.57	0.57
5:E:143:ARG:NH1	8:H:77:GLU:OE2	2.38	0.57
5:E:126:ARG:NH1	5:E:126:ARG:CG	2.68	0.57
9:I:110:GLU:OE2	9:I:113:LYS:NZ	2.38	0.56
18:R:37:VAL:O	18:R:40:LEU:N	2.38	0.56
1:A:1027:C:O4'	1:A:1027:C:OP1	2.23	0.56
18:R:47:THR:CG2	18:R:48:GLY:N	2.68	0.56
20:T:74:LYS:NZ	20:T:74:LYS:CB	2.68	0.56
2:B:97:TRP:CZ3	2:B:176:GLU:OE2	2.57	0.56
1:A:187:C:N3	20:T:105:SER:CB	2.69	0.56
10:J:47:PHE:CZ	14:N:37:PHE:CE1	2.94	0.56
1:A:777:A:OP1	29:A:2573:HOH:O	2.17	0.56
1:A:1256:A:C4'	1:A:1257:U:O5'	2.53	0.56
1:A:1442:G:C6	1:A:1446:A:N6	2.73	0.56
1:A:1026:G:N7	1:A:1027:C:N3	2.53	0.55
12:L:53:ARG:NH1	12:L:92:OTD:OD2	2.39	0.55
1:A:1054:C:N3	23:W:34:G:O4'	2.40	0.55
5:E:81:GLU:OE2	5:E:88:LYS:NZ	2.40	0.55
9:I:118:LYS:O	9:I:120:ARG:N	2.39	0.55
1:A:983:A:O2'	1:A:1050:G:OP2	2.23	0.55
1:A:1027:C:N4	29:A:2347:HOH:O	2.39	0.55
16:P:47:ASP:O	16:P:47:ASP:CG	2.44	0.55
1:A:1181:G:C2	1:A:1182:G:N2	2.75	0.55
1:A:1160:G:C6	1:A:1181:G:O6	2.60	0.55
1:A:1002:G:C6	1:A:1003:G:C6	2.95	0.55
1:A:1003:G:N2	1:A:1003(A):G:C6	2.74	0.55
5:E:97:GLY:N	5:E:117:ASP:OD1	2.40	0.55
1:A:421:U:O2	1:A:421:U:O4'	2.23	0.55
1:A:526:C:O3'	27:A:1956:SRV:HI31	2.06	0.55
19:S:80:TYR:CD1	19:S:81:ARG:N	2.76	0.55
19:S:12:ASP:OD2	19:S:37:ARG:NH2	2.40	0.55
3:C:127:ARG:NH2	3:C:193:TYR:CE2	2.75	0.55
3:C:156:ARG:NH1	3:C:193:TYR:O	2.40	0.54
21:U:7:ARG:O	21:U:21:TYR:CD2	2.61	0.54
1:A:1200:C:O2'	1:A:1205:U:O4	2.26	0.54
1:A:1256:A:N6	1:A:1277:C:C5	2.76	0.54
12:L:28:LYS:C	12:L:30:ALA:N	2.61	0.54
1:A:722:A:O2'	1:A:723:U:C2	2.61	0.54
1:A:1502:A:C2	1:A:1505:G:N1	2.76	0.54
4:D:8:VAL:O	4:D:11:LEU:N	2.41	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:838:G:N2	1:A:849:C:C2	2.75	0.54
1:A:499:A:C4'	1:A:500:G:OP1	2.56	0.54
5:E:98:THR:N	5:E:117:ASP:OD1	2.42	0.53
1:A:1065:U:O2'	1:A:1066:C:OP2	2.26	0.53
10:J:55:LYS:CG	10:J:56:HIS:N	2.71	0.53
1:A:684:A:N6	1:A:685:G:C6	2.77	0.53
1:A:1402:4OC:O2	1:A:1500:A:N1	2.42	0.53
20:T:13:LEU:CD1	20:T:13:LEU:C	2.77	0.53
1:A:609:A:N6	29:A:2344:HOH:O	2.40	0.53
1:A:191:G:N2	20:T:103:GLY:O	2.42	0.52
1:A:1047:G:OP1	14:N:4:LYS:NZ	2.42	0.52
1:A:527:7MG:O2'	1:A:535:A:N1	2.42	0.52
2:B:103:THR:N	2:B:176:GLU:OE1	2.42	0.52
1:A:1533:C:O2'	1:A:1534:C:P	2.66	0.52
1:A:1256:A:OP2	3:C:26:LYS:NZ	2.43	0.52
1:A:958:A:O2'	1:A:985:C:O2'	2.27	0.52
1:A:914:A:OP1	27:A:1956:SRY:CI3	2.58	0.52
3:C:11:ARG:NH1	3:C:177:THR:O	2.43	0.52
1:A:261:U:C5	20:T:79:ARG:NH1	2.78	0.52
5:E:43:LEU:O	5:E:65:ASN:ND2	2.42	0.52
1:A:315:A:OP1	29:A:2618:HOH:O	2.18	0.52
1:A:1003:G:C2	1:A:1003(A):G:C6	2.96	0.52
9:I:48:GLU:OE1	9:I:51:ARG:NE	2.42	0.52
1:A:1077:G:N2	1:A:1080:A:OP2	2.43	0.52
13:M:78:ILE:CG2	13:M:79:LYS:N	2.73	0.52
1:A:1442:G:C5	1:A:1446:A:N6	2.78	0.52
1:A:992:U:O2'	29:A:2728:HOH:O	2.19	0.52
5:E:117:ASP:N	5:E:117:ASP:OD2	2.43	0.52
17:Q:100:LYS:CB	17:Q:101:ARG:HH11	2.23	0.52
2:B:100:GLY:O	2:B:104:ASN:N	2.44	0.51
21:U:10:ARG:NH1	21:U:10:ARG:CG	2.72	0.51
1:A:1005:A:N1	1:A:1026:G:N2	2.58	0.51
10:J:61:GLU:O	10:J:61:GLU:CG	2.59	0.51
2:B:84:GLU:OE2	2:B:235:SER:OG	2.29	0.51
1:A:1125:U:C3'	1:A:1126:U:C5	2.92	0.51
1:A:1126:U:N3	1:A:1127:G:N2	2.58	0.51
1:A:1149:C:O2'	1:A:1280:A:N1	2.42	0.51
1:A:1378:C:O2	7:G:76:ARG:NH1	2.42	0.51
1:A:1109:C:OP2	3:C:176:HIS:ND1	2.43	0.51
1:A:1206:G:C6	1:A:1207:2MG:C5	2.98	0.51
4:D:28:SER:O	4:D:30:LYS:N	2.44	0.51
1:A:687:A:O2'	1:A:688:G:OP2	2.28	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:328:C:C2'	1:A:329:A:OP2	2.59	0.50
1:A:1300:G:C2'	1:A:1301:U:OP2	2.59	0.50
1:A:1054:C:N4	23:W:34:G:C8	2.79	0.50
1:A:659:U:OP2	15:O:8:LYS:NZ	2.44	0.50
20:T:69:GLY:O	20:T:73:HIS:ND1	2.44	0.50
2:B:74:LYS:C	2:B:76:GLN:N	2.64	0.50
2:B:24:TRP:O	2:B:24:TRP:CG	2.64	0.50
1:A:1330:U:OP1	13:M:23:TYR:O	2.28	0.50
1:A:1128:C:O2'	1:A:1130:A:C8	2.65	0.50
1:A:933:G:O6	7:G:3:ARG:NH2	2.45	0.50
14:N:61:TRP:CD1	14:N:61:TRP:O	2.65	0.50
10:J:35:SER:OG	10:J:73:ASP:O	2.30	0.50
1:A:6:G:O6	5:E:95:ALA:N	2.45	0.49
11:K:87:THR:O	11:K:87:THR:OG1	2.30	0.49
4:D:170:VAL:CG1	4:D:171:GLY:N	2.75	0.49
2:B:19:HIS:CD2	2:B:191:ASP:OD1	2.65	0.49
20:T:33:ILE:O	20:T:34:LYS:C	2.51	0.49
1:A:115:G:O2'	1:A:116:A:OP2	2.31	0.49
17:Q:13:ASP:OD2	17:Q:13:ASP:N	2.44	0.49
1:A:913:A:O2'	1:A:914:A:OP2	2.31	0.49
1:A:399:G:OP1	29:A:2090:HOH:O	2.20	0.49
1:A:80:G:C2	1:A:81:U:N3	2.79	0.49
7:G:51:GLN:O	7:G:52:GLU:CD	2.52	0.49
1:A:510:A:O2'	1:A:542:G:O2'	2.31	0.49
3:C:126:ARG:O	3:C:127:ARG:CB	2.60	0.49
18:R:30:ASP:OD1	18:R:32:ARG:N	2.46	0.49
1:A:126:G:N1	29:A:2119:HOH:O	2.34	0.48
1:A:88:A:C6	1:A:89:C:N3	2.81	0.48
1:A:1540:PSU:C2	1:A:1541:PSU:C2	3.01	0.48
1:A:587:G:O2'	1:A:588:G:OP2	2.31	0.48
1:A:608:A:OP2	29:A:2345:HOH:O	2.20	0.48
1:A:1065:U:C1'	1:A:1066:C:OP2	2.62	0.48
1:A:250:A:C4'	1:A:251:G:O5'	2.61	0.48
1:A:1072:G:C5	1:A:1073:U:C4	3.02	0.48
1:A:1300:G:C6	1:A:1335:C:C5	3.01	0.48
1:A:1392:G:N2	1:A:1502:A:C8	2.80	0.48
1:A:256:U:OP1	17:Q:17:LYS:NZ	2.46	0.48
17:Q:67:LYS:O	17:Q:68:ARG:CB	2.61	0.48
1:A:1064:G:N2	1:A:1190:G:C2'	2.77	0.48
14:N:5:ALA:O	14:N:8:GLU:CG	2.62	0.48
1:A:353:A:C5'	1:A:353:A:C8	2.97	0.48
6:F:3:ARG:NH1	6:F:38:GLU:OE2	2.47	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:976:G:C8	1:A:1358:U:O2	2.67	0.48
4:D:4:TYR:O	4:D:4:TYR:CD2	2.66	0.48
1:A:991:U:O2'	1:A:992:U:P	2.71	0.47
1:A:1442:G:O2'	1:A:1446:A:OP1	2.32	0.47
16:P:28:ARG:NH1	16:P:29:ASP:OD2	2.47	0.47
10:J:48:THR:O	14:N:34:TYR:OH	2.31	0.47
1:A:89:C:C3'	1:A:89:C:C6	2.97	0.47
1:A:377:G:OP1	16:P:3:LYS:NZ	2.47	0.47
19:S:5:LEU:CG	19:S:6:LYS:N	2.77	0.47
1:A:510:A:P	29:A:2174:HOH:O	2.71	0.47
1:A:1240:U:OP1	7:G:119:ARG:NH2	2.48	0.47
1:A:689:C:OP1	11:K:27:ASN:ND2	2.48	0.47
1:A:1279:A:C5'	1:A:1280:A:OP1	2.63	0.47
9:I:10:ARG:NH1	9:I:75:ASP:OD2	2.47	0.47
1:A:1349:A:C2	1:A:1374:A:C4	3.03	0.47
1:A:1035:A:N6	1:A:1036:G:O6	2.48	0.47
1:A:90:U:C2'	1:A:91:C:O5'	2.63	0.47
1:A:560:U:C5'	1:A:566:G:N2	2.77	0.47
1:A:196:A:OP1	20:T:68:LYS:NZ	2.48	0.47
10:J:48:THR:OG1	10:J:62:HIS:CD2	2.69	0.46
4:D:206:PHE:CE2	4:D:207:TYR:CE2	3.03	0.46
1:A:1091:U:O2	1:A:1093:A:C8	2.68	0.46
1:A:652:U:O4	1:A:752:G:O2'	2.34	0.46
1:A:1329:A:OP2	21:U:7:ARG:NH2	2.47	0.46
1:A:279:A:OP1	1:A:280:C:O2'	2.33	0.46
18:R:39:VAL:CG1	18:R:40:LEU:N	2.79	0.46
9:I:48:GLU:N	9:I:49:PRO:CD	2.78	0.46
1:A:1112:C:N3	3:C:178:LEU:N	2.63	0.46
1:A:1251:A:C4'	9:I:12:GLU:OE1	2.63	0.46
1:A:1320:C:O2	19:S:36:ARG:NH1	2.49	0.46
1:A:964:A:O2'	10:J:55:LYS:NZ	2.49	0.46
1:A:262:A:C6	1:A:263:A:C6	3.03	0.46
14:N:40:CYS:O	14:N:44:LEU:N	2.49	0.46
2:B:204:ASN:C	2:B:204:ASN:OD1	2.52	0.46
1:A:1126:U:C4	1:A:1127:G:C2	3.04	0.46
7:G:10:ARG:NH1	7:G:10:ARG:CG	2.77	0.46
19:S:10:PHE:CD2	19:S:10:PHE:C	2.89	0.46
2:B:201:ILE:O	2:B:203:GLY:N	2.49	0.46
1:A:421:U:OP2	1:A:422:C:N4	2.49	0.46
1:A:1314:C:OP2	19:S:6:LYS:CD	2.64	0.46
14:N:23:ARG:NH1	14:N:28:GLY:O	2.49	0.46
1:A:393:A:OP2	16:P:12:LYS:NZ	2.49	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
12:L:76:ASN:OD1	12:L:76:ASN:O	2.34	0.45
1:A:411:A:C6	1:A:429:U:C5	3.04	0.45
1:A:587:G:N2	1:A:754:C:OP2	2.49	0.45
1:A:28:G:O2'	1:A:296:U:OP1	2.34	0.45
7:G:32:ARG:O	7:G:35:LYS:N	2.50	0.45
2:B:165:VAL:O	2:B:187:LEU:O	2.34	0.45
1:A:68:G:C2'	1:A:69:G:O5'	2.65	0.45
2:B:231:GLU:N	2:B:231:GLU:OE1	2.48	0.45
1:A:839:U:C2'	1:A:839:U:O2	2.64	0.45
1:A:130:A:OP2	1:A:190(E):U:C2'	2.64	0.45
8:H:104:ARG:O	8:H:105:ARG:C	2.55	0.45
1:A:1029:C:N3	1:A:1033:G:N2	2.64	0.45
5:E:144:THR:CG2	5:E:145:LYS:N	2.79	0.45
1:A:509:A:N3	1:A:543:C:O2'	2.49	0.45
1:A:986:A:N3	19:S:52:TYR:OH	2.50	0.45
1:A:1003(A):G:C2	1:A:1038:C:O2	2.69	0.45
1:A:1225:A:C5'	1:A:1226:C:OP2	2.65	0.45
1:A:1224:G:O2'	1:A:1322:C:OP1	2.34	0.45
1:A:327:A:O2'	1:A:328:C:O4'	2.34	0.45
3:C:11:ARG:O	3:C:14:ILE:N	2.50	0.45
1:A:1065:U:C2'	1:A:1066:C:OP2	2.64	0.45
1:A:243:A:C2	1:A:246:A:C8	3.04	0.45
2:B:97:TRP:CH2	2:B:176:GLU:CD	2.90	0.45
2:B:239:VAL:O	2:B:240:GLN:CB	2.65	0.45
2:B:57:PHE:CD1	2:B:199:TYR:CZ	3.05	0.45
8:H:54:ASP:OD2	8:H:55:GLY:N	2.50	0.45
1:A:1300:G:C5	1:A:1335:C:C5	3.04	0.44
7:G:51:GLN:O	7:G:52:GLU:OE2	2.35	0.44
5:E:101:ILE:N	5:E:101:ILE:CD1	2.80	0.44
2:B:97:TRP:CE3	2:B:98:LEU:O	2.71	0.44
3:C:156:ARG:NE	3:C:160:ALA:O	2.50	0.44
1:A:194:C:OP1	20:T:61:SER:OG	2.35	0.44
2:B:92:TYR:O	2:B:92:TYR:CD1	2.71	0.44
1:A:1130:A:OP1	1:A:1131:G:OP2	2.34	0.44
1:A:685:G:C2	1:A:686:U:C4	3.06	0.44
12:L:25:PRO:C	12:L:27:LEU:N	2.69	0.44
1:A:89:C:C5	1:A:90:U:N3	2.86	0.44
17:Q:17:LYS:N	17:Q:49:GLU:OE2	2.50	0.44
1:A:1125:U:O2'	1:A:1126:U:P	2.76	0.44
1:A:978:A:O2'	1:A:1322:C:N3	2.51	0.44
1:A:1245:A:C2	1:A:1293:G:C2	3.05	0.44
27:A:1956:SRY:HI32	27:A:1956:SRY:C22	2.47	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:1256:A:N6	1:A:1277:C:C6	2.86	0.43
1:A:1493:A:C2	23:W:37:G:O4'	2.71	0.43
6:F:11:ASN:OD1	6:F:13:ASN:N	2.51	0.43
3:C:11:ARG:O	3:C:14:ILE:O	2.37	0.43
1:A:289:G:OP2	29:A:2017:HOH:O	2.21	0.43
1:A:948:C:N4	29:A:2306:HOH:O	2.50	0.43
11:K:24:SER:C	11:K:26:ASN:N	2.71	0.43
1:A:1187:G:C2	1:A:1188:A:C4	3.07	0.43
11:K:88:GLY:O	11:K:89:ALA:C	2.57	0.43
1:A:62:U:OP1	1:A:385:C:O2'	2.37	0.43
1:A:1419:G:C6	1:A:1420:C:C4	3.07	0.43
1:A:255:G:O6	1:A:266:G:O6	2.37	0.43
1:A:84:U:C4	1:A:88:A:C2	3.07	0.43
1:A:1533:C:C2'	1:A:1534:C:O5'	2.66	0.43
1:A:1281:U:C4'	1:A:1282:C:OP2	2.67	0.43
1:A:1009:G:C6	1:A:1021:G:C6	3.06	0.43
13:M:59:TYR:C	13:M:59:TYR:CD2	2.92	0.43
5:E:147:ASP:N	5:E:147:ASP:OD1	2.52	0.43
8:H:88:LYS:O	8:H:89:PRO:C	2.56	0.43
1:A:103:C:P	20:T:17:ARG:NH1	2.92	0.43
12:L:92:0TD:C	12:L:92:0TD:OD1	2.66	0.43
1:A:1494:G:OP2	1:A:1494:G:C8	2.72	0.43
1:A:976:G:C8	1:A:1358:U:C2	3.06	0.43
3:C:135:LYS:NZ	5:E:50:GLU:OE1	2.51	0.43
1:A:1023:G:C6	1:A:1024:G:C5	3.07	0.43
1:A:328:C:O2'	1:A:329:A:P	2.77	0.43
1:A:1357:A:C8	1:A:1358:U:C5	3.07	0.43
1:A:1168:A:C6	1:A:1169:A:C6	3.07	0.43
1:A:197:A:N1	1:A:220:G:O2'	2.52	0.43
17:Q:40:LYS:CD	17:Q:42:TYR:CZ	3.02	0.43
1:A:235:C:N3	29:A:2119:HOH:O	2.52	0.42
1:A:54:C:N4	1:A:353:A:OP2	2.52	0.42
1:A:28:G:C5	29:A:2696:HOH:O	2.71	0.42
1:A:1084:G:N2	29:A:2135:HOH:O	2.52	0.42
1:A:1212:U:C2'	1:A:1212:U:O2	2.66	0.42
1:A:1028:C:C2	1:A:1034:G:N2	2.88	0.42
23:W:33:U:C5'	23:W:34:G:OP2	2.67	0.42
18:R:45:SER:O	18:R:47:THR:O	2.37	0.42
1:A:1366:C:O2'	10:J:60:ARG:NH1	2.53	0.42
1:A:1368:G:OP2	9:I:114:TYR:N	2.52	0.42
1:A:560:U:C5'	1:A:566:G:C2	3.02	0.42
1:A:1094:G:OP1	29:A:2239:HOH:O	2.21	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
8:H:41:ARG:NH1	8:H:123:GLU:OE2	2.52	0.42
8:H:112:LEU:CD2	8:H:112:LEU:N	2.83	0.42
1:A:1015:A:N6	1:A:1016:A:C6	2.87	0.42
19:S:80:TYR:CE1	19:S:81:ARG:CG	3.03	0.42
8:H:36:LEU:O	8:H:37:ARG:C	2.56	0.42
1:A:1303:C:N4	1:A:1304:G:C6	2.88	0.42
2:B:74:LYS:O	2:B:76:GLN:N	2.53	0.42
1:A:875:C:O2'	8:H:14:ARG:NH1	2.53	0.42
17:Q:66:SER:O	17:Q:70:ARG:NH1	2.53	0.42
10:J:61:GLU:OE1	14:N:45:ARG:NH1	2.53	0.42
1:A:553:A:O2'	12:L:29:GLY:O	2.37	0.42
1:A:1157:A:C1'	1:A:1181:G:N2	2.83	0.42
1:A:548:G:OP1	29:A:2609:HOH:O	2.22	0.42
1:A:485:G:O2'	1:A:486:U:OP2	2.38	0.42
1:A:426:G:OP1	4:D:38:TYR:OH	2.37	0.42
4:D:4:TYR:CG	4:D:4:TYR:O	2.71	0.42
3:C:186:PHE:CD2	3:C:186:PHE:C	2.93	0.42
4:D:190:ASP:N	4:D:193:ASP:OD2	2.53	0.42
1:A:622:A:C8	1:A:623:C:C6	3.08	0.42
1:A:246:A:N1	1:A:278:G:O2'	2.53	0.42
2:B:106:LYS:O	2:B:109:SER:OG	2.37	0.42
1:A:1359:C:OP1	14:N:22:THR:CG2	2.67	0.42
12:L:37:CYS:O	12:L:79:GLU:O	2.37	0.42
1:A:509:A:C8	1:A:509:A:C3'	3.02	0.41
1:A:1144:G:C6	1:A:1145:C:N4	2.89	0.41
1:A:1130:A:OP1	1:A:1131:G:P	2.78	0.41
1:A:994:A:C2	1:A:995:C:C6	3.08	0.41
14:N:3:ARG:NH2	14:N:6:LEU:CD2	2.84	0.41
1:A:88:A:C5	1:A:89:C:C2	3.08	0.41
12:L:20:LYS:CD	12:L:20:LYS:N	2.83	0.41
6:F:74:ASP:OD2	6:F:74:ASP:N	2.53	0.41
1:A:892:A:C2	1:A:907:A:C4	3.08	0.41
7:G:66:VAL:CG1	7:G:67:GLU:N	2.83	0.41
1:A:1003(A):G:N7	1:A:1004:A:N3	2.68	0.41
1:A:1027:C:C5	1:A:1035:A:N1	2.89	0.41
1:A:235:C:N4	29:A:2120:HOH:O	2.54	0.41
1:A:803:G:C5	1:A:804:U:C4	3.08	0.41
1:A:950:U:O4	13:M:105:THR:OG1	2.39	0.41
1:A:1371:G:C5	1:A:1372:U:C5	3.08	0.41
1:A:496:A:C4'	1:A:497:A:OP1	2.69	0.41
1:A:88:A:N7	1:A:89:C:N3	2.69	0.41
1:A:370:C:C2	1:A:392:G:N2	2.89	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
8:H:4:ASP:OD2	8:H:85:ARG:NE	2.54	0.41
2:B:193:ASP:C	2:B:193:ASP:OD1	2.59	0.41
1:A:1003(A):G:N1	1:A:1038:C:C2	2.89	0.41
1:A:1303:C:P	29:A:2278:HOH:O	2.79	0.41
3:C:14:ILE:C	3:C:16:ARG:N	2.74	0.41
1:A:1131:G:C8	1:A:1131:G:OP2	2.74	0.41
2:B:69:LEU:C	2:B:69:LEU:CD2	2.89	0.41
1:A:1160:G:C6	1:A:1161:C:C4	3.08	0.41
1:A:1346:A:C4	7:G:10:ARG:NH2	2.88	0.41
1:A:28:G:N7	29:A:2696:HOH:O	2.53	0.41
14:N:17:LYS:O	14:N:20:ALA:N	2.54	0.41
1:A:642:A:C6	1:A:643:C:C4	3.08	0.41
18:R:18:ARG:HA	18:R:18:ARG:HD3	1.85	0.41
1:A:1256:A:C1'	1:A:1257:U:OP2	2.69	0.41
3:C:54:ARG:CB	3:C:54:ARG:NH1	2.84	0.40
1:A:1300:G:C6	1:A:1334:G:C5	3.09	0.40
2:B:170:GLU:O	2:B:173:ALA:N	2.54	0.40
1:A:786:G:C2	1:A:797:C:C2	3.09	0.40
1:A:216:G:O2'	1:A:217:C:O4'	2.40	0.40
1:A:396:G:O2'	1:A:398:C:OP1	2.39	0.40
1:A:109:A:C6	1:A:327:A:C6	3.09	0.40
20:T:44:ALA:O	20:T:47:GLY:N	2.54	0.40
5:E:12:LEU:C	5:E:12:LEU:CD2	2.90	0.40
19:S:7:LYS:C	19:S:7:LYS:CD	2.90	0.40
1:A:14:U:O2'	1:A:16:A:N7	2.55	0.40
1:A:715:A:OP1	1:A:805:C:O2'	2.39	0.40
1:A:922:G:O2'	1:A:1398:A:N1	2.55	0.40
8:H:114:THR:OG1	8:H:117:GLY:O	2.40	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	B	234/256 (91%)	213 (91%)	20 (8%)	1 (0%)	43 89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	205/239 (86%)	186 (91%)	19 (9%)	0	100	100
4	D	206/209 (99%)	197 (96%)	9 (4%)	0	100	100
5	E	149/162 (92%)	142 (95%)	7 (5%)	0	100	100
6	F	99/101 (98%)	95 (96%)	4 (4%)	0	100	100
7	G	153/156 (98%)	135 (88%)	18 (12%)	0	100	100
8	H	136/138 (99%)	130 (96%)	6 (4%)	0	100	100
9	I	125/128 (98%)	112 (90%)	12 (10%)	1 (1%)	27	78
10	J	97/105 (92%)	78 (80%)	18 (19%)	1 (1%)	22	74
11	K	115/129 (89%)	103 (90%)	12 (10%)	0	100	100
12	L	122/135 (90%)	112 (92%)	7 (6%)	3 (2%)	9	51
13	M	116/126 (92%)	107 (92%)	8 (7%)	1 (1%)	25	76
14	N	58/61 (95%)	53 (91%)	5 (9%)	0	100	100
15	O	86/89 (97%)	76 (88%)	10 (12%)	0	100	100
16	P	82/88 (93%)	77 (94%)	5 (6%)	0	100	100
17	Q	98/105 (93%)	91 (93%)	7 (7%)	0	100	100
18	R	69/88 (78%)	61 (88%)	8 (12%)	0	100	100
19	S	79/93 (85%)	71 (90%)	6 (8%)	2 (2%)	9	51
20	T	97/106 (92%)	86 (89%)	10 (10%)	1 (1%)	22	74
21	U	23/27 (85%)	22 (96%)	1 (4%)	0	100	100
All	All	2349/2541 (92%)	2147 (91%)	192 (8%)	10 (0%)	43	89

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
12	L	28	LYS
20	T	73	HIS
19	S	31	ILE
12	L	115	LYS
13	M	23	TYR
9	I	119	ALA
12	L	27	LEU
19	S	6	LYS
2	B	229	VAL
10	J	34	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	201/220 (91%)	181 (90%)	20 (10%)	11	43
3	C	160/188 (85%)	138 (86%)	22 (14%)	5	25
4	D	180/181 (99%)	156 (87%)	24 (13%)	6	27
5	E	115/123 (94%)	93 (81%)	22 (19%)	2	10
6	F	90/90 (100%)	76 (84%)	14 (16%)	4	19
7	G	126/127 (99%)	114 (90%)	12 (10%)	12	46
8	H	119/119 (100%)	105 (88%)	14 (12%)	8	34
9	I	98/99 (99%)	91 (93%)	7 (7%)	21	65
10	J	87/92 (95%)	81 (93%)	6 (7%)	22	67
11	K	89/99 (90%)	82 (92%)	7 (8%)	18	59
12	L	103/110 (94%)	89 (86%)	14 (14%)	5	26
13	M	94/101 (93%)	82 (87%)	12 (13%)	6	29
14	N	49/50 (98%)	42 (86%)	7 (14%)	5	23
15	O	79/80 (99%)	67 (85%)	12 (15%)	4	20
16	P	72/74 (97%)	66 (92%)	6 (8%)	16	56
17	Q	95/97 (98%)	86 (90%)	9 (10%)	12	46
18	R	62/77 (80%)	57 (92%)	5 (8%)	17	58
19	S	71/80 (89%)	66 (93%)	5 (7%)	21	66
20	T	76/82 (93%)	66 (87%)	10 (13%)	6	28
21	U	19/22 (86%)	17 (90%)	2 (10%)	10	40
All	All	1985/2111 (94%)	1755 (88%)	230 (12%)	8	35

All (230) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	8	LYS
2	B	11	LEU
2	B	12	GLU
2	B	33	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	69	LEU
2	B	96	ARG
2	B	97	TRP
2	B	114	ARG
2	B	121	LEU
2	B	132	LYS
2	B	139	LYS
2	B	163	PHE
2	B	172	ILE
2	B	187	LEU
2	B	196	LEU
2	B	204	ASN
2	B	221	LEU
2	B	223	ILE
2	B	226	ARG
2	B	236	TYR
3	C	3	ASN
3	C	5	ILE
3	C	14	ILE
3	C	15	THR
3	C	45	LYS
3	C	62	ASP
3	C	64	VAL
3	C	70	VAL
3	C	91	LEU
3	C	98	ASN
3	C	111	LEU
3	C	126	ARG
3	C	127	ARG
3	C	130	VAL
3	C	144	SER
3	C	156	ARG
3	C	167	TRP
3	C	188	LEU
3	C	192	THR
3	C	204	LEU
3	C	206	GLU
3	C	207	VAL
4	D	10	ARG
4	D	15	GLU
4	D	19	LEU
4	D	25	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	26	CYS
4	D	34	GLU
4	D	47	ARG
4	D	50	ARG
4	D	58	LEU
4	D	64	LEU
4	D	66	ARG
4	D	78	LEU
4	D	96	LEU
4	D	107	ARG
4	D	115	ARG
4	D	122	ARG
4	D	127	THR
4	D	131	ARG
4	D	150	GLU
4	D	187	ARG
4	D	191	ARG
4	D	192	GLU
4	D	194	LEU
4	D	201	GLN
5	E	10	MET
5	E	11	ILE
5	E	12	LEU
5	E	16	THR
5	E	19	MET
5	E	24	ARG
5	E	31	LEU
5	E	43	LEU
5	E	47	LYS
5	E	50	GLU
5	E	53	LEU
5	E	63	ARG
5	E	64	ARG
5	E	65	ASN
5	E	68	GLU
5	E	75	THR
5	E	78	HIS
5	E	79	GLU
5	E	116	THR
5	E	117	ASP
5	E	125	SER
5	E	126	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	15	ASP
6	F	17	SER
6	F	24	GLU
6	F	28	ARG
6	F	37	VAL
6	F	43	LEU
6	F	45	LEU
6	F	55	ASP
6	F	74	ASP
6	F	75	LEU
6	F	82	ARG
6	F	83	ASP
6	F	86	ARG
6	F	93	SER
7	G	10	ARG
7	G	12	LEU
7	G	15	ASP
7	G	27	ILE
7	G	52	GLU
7	G	66	VAL
7	G	89	MET
7	G	113	GLU
7	G	136	LYS
7	G	140	ASP
7	G	148	ASN
7	G	156	TRP
8	H	1	MET
8	H	11	THR
8	H	12	ARG
8	H	18	ARG
8	H	21	LYS
8	H	26	VAL
8	H	39	LEU
8	H	63	LEU
8	H	85	ARG
8	H	91	ARG
8	H	97	VAL
8	H	102	ARG
8	H	112	LEU
8	H	133	LEU
9	I	16	ARG
9	I	27	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	29	ASN
9	I	48	GLU
9	I	79	LEU
9	I	109	VAL
9	I	124	GLN
10	J	4	ILE
10	J	6	ILE
10	J	46	ARG
10	J	63	PHE
10	J	66	ARG
10	J	79	ARG
11	K	29	ILE
11	K	47	VAL
11	K	48	ILE
11	K	75	TYR
11	K	87	THR
11	K	120	ARG
11	K	127	LYS
12	L	12	ARG
12	L	20	LYS
12	L	21	LYS
12	L	39	VAL
12	L	42	THR
12	L	43	VAL
12	L	44	THR
12	L	60	LEU
12	L	67	THR
12	L	97	ARG
12	L	100	ILE
12	L	113	ARG
12	L	116	SER
12	L	118	SER
13	M	8	GLU
13	M	17	VAL
13	M	27	LYS
13	M	44	ARG
13	M	50	GLU
13	M	57	ARG
13	M	58	GLU
13	M	64	TRP
13	M	69	GLU
13	M	70	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	M	78	ILE
13	M	99	ARG
14	N	9	LYS
14	N	12	ARG
14	N	26	ARG
14	N	35	ARG
14	N	41	ARG
14	N	44	LEU
14	N	50	LYS
15	O	4	THR
15	O	5	LYS
15	O	11	VAL
15	O	22	THR
15	O	31	LEU
15	O	34	LEU
15	O	70	LEU
15	O	71	GLN
15	O	73	GLU
15	O	77	ARG
15	O	81	LEU
15	O	83	GLU
16	P	11	SER
16	P	45	THR
16	P	47	ASP
16	P	53	VAL
16	P	54	GLU
16	P	82	GLN
17	Q	11	VAL
17	Q	34	LYS
17	Q	36	ILE
17	Q	59	ILE
17	Q	74	LEU
17	Q	92	ARG
17	Q	97	SER
17	Q	98	LEU
17	Q	101	ARG
18	R	39	VAL
18	R	46	GLU
18	R	82	THR
18	R	86	VAL
18	R	88	LYS
19	S	5	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
19	S	7	LYS
19	S	15	LEU
19	S	31	ILE
19	S	71	LEU
20	T	10	LEU
20	T	11	SER
20	T	13	LEU
20	T	41	ILE
20	T	56	MET
20	T	62	LEU
20	T	73	HIS
20	T	74	LYS
20	T	99	LEU
20	T	100	ILE
21	U	10	ARG
21	U	15	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	1510/1522 (99%)	237 (15%)	38 (2%)
22	V	3/4 (75%)	0	0
23	W	8/9 (88%)	1 (12%)	0
24	a	10/11 (90%)	3 (30%)	0
25	b	1/3 (33%)	1 (100%)	0
All	All	1532/1549 (98%)	242 (15%)	38 (2%)

All (242) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	7	G
1	A	9	G
1	A	32	A
1	A	39	G
1	A	47	C
1	A	48	C
1	A	50	A
1	A	51	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	81	U
1	A	82	U
1	A	88	A
1	A	90	U
1	A	101	A
1	A	108	G
1	A	115	G
1	A	116	A
1	A	121	C
1	A	129(A)	G
1	A	130	A
1	A	131	C
1	A	163	C
1	A	182	U
1	A	183	G
1	A	190(E)	U
1	A	195	A
1	A	197	A
1	A	201	C
1	A	202	U
1	A	204	U
1	A	216	G
1	A	247	G
1	A	250	A
1	A	251	G
1	A	252	U
1	A	266	G
1	A	267	C
1	A	280	C
1	A	289	G
1	A	301	G
1	A	319	G
1	A	321	A
1	A	328	C
1	A	329	A
1	A	331	G
1	A	332	G
1	A	345	C
1	A	346	G
1	A	352	C
1	A	353	A
1	A	354	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	367	U
1	A	372	C
1	A	373	A
1	A	384	G
1	A	390	C
1	A	397	A
1	A	398	C
1	A	406	G
1	A	412	A
1	A	413	G
1	A	421	U
1	A	424	G
1	A	429	U
1	A	430	A
1	A	439	A
1	A	442	C
1	A	443	C
1	A	452	A
1	A	460	A
1	A	481	G
1	A	485	G
1	A	497	A
1	A	498	U
1	A	500	G
1	A	509	A
1	A	510	A
1	A	511	C
1	A	518	C
1	A	527	7MG
1	A	531	U
1	A	532	A
1	A	533	A
1	A	547	A
1	A	559	A
1	A	560	U
1	A	562	C
1	A	564	C
1	A	572	A
1	A	573	A
1	A	576	G
1	A	577	G
1	A	579	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	588	G
1	A	607	A
1	A	629	G
1	A	631	G
1	A	632	A
1	A	653	A
1	A	665	A
1	A	671	G
1	A	687	A
1	A	688	G
1	A	698	G
1	A	702	A
1	A	723	U
1	A	731	G
1	A	734	G
1	A	755	G
1	A	770	C
1	A	777	A
1	A	793	U
1	A	794	A
1	A	795	C
1	A	812	C
1	A	813	U
1	A	816	A
1	A	817	C
1	A	827	U
1	A	828	A
1	A	839	U
1	A	840	C
1	A	841	U
1	A	848	C
1	A	851	G
1	A	873	A
1	A	876	G
1	A	902	G
1	A	914	A
1	A	916	G
1	A	926	G
1	A	927	G
1	A	934	C
1	A	935	A
1	A	960	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	961	U
1	A	966	M2G
1	A	969	A
1	A	971	G
1	A	975	A
1	A	976	G
1	A	977	A
1	A	978	A
1	A	980	C
1	A	991	U
1	A	992	U
1	A	993	G
1	A	1004	A
1	A	1005	A
1	A	1020	U
1	A	1025	U
1	A	1026	G
1	A	1027	C
1	A	1045	C
1	A	1050	G
1	A	1053	G
1	A	1054	C
1	A	1065	U
1	A	1066	C
1	A	1068	G
1	A	1078	U
1	A	1094	G
1	A	1095	U
1	A	1101	A
1	A	1125	U
1	A	1126	U
1	A	1130	A
1	A	1131	G
1	A	1135	U
1	A	1137	C
1	A	1138	G
1	A	1139	G
1	A	1157	A
1	A	1159	U
1	A	1171	G
1	A	1181	G
1	A	1182	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1183	A
1	A	1190	G
1	A	1191	A
1	A	1196	U
1	A	1201	A
1	A	1202	G
1	A	1212	U
1	A	1213	A
1	A	1225	A
1	A	1226	C
1	A	1227	A
1	A	1236	A
1	A	1238	A
1	A	1256	A
1	A	1257	U
1	A	1258	G
1	A	1270	C
1	A	1280	A
1	A	1281	U
1	A	1282	C
1	A	1286	A
1	A	1287	A
1	A	1297	C
1	A	1300	G
1	A	1301	U
1	A	1302	U
1	A	1303	C
1	A	1312	G
1	A	1320	C
1	A	1322	C
1	A	1323	G
1	A	1332	A
1	A	1338	G
1	A	1348	U
1	A	1349	A
1	A	1353	G
1	A	1362	C
1	A	1364	U
1	A	1368	G
1	A	1370	G
1	A	1398	A
1	A	1400	5MC

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1442	G
1	A	1443	G
1	A	1446	A
1	A	1454	G
1	A	1487	G
1	A	1492	A
1	A	1494	G
1	A	1498	UR3
1	A	1499	A
1	A	1502	A
1	A	1504	G
1	A	1505	G
1	A	1506	U
1	A	1520	G
1	A	1528	U
1	A	1529	G
1	A	1530	G
1	A	1531	A
1	A	1534	C
23	W	34	G
24	a	32	U
24	a	34	G
24	a	41	U
25	b	2	U

All (38) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	115	G
1	A	129(A)	G
1	A	181	G
1	A	204	U
1	A	250	A
1	A	251	G
1	A	266	G
1	A	328	C
1	A	428	G
1	A	429	U
1	A	484	G
1	A	496	A
1	A	509	A
1	A	559	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	575	G
1	A	687	A
1	A	701	C
1	A	812	C
1	A	913	A
1	A	960	U
1	A	991	U
1	A	1004	A
1	A	1049	U
1	A	1065	U
1	A	1067	A
1	A	1182	G
1	A	1190	G
1	A	1201	A
1	A	1212	U
1	A	1256	A
1	A	1281	U
1	A	1300	G
1	A	1331	G
1	A	1347	G
1	A	1397	C
1	A	1493	A
1	A	1528	U
1	A	1533	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

17 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	2MG	A	1207	1	24,26,27	1.74	7 (29%)	32,38,41	9.93	3 (9%)
1	5MC	A	1400	1	20,22,23	2.15	3 (15%)	26,32,35	1.25	4 (15%)
1	4OC	A	1402	1	21,23,24	1.49	2 (9%)	26,32,35	0.79	1 (3%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	5MC	A	1404	1	20,22,23	1.62	3 (15%)	26,32,35	1.44	3 (11%)
1	5MC	A	1407	1	20,22,23	1.86	2 (10%)	26,32,35	1.25	4 (15%)
1	UR3	A	1498	1	20,22,23	1.08	2 (10%)	23,32,35	1.07	1 (4%)
1	MA6	A	1518	1	26,26,27	1.18	2 (7%)	37,38,41	0.97	1 (2%)
1	MA6	A	1519	1	26,26,27	1.48	5 (19%)	37,38,41	0.93	2 (5%)
1	PSU	A	1540	1	19,21,22	1.14	1 (5%)	23,30,33	1.10	2 (8%)
1	PSU	A	1541	1	19,21,22	1.13	1 (5%)	23,30,33	1.03	3 (13%)
1	PSU	A	516	1	19,21,22	1.17	2 (10%)	23,30,33	0.89	2 (8%)
1	7MG	A	527	1	24,26,27	3.64	7 (29%)	34,39,42	1.58	6 (17%)
1	M2G	A	966	1	25,27,28	1.47	4 (16%)	34,40,43	8.66	4 (11%)
1	5MC	A	967	1	20,22,23	1.51	4 (20%)	26,32,35	1.34	4 (15%)
12	0TD	L	92	12	9,9,10	7.33	3 (33%)	9,11,13	3.06	4 (44%)
23	PSU	W	38	23	19,21,22	1.16	1 (5%)	23,30,33	1.19	2 (8%)
24	PSU	a	38	24	19,21,22	1.03	1 (5%)	23,30,33	1.49	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	2MG	A	1207	1	-	0/10/27/28	0/1/3/3
1	5MC	A	1400	1	-	1/6/25/26	0/2/2/2
1	4OC	A	1402	1	-	1/10/29/30	0/2/2/2
1	5MC	A	1404	1	-	0/6/25/26	0/2/2/2
1	5MC	A	1407	1	-	0/6/25/26	0/2/2/2
1	UR3	A	1498	1	-	0/6/25/26	0/2/2/2
1	MA6	A	1518	1	-	0/13/29/30	0/1/3/3
1	MA6	A	1519	1	-	0/13/29/30	0/1/3/3
1	PSU	A	1540	1	-	0/8/25/26	0/2/2/2
1	PSU	A	1541	1	-	0/8/25/26	0/2/2/2
1	PSU	A	516	1	-	0/8/25/26	0/2/2/2
1	7MG	A	527	1	-	1/8/37/38	0/1/3/3
1	M2G	A	966	1	-	0/12/29/30	0/1/3/3
1	5MC	A	967	1	-	0/6/25/26	0/2/2/2
12	0TD	L	92	12	-	0/10/12/14	0/0/0/0
23	PSU	W	38	23	-	0/8/25/26	0/2/2/2
24	PSU	a	38	24	-	0/8/25/26	0/2/2/2

All (50) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	L	92	0TD	O-C	21.26	1.26	1.11
1	A	527	7MG	C8-N9	-14.50	1.34	1.46
1	A	1400	5MC	C2-N1	7.94	1.46	1.38
1	A	1407	5MC	C2-N1	6.89	1.45	1.38
1	A	527	7MG	C2-N2	6.48	1.42	1.32
1	A	1402	4OC	C2-N1	5.52	1.44	1.38
12	L	92	0TD	CA-C	4.78	1.57	1.48
1	A	1404	5MC	C2-N1	4.55	1.43	1.38
1	A	527	7MG	C4-N3	4.47	1.40	1.34
1	A	1207	2MG	C8-N9	4.36	1.43	1.36
23	W	38	PSU	C6-N1	4.01	1.36	1.32
1	A	967	5MC	C2-N1	3.96	1.42	1.38
1	A	1518	MA6	C8-N9	3.93	1.42	1.36
1	A	1519	MA6	C8-N9	3.91	1.42	1.36
1	A	527	7MG	C8-N7	-3.85	1.34	1.45
1	A	966	M2G	C2-N2	3.82	1.39	1.34
1	A	516	PSU	C6-N1	3.80	1.35	1.32
1	A	1207	2MG	C6-N1	3.69	1.43	1.37
1	A	1541	PSU	C6-N1	3.69	1.35	1.32
1	A	1540	PSU	C6-N1	3.66	1.35	1.32
1	A	966	M2G	C8-N9	3.41	1.41	1.36
1	A	1404	5MC	P-OP1	3.31	1.50	1.46
24	a	38	PSU	C6-N1	3.20	1.35	1.32
1	A	1207	2MG	C2-N2	3.14	1.41	1.32
1	A	1498	UR3	C2-N3	3.03	1.41	1.38
1	A	1519	MA6	C4-N3	3.03	1.40	1.35
1	A	1407	5MC	C5-C4	2.79	1.45	1.41
1	A	1519	MA6	C2-N1	2.76	1.39	1.33
1	A	966	M2G	C6-N1	2.74	1.41	1.37
1	A	527	7MG	CM7-N7	-2.73	1.41	1.46
1	A	1519	MA6	C6-N1	2.59	1.39	1.32
1	A	1400	5MC	C2-N3	2.54	1.42	1.35
1	A	1207	2MG	C2-N1	2.53	1.42	1.36
1	A	1404	5MC	C2-N3	2.47	1.42	1.35
1	A	966	M2G	C4-N9	2.43	1.41	1.37
1	A	1400	5MC	P-OP1	2.42	1.49	1.46
1	A	1207	2MG	C4-N3	2.40	1.39	1.35
1	A	967	5MC	C2-N3	2.37	1.41	1.35
1	A	967	5MC	C5-C4	2.33	1.45	1.41
1	A	527	7MG	C1'-N9	2.32	1.48	1.45
1	A	1519	MA6	C4-N9	2.32	1.41	1.37
12	L	92	0TD	CB-SB	-2.30	1.80	1.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1207	2MG	C4-N9	2.25	1.41	1.37
1	A	967	5MC	C4-N4	2.24	1.39	1.34
1	A	1402	4OC	C2-N3	2.23	1.41	1.35
1	A	1498	UR3	C2-N1	2.16	1.40	1.38
1	A	527	7MG	P-OP1	2.16	1.49	1.46
1	A	516	PSU	P-OP1	2.12	1.49	1.46
1	A	1518	MA6	C6-N1	2.07	1.38	1.32
1	A	1207	2MG	P-OP1	2.03	1.49	1.46

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1207	2MG	C6-C5-N7	-55.94	126.61	134.14
1	A	966	M2G	C6-C5-N7	-49.95	127.41	134.14
12	L	92	0TD	C-CA-N	-5.60	102.83	111.94
24	a	38	PSU	C5-C1'-C2'	-5.48	105.93	115.61
1	A	1404	5MC	C6-N1-C2	5.45	121.30	118.62
12	L	92	0TD	CSB-SB-CB	-5.20	92.46	101.48
1	A	1400	5MC	C2-N3-C4	4.33	119.33	115.41
1	A	967	5MC	C6-N1-C2	4.24	120.71	118.62
1	A	527	7MG	N7-C8-N9	4.22	108.66	103.08
1	A	527	7MG	C5-C4-N3	-4.10	119.24	126.61
1	A	527	7MG	N3-C4-N9	3.78	133.05	127.06
1	A	966	M2G	C6-N1-C2	3.68	122.88	120.28
1	A	966	M2G	N1-C2-N2	-3.55	113.96	118.37
1	A	1407	5MC	N4-C4-N3	-3.53	112.64	118.73
12	L	92	0TD	CB-CA-N	-3.39	102.90	109.55
1	A	1540	PSU	C5-C1'-C2'	-3.38	109.64	115.61
1	A	967	5MC	C2-N3-C4	3.22	118.32	115.41
23	W	38	PSU	C5-C1'-C2'	-3.21	109.94	115.61
24	a	38	PSU	C4-N3-C2	-2.72	119.83	125.36
1	A	966	M2G	C8-N9-C4	-2.71	104.83	106.90
23	W	38	PSU	C4-N3-C2	-2.63	120.03	125.36
1	A	1404	5MC	C2-N3-C4	2.60	117.77	115.41
1	A	516	PSU	C4-N3-C2	-2.59	120.10	125.36
1	A	1541	PSU	C4-N3-C2	-2.58	120.12	125.36
1	A	1518	MA6	C1'-N9-C4	-2.58	122.18	126.64
1	A	1207	2MG	N3-C4-N9	2.55	130.65	126.91
12	L	92	0TD	CG-CB-SB	-2.53	105.33	108.74
1	A	1407	5MC	C6-N1-C2	2.49	119.84	118.62
1	A	527	7MG	CM7-N7-C8	2.49	125.40	119.23
1	A	1519	MA6	N3-C4-N9	2.47	129.90	125.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1402	4OC	C2-N3-C4	2.46	118.25	115.27
1	A	1407	5MC	C2-N3-C4	2.43	117.61	115.41
1	A	527	7MG	C2-N3-C4	2.40	121.03	117.61
1	A	1540	PSU	C4-N3-C2	-2.38	120.53	125.36
1	A	1498	UR3	C3'-C2'-C1'	2.38	104.63	100.91
1	A	1541	PSU	C5-C1'-C2'	-2.37	111.42	115.61
1	A	1207	2MG	C4-C5-N7	2.30	111.49	109.52
1	A	1400	5MC	CM5-C5-C6	2.30	123.48	118.59
1	A	1400	5MC	N4-C4-N3	-2.27	114.82	118.73
1	A	1519	MA6	C2-N1-C6	2.26	116.44	111.53
1	A	527	7MG	N2-C2-N3	-2.18	117.36	120.31
1	A	967	5MC	N4-C4-N3	-2.18	114.98	118.73
1	A	516	PSU	O4'-C1'-C2'	2.15	108.08	104.37
1	A	1407	5MC	C5-C4-N3	2.13	124.76	121.21
1	A	1404	5MC	N4-C4-N3	-2.08	115.14	118.73
1	A	1541	PSU	O4'-C1'-C2'	2.07	107.92	104.37
1	A	967	5MC	CM5-C5-C6	2.03	122.91	118.59
1	A	1400	5MC	CM5-C5-C4	-2.02	119.40	121.43

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1402	4OC	N3-C4-N4-CM4
1	A	1400	5MC	OP2-P-O5'-C5'
1	A	527	7MG	OP2-P-O5'-C5'

There are no ring outliers.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 380 ligands modelled in this entry, 379 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
27	SRY	A	1956	-	42,42,42	2.26	10 (23%)	63,63,63	2.08	13 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
27	SRY	A	1956	-	-	0/22/87/87	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
27	A	1956	SRY	CD1-N31	9.20	1.50	1.33
27	A	1956	SRY	CA1-N11	6.29	1.44	1.33
27	A	1956	SRY	C32-CG2	-3.29	1.48	1.52
27	A	1956	SRY	O53-C53	-3.21	1.36	1.44
27	A	1956	SRY	C23-N23	-3.06	1.42	1.47
27	A	1956	SRY	C21-C11	-2.58	1.47	1.53
27	A	1956	SRY	O51-C51	-2.25	1.37	1.43
27	A	1956	SRY	CD1-NE1	2.22	1.44	1.34
27	A	1956	SRY	CA1-NB1	2.21	1.44	1.34
27	A	1956	SRY	O32-C32	-2.16	1.40	1.44

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
27	A	1956	SRY	C12-O42-C42	-7.17	96.75	108.25
27	A	1956	SRY	CI3-N23-C23	-5.89	109.00	113.65
27	A	1956	SRY	O41-C12-O42	-5.59	106.16	111.51
27	A	1956	SRY	C13-O13-C22	-5.56	106.61	116.28
27	A	1956	SRY	O42-C12-C22	-4.05	103.14	107.41
27	A	1956	SRY	O13-C13-C23	3.41	115.25	108.06
27	A	1956	SRY	C43-C33-C23	-3.07	106.08	110.44
27	A	1956	SRY	C61-C11-N11	-3.06	104.06	110.56
27	A	1956	SRY	C32-C22-C12	-2.69	101.18	103.46
27	A	1956	SRY	C13-O53-C53	-2.57	108.73	113.73
27	A	1956	SRY	C41-C31-N31	2.27	114.95	110.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
27	A	1956	SRY	C11-N11-CA1	-2.20	119.92	123.98
27	A	1956	SRY	O41-C12-C22	2.02	111.20	107.32

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1513/1522 (99%)	-0.43	5 (0%) 91 63	63, 102, 198, 295	4 (0%)
2	B	236/256 (92%)	-0.01	0 100 100	72, 130, 193, 213	0
3	C	207/239 (86%)	-0.04	2 (0%) 79 33	79, 157, 196, 214	0
4	D	208/209 (99%)	-0.05	0 100 100	75, 114, 162, 193	0
5	E	151/162 (93%)	-0.24	0 100 100	64, 93, 130, 174	0
6	F	101/101 (100%)	-0.28	1 (0%) 79 33	97, 134, 166, 197	0
7	G	155/156 (99%)	-0.17	1 (0%) 86 46	95, 138, 197, 213	0
8	H	138/138 (100%)	-0.09	0 100 100	61, 84, 113, 137	0
9	I	127/128 (99%)	0.25	4 (3%) 47 11	100, 162, 201, 225	0
10	J	99/105 (94%)	0.46	5 (5%) 27 6	84, 191, 266, 285	0
11	K	117/129 (90%)	-0.19	0 100 100	80, 106, 142, 160	0
12	L	124/135 (91%)	0.12	3 (2%) 56 15	70, 102, 139, 224	0
13	M	118/126 (93%)	0.16	0 100 100	99, 131, 163, 208	0
14	N	60/61 (98%)	0.07	2 (3%) 44 10	121, 142, 179, 239	0
15	O	88/89 (98%)	0.01	2 (2%) 57 15	73, 102, 145, 195	0
16	P	84/88 (95%)	0.16	0 100 100	80, 103, 128, 221	0
17	Q	100/105 (95%)	0.10	0 100 100	72, 94, 131, 157	0
18	R	71/88 (80%)	-0.06	0 100 100	78, 113, 160, 215	0
19	S	81/93 (87%)	0.10	1 (1%) 75 29	72, 158, 210, 238	0
20	T	99/106 (93%)	0.03	0 100 100	76, 106, 145, 181	0
21	U	25/27 (92%)	0.67	1 (4%) 36 8	90, 144, 162, 196	0
22	V	4/4 (100%)	2.98	3 (75%) 0 0	187, 188, 199, 201	0
23	W	9/9 (100%)	2.86	8 (88%) 0 0	192, 214, 258, 287	0
24	a	11/11 (100%)	0.71	0 100 100	155, 187, 323, 325	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
25	b	2/3 (66%)	2.03	1 (50%) 0 0	116, 116, 116, 187	2 (100%)
All	All	3928/4090 (96%)	-0.15	39 (0%) 75 33	61, 116, 196, 325	6 (0%)

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	82	U	7.3
1	A	1129	C	6.3
14	N	12	ARG	5.1
15	O	89	GLY	4.7
1	A	1498	UR3	4.7
10	J	34	VAL	4.3
23	W	32	U	4.2
12	L	129	ALA	4.1
10	J	33	GLN	4.0
23	W	38	PSU	3.9
22	V	3	U	3.7
6	F	101	ALA	3.7
23	W	33	U	3.7
23	W	37	G	3.7
22	V	2	U	3.6
19	S	29	ARG	3.6
12	L	128	ALA	3.5
3	C	208	ILE	3.4
21	U	18	TYR	3.3
1	A	83	U	3.2
14	N	13	THR	3.0
15	O	88	ARG	2.9
7	G	83	ALA	2.9
22	V	1	U	2.8
23	W	39	G	2.7
25	b	2	U	2.7
23	W	35	A	2.6
10	J	5	ARG	2.5
1	A	793	U	2.5
9	I	15	ALA	2.3
10	J	99	LYS	2.3
9	I	99	LEU	2.2
10	J	36	GLY	2.2
9	I	128	ARG	2.2
23	W	40	G	2.2
3	C	196	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
12	L	64	TYR	2.2
23	W	36	G	2.1
9	I	9	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	5MC	A	1404	21/22	0.22	-	89,93,103,111	0
24	PSU	a	38	20/21	0.27	-	158,164,169,169	0
1	5MC	A	967	21/22	0.16	-	97,105,118,120	0
1	M2G	A	966	25/26	0.15	-	92,112,125,128	0
1	5MC	A	1407	21/22	0.15	-	109,120,126,130	0
1	2MG	A	1207	24/25	0.12	-	130,139,151,155	0
1	PSU	A	516	20/21	0.11	-	111,121,127,131	0
1	UR3	A	1498	21/22	0.21	-	89,97,116,118	0
1	PSU	A	1540	20/21	0.26	-	152,168,179,180	2
1	4OC	A	1402	22/23	0.23	-	82,89,99,102	0
1	MA6	A	1518	24/25	0.16	-	85,106,116,122	0
1	PSU	A	1541	20/21	0.28	-	176,205,227,228	1
1	7MG	A	527	24/25	0.19	-	70,87,95,97	0
1	MA6	A	1519	24/25	0.19	-	82,107,115,116	0
23	PSU	W	38	20/21	0.46	-	205,221,227,228	0
12	0TD	L	92	10/11	0.23	-	77,93,111,233	0
1	5MC	A	1400	21/22	0.19	-	77,102,129,132	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
26	MG	A	1629	1/1	0.28	-	123,123,123,123	0
26	MG	A	1783	1/1	0.33	-	96,96,96,96	1
26	MG	A	1635	1/1	0.18	-	73,73,73,73	0
26	MG	A	1622	1/1	0.18	-	112,112,112,112	0
26	MG	A	1937	1/1	0.14	-	60,60,60,60	0
26	MG	A	1618	1/1	0.37	-	89,89,89,89	0
26	MG	A	1949	1/1	0.47	-	88,88,88,88	0
26	MG	A	1814	1/1	0.19	-	384,384,384,384	0
26	MG	A	1725	1/1	0.36	-	119,119,119,119	0
26	MG	A	1870	1/1	0.19	-	456,456,456,456	0
26	MG	A	1823	1/1	0.27	-	435,435,435,435	0
26	MG	A	1631	1/1	0.24	-	159,159,159,159	0
26	MG	A	1913	1/1	1.17	-	102,102,102,102	0
26	MG	A	1855	1/1	0.11	-	315,315,315,315	0
26	MG	A	1925	1/1	0.63	-	82,82,82,82	0
26	MG	A	1795	1/1	1.08	-	108,108,108,108	0
26	MG	A	1645	1/1	0.22	-	84,84,84,84	0
26	MG	A	1666	1/1	0.09	-	80,80,80,80	0
26	MG	A	1942	1/1	0.20	-	92,92,92,92	0
26	MG	A	1742	1/1	0.45	-	102,102,102,102	0
26	MG	A	1702	1/1	0.62	-	91,91,91,91	0
26	MG	A	1638	1/1	0.14	-	72,72,72,72	0
26	MG	A	1910	1/1	0.36	-	114,114,114,114	0
26	MG	A	1865	1/1	0.29	-	476,476,476,476	1
26	MG	A	1765	1/1	0.36	-	77,77,77,77	0
28	ZN	N	101	1/1	0.16	-	138,138,138,138	0
26	MG	A	1710	1/1	0.16	-	247,247,247,247	0
26	MG	A	1932	1/1	0.53	-	102,102,102,102	0
26	MG	A	1694	1/1	0.34	-	113,113,113,113	0
26	MG	A	1825	1/1	0.14	-	188,188,188,188	0
26	MG	A	1654	1/1	0.16	-	78,78,78,78	0
26	MG	A	1902	1/1	0.28	-	326,326,326,326	0
26	MG	A	1711	1/1	0.15	-	86,86,86,86	0
26	MG	A	1741	1/1	0.66	-	119,119,119,119	0
26	MG	A	1673	1/1	0.34	-	179,179,179,179	0
26	MG	A	1873	1/1	0.16	-	424,424,424,424	0
26	MG	A	1804	1/1	0.12	-	130,130,130,130	0
26	MG	A	1611	1/1	0.12	-	131,131,131,131	0
26	MG	A	1686	1/1	0.06	-	210,210,210,210	0
26	MG	A	1923	1/1	0.72	-	99,99,99,99	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
26	MG	A	1639	1/1	0.30	-	124,124,124,124	0
26	MG	A	1911	1/1	0.47	-	99,99,99,99	0
26	MG	A	1827	1/1	0.10	-	376,376,376,376	0
26	MG	A	1657	1/1	0.17	-	131,131,131,131	0
26	MG	A	1886	1/1	0.23	-	224,224,224,224	0
26	MG	A	1770	1/1	0.19	-	79,79,79,79	0
26	MG	A	1780	1/1	0.84	-	116,116,116,116	0
26	MG	A	1890	1/1	0.17	-	423,423,423,423	0
26	MG	A	1632	1/1	0.46	-	110,110,110,110	0
26	MG	A	1928	1/1	0.35	-	94,94,94,94	0
26	MG	A	1614	1/1	0.12	-	92,92,92,92	0
26	MG	A	1907	1/1	0.27	-	89,89,89,89	0
26	MG	A	1712	1/1	0.20	-	109,109,109,109	0
26	MG	A	1655	1/1	0.07	-	64,64,64,64	0
26	MG	A	1747	1/1	0.22	-	75,75,75,75	0
26	MG	A	1801	1/1	0.43	-	96,96,96,96	0
26	MG	A	1663	1/1	0.19	-	146,146,146,146	0
26	MG	A	1945	1/1	0.48	-	129,129,129,129	0
26	MG	A	1745	1/1	0.34	-	89,89,89,89	0
26	MG	A	1648	1/1	0.41	-	139,139,139,139	0
26	MG	A	1731	1/1	0.92	-	117,117,117,117	0
26	MG	A	1879	1/1	0.06	-	406,406,406,406	0
26	MG	A	1755	1/1	0.12	-	119,119,119,119	0
26	MG	A	1617	1/1	0.45	-	111,111,111,111	0
26	MG	A	1841	1/1	0.14	-	387,387,387,387	0
26	MG	P	103	1/1	0.28	-	89,89,89,89	0
26	MG	A	1952	1/1	0.37	-	79,79,79,79	0
26	MG	A	1723	1/1	0.13	-	116,116,116,116	0
26	MG	A	1651	1/1	0.27	-	109,109,109,109	0
26	MG	A	1636	1/1	0.10	-	94,94,94,94	0
26	MG	A	1822	1/1	0.16	-	281,281,281,281	0
26	MG	A	1739	1/1	0.23	-	105,105,105,105	0
26	MG	A	1916	1/1	0.11	-	121,121,121,121	0
26	MG	A	1796	1/1	0.10	-	74,74,74,74	0
26	MG	A	1955	1/1	0.14	-	69,69,69,69	0
26	MG	A	1842	1/1	0.39	-	460,460,460,460	0
26	MG	A	1642	1/1	0.24	-	118,118,118,118	0
26	MG	A	1816	1/1	0.34	-	495,495,495,495	0
26	MG	A	1906	1/1	0.31	-	118,118,118,118	0
26	MG	A	1940	1/1	0.35	-	102,102,102,102	0
26	MG	A	1874	1/1	0.07	-	197,197,197,197	0
26	MG	A	1630	1/1	0.44	-	105,105,105,105	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
26	MG	A	1947	1/1	0.14	-	126,126,126,126	0
26	MG	A	1696	1/1	0.18	-	132,132,132,132	0
26	MG	A	1857	1/1	0.20	-	254,254,254,254	0
26	MG	A	1763	1/1	0.17	-	89,89,89,89	0
26	MG	A	1616	1/1	0.27	-	76,76,76,76	0
26	MG	A	1728	1/1	0.57	-	109,109,109,109	0
26	MG	A	1680	1/1	0.05	-	258,258,258,258	0
26	MG	A	1689	1/1	0.06	-	273,273,273,273	0
26	MG	A	1752	1/1	0.21	-	85,85,85,85	0
26	MG	A	1934	1/1	0.54	-	79,79,79,79	0
26	MG	A	1698	1/1	0.11	-	108,108,108,108	0
26	MG	A	1864	1/1	0.21	-	407,407,407,407	1
26	MG	A	1776	1/1	1.11	-	110,110,110,110	0
26	MG	A	1786	1/1	0.27	-	120,120,120,120	0
26	MG	A	1954	1/1	0.40	-	86,86,86,86	0
26	MG	A	1844	1/1	0.09	-	330,330,330,330	0
26	MG	A	1908	1/1	0.55	-	117,117,117,117	0
26	MG	S	102	1/1	0.14	-	99,99,99,99	0
26	MG	A	1933	1/1	0.75	-	94,94,94,94	0
26	MG	A	1830	1/1	0.14	-	426,426,426,426	0
26	MG	A	1894	1/1	0.23	-	340,340,340,340	0
26	MG	A	1829	1/1	0.31	-	387,387,387,387	0
26	MG	A	1719	1/1	0.33	-	141,141,141,141	0
26	MG	A	1790	1/1	0.80	-	112,112,112,112	0
26	MG	A	1729	1/1	0.32	-	78,78,78,78	0
26	MG	A	1815	1/1	0.13	-	368,368,368,368	0
26	MG	A	1872	1/1	0.19	-	287,287,287,287	0
26	MG	A	1740	1/1	0.72	-	90,90,90,90	0
26	MG	A	1667	1/1	0.23	-	121,121,121,121	0
26	MG	A	1921	1/1	0.20	-	134,134,134,134	0
26	MG	A	1736	1/1	0.20	-	97,97,97,97	0
26	MG	A	1914	1/1	0.10	-	118,118,118,118	0
26	MG	A	1839	1/1	0.08	-	375,375,375,375	0
26	MG	A	1851	1/1	0.13	-	259,259,259,259	0
26	MG	A	1714	1/1	0.19	-	202,202,202,202	0
26	MG	A	1749	1/1	0.27	-	105,105,105,105	0
26	MG	A	1856	1/1	0.10	-	156,156,156,156	0
26	MG	A	1717	1/1	0.26	-	197,197,197,197	0
26	MG	A	1797	1/1	0.33	-	84,84,84,84	0
26	MG	A	1866	1/1	0.46	-	425,425,425,425	1
26	MG	A	1754	1/1	0.23	-	92,92,92,92	0
26	MG	A	1834	1/1	0.70	-	364,364,364,364	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
26	MG	A	1652	1/1	0.50	-	77,77,77,77	0
26	MG	A	1832	1/1	0.20	-	421,421,421,421	0
26	MG	A	1628	1/1	0.23	-	89,89,89,89	0
26	MG	A	1653	1/1	0.14	-	116,116,116,116	0
26	MG	A	1760	1/1	0.18	-	123,123,123,123	0
26	MG	A	1861	1/1	0.24	-	428,428,428,428	0
26	MG	A	1720	1/1	0.16	-	126,126,126,126	0
26	MG	A	1774	1/1	1.15	-	101,101,101,101	0
26	MG	A	1738	1/1	0.54	-	85,85,85,85	0
26	MG	A	1885	1/1	0.10	-	316,316,316,316	0
26	MG	A	1625	1/1	0.17	-	89,89,89,89	0
26	MG	A	1766	1/1	0.17	-	109,109,109,109	0
26	MG	A	1877	1/1	0.18	-	430,430,430,430	0
26	MG	A	1623	1/1	0.48	-	85,85,85,85	0
26	MG	A	1853	1/1	0.12	-	395,395,395,395	0
26	MG	A	1649	1/1	0.32	-	93,93,93,93	0
26	MG	A	1764	1/1	0.16	-	62,62,62,62	0
26	MG	A	1938	1/1	0.95	-	100,100,100,100	0
26	MG	A	1637	1/1	0.17	-	99,99,99,99	0
26	MG	A	1849	1/1	0.05	-	301,301,301,301	0
26	MG	A	1737	1/1	0.58	-	104,104,104,104	0
26	MG	A	1917	1/1	1.10	-	103,103,103,103	0
26	MG	A	1660	1/1	0.20	-	118,118,118,118	0
26	MG	A	1904	1/1	0.21	-	397,397,397,397	0
26	MG	A	1677	1/1	0.09	-	99,99,99,99	0
26	MG	A	1759	1/1	0.49	-	83,83,83,83	0
26	MG	A	1860	1/1	0.17	-	303,303,303,303	0
26	MG	A	1808	1/1	0.10	-	486,486,486,486	0
26	MG	A	1713	1/1	0.26	-	116,116,116,116	0
26	MG	A	1602	1/1	0.13	-	124,124,124,124	0
26	MG	A	1843	1/1	0.09	-	346,346,346,346	0
26	MG	A	1665	1/1	0.23	-	189,189,189,189	0
26	MG	A	1824	1/1	0.15	-	404,404,404,404	0
26	MG	A	1707	1/1	0.19	-	437,437,437,437	0
26	MG	A	1871	1/1	0.22	-	346,346,346,346	0
26	MG	A	1705	1/1	0.29	-	98,98,98,98	0
26	MG	A	1792	1/1	0.62	-	94,94,94,94	0
26	MG	A	1688	1/1	0.05	-	130,130,130,130	0
26	MG	A	1867	1/1	0.16	-	170,170,170,170	1
26	MG	A	1901	1/1	0.15	-	399,399,399,399	0
26	MG	A	1785	1/1	0.30	-	108,108,108,108	0
26	MG	A	1912	1/1	0.29	-	97,97,97,97	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
26	MG	A	1813	1/1	0.11	-	461,461,461,461	0
26	MG	A	1621	1/1	0.40	-	130,130,130,130	0
26	MG	A	1810	1/1	0.07	-	277,277,277,277	0
26	MG	A	1931	1/1	0.23	-	76,76,76,76	0
26	MG	A	1769	1/1	0.55	-	98,98,98,98	0
26	MG	A	1753	1/1	0.40	-	93,93,93,93	0
26	MG	J	201	1/1	0.26	-	87,87,87,87	0
26	MG	A	1891	1/1	0.95	-	398,398,398,398	1
26	MG	A	1854	1/1	0.14	-	134,134,134,134	1
26	MG	A	1691	1/1	0.15	-	130,130,130,130	0
26	MG	A	1809	1/1	0.09	-	268,268,268,268	0
26	MG	A	1662	1/1	0.29	-	122,122,122,122	0
26	MG	A	1778	1/1	0.29	-	83,83,83,83	0
26	MG	A	1706	1/1	0.19	-	99,99,99,99	0
26	MG	A	1646	1/1	0.07	-	47,47,47,47	0
26	MG	A	1889	1/1	0.31	-	401,401,401,401	0
26	MG	A	1893	1/1	0.27	-	304,304,304,304	0
26	MG	A	1915	1/1	0.18	-	120,120,120,120	0
26	MG	A	1835	1/1	0.31	-	448,448,448,448	0
26	MG	A	1805	1/1	0.28	-	79,79,79,79	0
26	MG	A	1771	1/1	0.37	-	63,63,63,63	0
26	MG	A	1743	1/1	0.23	-	72,72,72,72	0
26	MG	D	304	1/1	0.09	-	467,467,467,467	0
26	MG	A	1840	1/1	0.07	-	119,119,119,119	0
26	MG	A	1675	1/1	0.11	-	153,153,153,153	0
26	MG	A	1930	1/1	0.27	-	107,107,107,107	0
26	MG	A	1672	1/1	0.15	-	91,91,91,91	0
26	MG	Q	201	1/1	0.15	-	91,91,91,91	0
26	MG	A	1746	1/1	0.45	-	120,120,120,120	0
26	MG	A	1948	1/1	0.23	-	115,115,115,115	0
26	MG	A	1793	1/1	0.22	-	105,105,105,105	0
26	MG	A	1659	1/1	0.37	-	105,105,105,105	0
26	MG	A	1664	1/1	0.10	-	167,167,167,167	0
26	MG	A	1643	1/1	0.27	-	140,140,140,140	0
26	MG	A	1620	1/1	0.14	-	81,81,81,81	0
26	MG	A	1941	1/1	0.28	-	112,112,112,112	0
26	MG	A	1650	1/1	0.41	-	93,93,93,93	0
26	MG	A	1876	1/1	0.17	-	289,289,289,289	0
26	MG	E	203	1/1	0.09	-	115,115,115,115	0
26	MG	A	1603	1/1	0.34	-	105,105,105,105	0
26	MG	A	1690	1/1	0.14	-	189,189,189,189	0
26	MG	F	202	1/1	0.17	-	98,98,98,98	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
26	MG	A	1811	1/1	0.11	-	411,411,411,411	0
26	MG	A	1806	1/1	0.10	-	100,100,100,100	0
26	MG	A	1604	1/1	0.07	-	134,134,134,134	0
26	MG	A	1818	1/1	0.12	-	329,329,329,329	0
26	MG	A	1708	1/1	0.24	-	284,284,284,284	0
26	MG	A	1862	1/1	0.41	-	463,463,463,463	1
26	MG	A	1919	1/1	0.20	-	101,101,101,101	0
26	MG	A	1693	1/1	0.30	-	129,129,129,129	0
26	MG	A	1929	1/1	0.22	-	87,87,87,87	0
26	MG	A	1927	1/1	0.49	-	100,100,100,100	0
26	MG	E	202	1/1	0.12	-	107,107,107,107	0
26	MG	A	1878	1/1	0.17	-	389,389,389,389	0
26	MG	F	201	1/1	0.42	-	101,101,101,101	0
26	MG	A	1782	1/1	0.10	-	92,92,92,92	0
26	MG	A	1683	1/1	0.17	-	113,113,113,113	0
26	MG	A	1748	1/1	0.74	-	109,109,109,109	0
26	MG	N	102	1/1	0.44	-	87,87,87,87	0
26	MG	E	201	1/1	0.41	-	111,111,111,111	0
27	SRY	A	1956	40/40	0.20	-	55,83,98,109	0
26	MG	A	1798	1/1	0.22	-	96,96,96,96	0
26	MG	A	1787	1/1	0.57	-	132,132,132,132	0
26	MG	A	1837	1/1	0.13	-	429,429,429,429	0
26	MG	A	1701	1/1	0.22	-	83,83,83,83	0
26	MG	A	1715	1/1	0.26	-	176,176,176,176	0
26	MG	A	1950	1/1	0.44	-	90,90,90,90	0
26	MG	A	1633	1/1	0.23	-	148,148,148,148	0
26	MG	A	1918	1/1	1.07	-	114,114,114,114	0
26	MG	A	1606	1/1	0.07	-	75,75,75,75	0
26	MG	A	1791	1/1	0.68	-	91,91,91,91	0
26	MG	A	1946	1/1	0.95	-	111,111,111,111	0
26	MG	A	1905	1/1	0.72	-	105,105,105,105	0
26	MG	A	1627	1/1	0.37	-	229,229,229,229	0
26	MG	A	1682	1/1	0.42	-	133,133,133,133	0
26	MG	A	1909	1/1	0.27	-	95,95,95,95	0
26	MG	A	1922	1/1	0.28	-	104,104,104,104	0
26	MG	A	1695	1/1	0.24	-	123,123,123,123	0
26	MG	A	1892	1/1	0.45	-	354,354,354,354	0
26	MG	A	1859	1/1	0.20	-	278,278,278,278	0
26	MG	A	1819	1/1	0.22	-	488,488,488,488	0
26	MG	A	1899	1/1	0.05	-	422,422,422,422	0
26	MG	A	1703	1/1	0.05	-	117,117,117,117	0
26	MG	A	1807	1/1	0.09	-	100,100,100,100	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
26	MG	A	1732	1/1	0.48	-	95,95,95,95	0
26	MG	A	1685	1/1	0.43	-	335,335,335,335	0
26	MG	A	1768	1/1	0.36	-	115,115,115,115	0
26	MG	A	1619	1/1	0.33	-	80,80,80,80	0
26	MG	A	1887	1/1	0.11	-	365,365,365,365	0
26	MG	A	1610	1/1	0.10	-	66,66,66,66	0
26	MG	A	1724	1/1	0.20	-	103,103,103,103	0
26	MG	A	1881	1/1	0.25	-	316,316,316,316	0
26	MG	A	1846	1/1	0.16	-	390,390,390,390	0
26	MG	A	1936	1/1	0.24	-	101,101,101,101	0
26	MG	A	1817	1/1	0.56	-	378,378,378,378	0
26	MG	A	1751	1/1	0.42	-	82,82,82,82	0
26	MG	A	1897	1/1	0.05	-	235,235,235,235	0
26	MG	A	1727	1/1	0.11	-	222,222,222,222	0
26	MG	A	1607	1/1	0.29	-	76,76,76,76	0
26	MG	A	1730	1/1	0.65	-	103,103,103,103	0
26	MG	A	1895	1/1	0.19	-	364,364,364,364	0
26	MG	A	1640	1/1	0.40	-	203,203,203,203	0
26	MG	A	1924	1/1	0.55	-	109,109,109,109	0
26	MG	A	1939	1/1	0.39	-	88,88,88,88	0
26	MG	A	1761	1/1	0.32	-	115,115,115,115	0
26	MG	A	1762	1/1	0.24	-	100,100,100,100	0
26	MG	A	1750	1/1	0.19	-	109,109,109,109	0
26	MG	A	1615	1/1	0.31	-	72,72,72,72	0
26	MG	A	1605	1/1	0.58	-	100,100,100,100	0
26	MG	A	1758	1/1	0.48	-	105,105,105,105	0
26	MG	A	1944	1/1	0.42	-	100,100,100,100	0
26	MG	H	201	1/1	0.39	-	73,73,73,73	0
26	MG	T	201	1/1	0.30	-	129,129,129,129	0
26	MG	A	1863	1/1	0.07	-	414,414,414,414	0
26	MG	A	1812	1/1	0.10	-	180,180,180,180	0
26	MG	A	1781	1/1	0.35	-	72,72,72,72	0
26	MG	A	1670	1/1	0.12	-	189,189,189,189	0
26	MG	A	1799	1/1	0.34	-	100,100,100,100	1
26	MG	A	1674	1/1	0.13	-	98,98,98,98	0
26	MG	A	1831	1/1	0.18	-	438,438,438,438	0
26	MG	A	1721	1/1	0.20	-	175,175,175,175	0
26	MG	A	1735	1/1	0.82	-	116,116,116,116	0
26	MG	A	1601	1/1	0.60	-	63,63,63,63	1
26	MG	P	102	1/1	0.21	-	117,117,117,117	0
26	MG	A	1880	1/1	0.09	-	402,402,402,402	0
26	MG	A	1624	1/1	0.15	-	79,79,79,79	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
26	MG	A	1777	1/1	0.43	-	81,81,81,81	0
26	MG	A	1704	1/1	0.06	-	205,205,205,205	0
26	MG	A	1852	1/1	0.29	-	426,426,426,426	0
26	MG	A	1626	1/1	0.12	-	94,94,94,94	0
26	MG	A	1699	1/1	0.14	-	117,117,117,117	0
26	MG	A	1953	1/1	0.53	-	104,104,104,104	0
26	MG	A	1821	1/1	0.17	-	356,356,356,356	0
26	MG	A	1789	1/1	0.52	-	124,124,124,124	0
26	MG	A	1883	1/1	0.14	-	426,426,426,426	0
26	MG	A	1671	1/1	0.21	-	99,99,99,99	0
26	MG	A	1868	1/1	0.09	-	435,435,435,435	0
26	MG	A	1608	1/1	0.08	-	125,125,125,125	0
26	MG	A	1722	1/1	0.28	-	100,100,100,100	0
26	MG	A	1773	1/1	0.35	-	78,78,78,78	0
26	MG	A	1656	1/1	0.48	-	94,94,94,94	0
26	MG	A	1775	1/1	0.89	-	84,84,84,84	0
26	MG	A	1612	1/1	0.15	-	112,112,112,112	0
26	MG	A	1800	1/1	0.12	-	87,87,87,87	0
26	MG	A	1845	1/1	0.07	-	98,98,98,98	0
26	MG	A	1641	1/1	0.14	-	70,70,70,70	0
26	MG	A	1733	1/1	0.23	-	90,90,90,90	0
26	MG	A	1687	1/1	0.42	-	155,155,155,155	0
26	MG	G	201[A]	1/1	0.71	-	62,62,62,62	1
26	MG	G	201[B]	1/1	0.71	-	50,50,50,50	1
26	MG	A	1802	1/1	0.30	-	118,118,118,118	0
26	MG	A	1900	1/1	0.15	-	409,409,409,409	0
26	MG	A	1833	1/1	0.73	-	455,455,455,455	1
26	MG	A	1898	1/1	0.14	-	370,370,370,370	0
26	MG	A	1734	1/1	0.19	-	114,114,114,114	0
26	MG	L	201	1/1	0.13	-	86,86,86,86	0
26	MG	A	1882	1/1	0.04	-	247,247,247,247	0
26	MG	A	1718	1/1	0.11	-	160,160,160,160	0
26	MG	A	1935	1/1	0.69	-	108,108,108,108	0
26	MG	A	1847	1/1	0.20	-	335,335,335,335	0
26	MG	A	1850	1/1	0.08	-	199,199,199,199	0
26	MG	A	1647	1/1	0.37	-	133,133,133,133	0
26	MG	A	1684	1/1	0.17	-	137,137,137,137	0
26	MG	A	1869	1/1	0.19	-	412,412,412,412	0
26	MG	A	1634	1/1	0.27	-	240,240,240,240	0
26	MG	A	1888	1/1	0.33	-	347,347,347,347	0
26	MG	A	1820	1/1	0.08	-	427,427,427,427	0
26	MG	A	1681	1/1	0.88	-	114,114,114,114	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
26	MG	A	1903	1/1	0.08	-	268,268,268,268	0
26	MG	A	1858	1/1	0.27	-	255,255,255,255	1
26	MG	A	1779	1/1	0.61	-	65,65,65,65	0
26	MG	A	1726	1/1	0.14	-	293,293,293,293	0
26	MG	A	1692	1/1	0.76	-	128,128,128,128	0
26	MG	A	1709	1/1	0.30	-	93,93,93,93	0
26	MG	A	1679	1/1	0.25	-	98,98,98,98	0
26	MG	A	1794	1/1	0.22	-	87,87,87,87	0
26	MG	A	1767	1/1	0.54	-	107,107,107,107	0
26	MG	A	1669	1/1	0.51	-	106,106,106,106	0
26	MG	A	1784	1/1	0.19	-	121,121,121,121	0
26	MG	A	1828	1/1	0.43	-	439,439,439,439	0
26	MG	A	1613	1/1	0.08	-	170,170,170,170	0
26	MG	S	103	1/1	0.17	-	92,92,92,92	0
26	MG	A	1744	1/1	0.45	-	111,111,111,111	0
26	MG	A	1609	1/1	0.31	-	85,85,85,85	0
26	MG	S	101	1/1	0.16	-	82,82,82,82	0
26	MG	A	1668	1/1	0.11	-	122,122,122,122	0
26	MG	A	1875	1/1	0.07	-	151,151,151,151	0
26	MG	A	1661	1/1	0.21	-	158,158,158,158	0
26	MG	D	303	1/1	0.11	-	83,83,83,83	0
26	MG	A	1716	1/1	0.19	-	111,111,111,111	1
26	MG	A	1644	1/1	0.19	-	80,80,80,80	0
26	MG	A	1951	1/1	0.08	-	122,122,122,122	0
26	MG	A	1896	1/1	0.34	-	378,378,378,378	0
26	MG	P	101	1/1	0.45	-	75,75,75,75	0
26	MG	A	1757	1/1	0.38	-	91,91,91,91	0
26	MG	A	1826	1/1	0.36	-	382,382,382,382	0
26	MG	A	1926	1/1	0.51	-	111,111,111,111	0
26	MG	A	1756	1/1	0.60	-	101,101,101,101	0
26	MG	A	1658	1/1	0.32	-	115,115,115,115	0
26	MG	A	1678	1/1	0.37	-	95,95,95,95	0
26	MG	A	1697	1/1	0.36	-	122,122,122,122	0
26	MG	A	1803	1/1	0.55	-	91,91,91,91	0
26	MG	A	1838	1/1	0.37	-	462,462,462,462	0
26	MG	A	1788	1/1	0.41	-	82,82,82,82	0
26	MG	D	302	1/1	0.44	-	92,92,92,92	0
26	MG	A	1848	1/1	0.10	-	361,361,361,361	0
28	ZN	D	301	1/1	0.31	-	116,116,116,116	0
26	MG	A	1700	1/1	0.21	-	167,167,167,167	0
26	MG	A	1676	1/1	0.09	-	121,121,121,121	0
26	MG	A	1920	1/1	0.26	-	113,113,113,113	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
26	MG	A	1884	1/1	0.08	-	345,345,345,345	0
26	MG	A	1943	1/1	1.07	-	92,92,92,92	0
26	MG	A	1772	1/1	0.06	-	116,116,116,116	0
26	MG	A	1836	1/1	0.10	-	409,409,409,409	0

6.5 Other polymers ⓘ

There are no such residues in this entry.