



# Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 03:22 AM GMT

PDB ID : 1DS1  
Title : CRYSTAL STRUCTURE OF CLAVAMINATE SYNTHASE IN COMPLEX  
WITH FE(II) AND 2-OXOGLUTARATE  
Authors : Zhang, Z.H.; Ren, J.; Stammers, D.K.; Baldwin, J.E.; Harlos, K.; Schofield,  
C.J.  
Deposited on : 2000-01-06  
Resolution : 1.08 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 21963  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 1.08 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	1084 (1.16-1.00)
Ramachandran outliers	78287	1025 (1.16-1.00)
Sidechain outliers	78261	1023 (1.16-1.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	324	

## 2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 2927 atoms, of which 2 are hydrogens and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CLAVAMINATE SYNTHASE 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	323	Total	C	N	O	S	0	0	0
			2481	1545	449	478	9			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is FE (II) ION (three-letter code: FE2) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Fe	0	0
			1	1		

- Molecule 4 is 2-OXOGLUTARIC ACID (three-letter code: AKG) (formula:  $C_5H_6O_5$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	5	5		

- Molecule 5 is S-1,2-PROPANEDIOL (three-letter code: PGO) (formula:  $C_3H_8O_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	H	O	0	0
			6	3	1	2		
5	A	1	Total	C	H	O	0	0
			6	3	1	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	403	Total	O	0	0
			403	403		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: CLAVAMINATE SYNTHASE 1

Chain A: 



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	67.08Å 67.94Å 68.87Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 1.08	Depositor
% Data completeness (in resolution range)	88.6 (8.00-1.08)	Depositor
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	SHELXL-97	Depositor
R, $R_{free}$	0.135 , 0.166	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2927	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	15.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PGO, AKG, SO4, FE2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.82	1/2537 (0.0%)	1.79	60/3457 (1.7%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	69	PRO	C-N	-5.51	1.21	1.34

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	234	ARG	NE-CZ-NH2	28.07	134.33	120.30
1	A	234	ARG	CD-NE-CZ	26.63	160.89	123.60
1	A	234	ARG	NE-CZ-NH1	-25.94	107.33	120.30
1	A	297	ARG	NE-CZ-NH2	21.90	131.25	120.30
1	A	112	ARG	NE-CZ-NH2	-15.76	112.42	120.30
1	A	115	ARG	NE-CZ-NH1	14.39	127.50	120.30
1	A	168	ARG	NE-CZ-NH2	-13.53	113.54	120.30
1	A	115	ARG	NE-CZ-NH2	-13.14	113.73	120.30
1	A	206	ARG	NE-CZ-NH2	13.11	126.86	120.30
1	A	168	ARG	NE-CZ-NH1	12.43	126.52	120.30
1	A	179	LYS	CD-CE-NZ	11.18	137.42	111.70
1	A	281	ARG	NE-CZ-NH1	-11.16	114.72	120.30
1	A	191	ARG	NE-CZ-NH2	-10.76	114.92	120.30
1	A	305	ASN	CA-C-N	10.15	136.50	116.20
1	A	103	ARG	CD-NE-CZ	9.97	137.56	123.60
1	A	103	ARG	NE-CZ-NH2	9.96	125.28	120.30
1	A	287	ARG	NE-CZ-NH2	-9.84	115.38	120.30
1	A	305	ASN	O-C-N	-9.29	107.40	123.20
1	A	66	ARG	CD-NE-CZ	9.02	136.22	123.60
1	A	187	ARG	NE-CZ-NH2	8.88	124.74	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	66	ARG	NE-CZ-NH1	-8.75	115.93	120.30
1	A	22	ARG	NE-CZ-NH1	-8.55	116.03	120.30
1	A	134	SER	C-N-CA	8.46	142.86	121.70
1	A	304	ARG	NE-CZ-NH1	8.40	124.50	120.30
1	A	206	ARG	CD-NE-CZ	8.18	135.05	123.60
1	A	297	ARG	NE-CZ-NH1	-7.72	116.44	120.30
1	A	134	SER	O-C-N	-7.33	110.97	122.70
1	A	12	GLU	OE1-CD-OE2	7.08	131.80	123.30
1	A	313	ARG	NE-CZ-NH1	6.88	123.74	120.30
1	A	22	ARG	NH1-CZ-NH2	6.78	126.85	119.40
1	A	150	HIS	CG-ND1-CE1	6.73	117.62	108.20
1	A	277	THR	CA-CB-OG1	-6.69	94.96	109.00
1	A	306	GLY	N-CA-C	6.53	129.42	113.10
1	A	297	ARG	NH1-CZ-NH2	-6.45	112.30	119.40
1	A	179	LYS	CG-CD-CE	6.42	131.15	111.90
1	A	276	ARG	NE-CZ-NH1	6.42	123.51	120.30
1	A	73	ASP	CB-CG-OD2	6.41	124.07	118.30
1	A	277	THR	OG1-CB-CG2	6.38	124.67	110.00
1	A	22	ARG	NE-CZ-NH2	-6.36	117.12	120.30
1	A	257	GLU	OE1-CD-OE2	-6.35	115.68	123.30
1	A	232	TYR	CZ-CE2-CD2	-6.34	114.09	119.80
1	A	301	ARG	NE-CZ-NH1	-6.25	117.18	120.30
1	A	206	ARG	NE-CZ-NH1	-6.11	117.25	120.30
1	A	115	ARG	CD-NE-CZ	6.04	132.06	123.60
1	A	22	ARG	CD-NE-CZ	6.00	132.00	123.60
1	A	306	GLY	O-C-N	-5.98	113.14	122.70
1	A	168	ARG	CD-NE-CZ	-5.84	115.42	123.60
1	A	196	ARG	NE-CZ-NH2	5.74	123.17	120.30
1	A	224	ASP	CB-CG-OD2	-5.49	113.36	118.30
1	A	69	PRO	O-C-N	-5.48	113.93	122.70
1	A	281	ARG	NH1-CZ-NH2	5.46	125.40	119.40
1	A	194	ASP	CB-CG-OD1	-5.40	113.44	118.30
1	A	232	TYR	CG-CD2-CE2	5.35	125.58	121.30
1	A	323	ARG	NE-CZ-NH2	5.31	122.96	120.30
1	A	313	ARG	NE-CZ-NH2	-5.28	117.66	120.30
1	A	112	ARG	NH1-CZ-NH2	5.27	125.19	119.40
1	A	306	GLY	CA-C-O	5.25	130.04	120.60
1	A	234	ARG	CG-CD-NE	5.13	122.57	111.80
1	A	151	ARG	O-C-N	-5.12	114.51	122.70
1	A	194	ASP	CB-CG-OD2	5.08	122.87	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2481	0	0	10	0
2	A	20	0	0	1	0
3	A	1	0	0	0	0
4	A	10	0	0	0	0
5	A	10	2	0	4	0
6	A	403	0	0	4	0
All	All	2925	2	0	13	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 5.

All (13) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
5:A:332:PGO:H31	5:A:332:PGO:C3	1.39	1.48
5:A:331:PGO:C3	5:A:331:PGO:H31	1.45	1.43
5:A:331:PGO:C2	5:A:331:PGO:H31	2.30	0.57
1:A:93:THR:OG1	5:A:331:PGO:O2	2.27	0.52
1:A:277:THR:O	1:A:277:THR:OG1	2.29	0.49
1:A:206:ARG:NE	6:A:617:HOH:O	2.47	0.46
1:A:59:GLU:N	2:A:336:SO4:O3	2.48	0.46
1:A:240:GLU:O	1:A:245:LYS:NZ	2.48	0.46
1:A:313:ARG:NH1	6:A:647:HOH:O	2.49	0.46
1:A:217:GLN:NE2	6:A:759:HOH:O	2.49	0.46
1:A:14:ARG:NH1	6:A:702:HOH:O	2.49	0.46
1:A:211:ASP:OD2	1:A:213:GLY:N	2.49	0.45
1:A:162:SER:OG	1:A:296:HIS:CE1	2.73	0.41

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	321/324 (99%)	318 (99%)	3 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	258/259 (100%)	254 (98%)	4 (2%)	75	37

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	ASN
1	A	155	ASN
1	A	186	GLU
1	A	240	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 8 ligands modelled in this entry, 1 is monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	AKG	A	330	3	9,9,9	1.10	0	11,11,11	1.04	1 (9%)
5	PGO	A	331	-	4,4,4	1.71	1 (25%)	4,4,4	2.33	3 (75%)
5	PGO	A	332	-	4,4,4	1.79	1 (25%)	4,4,4	1.59	1 (25%)
2	SO4	A	335	-	4,4,4	0.76	0	6,6,6	0.46	0
2	SO4	A	336	-	4,4,4	0.64	0	6,6,6	0.43	0
2	SO4	A	339	-	4,4,4	1.03	0	6,6,6	1.11	1 (16%)
2	SO4	A	340	-	4,4,4	0.93	0	6,6,6	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	AKG	A	330	3	-	0/9/9/9	0/0/0/0
5	PGO	A	331	-	-	0/2/2/2	0/0/0/0
5	PGO	A	332	-	-	0/2/2/2	0/0/0/0
2	SO4	A	335	-	-	0/0/0/0	0/0/0/0
2	SO4	A	336	-	-	0/0/0/0	0/0/0/0
2	SO4	A	339	-	-	0/0/0/0	0/0/0/0
2	SO4	A	340	-	-	0/0/0/0	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	331	PGO	C1-C2	3.25	1.58	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	332	PGO	C1-C2	3.11	1.58	1.51

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	331	PGO	O1-C1-C2	-2.64	104.68	110.60
5	A	331	PGO	C3-C2-C1	-2.61	104.00	112.41
2	A	339	SO4	O2-S-O1	2.36	117.35	109.53
5	A	332	PGO	O1-C1-C2	-2.33	105.38	110.60
5	A	331	PGO	O2-C2-C1	-2.25	101.67	109.63
4	A	330	AKG	O2-C1-O1	2.06	128.50	123.62

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.