



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 05:03 AM GMT

PDB ID : 4DS5
Title : Ternary complex of Bacillus DNA Polymerase I Large Fragment, DNA duplex,
and rCTP in presence of Mg²⁺
Authors : Wang, W.; Beese, L.S.
Deposited on : 2012-02-17
Resolution : 1.68 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3587 (1.70-1.66)
Clashscore	79885	4225 (1.70-1.66)
Ramachandran outliers	78287	4144 (1.70-1.66)
Sidechain outliers	78261	4143 (1.70-1.66)
RSRZ outliers	66119	3587 (1.70-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	592	
1	D	592	
2	B	9	
2	E	9	
3	C	13	
3	F	13	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 20947 atoms, of which 9809 are hydrogens and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	580	Total	C	H	N	O	S	0	2	0
			9391	2963	4731	810	870	17			
1	D	561	Total	C	H	N	O	S	0	20	0
			9228	2914	4655	791	853	15			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	598	ALA	ASP	ENGINEERED MUTATION	UNP Q5KWC1
A	823	HIS	ARG	SEE REMARK 999	UNP Q5KWC1
D	598	ALA	ASP	ENGINEERED MUTATION	UNP Q5KWC1
D	823	HIS	ARG	SEE REMARK 999	UNP Q5KWC1

- Molecule 2 is a DNA chain called DNA (5'-D(*CP*CP*TP*GP*AP*CP*TP*CP*C)-3').

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	9	Total	C	H	N	O	P	0	0	0
			274	85	100	29	52	8			
2	E	9	Total	C	H	N	O	P	0	0	0
			274	85	100	29	52	8			

- Molecule 3 is a DNA chain called DNA (5'-D(*CP*AP*TP*GP*GP*GP*AP*GP*TP*CP*AP*GP*G)-3').

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	C	11	Total	C	H	N	O	P	0	0	0
			356	109	123	47	66	11			
3	F	9	Total	C	H	N	O	P	0	0	0
			291	89	100	40	53	9			

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	356	Total	O	0	0
			356	356		
5	D	601	Total	O	0	0
			601	601		
5	B	30	Total	O	0	0
			30	30		
5	C	46	Total	O	0	0
			46	46		
5	E	31	Total	O	0	0
			31	31		
5	F	54	Total	O	0	0
			54	54		


- Molecule 3: DNA (5'-D(*CP*AP*TP*GP*GP*GP*AP*GP*TP*CP*AP*GP*G)-3')

Chain C:



- Molecule 3: DNA (5'-D(*CP*AP*TP*GP*GP*GP*AP*GP*TP*CP*AP*GP*G)-3')

Chain F:



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	93.88Å 108.86Å 150.96Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	54.43 – 1.68 54.43 – 1.68	Depositor EDS
% Data completeness (in resolution range)	86.6 (54.43-1.68) 86.6 (54.43-1.68)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.55 (at 1.68Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1026)	Depositor
R, R_{free}	0.176 , 0.199 0.176 , 0.199	Depositor DCC
R_{free} test set	6643 reflections (4.36%)	DCC
Wilson B-factor (Å ²)	21.6	Xtriage
Anisotropy	0.102	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 39.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 152369 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	20947	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.44	0/4750	0.57	0/6418
1	D	0.63	0/4737	0.71	5/6401 (0.1%)
2	B	1.05	0/193	2.05	11/294 (3.7%)
2	E	1.16	1/193 (0.5%)	1.91	3/294 (1.0%)
3	C	1.02	0/262	1.69	6/404 (1.5%)
3	F	1.44	1/215 (0.5%)	2.02	12/331 (3.6%)
All	All	0.62	2/10350 (0.0%)	0.85	37/14142 (0.3%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	25	DA	C3'-O3'	-6.33	1.35	1.44
3	F	5	DG	C8-N7	5.47	1.34	1.30

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	23	DT	O4'-C1'-N1	-11.05	100.26	108.00
2	B	25	DA	O4'-C4'-C3'	-9.98	100.01	106.00
2	B	25	DA	O5'-P-OP2	-8.63	97.94	105.70
3	C	8	DT	O4'-C1'-N1	-8.42	102.11	108.00
2	B	25	DA	O5'-P-OP1	7.77	120.02	110.70
2	B	23	DT	O4'-C1'-N1	-7.49	102.76	108.00
3	F	4	DG	O5'-P-OP2	-7.42	99.02	105.70
2	B	26	DC	C6-N1-C2	6.71	122.98	120.30
3	F	8	DT	O4'-C1'-N1	-6.59	103.39	108.00
3	F	6	DA	OP1-P-OP2	-6.56	109.76	119.60
1	D	802	ASP	CB-CG-OD2	6.50	124.15	118.30
2	B	26	DC	C2-N3-C4	-6.45	116.67	119.90
3	C	11	DG	O4'-C1'-N9	-6.38	103.53	108.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	12	DG	O4'-C1'-N9	6.37	112.46	108.00
3	F	10	DA	O4'-C1'-N9	-6.29	103.60	108.00
2	B	26	DC	O4'-C1'-N1	6.22	112.35	108.00
2	B	26	DC	N3-C4-C5	6.12	124.35	121.90
3	F	4	DG	O4'-C4'-C3'	-6.05	102.08	104.50
2	B	26	DC	C5-C6-N1	-5.85	118.07	121.00
3	F	6	DA	C5-C6-N6	-5.83	119.04	123.70
2	E	23	DT	N3-C4-O4	5.73	123.34	119.90
2	B	26	DC	O4'-C1'-C2'	5.73	110.48	105.90
3	F	7	DG	O4'-C4'-C3'	5.68	109.41	106.00
3	F	5	DG	C2-N3-C4	-5.67	109.07	111.90
1	D	496	ASP	CB-CG-OD1	5.61	123.35	118.30
3	F	6	DA	N1-C6-N6	5.56	121.94	118.60
2	E	23	DT	C5-C4-O4	-5.46	121.08	124.90
3	F	5	DG	N3-C4-N9	-5.45	122.73	126.00
3	C	6	DA	C2-N3-C4	-5.31	107.94	110.60
1	D	634	ARG	NE-CZ-NH1	5.30	122.95	120.30
3	C	5	DG	N3-C4-N9	-5.23	122.86	126.00
2	B	25	DA	C5'-C4'-C3'	5.22	123.49	114.10
1	D	409	ASP	CB-CG-OD2	5.21	122.99	118.30
1	D	634	ARG	NE-CZ-NH2	-5.17	117.72	120.30
3	C	9	DC	O4'-C1'-C2'	5.12	110.00	105.90
3	C	8	DT	OP2-P-O3'	5.01	116.23	105.20
3	F	11	DG	O4'-C1'-N9	-5.01	104.50	108.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4660	4731	0	31	1
1	D	4573	4655	0	41	1
2	B	174	100	0	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	174	100	0	3	0
3	C	233	123	0	0	0
3	F	191	100	0	1	0
4	D	15	0	0	0	0
5	A	356	0	0	18	0
5	B	30	0	0	0	0
5	C	46	0	0	0	0
5	D	601	0	0	18	2
5	E	31	0	0	1	0
5	F	54	0	0	1	0
All	All	11138	9809	0	73	3

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

All (73) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:845:CYS:SG	5:D:1382:HOH:O	2.01	1.17
1:A:388:CYS:SG	5:A:1206:HOH:O	2.14	0.96
1:D:741:GLU:OE2	5:D:1354:HOH:O	1.85	0.94
1:A:325:GLU:OE1	5:A:1235:HOH:O	1.90	0.89
1:A:656:GLN:OE1	5:A:1201:HOH:O	1.90	0.87
1:D:751:GLU:OE2	5:D:1219:HOH:O	1.93	0.85
1:A:842:GLU:HG2	5:A:1243:HOH:O	1.81	0.81
1:A:582:LYS:HD2	2:B:26:DC:H1'	1.64	0.78
1:A:838:LYS:NZ	5:A:1253:HOH:O	2.18	0.73
1:D:459:ARG:NH1	5:D:1302:HOH:O	2.23	0.71
1:D:664:HIS:HD1	1:D:859:ARG:H	1.39	0.70
1:D:408:ASP:OD1	5:D:1591:HOH:O	2.11	0.68
1:A:417:LYS:O	5:A:1179:HOH:O	2.13	0.67
1:A:643:SER:O	5:A:1069:HOH:O	2.14	0.65
1:D:708:VAL:HG13	1:D:712:ILE:CD1	2.27	0.65
1:A:842:GLU:OE2	5:A:1243:HOH:O	2.15	0.65
1:A:408:ASP:OD1	5:A:988:HOH:O	2.15	0.64
1:A:658:GLU:OE2	5:A:965:HOH:O	2.15	0.64
1:D:456:GLU:HG2	5:D:1571:HOH:O	1.98	0.63
1:A:469:GLU:HG3	1:D:466:ARG:NE	2.15	0.62
1:D:581:GLY:HA3	5:D:1575:HOH:O	1.99	0.62
1:A:314:ASP:O	5:A:1226:HOH:O	2.16	0.61
1:D:459:ARG:NH2	5:D:1329:HOH:O	2.33	0.61
1:A:469:GLU:CD	1:D:466:ARG:HE	2.04	0.61
1:D:561:LEU:O	1:D:571:VAL:HG11	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:466:ARG:NH1	5:D:1302:HOH:O	2.03	0.58
2:E:27:DT:OP1	5:E:118:HOH:O	2.17	0.57
1:D:708:VAL:HG13	1:D:712:ILE:HD12	1.86	0.57
1:A:469:GLU:OE1	5:A:1195:HOH:O	2.17	0.57
1:A:469:GLU:CD	5:A:1246:HOH:O	2.45	0.54
1:D:684:LYS:CE	5:D:1563:HOH:O	2.56	0.53
1:D:582:LYS:HE2	2:E:26:DC:O2	2.09	0.52
1:D:508:ALA:O	5:D:1470:HOH:O	2.19	0.51
1:D:561:LEU:HB3	1:D:571:VAL:HG13	1.93	0.51
1:A:770:ARG:NH2	5:A:1104:HOH:O	2.44	0.50
1:A:578:ARG:NH1	2:B:25:DA:H5''	2.27	0.50
1:D:814:ARG:NH2	1:D:847[A]:LEU:HD13	2.27	0.49
3:F:12:DG:N3	5:F:132:HOH:O	2.34	0.49
1:A:423:ARG:NE	5:A:1221:HOH:O	2.44	0.49
1:D:708:VAL:HG13	1:D:712:ILE:HG13	1.95	0.49
1:A:842:GLU:CG	5:A:1243:HOH:O	2.48	0.49
1:D:734:GLU:HB3	1:D:738:ARG:NH1	2.29	0.48
1:A:582:LYS:CD	2:B:26:DC:H1'	2.41	0.48
1:D:520:GLU:CD	5:D:1458:HOH:O	2.50	0.48
1:A:848:VAL:HB	1:A:849:PRO:HD3	1.96	0.47
1:A:467:ARG:HB3	5:D:1551:HOH:O	2.13	0.47
1:D:548:LYS:HE3	5:D:1487:HOH:O	2.15	0.47
1:D:515:GLU:HG2	1:D:519:TYR:CE2	2.50	0.46
1:D:722:ALA:HB2	1:D:729:ARG:HA	1.98	0.46
1:D:645:SER:O	1:D:646:ASP:HB2	2.16	0.45
1:D:383:LYS:HE3	5:D:1423:HOH:O	2.17	0.45
1:A:551:LYS:NZ	2:B:23:DT:OP1	2.50	0.45
1:D:814:ARG:CZ	1:D:847[A]:LEU:HD13	2.46	0.45
1:D:814:ARG:CZ	1:D:847[A]:LEU:CD1	2.95	0.44
1:D:525:GLU:O	5:D:1554:HOH:O	2.21	0.44
1:A:467:ARG:HD3	5:D:1551:HOH:O	2.17	0.44
1:D:296:LEU:HD13	1:D:449:ARG:HD3	2.00	0.44
1:A:534:LEU:HD11	1:A:574:ILE:HD13	2.00	0.44
1:D:756:GLU:OE2	1:D:760:LYS:HE2	2.17	0.44
1:A:440:GLU:N	1:A:441:PRO:HD2	2.33	0.44
1:D:681:ILE:HD12	1:D:681:ILE:HA	1.92	0.43
1:A:446:HIS:CE1	1:A:450:LYS:HD2	2.53	0.43
1:D:814:ARG:HG3	1:D:851[B]:VAL:HG11	1.99	0.43
1:D:708:VAL:HG13	1:D:712:ILE:CG1	2.48	0.43
1:A:525:GLU:O	5:A:1222:HOH:O	2.21	0.42
1:D:426:GLU:OE2	1:D:431:LYS:HD3	2.19	0.42
2:B:22:DC:H2'	2:B:23:DT:H73	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:764:THR:HA	1:D:769:ARG:O	2.20	0.41
1:A:339:ASN:HB2	1:A:340:GLU:OE1	2.20	0.41
1:D:629:ARG:NH1	2:E:28:DC:OP2	2.54	0.41
1:A:842:GLU:CD	5:A:1243:HOH:O	2.57	0.40
1:D:684:LYS:NZ	5:D:1563:HOH:O	2.38	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
5:D:1562:HOH:O	5:D:1567:HOH:O[4.545]	1.45	0.75
5:D:1562:HOH:O	5:D:1564:HOH:O[4.545]	1.86	0.34
1:A:728:SER:OG	1:D:572:GLU:OE2[2_755]	2.12	0.08

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	580/592 (98%)	561 (97%)	19 (3%)	0	100	100
1	D	577/592 (98%)	566 (98%)	11 (2%)	0	100	100
All	All	1157/1184 (98%)	1127 (97%)	30 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	497/507 (98%)	492 (99%)	5 (1%)	85	74

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	497/507 (98%)	494 (99%)	3 (1%)	92	86
All	All	994/1014 (98%)	986 (99%)	8 (1%)	89	81

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	477	LEU
1	A	582	LYS
1	A	632	GLU
1	A	812	ASN
1	A	838	LYS
1	D	303	LEU
1	D	513	THR
1	D	782	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	356	GLN
1	A	468	ASN
1	A	470	GLN
1	A	502	GLN
1	A	510	GLN
1	A	691	GLN
1	A	724	ASN
1	A	823	HIS
1	D	755	GLN
1	D	793	ASN
1	D	821	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	D	901	-	4,4,4	0.32	0	6,6,6	0.59	0
4	SO4	D	902	-	4,4,4	0.18	0	6,6,6	0.15	0
4	SO4	D	903	-	4,4,4	0.22	0	6,6,6	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SO4	D	901	-	-	0/0/0/0	0/0/0/0
4	SO4	D	902	-	-	0/0/0/0	0/0/0/0
4	SO4	D	903	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	580/592 (97%)	0.48	60 (10%) 7 8	21, 42, 68, 94	0
1	D	561/592 (94%)	0.29	26 (4%) 31 34	10, 25, 49, 65	0
2	B	9/9 (100%)	-0.43	0 100 100	26, 30, 45, 60	0
2	E	9/9 (100%)	-0.38	0 100 100	20, 28, 43, 56	0
3	C	11/13 (84%)	-0.42	0 100 100	20, 28, 49, 65	0
3	F	9/13 (69%)	-0.43	0 100 100	16, 20, 34, 42	0
All	All	1179/1228 (96%)	0.36	86 (7%) 15 17	10, 34, 61, 94	0

All (86) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	712	ILE	11.5
1	D	713	VAL	6.4
1	A	297	ALA	5.2
1	A	689	ILE	4.9
1	A	518	ILE	4.8
1	A	514	VAL	4.7
1	A	537	ILE	4.5
1	D	731	GLU	4.5
1	A	819	ARG	4.5
1	A	442	VAL	4.3
1	A	353	ALA	4.3
1	A	298	LYS	4.3
1	D	716	ILE	4.1
1	D	735	PHE	4.1
1	A	699	PRO	4.0
1	D	685	THR	4.0
1	A	303	LEU	3.8
1	D	734	GLU	3.8
1	A	521	LEU	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	679	LEU	3.7
1	A	736	ILE	3.6
1	A	681	ILE	3.5
1	D	710	PHE	3.5
1	A	816	LYS	3.4
1	D	727	ILE	3.4
1	D	505	LYS	3.4
1	D	736	ILE	3.3
1	D	509	GLU	3.3
1	A	570	ILE	3.2
1	A	860	VAL	3.2
1	A	307	VAL	3.1
1	A	448	VAL	3.1
1	A	746	VAL	3.1
1	A	866	TYR	3.1
1	A	352	LEU	3.1
1	A	357	PHE	3.0
1	A	697	VAL	3.0
1	A	856	VAL	2.9
1	D	725	LEU	2.9
1	A	350	THR	2.9
1	A	306	ARG	2.9
1	A	692	VAL	2.9
1	D	307	VAL	2.9
1	A	677	ARG	2.9
1	D	296	LEU	2.8
1	A	305	ASP	2.8
1	A	848	VAL	2.8
1	A	846	ARG	2.8
1	A	320	VAL	2.8
1	D	683	THR	2.7
1	A	842	GLU	2.7
1	D	730	LYS	2.7
1	A	703	ARG	2.6
1	D	724	ASN	2.6
1	A	712	ILE	2.6
1	A	428	VAL	2.5
1	D	708	VAL	2.5
1	A	308	THR	2.5
1	A	337	VAL	2.4
1	A	864	VAL	2.4
1	A	571	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	552	THR	2.4
1	D	781	PHE	2.4
1	A	523	GLY	2.3
1	A	708	VAL	2.3
1	A	340	GLU	2.3
1	D	570	ILE	2.3
1	D	681	ILE	2.3
1	A	843	ARG	2.3
1	A	868	TYR	2.2
1	A	685	THR	2.2
1	A	695	ASP	2.2
1	A	507	LEU	2.2
1	A	833	ILE	2.2
1	A	700	ASN	2.2
1	A	569	GLU	2.2
1	A	528	ILE	2.1
1	A	524	GLN	2.1
1	A	820	LEU	2.1
1	A	335	ILE	2.1
1	D	707	ALA	2.1
1	A	511	LEU	2.1
1	D	783	VAL	2.1
1	A	698	THR	2.1
1	A	302	THR	2.1
1	D	493[A]	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	SO4	D	901	5/5	0.10	-0.06	37,38,47,49	0
4	SO4	D	902	5/5	0.09	-0.43	39,44,51,51	0
4	SO4	D	903	5/5	0.10	-0.86	65,73,77,80	0

6.5 Other polymers

There are no such residues in this entry.