



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 01:51 AM GMT

PDB ID : 4E4X
Title : Crystal Structure of B-Raf Kinase Domain in Complex with a Dihydropyrido
[2,3-d]pyrimidinone-based Inhibitor
Authors : Voegtli, W.C.; Sturgis, H.L.
Deposited on : 2012-03-13
Resolution : 3.60 Å (reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1020 (3.86-3.34)
Clashscore	79885	1155 (3.80-3.40)
Ramachandran outliers	78287	1109 (3.80-3.40)
Sidechain outliers	78261	1108 (3.80-3.40)
RSRZ outliers	66119	1000 (3.84-3.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	307	
1	B	307	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4396 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Serine/threonine-proteinkinase B-raf.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	267	Total	C	N	O	S	0	0	0
			2137	1370	373	381	13			
1	B	274	Total	C	N	O	S	0	0	0
			2195	1405	384	393	13			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	420	MET	-	EXPRESSION TAG	UNP P15056
A	421	ASP	-	EXPRESSION TAG	UNP P15056
A	422	ARG	-	EXPRESSION TAG	UNP P15056
A	423	GLY	-	EXPRESSION TAG	UNP P15056
A	424	SER	-	EXPRESSION TAG	UNP P15056
A	425	HIS	-	EXPRESSION TAG	UNP P15056
A	426	HIS	-	EXPRESSION TAG	UNP P15056
A	427	HIS	-	EXPRESSION TAG	UNP P15056
A	428	HIS	-	EXPRESSION TAG	UNP P15056
A	429	HIS	-	EXPRESSION TAG	UNP P15056
A	430	HIS	-	EXPRESSION TAG	UNP P15056
A	431	GLY	-	EXPRESSION TAG	UNP P15056
B	420	MET	-	EXPRESSION TAG	UNP P15056
B	421	ASP	-	EXPRESSION TAG	UNP P15056
B	422	ARG	-	EXPRESSION TAG	UNP P15056
B	423	GLY	-	EXPRESSION TAG	UNP P15056
B	424	SER	-	EXPRESSION TAG	UNP P15056
B	425	HIS	-	EXPRESSION TAG	UNP P15056
B	426	HIS	-	EXPRESSION TAG	UNP P15056
B	427	HIS	-	EXPRESSION TAG	UNP P15056
B	428	HIS	-	EXPRESSION TAG	UNP P15056
B	429	HIS	-	EXPRESSION TAG	UNP P15056
B	430	HIS	-	EXPRESSION TAG	UNP P15056
B	431	GLY	-	EXPRESSION TAG	UNP P15056

- Molecule 2 is N-(2,4-DIFLUORO-3-{2-[(3-HYDROXYPROPYL)AMINO]-8-METHYL-7-OXO-7,8-DIHYDROPYRIDO[2,3-D]PYRIMIDIN-6-YL}PHENYL)PROPANE-1-SULFONAMIDE (three-letter code: T1Q) (formula: C₂₀H₂₃F₂N₅O₄S).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			32	20	2	5	4	1		
2	B	1	Total	C	F	N	O	S	0	0
			32	20	2	5	4	1		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Serine/threonine-proteinkinase B-raf

Chain A:



- Molecule 1: Serine/threonine-proteinkinase B-raf

Chain B:



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	109.00Å 109.00Å 155.21Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.86 – 3.60 29.85 – 3.60	Depositor EDS
% Data completeness (in resolution range)	93.3 (29.86-3.60) 93.4 (29.85-3.60)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.39 (at 3.56Å)	Xtriage
Refinement program	CNX 2005	Depositor
R, R_{free}	0.273 , 0.315 0.234 , 0.262	Depositor DCC
R_{free} test set	650 reflections (6.53%)	DCC
Wilson B-factor (Å ²)	84.2	Xtriage
Anisotropy	0.329	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 2.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 10611 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	4396	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: T1Q

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.27	0/2183	0.50	0/2946
1	B	0.62	1/2244 (0.0%)	0.52	1/3029 (0.0%)
All	All	0.48	1/4427 (0.0%)	0.51	1/5975 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	490	PRO	C-N	26.63	1.95	1.34

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	490	PRO	CA-C-N	-7.84	99.95	117.20

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	490	PRO	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2137	0	2177	116	0
1	B	2195	0	2223	118	0
2	A	32	0	23	1	0
2	B	32	0	23	4	0
All	All	4396	0	4446	234	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 26.

All (234) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:490:PRO:C	1:B:491:THR:N	1.95	1.19
1:A:580:ASN:HD22	1:A:580:ASN:H	1.00	0.98
1:B:580:ASN:HD22	1:B:580:ASN:H	1.00	0.96
1:A:551:ILE:HD12	1:A:551:ILE:H	1.36	0.90
1:B:551:ILE:H	1:B:551:ILE:HD12	1.35	0.89
1:B:596:GLY:O	1:B:597:LEU:HG	1.76	0.86
1:A:580:ASN:ND2	1:A:580:ASN:H	1.74	0.84
1:B:658:ASN:HD22	1:B:658:ASN:H	1.23	0.82
1:B:575:ARG:NH1	1:B:598:ALA:HB1	1.94	0.82
1:A:575:ARG:NH1	1:A:598:ALA:HB1	1.95	0.82
1:B:580:ASN:H	1:B:580:ASN:ND2	1.74	0.81
1:A:658:ASN:HD22	1:A:658:ASN:H	1.28	0.81
1:A:596:GLY:O	1:A:597:LEU:HG	1.80	0.80
1:B:620:MET:HE3	1:B:624:VAL:HG12	1.64	0.79
1:A:580:ASN:N	1:A:580:ASN:HD22	1.80	0.78
1:B:580:ASN:HD22	1:B:580:ASN:N	1.80	0.77
1:A:620:MET:HE3	1:A:624:VAL:HG12	1.65	0.76
1:A:468:PHE:HE2	1:A:597:LEU:HD13	1.52	0.74
1:A:487:VAL:HG11	1:A:604:TRP:HZ3	1.52	0.74
1:B:487:VAL:HG11	1:B:604:TRP:CZ3	2.22	0.74
1:B:487:VAL:HG11	1:B:604:TRP:HZ3	1.51	0.74
1:A:487:VAL:HG11	1:A:604:TRP:CZ3	2.23	0.72
1:A:687:LYS:HA	1:A:687:LYS:HE3	1.73	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:487:VAL:O	1:A:487:VAL:HG23	1.90	0.70
1:B:687:LYS:HE3	1:B:687:LYS:HA	1.74	0.70
1:B:575:ARG:HH11	1:B:598:ALA:HB1	1.55	0.70
1:B:487:VAL:HG23	1:B:487:VAL:O	1.93	0.68
1:A:468:PHE:CZ	1:A:600:VAL:O	2.46	0.68
1:A:575:ARG:HH11	1:A:598:ALA:HB1	1.56	0.67
1:A:505:LEU:HD11	1:A:527:ILE:HD13	1.76	0.67
1:A:574:HIS:O	1:A:575:ARG:HB2	1.94	0.66
1:B:485:LEU:O	1:B:487:VAL:N	2.29	0.66
1:B:574:HIS:O	1:B:575:ARG:HB2	1.96	0.66
1:A:681:VAL:HG21	1:A:690:LYS:HD2	1.78	0.65
1:B:505:LEU:HD11	1:B:527:ILE:HD13	1.78	0.65
1:B:490:PRO:HB2	1:B:491:THR:N	2.11	0.64
1:A:580:ASN:ND2	1:A:580:ASN:N	2.40	0.64
1:B:681:VAL:HG21	1:B:690:LYS:HD2	1.80	0.63
2:B:801:T1Q:H16	2:B:801:T1Q:O25	1.97	0.63
1:A:684:ASN:HD22	1:A:684:ASN:H	1.46	0.63
1:B:577:LEU:HD23	1:B:578:LYS:N	2.14	0.63
1:B:597:LEU:O	1:B:599:THR:N	2.33	0.62
1:A:577:LEU:HD23	1:A:578:LYS:N	2.15	0.61
1:B:617:ILE:HA	1:B:620:MET:HG3	1.82	0.61
1:B:463:ILE:HG13	1:B:464:GLY:H	1.64	0.61
1:A:586:GLU:O	1:A:587:ASP:HB2	2.01	0.61
1:B:586:GLU:O	1:B:587:ASP:HB2	2.01	0.60
1:A:509:ARG:HD3	1:B:516:PHE:O	2.00	0.60
1:B:463:ILE:HG13	1:B:464:GLY:N	2.17	0.60
1:B:580:ASN:N	1:B:580:ASN:ND2	2.41	0.60
1:B:487:VAL:O	1:B:488:THR:C	2.38	0.60
1:A:585:HIS:C	1:A:587:ASP:H	2.04	0.60
1:B:468:PHE:HB2	1:B:608:HIS:HB3	1.83	0.60
1:A:551:ILE:CD1	1:A:551:ILE:H	2.13	0.60
1:B:684:ASN:HD22	1:B:684:ASN:H	1.46	0.60
1:A:642:PHE:O	1:A:645:VAL:HG22	2.02	0.59
1:A:485:LEU:H	1:A:485:LEU:HD22	1.67	0.59
1:A:617:ILE:HA	1:A:620:MET:HG3	1.84	0.59
1:B:639:VAL:HG13	1:B:710:ILE:HD11	1.85	0.59
1:A:487:VAL:O	1:A:488:THR:C	2.40	0.59
1:B:454:ASP:HB2	1:B:522:LYS:HD3	1.83	0.59
1:A:484:MET:HG2	1:A:526:ALA:HB2	1.84	0.58
1:A:658:ASN:N	1:A:658:ASN:HD22	1.96	0.58
1:B:585:HIS:C	1:B:587:ASP:H	2.05	0.58
1:A:454:ASP:HB2	1:A:522:LYS:HD3	1.83	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:642:PHE:O	1:B:645:VAL:HG22	2.03	0.58
1:B:684:ASN:H	1:B:684:ASN:ND2	2.02	0.58
1:B:659:ILE:HB	1:B:665:ILE:HD11	1.85	0.58
1:A:639:VAL:HG13	1:A:710:ILE:HD11	1.86	0.58
1:A:597:LEU:O	1:A:599:THR:N	2.37	0.58
1:A:522:LYS:HB2	1:A:523:PRO:HD3	1.87	0.57
1:A:494:GLN:HB3	1:A:604:TRP:CZ2	2.40	0.57
1:B:664:GLN:O	1:B:668:MET:HG3	2.05	0.57
1:A:684:ASN:ND2	1:A:684:ASN:H	2.02	0.57
1:B:484:MET:HG2	1:B:526:ALA:HB2	1.86	0.57
1:B:490:PRO:CA	1:B:491:THR:N	2.67	0.56
1:A:487:VAL:CG2	1:A:487:VAL:O	2.53	0.56
1:B:575:ARG:NH1	1:B:598:ALA:CB	2.67	0.56
1:B:522:LYS:HB2	1:B:523:PRO:HD3	1.87	0.56
1:B:485:LEU:H	1:B:485:LEU:HD22	1.71	0.56
1:B:494:GLN:HB3	1:B:604:TRP:CZ2	2.40	0.56
1:A:482:VAL:HG22	1:A:528:VAL:HG22	1.87	0.56
1:A:659:ILE:HB	1:A:665:ILE:HD11	1.87	0.56
1:B:487:VAL:O	1:B:488:THR:O	2.24	0.55
1:A:664:GLN:O	1:A:668:MET:HG3	2.06	0.55
1:A:522:LYS:HB2	1:A:523:PRO:CD	2.36	0.55
1:A:650:MET:HG3	1:A:693:MET:HE1	1.87	0.55
1:A:628:GLN:HG3	1:A:629:ASP:N	2.22	0.55
1:B:628:GLN:HG3	1:B:629:ASP:N	2.21	0.55
1:B:490:PRO:HB3	1:B:494:GLN:OE1	2.07	0.55
1:A:467:SER:O	1:A:469:GLY:N	2.40	0.55
1:B:522:LYS:HB2	1:B:523:PRO:CD	2.37	0.55
1:B:487:VAL:CG2	1:B:487:VAL:O	2.55	0.54
1:B:650:MET:HG3	1:B:693:MET:HE1	1.89	0.54
1:A:463:ILE:HD11	1:A:471:VAL:HG12	1.91	0.53
1:B:596:GLY:O	1:B:597:LEU:CG	2.54	0.53
1:B:463:ILE:HD11	1:B:471:VAL:HG12	1.90	0.53
1:B:678:LEU:O	1:B:690:LYS:HE3	2.08	0.53
1:B:482:VAL:HG22	1:B:528:VAL:HG22	1.90	0.53
1:A:676:PRO:HG2	1:A:697:LEU:HD13	1.90	0.53
1:A:600:VAL:O	1:A:600:VAL:HG12	2.09	0.53
1:B:600:VAL:HG12	1:B:600:VAL:O	2.09	0.53
1:B:614:SER:C	1:B:616:SER:H	2.12	0.53
1:B:607:SER:O	1:B:611:GLU:HG3	2.09	0.53
1:A:575:ARG:NH1	1:A:598:ALA:CB	2.68	0.53
1:B:575:ARG:HH11	1:B:598:ALA:CB	2.20	0.53
1:B:676:PRO:HG2	1:B:697:LEU:HD13	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:596:GLY:O	1:A:597:LEU:CG	2.53	0.53
1:A:678:LEU:O	1:A:690:LYS:HE3	2.08	0.52
1:A:614:SER:C	1:A:616:SER:H	2.13	0.52
1:B:469:GLY:HA2	1:B:484:MET:O	2.10	0.52
1:B:628:GLN:HG3	1:B:629:ASP:H	1.74	0.52
1:A:628:GLN:HG3	1:A:629:ASP:H	1.75	0.52
2:A:801:T1Q:N3	2:A:801:T1Q:H30	2.25	0.51
1:B:498:PHE:CD2	1:B:525:LEU:HD22	2.45	0.51
1:A:661:ASN:OD1	1:A:664:GLN:HG2	2.11	0.51
1:B:661:ASN:OD1	1:B:664:GLN:HG2	2.10	0.51
1:A:516:PHE:O	1:B:509:ARG:HD3	2.11	0.50
1:B:658:ASN:HD22	1:B:658:ASN:N	1.92	0.50
1:A:463:ILE:HG13	1:A:464:GLY:N	2.27	0.50
1:A:582:ILE:HG23	1:A:590:VAL:HG13	1.93	0.50
1:A:490:PRO:HB3	1:A:494:GLN:OE1	2.12	0.50
1:B:514:LEU:HD23	2:B:801:T1Q:H27A	1.94	0.50
1:B:454:ASP:H	1:B:522:LYS:HD3	1.76	0.50
1:A:454:ASP:H	1:A:522:LYS:HD3	1.77	0.50
1:B:582:ILE:HG23	1:B:590:VAL:HG13	1.93	0.50
1:A:687:LYS:HA	1:A:687:LYS:CE	2.42	0.49
1:A:487:VAL:O	1:A:488:THR:O	2.30	0.49
1:B:687:LYS:HA	1:B:687:LYS:CE	2.42	0.49
1:A:498:PHE:CD2	1:A:525:LEU:HD22	2.48	0.49
1:A:628:GLN:HG3	1:A:629:ASP:OD2	2.13	0.49
1:B:628:GLN:HG3	1:B:629:ASP:OD2	2.13	0.49
1:B:490:PRO:CB	1:B:491:THR:N	2.75	0.48
1:A:485:LEU:O	1:A:487:VAL:N	2.44	0.48
1:B:681:VAL:O	1:B:681:VAL:HG23	2.13	0.48
1:A:585:HIS:C	1:A:587:ASP:N	2.65	0.48
1:B:585:HIS:C	1:B:587:ASP:N	2.66	0.48
1:A:495:LEU:O	1:A:495:LEU:HD13	2.14	0.48
1:A:623:GLU:OE1	1:A:704:ARG:NH2	2.42	0.48
1:B:551:ILE:H	1:B:551:ILE:CD1	2.12	0.48
1:A:575:ARG:HH11	1:A:598:ALA:CB	2.21	0.48
1:A:681:VAL:O	1:A:681:VAL:HG23	2.14	0.48
1:B:495:LEU:O	1:B:495:LEU:HD13	2.14	0.48
1:A:674:LEU:HD22	1:A:675:SER:N	2.29	0.47
1:A:537:LEU:HD11	1:A:541:LEU:HD22	1.96	0.47
1:A:717:LEU:O	1:A:717:LEU:HD12	2.14	0.47
1:A:578:LYS:HD2	1:A:580:ASN:ND2	2.30	0.47
1:B:574:HIS:CD2	1:B:595:PHE:HB3	2.50	0.47
1:A:701:ARG:HB2	1:A:704:ARG:NH1	2.29	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:537:LEU:HD11	1:B:541:LEU:HD22	1.97	0.47
1:B:512:ASN:ND2	1:B:559:GLN:HB3	2.29	0.46
1:B:620:MET:CE	1:B:624:VAL:HG12	2.40	0.46
1:B:501:GLU:OE1	1:B:599:THR:HB	2.15	0.46
1:B:620:MET:CE	1:B:625:ILE:HA	2.46	0.46
1:A:574:HIS:CD2	1:A:595:PHE:HB3	2.50	0.46
1:B:717:LEU:HD12	1:B:717:LEU:O	2.16	0.46
1:A:620:MET:CE	1:A:624:VAL:HG12	2.40	0.46
1:A:463:ILE:HG13	1:A:464:GLY:H	1.81	0.46
1:B:674:LEU:HD22	1:B:675:SER:N	2.31	0.46
1:B:600:VAL:HG13	1:B:604:TRP:CE2	2.51	0.46
1:B:597:LEU:O	1:B:598:ALA:C	2.54	0.46
1:B:585:HIS:CE1	1:B:586:GLU:HG2	2.51	0.46
1:A:548:PHE:HB2	1:A:553:LEU:HD21	1.98	0.46
1:B:619:TRP:CD1	1:B:644:ILE:HB	2.51	0.46
1:B:619:TRP:NE1	1:B:648:GLU:OE2	2.48	0.46
1:A:674:LEU:CD2	1:A:675:SER:N	2.79	0.46
1:A:626:ARG:O	1:A:626:ARG:HG3	2.16	0.46
1:B:601:LYS:HG2	1:B:608:HIS:ND1	2.31	0.45
1:A:501:GLU:OE1	1:A:599:THR:HB	2.15	0.45
1:B:626:ARG:O	1:B:626:ARG:HG3	2.16	0.45
1:A:585:HIS:CE1	1:A:586:GLU:HG2	2.51	0.45
1:A:619:TRP:CD1	1:A:644:ILE:HB	2.52	0.45
1:A:620:MET:CE	1:A:625:ILE:HA	2.47	0.45
1:A:684:ASN:HD22	1:A:684:ASN:N	2.15	0.45
1:B:468:PHE:HB2	1:B:608:HIS:CB	2.46	0.45
1:B:701:ARG:HB2	1:B:704:ARG:NH1	2.32	0.45
1:B:674:LEU:CD2	1:B:675:SER:N	2.80	0.45
1:A:616:SER:O	1:A:620:MET:HG3	2.17	0.45
1:B:588:LEU:HD22	1:B:589:THR:N	2.32	0.45
1:A:512:ASN:ND2	1:A:559:GLN:HB3	2.32	0.45
1:A:555:ASP:O	1:A:559:GLN:HG3	2.17	0.45
1:B:620:MET:HE2	1:B:625:ILE:HA	1.99	0.44
1:A:596:GLY:O	1:A:597:LEU:CB	2.65	0.44
1:B:588:LEU:N	1:B:588:LEU:HD13	2.32	0.44
1:B:548:PHE:HB2	1:B:553:LEU:HD21	1.98	0.44
1:B:578:LYS:HD2	1:B:580:ASN:ND2	2.32	0.44
1:B:555:ASP:O	1:B:559:GLN:HG3	2.17	0.44
1:A:588:LEU:HD22	1:A:589:THR:N	2.32	0.44
1:A:600:VAL:HG13	1:A:604:TRP:CE2	2.53	0.44
1:B:643:GLY:O	1:B:646:LEU:HB2	2.18	0.44
1:A:619:TRP:NE1	1:A:648:GLU:OE2	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:617:ILE:HA	1:B:620:MET:CG	2.47	0.43
1:B:616:SER:O	1:B:620:MET:HG3	2.19	0.43
1:A:588:LEU:N	1:A:588:LEU:HD13	2.34	0.43
1:A:718:ALA:C	1:A:720:SER:H	2.21	0.43
1:B:594:ASP:HA	2:B:801:T1Q:O26	2.18	0.43
1:A:644:ILE:O	1:A:647:TYR:HB3	2.19	0.43
1:B:623:GLU:OE1	1:B:704:ARG:NH2	2.44	0.43
1:A:493:GLN:O	1:A:493:GLN:HG3	2.18	0.43
1:A:490:PRO:HB2	1:A:491:THR:H	1.71	0.43
1:B:718:ALA:C	1:B:720:SER:H	2.22	0.43
1:A:597:LEU:O	1:A:598:ALA:C	2.57	0.43
1:B:601:LYS:HG2	1:B:608:HIS:CE1	2.54	0.43
1:B:491:THR:O	1:B:493:GLN:N	2.52	0.42
1:A:643:GLY:O	1:A:646:LEU:HB2	2.18	0.42
1:A:617:ILE:HA	1:A:620:MET:CG	2.47	0.42
1:A:457:ILE:HG12	1:A:476:TRP:CD1	2.54	0.42
1:B:644:ILE:O	1:B:647:TYR:HB3	2.19	0.42
1:B:462:ARG:HH22	1:B:465:SER:HB3	1.85	0.42
1:A:623:GLU:HG3	1:A:623:GLU:H	1.49	0.42
1:B:594:ASP:H	2:B:801:T1Q:HN21	1.66	0.42
1:A:698:LYS:HB2	1:A:704:ARG:HG2	2.01	0.42
1:B:493:GLN:HG3	1:B:493:GLN:O	2.18	0.42
1:A:710:ILE:O	1:A:714:ILE:HG13	2.20	0.42
1:B:498:PHE:CE2	1:B:525:LEU:HD22	2.55	0.42
1:A:484:MET:HG2	1:A:526:ALA:CB	2.50	0.41
1:A:490:PRO:CB	1:A:494:GLN:OE1	2.68	0.41
1:A:457:ILE:HD13	1:A:528:VAL:HG21	2.02	0.41
1:A:658:ASN:N	1:A:658:ASN:ND2	2.66	0.41
1:B:541:LEU:HD12	1:B:541:LEU:HA	1.88	0.41
1:B:698:LYS:HB2	1:B:704:ARG:HG2	2.02	0.41
1:A:469:GLY:HA2	1:A:485:LEU:HA	2.03	0.41
1:A:658:ASN:H	1:A:658:ASN:ND2	2.07	0.41
1:A:617:ILE:HA	1:A:620:MET:SD	2.60	0.41
1:A:625:ILE:HG23	1:A:666:ILE:HG23	2.01	0.41
1:B:502:VAL:HG11	1:B:519:TYR:CD2	2.56	0.41
1:B:623:GLU:H	1:B:623:GLU:HG3	1.49	0.41
1:A:502:VAL:HG11	1:A:519:TYR:CD2	2.56	0.41
1:A:620:MET:HE2	1:A:625:ILE:HA	2.03	0.40
1:B:625:ILE:HG23	1:B:666:ILE:HG23	2.02	0.40
1:A:498:PHE:CE2	1:A:525:LEU:HD22	2.57	0.40
1:B:588:LEU:HD22	1:B:589:THR:H	1.85	0.40
1:A:693:MET:HE3	1:A:693:MET:HB2	1.89	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:457:ILE:HG12	1:B:476:TRP:CD1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/307 (86%)	226 (86%)	26 (10%)	11 (4%)	4	46
1	B	272/307 (89%)	231 (85%)	31 (11%)	10 (4%)	5	51
All	All	535/614 (87%)	457 (85%)	57 (11%)	21 (4%)	5	49

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	467	SER
1	A	468	PHE
1	A	488	THR
1	A	493	GLN
1	A	598	ALA
1	B	488	THR
1	B	493	GLN
1	B	598	ALA
1	A	492	PRO
1	A	597	LEU
1	B	492	PRO
1	B	597	LEU
1	A	601	LYS
1	B	486	ASN
1	B	601	LYS
1	A	476	TRP
1	A	586	GLU
1	B	476	TRP
1	B	586	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	627	MET
1	B	490	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	235/271 (87%)	219 (93%)	16 (7%)	22	71
1	B	241/271 (89%)	225 (93%)	16 (7%)	24	73
All	All	476/542 (88%)	444 (93%)	32 (7%)	23	72

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	485	LEU
1	A	486	ASN
1	A	493	GLN
1	A	522	LYS
1	A	524	GLN
1	A	541	LEU
1	A	580	ASN
1	A	588	LEU
1	A	623	GLU
1	A	656	TYR
1	A	658	ASN
1	A	662	ARG
1	A	671	ARG
1	A	674	LEU
1	A	684	ASN
1	A	687	LYS
1	B	485	LEU
1	B	486	ASN
1	B	493	GLN
1	B	522	LYS
1	B	524	GLN
1	B	541	LEU
1	B	580	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	588	LEU
1	B	623	GLU
1	B	656	TYR
1	B	658	ASN
1	B	662	ARG
1	B	671	ARG
1	B	674	LEU
1	B	684	ASN
1	B	687	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	456	GLN
1	A	500	ASN
1	A	562	GLN
1	A	580	ASN
1	A	585	HIS
1	A	628	GLN
1	A	631	ASN
1	A	658	ASN
1	A	684	ASN
1	B	456	GLN
1	B	477	HIS
1	B	500	ASN
1	B	562	GLN
1	B	580	ASN
1	B	585	HIS
1	B	609	GLN
1	B	628	GLN
1	B	631	ASN
1	B	658	ASN
1	B	684	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	T1Q	A	801	-	34,34,34	1.48	7 (20%)	47,49,49	1.49	8 (17%)
2	T1Q	B	801	-	34,34,34	1.49	9 (26%)	47,49,49	1.50	9 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	T1Q	A	801	-	-	0/18/18/18	0/1/3/3
2	T1Q	B	801	-	-	0/18/18/18	0/1/3/3

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	T1Q	C15-N21	-3.80	1.35	1.42
2	B	801	T1Q	C15-C14	3.58	1.41	1.39
2	B	801	T1Q	C10-C9	3.13	1.41	1.37
2	A	801	T1Q	C10-C9	2.99	1.41	1.37
2	B	801	T1Q	C15-N21	-2.70	1.37	1.42
2	A	801	T1Q	C15-C14	2.57	1.41	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	T1Q	C4-N7	2.48	1.44	1.38
2	A	801	T1Q	C4-N7	2.44	1.44	1.38
2	A	801	T1Q	O25-S23	2.37	1.47	1.43
2	A	801	T1Q	O26-S23	2.33	1.47	1.43
2	B	801	T1Q	O25-S23	2.32	1.47	1.43
2	B	801	T1Q	O26-S23	2.29	1.47	1.43
2	B	801	T1Q	C9-C13	-2.22	1.46	1.50
2	A	801	T1Q	C9-C13	-2.21	1.46	1.50
2	B	801	T1Q	C24-S23	2.13	1.85	1.78
2	B	801	T1Q	C6-N1	2.02	1.34	1.31

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	801	T1Q	C18-C13-C14	4.84	119.75	115.55
2	A	801	T1Q	C18-C13-C14	4.83	119.73	115.55
2	B	801	T1Q	C8-N7-C4	3.22	124.24	121.27
2	A	801	T1Q	C8-N7-C4	3.10	124.13	121.27
2	B	801	T1Q	C17-C18-C13	-2.86	120.22	123.94
2	A	801	T1Q	C17-C18-C13	-2.86	120.22	123.94
2	B	801	T1Q	C9-C13-C18	-2.53	120.26	122.97
2	A	801	T1Q	C9-C13-C18	-2.53	120.27	122.97
2	A	801	T1Q	N3-C4-N7	2.47	122.47	115.97
2	B	801	T1Q	N3-C4-N7	2.42	122.34	115.97
2	B	801	T1Q	C10-C9-C8	2.38	120.58	117.10
2	A	801	T1Q	C10-C9-C8	2.33	120.51	117.10
2	A	801	T1Q	C5-C4-N3	-2.25	119.72	123.22
2	B	801	T1Q	C5-C6-N1	-2.18	119.83	123.83
2	B	801	T1Q	C5-C4-N3	-2.15	119.87	123.22
2	A	801	T1Q	C5-C6-N1	-2.12	119.94	123.83
2	B	801	T1Q	C9-C10-C5	-2.04	120.07	122.01

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	267/307 (86%)	0.04	4 (1%)	70 43	24, 52, 106, 124	0
1	B	274/307 (89%)	-0.05	1 (0%)	90 76	23, 52, 109, 124	0
All	All	541/614 (88%)	-0.01	5 (0%)	81 57	23, 52, 107, 124	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	630	LYS	3.0
1	A	466	GLY	2.1
1	A	448	ASP	2.1
1	A	603	ARG	2.1
1	B	448	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	T1Q	A	801	32/32	0.27	0.52	48,51,62,63	0
2	T1Q	B	801	32/32	0.24	0.49	32,45,54,62	0

6.5 Other polymers ⓘ

There are no such residues in this entry.