



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 26, 2014 – 02:25 PM GMT

PDB ID : 1E7F  
Title : HUMAN SERUM ALBUMIN COMPLEXED WITH DODECANOIC ACID  
(LAURIC ACID)  
Authors : Bhattacharya, A.A.; Gruene, T.; Curry, S.  
Deposited on : 2000-08-29  
Resolution : 2.43 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	3698 (2.48-2.40)
Ramachandran outliers	78287	3639 (2.48-2.40)
Sidechain outliers	78261	3640 (2.48-2.40)
RSRZ outliers	66119	2993 (2.48-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	585	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	DAO	A	1006	-	X
2	DAO	A	1008	-	X

## 2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 4504 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SERUM ALBUMIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	582	Total	C	N	O	S	0	0	0
			4375	2778	736	820	41			

- Molecule 2 is LAURIC ACID (three-letter code: DAO) (formula: C<sub>12</sub>H<sub>24</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	11	2		
2	A	1	Total	C	O	0	0
			14	12	2		
2	A	1	Total	C	O	0	0
			13	11	2		
2	A	1	Total	C	O	0	0
			14	12	2		
2	A	1	Total	C	O	0	0
			13	11	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 14 12 2	0	0
2	A	1	Total C 12 12	0	0
2	A	1	Total C 10 10	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	26	Total O 26 26	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: SERUM ALBUMIN



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	188.50Å 38.90Å 95.77Å 90.00° 104.63° 90.00°	Depositor
Resolution (Å)	12.00 – 2.43 11.98 – 2.44	Depositor EDS
% Data completeness (in resolution range)	92.0 (12.00-2.43) 92.6 (11.98-2.44)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	0.04	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.47 (at 2.43Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, $R_{free}$	0.225 , 0.276 0.216 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	54.1	Xtriage
Anisotropy	0.306	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 61.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 23655 reflections (0.004%)	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	4504	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.30% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DAO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.38	0/4461	0.58	1/6059 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	563	ASP	N-CA-C	-6.73	92.84	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4375	0	4096	192	0
2	A	103	0	162	9	0
3	A	26	0	0	3	0
All	All	4504	0	4258	193	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 22.

All (193) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:301:ASP:O	1:A:303:PRO:HD3	1.70	0.92
1:A:267:ASN:N	1:A:267:ASN:HD22	1.71	0.87
1:A:150:TYR:H	1:A:196:GLN:HE22	1.19	0.87
1:A:225:LYS:HG3	1:A:299:PRO:HD3	1.59	0.84
1:A:440:HIS:H	1:A:440:HIS:CD2	1.95	0.84
1:A:95:GLU:HB3	1:A:96:PRO:HD3	1.59	0.83
1:A:378:LYS:HB3	1:A:379:PRO:HD3	1.59	0.83
1:A:69:LEU:HD22	2:A:1008:DAO:H21	1.60	0.82
1:A:138:TYR:O	1:A:142:ILE:HG22	1.82	0.80
1:A:383:GLU:HG3	1:A:384:PRO:HD3	1.64	0.80
1:A:274:LYS:HG3	1:A:296:ASP:HA	1.67	0.77
1:A:383:GLU:HG3	1:A:384:PRO:CD	2.15	0.76
1:A:119:GLU:HB2	1:A:122:VAL:CG2	2.16	0.76
1:A:95:GLU:HB3	1:A:96:PRO:CD	2.17	0.75
1:A:10:ARG:O	1:A:14:LEU:HB2	1.88	0.74
1:A:150:TYR:H	1:A:196:GLN:NE2	1.86	0.73
1:A:142:ILE:HG12	1:A:154:LEU:HD11	1.71	0.73
1:A:151:ALA:HB3	1:A:152:PRO:HD3	1.70	0.72
1:A:415:VAL:HB	1:A:418:VAL:HG23	1.72	0.72
1:A:119:GLU:O	1:A:122:VAL:HG23	1.91	0.70
1:A:479:GLU:HG2	1:A:483:ASN:HB2	1.73	0.70
1:A:131:GLU:OE2	1:A:162:LYS:HE3	1.92	0.69
1:A:225:LYS:HG3	1:A:299:PRO:CD	2.22	0.69
1:A:177:CYS:O	1:A:180:PRO:HD2	1.93	0.69
1:A:381:VAL:O	1:A:384:PRO:HD2	1.93	0.68
1:A:480:SER:C	1:A:482:VAL:H	1.97	0.68
1:A:440:HIS:HD2	1:A:440:HIS:H	1.39	0.67
1:A:32:GLN:OE1	1:A:110:PRO:HG3	1.93	0.66
1:A:267:ASN:N	1:A:267:ASN:ND2	2.44	0.66
1:A:409:VAL:O	1:A:413:LYS:HG3	1.95	0.66
1:A:465:GLU:O	1:A:468:PRO:HD3	1.96	0.64
1:A:303:PRO:O	1:A:337:ARG:NH1	2.31	0.64
1:A:224:PRO:HG3	3:A:2013:HOH:O	1.98	0.64
1:A:516:LEU:HD22	1:A:520:GLU:CB	2.28	0.64
2:A:1002:DAO:H121	2:A:1008:DAO:H71	1.81	0.63
1:A:120:VAL:HG13	1:A:178:LEU:HD23	1.81	0.62
1:A:567:CYS:O	1:A:571:GLU:HB2	2.00	0.62
1:A:151:ALA:HB3	1:A:152:PRO:CD	2.29	0.62
1:A:356:THR:HG21	1:A:373:VAL:CG2	2.30	0.62
1:A:315:VAL:HG11	1:A:370:TYR:CZ	2.34	0.61
1:A:142:ILE:HG13	1:A:142:ILE:O	1.99	0.60
1:A:153:GLU:HG3	3:A:2019:HOH:O	1.99	0.60
1:A:291:ALA:HA	2:A:1007:DAO:H102	1.84	0.60

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:529:LEU:O	1:A:533:VAL:HG23	2.00	0.60
1:A:424:VAL:O	1:A:428:ARG:HG3	2.01	0.60
1:A:156:PHE:CE2	1:A:160:ARG:HD2	2.37	0.60
1:A:173:ASP:HB3	1:A:176:ALA:HB3	1.84	0.59
1:A:383:GLU:HG3	1:A:384:PRO:N	2.17	0.59
1:A:86:GLU:O	1:A:89:ASP:HB2	2.02	0.59
1:A:137:LYS:O	1:A:141:GLU:HG2	2.02	0.59
1:A:356:THR:HG21	1:A:373:VAL:HG21	1.84	0.59
1:A:173:ASP:O	1:A:176:ALA:N	2.36	0.58
1:A:372:LYS:O	1:A:375:ASP:HB2	2.04	0.58
1:A:72:ASP:O	1:A:76:THR:HG23	2.04	0.57
1:A:286:LYS:O	1:A:290:ILE:HG13	2.04	0.57
1:A:523:ILE:N	1:A:523:ILE:HD13	2.18	0.57
1:A:480:SER:O	1:A:482:VAL:N	2.38	0.57
1:A:344:VAL:HG22	1:A:450:GLU:OE2	2.05	0.57
1:A:386:ASN:O	1:A:390:GLN:HG3	2.05	0.56
1:A:119:GLU:HB2	1:A:122:VAL:HG23	1.87	0.56
1:A:217:ALA:HB2	1:A:331:LEU:HD13	1.88	0.55
1:A:8:ALA:O	1:A:12:LYS:HG3	2.06	0.55
1:A:95:GLU:O	1:A:96:PRO:C	2.42	0.55
1:A:440:HIS:N	1:A:440:HIS:CD2	2.69	0.54
1:A:430:LEU:CD1	1:A:456:VAL:HG11	2.36	0.54
1:A:433:VAL:HG22	1:A:452:TYR:HB3	1.89	0.54
1:A:417:GLN:NE2	1:A:494:ASP:OD2	2.37	0.54
1:A:452:TYR:O	1:A:455:VAL:HG23	2.08	0.54
1:A:64:LYS:HB2	1:A:69:LEU:HG	1.89	0.53
1:A:214:TRP:CD1	1:A:343:VAL:HG11	2.42	0.53
1:A:417:GLN:O	1:A:469:VAL:HG11	2.08	0.53
1:A:94:GLN:O	1:A:98:ARG:HB2	2.08	0.53
1:A:225:LYS:HG3	1:A:299:PRO:CG	2.39	0.53
1:A:480:SER:C	1:A:482:VAL:N	2.62	0.53
1:A:563:ASP:O	1:A:566:THR:HB	2.09	0.53
1:A:378:LYS:HB3	1:A:379:PRO:CD	2.36	0.52
1:A:562:ASP:C	1:A:564:LYS:N	2.58	0.52
1:A:118:PRO:HG2	1:A:123:MET:HG3	1.92	0.52
1:A:260:LEU:O	1:A:264:ILE:HG13	2.10	0.52
1:A:222:ARG:C	1:A:224:PRO:HD3	2.31	0.51
1:A:36:PHE:CE1	1:A:137:LYS:HA	2.45	0.51
1:A:387:LEU:O	1:A:391:ASN:HB2	2.11	0.51
1:A:220:SER:OG	1:A:335:ALA:HB3	2.09	0.51
1:A:90:CYS:O	1:A:93:LYS:HG3	2.12	0.50
1:A:434:GLY:O	1:A:438:CYS:SG	2.69	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:442:GLU:HA	1:A:445:ARG:HD2	1.94	0.50
1:A:46:VAL:O	1:A:49:PHE:HB3	2.12	0.50
1:A:296:ASP:OD1	1:A:297:GLU:N	2.44	0.50
1:A:264:ILE:HG23	1:A:271:ILE:HD13	1.93	0.50
1:A:419:SER:OG	1:A:421:PRO:HD2	2.12	0.50
1:A:369:CYS:C	1:A:371:ALA:H	2.13	0.50
1:A:420:THR:N	1:A:421:PRO:HD2	2.27	0.50
1:A:530:VAL:HG12	1:A:534:LYS:HE3	1.94	0.50
1:A:415:VAL:HG11	1:A:473:VAL:HG23	1.93	0.49
1:A:413:LYS:HE2	1:A:537:PRO:O	2.12	0.49
1:A:141:GLU:O	1:A:145:ARG:HD2	2.12	0.49
1:A:10:ARG:NH2	1:A:255:ASP:OD1	2.45	0.49
1:A:517:SER:O	1:A:520:GLU:N	2.45	0.49
1:A:46:VAL:HG22	2:A:1008:DAO:H31	1.94	0.49
1:A:222:ARG:O	1:A:224:PRO:HD3	2.13	0.49
1:A:175:ALA:O	1:A:179:LEU:HB2	2.13	0.49
1:A:513:ILE:HD11	1:A:555:VAL:HG13	1.95	0.49
1:A:221:GLN:HG2	1:A:339:PRO:HA	1.95	0.48
1:A:430:LEU:HD21	2:A:1004:DAO:H62	1.95	0.48
1:A:311:GLU:O	1:A:312:SER:C	2.51	0.48
1:A:224:PRO:HB3	1:A:336:ARG:HB2	1.96	0.48
1:A:314:ASP:OD1	1:A:314:ASP:N	2.47	0.47
1:A:245:CYS:HA	1:A:253:CYS:HB2	1.97	0.47
1:A:238:LEU:HD21	2:A:1007:DAO:H31	1.96	0.47
1:A:50:ALA:O	1:A:54:VAL:HG23	2.14	0.47
1:A:29:GLN:HG2	1:A:147:PRO:HA	1.97	0.46
1:A:220:SER:O	1:A:336:ARG:HB3	2.15	0.46
1:A:133:THR:O	1:A:137:LYS:HB2	2.15	0.46
1:A:216:VAL:CG2	1:A:235:VAL:HG21	2.46	0.46
1:A:49:PHE:CD2	2:A:1008:DAO:H22	2.51	0.46
1:A:518:GLU:O	1:A:522:GLN:HG3	2.16	0.46
1:A:383:GLU:OE2	1:A:485:ARG:NH2	2.43	0.46
1:A:95:GLU:O	1:A:98:ARG:N	2.44	0.46
1:A:260:LEU:HD12	1:A:260:LEU:O	2.16	0.46
1:A:401:TYR:CE1	1:A:522:GLN:HG2	2.51	0.46
1:A:519:LYS:O	1:A:523:ILE:HG12	2.16	0.45
1:A:364:ALA:O	1:A:366:PRO:HD3	2.15	0.45
1:A:37:GLU:CD	1:A:37:GLU:H	2.19	0.45
1:A:211:PHE:HE2	1:A:239:THR:HA	1.81	0.45
1:A:16:GLU:O	1:A:20:LYS:HG3	2.17	0.45
1:A:136:LYS:HA	1:A:136:LYS:HD3	1.56	0.45
1:A:161:TYR:CE1	1:A:185:LEU:HD23	2.52	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:107:ASP:O	1:A:147:PRO:HG3	2.16	0.45
1:A:224:PRO:HD2	1:A:296:ASP:HB3	1.99	0.45
1:A:290:ILE:O	1:A:293:VAL:HB	2.16	0.45
1:A:397:GLN:HG3	1:A:397:GLN:H	1.52	0.45
1:A:211:PHE:HZ	1:A:242:HIS:CD2	2.34	0.45
1:A:27:PHE:HE1	1:A:74:LEU:HD12	1.82	0.45
1:A:81:ARG:O	1:A:85:GLY:HA2	2.16	0.45
1:A:238:LEU:HD22	1:A:242:HIS:CD2	2.52	0.44
1:A:530:VAL:CG1	1:A:534:LYS:HE3	2.47	0.44
1:A:458:ASN:O	1:A:462:VAL:HG23	2.17	0.44
1:A:479:GLU:HG2	1:A:483:ASN:CB	2.45	0.44
1:A:120:VAL:HA	1:A:123:MET:HE2	1.99	0.44
1:A:216:VAL:HG22	1:A:235:VAL:HG21	1.99	0.44
1:A:140:TYR:O	1:A:144:ARG:HG2	2.16	0.44
1:A:367:HIS:HA	1:A:370:TYR:CZ	2.53	0.44
1:A:507:PHE:CD1	2:A:1005:DAO:H102	2.53	0.44
1:A:548:MET:HG2	2:A:1005:DAO:H51	1.99	0.43
1:A:23:VAL:HG12	1:A:43:VAL:HG22	1.99	0.43
1:A:27:PHE:CE1	1:A:74:LEU:HD12	2.53	0.43
1:A:173:ASP:OD2	1:A:176:ALA:HB2	2.18	0.43
1:A:408:LEU:HD13	1:A:427:SER:HB2	1.99	0.43
1:A:267:ASN:H	1:A:267:ASN:HD22	1.62	0.43
1:A:415:VAL:HB	1:A:418:VAL:CG2	2.46	0.43
1:A:517:SER:O	1:A:518:GLU:C	2.56	0.43
1:A:295:ASN:ND2	1:A:339:PRO:HB3	2.34	0.43
1:A:214:TRP:CH2	1:A:218:ARG:HD3	2.53	0.43
1:A:42:LEU:HD22	1:A:73:LYS:HD2	2.00	0.43
1:A:383:GLU:CG	1:A:384:PRO:HD3	2.43	0.43
1:A:109:ASN:O	1:A:110:PRO:C	2.57	0.43
1:A:383:GLU:OE2	1:A:485:ARG:NH1	2.50	0.42
1:A:10:ARG:HG3	1:A:66:LEU:HD11	2.00	0.42
1:A:151:ALA:CB	1:A:152:PRO:CD	2.95	0.42
1:A:445:ARG:O	1:A:448:CYS:HB3	2.20	0.42
1:A:509:PHE:CE1	1:A:551:PHE:HE2	2.37	0.42
1:A:14:LEU:HD12	1:A:14:LEU:HA	1.90	0.42
1:A:545:LYS:HA	1:A:548:MET:CE	2.50	0.42
1:A:112:LEU:HD22	1:A:144:ARG:NH1	2.35	0.42
1:A:502:PHE:CE2	1:A:503:ASN:O	2.72	0.42
1:A:241:VAL:HG22	1:A:256:ASP:HB3	2.00	0.42
1:A:59:ALA:HB3	1:A:62:CYS:SG	2.60	0.42
1:A:305:LEU:O	1:A:307:ALA:N	2.53	0.42
1:A:208:GLU:HG2	1:A:212:LYS:HD2	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:346:LEU:HD23	1:A:346:LEU:HA	1.89	0.42
1:A:341:TYR:OH	1:A:381:VAL:HG11	2.20	0.41
1:A:21:ALA:O	1:A:25:ILE:HG13	2.19	0.41
1:A:513:ILE:CD1	1:A:555:VAL:HG13	2.50	0.41
1:A:399:GLY:O	1:A:403:PHE:HB2	2.20	0.41
1:A:485:ARG:HB3	1:A:486:PRO:HD3	2.03	0.41
1:A:227:GLU:O	1:A:230:GLU:N	2.50	0.41
1:A:173:ASP:O	1:A:174:LYS:C	2.59	0.41
1:A:513:ILE:HG13	1:A:514:CYS:N	2.34	0.41
1:A:330:PHE:HZ	1:A:377:PHE:CE2	2.38	0.41
1:A:349:LEU:HD23	1:A:380:LEU:HD23	2.03	0.41
1:A:368:GLU:HA	1:A:371:ALA:HB2	2.02	0.41
1:A:357:LEU:HA	1:A:357:LEU:HD23	1.93	0.41
1:A:399:GLY:O	1:A:403:PHE:CB	2.69	0.41
1:A:231:VAL:HG21	1:A:332:TYR:CD1	2.56	0.41
1:A:532:LEU:HD11	1:A:583:LEU:CD1	2.51	0.41
1:A:331:LEU:HA	1:A:331:LEU:HD23	1.92	0.40
1:A:540:THR:HG22	1:A:541:LYS:H	1.86	0.40
1:A:286:LYS:HB2	3:A:2018:HOH:O	2.20	0.40
1:A:222:ARG:HD3	1:A:293:VAL:HG12	2.04	0.40
1:A:30:TYR:O	1:A:32:GLN:HG3	2.22	0.40
1:A:571:GLU:HA	1:A:571:GLU:OE1	2.22	0.40
1:A:430:LEU:HD12	1:A:456:VAL:HG11	2.02	0.40
1:A:544:LEU:HD12	1:A:544:LEU:HA	1.89	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	580/585 (99%)	498 (86%)	69 (12%)	13 (2%)	10 10

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	6	GLU
1	A	303	PRO
1	A	511	ALA
1	A	95	GLU
1	A	306	ALA
1	A	481	LEU
1	A	174	LYS
1	A	312	SER
1	A	441	PRO
1	A	299	PRO
1	A	205	LYS
1	A	151	ALA
1	A	366	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	439/511 (86%)	371 (84%)	68 (16%)	<b>4</b> <b>4</b>

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LYS
1	A	7	VAL
1	A	32	GLN
1	A	51	LYS
1	A	57	GLU
1	A	73	LYS
1	A	74	LEU
1	A	79	THR
1	A	81	ARG
1	A	93	LYS
1	A	95	GLU
1	A	96	PRO
1	A	103	LEU
1	A	106	LYS
1	A	107	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	114	ARG
1	A	121	ASP
1	A	122	VAL
1	A	123	MET
1	A	132	GLU
1	A	136	LYS
1	A	140	TYR
1	A	142	ILE
1	A	144	ARG
1	A	152	PRO
1	A	166	THR
1	A	185	LEU
1	A	190	LYS
1	A	192	SER
1	A	205	LYS
1	A	222	ARG
1	A	233	LYS
1	A	238	LEU
1	A	267	ASN
1	A	285	GLU
1	A	286	LYS
1	A	287	SER
1	A	293	VAL
1	A	299	PRO
1	A	302	LEU
1	A	312	SER
1	A	314	ASP
1	A	331	LEU
1	A	334	TYR
1	A	337	ARG
1	A	383	GLU
1	A	390	GLN
1	A	397	GLN
1	A	410	ARG
1	A	419	SER
1	A	423	LEU
1	A	427	SER
1	A	440	HIS
1	A	441	PRO
1	A	451	ASP
1	A	453	LEU
1	A	455	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	457	LEU
1	A	467	THR
1	A	472	ARG
1	A	480	SER
1	A	484	ARG
1	A	496	THR
1	A	503	ASN
1	A	512	ASP
1	A	523	ILE
1	A	540	THR
1	A	544	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	105	HIS
1	A	196	GLN
1	A	242	HIS
1	A	247	HIS
1	A	267	ASN
1	A	440	HIS
1	A	503	ASN
1	A	535	HIS

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	DAO	A	1001	-	12,12,13	2.04	1 (8%)	12,12,13	1.12	1 (8%)
2	DAO	A	1002	-	13,13,13	0.55	0	13,13,13	1.06	1 (7%)
2	DAO	A	1003	-	12,12,13	1.85	1 (8%)	12,12,13	1.09	1 (8%)
2	DAO	A	1004	-	13,13,13	0.55	0	13,13,13	1.02	1 (7%)
2	DAO	A	1005	-	12,12,13	1.80	1 (8%)	12,12,13	1.02	1 (8%)
2	DAO	A	1006	-	13,13,13	0.65	0	13,13,13	0.88	1 (7%)
2	DAO	A	1007	-	10,11,13	0.39	0	9,10,13	1.33	1 (11%)
2	DAO	A	1008	-	8,9,13	1.98	1 (12%)	7,8,13	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DAO	A	1001	-	-	0/10/10/11	0/0/0/0
2	DAO	A	1002	-	-	0/11/11/11	0/0/0/0
2	DAO	A	1003	-	-	0/10/10/11	0/0/0/0
2	DAO	A	1004	-	-	0/11/11/11	0/0/0/0
2	DAO	A	1005	-	-	0/10/10/11	0/0/0/0
2	DAO	A	1006	-	-	0/11/11/11	0/0/0/0
2	DAO	A	1007	-	-	0/9/9/11	0/0/0/0
2	DAO	A	1008	-	-	0/7/7/11	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	DAO	C11-C10	-6.76	1.52	1.55
2	A	1003	DAO	C11-C10	-6.01	1.52	1.55
2	A	1005	DAO	C11-C10	-5.80	1.52	1.55
2	A	1008	DAO	C10-C9	-5.57	1.52	1.55

All (7) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1007	DAO	C4-C3-C2	-3.76	105.10	112.62
2	A	1002	DAO	C4-C3-C2	-2.40	104.24	113.28
2	A	1001	DAO	C4-C3-C2	-2.33	104.51	113.28
2	A	1004	DAO	C4-C3-C2	-2.26	104.77	113.28
2	A	1005	DAO	C4-C3-C2	-2.26	104.77	113.28
2	A	1006	DAO	C4-C3-C2	-2.17	105.08	113.28
2	A	1003	DAO	C4-C3-C2	-2.03	105.61	113.28

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	582/585 (99%)	-0.15	11 (1%) 64 61	32, 59, 91, 100	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	3	HIS	4.2
1	A	559	CYS	3.4
1	A	301	ASP	2.7
1	A	128	HIS	2.6
1	A	95	GLU	2.6
1	A	561	ALA	2.4
1	A	558	CYS	2.4
1	A	178	LEU	2.3
1	A	360	CYS	2.3
1	A	80	LEU	2.2
1	A	390	GLN	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	DAO	A	1006	14/14	0.20	3.56	55,68,92,92	0
2	DAO	A	1008	10/14	0.17	2.07	64,66,75,75	0
2	DAO	A	1007	12/14	0.15	0.89	53,60,79,81	0
2	DAO	A	1003	13/14	0.15	0.81	55,58,63,64	0
2	DAO	A	1005	13/14	0.15	0.81	53,59,68,69	0
2	DAO	A	1002	14/14	0.13	0.32	53,58,62,64	0
2	DAO	A	1004	14/14	0.12	0.21	49,54,63,66	0
2	DAO	A	1001	13/14	0.12	-0.11	77,81,82,83	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.