



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 11:36 PM GMT

PDB ID : 1E7R
Title : GDP 4-KETO-6-DEOXY-D-MANNOSEPIPERASE REDUCTASE Y136E
Authors : Rosano, C.; Izzo, G.; Bolognesi, M.
Deposited on : 2000-09-07
Resolution : 1.60 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	2199 (1.60-1.60)
Ramachandran outliers	78287	2126 (1.60-1.60)
Sidechain outliers	78261	2125 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	321	

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 2917 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called GDP-FUCOSE SYNTHETASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	314	2488	1569	447	459	13	38	2	0

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	136	GLU	TYR	ENGINEERED MUTATION	UNP P32055
A	195	SER	ASN	CONFLICT	UNP P32055

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDEPHOSPHATE (three-letter code: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	48	21	7	17	3	0	0

- Molecule 3 is ACETYLPHOSPHATE (three-letter code: UVW) (formula: $C_2H_5O_5P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			8	2	5	1		

- Molecule 4 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: C₄H₁₂NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			8	4	1	3		
4	A	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	347	Total	O	0	0
			347	347		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: GDP-FUCOSE SYNTHETASE

Chain A: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	103.30Å 103.30Å 75.00Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	10.00 – 1.60	Depositor
% Data completeness (in resolution range)	98.6 (10.00-1.60)	Depositor
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.139 , 0.180	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2917	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TRS, UVW, NAP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	2.77	8/2555 (0.3%)	1.82	53/3466 (1.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	8

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	230	GLU	CG-CD	131.81	3.49	1.51
1	A	283	LYS	CD-CE	9.93	1.76	1.51
1	A	113	LYS	CD-CE	-9.45	1.27	1.51
1	A	55	ARG	CG-CD	8.25	1.72	1.51
1	A	114	LEU	CG-CD1	7.11	1.78	1.51
1	A	234	GLU	CB-CG	-6.57	1.39	1.52
1	A	251	CYS	CB-SG	-6.02	1.72	1.82
1	A	269	ARG	CD-NE	-5.24	1.37	1.46

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	26	ARG	NE-CZ-NH2	-32.40	104.10	120.30
1	A	230	GLU	CB-CG-CD	-29.42	34.77	114.20
1	A	26	ARG	CD-NE-CZ	15.59	145.42	123.60
1	A	289	ARG	NE-CZ-NH2	-15.21	112.69	120.30
1	A	114	LEU	CB-CG-CD1	-14.99	85.52	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	124	LEU	CB-CG-CD2	14.34	135.38	111.00
1	A	152	ARG	NE-CZ-NH2	-14.02	113.29	120.30
1	A	26	ARG	NE-CZ-NH1	12.87	126.73	120.30
1	A	230	GLU	CG-CD-OE1	-12.47	93.36	118.30
1	A	230	GLU	CG-CD-OE2	11.18	140.67	118.30
1	A	266	TYR	CB-CG-CD1	11.07	127.64	121.00
1	A	34	ARG	NE-CZ-NH2	-10.96	114.82	120.30
1	A	289	ARG	NH1-CZ-NH2	10.89	131.38	119.40
1	A	152	ARG	NE-CZ-NH1	10.36	125.48	120.30
1	A	209	ARG	NE-CZ-NH2	-10.03	115.29	120.30
1	A	98	ASP	CB-CG-OD2	-9.86	109.43	118.30
1	A	273	ASP	CB-CG-OD2	-9.20	110.02	118.30
1	A	289	ARG	NE-CZ-NH1	-9.09	115.76	120.30
1	A	36	ARG	NE-CZ-NH1	-8.98	115.81	120.30
1	A	21	ARG	NE-CZ-NH2	-8.82	115.89	120.30
1	A	5	ARG	CD-NE-CZ	8.79	135.90	123.60
1	A	26	ARG	NH1-CZ-NH2	8.56	128.82	119.40
1	A	37	ASP	CB-CG-OD1	8.25	125.73	118.30
1	A	37	ASP	CB-CG-OD2	-8.03	111.07	118.30
1	A	209	ARG	NE-CZ-NH1	7.79	124.20	120.30
1	A	251	CYS	N-CA-CB	-6.94	98.10	110.60
1	A	20[A]	ARG	NE-CZ-NH2	-6.86	116.87	120.30
1	A	20[B]	ARG	NE-CZ-NH2	-6.86	116.87	120.30
1	A	130	GLU	OE1-CD-OE2	6.84	131.51	123.30
1	A	195	SER	N-CA-CB	6.59	120.39	110.50
1	A	167	TYR	CB-CG-CD1	6.58	124.95	121.00
1	A	289	ARG	CG-CD-NE	-6.56	98.03	111.80
1	A	167	TYR	CB-CG-CD2	-6.16	117.30	121.00
1	A	286	ASP	CB-CG-OD1	-6.16	112.76	118.30
1	A	250	ASP	CB-CA-C	-5.92	98.57	110.40
1	A	124	LEU	CA-CB-CG	5.89	128.85	115.30
1	A	282	ARG	NE-CZ-NH2	-5.84	117.38	120.30
1	A	266	TYR	CZ-CE2-CD2	-5.79	114.59	119.80
1	A	37	ASP	CA-CB-CG	-5.73	100.79	113.40
1	A	269	ARG	CD-NE-CZ	5.67	131.54	123.60
1	A	124	LEU	CD1-CG-CD2	-5.66	93.51	110.50
1	A	57	ASP	CB-CG-OD2	5.32	123.09	118.30
1	A	283	LYS	CG-CD-CE	-5.32	95.94	111.90
1	A	75	TYR	CB-CG-CD2	5.23	124.14	121.00
1	A	114	LEU	CD1-CG-CD2	5.19	126.08	110.50
1	A	4	GLN	OE1-CD-NE2	5.19	133.84	121.90
1	A	254	ARG	NE-CZ-NH1	-5.16	117.72	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	98	ASP	CA-CB-CG	-5.13	102.11	113.40
1	A	266	TYR	CB-CG-CD2	-5.11	117.93	121.00
1	A	78	ASP	CB-CG-OD2	-5.10	113.71	118.30
1	A	123	GLU	CG-CD-OE2	-5.06	108.19	118.30
1	A	20[A]	ARG	NH1-CZ-NH2	5.02	124.93	119.40
1	A	20[B]	ARG	NH1-CZ-NH2	5.02	124.93	119.40

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	123	GLU	Sidechain
1	A	126	GLN	Sidechain
1	A	176	SER	Mainchain
1	A	199	VAL	Mainchain
1	A	25	GLN	Mainchain
1	A	255	GLU	Sidechain
1	A	266	TYR	Sidechain
1	A	98	ASP	Sidechain

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2488	0	2451	62	0
2	A	48	0	24	6	0
3	A	8	0	3	5	0
4	A	16	0	23	7	0
5	A	10	0	0	0	0
6	A	347	0	0	28	3
All	All	2917	0	2501	74	3

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 15.

All (74) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:114:LEU:CG	1:A:114:LEU:CD1	1.78	1.59
1:A:110:ILE:HD12	1:A:124:LEU:CD2	1.30	1.53
1:A:110:ILE:CD1	1:A:124:LEU:HD22	1.61	1.28
1:A:114:LEU:CB	1:A:114:LEU:CD1	2.26	1.13
1:A:193:ALA:HB2	6:A:2204:HOH:O	1.49	1.13
1:A:110:ILE:CD1	1:A:124:LEU:CD2	2.25	1.05
4:A:1319:TRS:O1	6:A:2338:HOH:O	1.77	0.98
1:A:15:VAL:HG13	1:A:217[B]:MET:HE1	1.46	0.97
1:A:48:HIS:CE1	1:A:92:HIS:HD2	1.81	0.97
1:A:110:ILE:HD12	1:A:124:LEU:HD21	1.47	0.96
1:A:48:HIS:HE1	1:A:92:HIS:HD2	0.97	0.94
1:A:284:LEU:HA	6:A:2292:HOH:O	1.67	0.94
1:A:48:HIS:HE1	1:A:92:HIS:CD2	1.87	0.92
2:A:1317:NAP:O2N	2:A:1317:NAP:O2A	1.90	0.90
1:A:287:VAL:HG13	6:A:2294:HOH:O	1.72	0.90
1:A:26:ARG:HG3	1:A:28:ASP:OD1	1.72	0.88
1:A:15:VAL:HG13	1:A:217[B]:MET:CE	2.04	0.86
1:A:110:ILE:HD12	1:A:124:LEU:HD22	0.87	0.85
1:A:287:VAL:HG22	6:A:2294:HOH:O	1.84	0.77
1:A:261:ALA:HB3	6:A:2254:HOH:O	1.86	0.74
3:A:1318:UVW:H1M1	6:A:2335:HOH:O	1.87	0.73
1:A:172:ASN:HD22	1:A:172:ASN:C	1.93	0.71
1:A:114:LEU:HB2	1:A:114:LEU:CD1	2.19	0.68
1:A:287:VAL:N	6:A:2294:HOH:O	2.27	0.67
1:A:291:HIS:HD2	6:A:2123:HOH:O	1.76	0.67
1:A:136:GLU:HG3	1:A:140:LYS:HE2	1.76	0.66
1:A:152:ARG:NH2	6:A:2174:HOH:O	2.21	0.65
1:A:26:ARG:CG	1:A:28:ASP:OD1	2.45	0.65
1:A:269:ARG:HD3	6:A:2270:HOH:O	1.95	0.64
1:A:72:ASN:O	6:A:2085:HOH:O	2.15	0.64
1:A:193:ALA:CB	6:A:2204:HOH:O	2.25	0.63
1:A:48:HIS:CE1	1:A:92:HIS:CD2	2.71	0.63
1:A:126:GLN:NE2	6:A:2154:HOH:O	2.34	0.61
1:A:188:PHE:HB3	1:A:264:VAL:HG21	1.84	0.59
4:A:1322:TRS:O3	6:A:2346:HOH:O	2.17	0.59
1:A:110:ILE:CG1	1:A:124:LEU:HD22	2.31	0.58
1:A:193:ALA:CA	6:A:2204:HOH:O	2.51	0.57
1:A:130:GLU:OE1	6:A:2160:HOH:O	2.17	0.57
1:A:170:HIS:NE2	4:A:1322:TRS:H32	2.20	0.56
3:A:1318:UVW:C1M	6:A:2335:HOH:O	2.50	0.56
4:A:1319:TRS:H12	6:A:2342:HOH:O	2.06	0.56
4:A:1319:TRS:O2	6:A:2341:HOH:O	1.54	0.56
2:A:1317:NAP:O3B	6:A:2330:HOH:O	2.15	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:291:HIS:HE1	6:A:2309:HOH:O	1.90	0.53
3:A:1318:UVW:C1M	3:A:1318:UVW:O3P	2.54	0.52
1:A:110:ILE:HD12	1:A:124:LEU:HD23	1.67	0.52
3:A:1318:UVW:H1M1	3:A:1318:UVW:O3P	2.10	0.52
1:A:26:ARG:HH11	1:A:26:ARG:HG2	1.74	0.52
1:A:44:SER:O	1:A:48:HIS:HD2	1.93	0.51
1:A:106:GLY:HA3	1:A:162:MET:SD	2.52	0.50
2:A:1317:NAP:C3B	2:A:1317:NAP:O3X	2.59	0.50
1:A:163:PRO:HB3	1:A:217[A]:MET:SD	2.52	0.50
1:A:163:PRO:HG2	2:A:1317:NAP:C6N	2.41	0.49
1:A:81:TYR:CZ	1:A:85:MET:HG3	2.47	0.49
1:A:114:LEU:HB2	1:A:114:LEU:HD12	1.92	0.49
1:A:227:LEU:HD13	1:A:293:LEU:HD22	1.95	0.48
1:A:289:ARG:HG2	6:A:2300:HOH:O	2.14	0.47
1:A:166:LEU:HB2	2:A:1317:NAP:N7N	2.31	0.46
1:A:44:SER:HB2	6:A:2111:HOH:O	2.15	0.45
1:A:172:ASN:C	1:A:172:ASN:ND2	2.62	0.45
1:A:71:ALA:HB2	3:A:1318:UVW:H1M2	1.98	0.44
1:A:14:MET:N	2:A:1317:NAP:O2A	2.43	0.44
1:A:114:LEU:HB3	1:A:114:LEU:CD1	2.36	0.43
1:A:24:GLU:OE1	6:A:2025:HOH:O	2.21	0.43
1:A:21:ARG:HD3	4:A:1322:TRS:H31	2.00	0.43
1:A:193:ALA:N	6:A:2204:HOH:O	2.52	0.42
4:A:1322:TRS:O2	4:A:1322:TRS:O3	2.36	0.42
1:A:117:GLN:NE2	1:A:284:LEU:H	2.17	0.41
1:A:235:ASN:HB2	1:A:293:LEU:HD21	2.02	0.41
1:A:229:HIS:HE1	6:A:2183:HOH:O	2.04	0.41
1:A:117:GLN:HA	1:A:118:PRO:C	2.41	0.41
1:A:110:ILE:HD11	1:A:162:MET:HG3	2.03	0.40
1:A:287:VAL:CG1	6:A:2294:HOH:O	2.49	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
6:A:2110:HOH:O	6:A:2110:HOH:O[5_555]	0.92	1.28
6:A:2111:HOH:O	6:A:2111:HOH:O[5_555]	1.84	0.36
6:A:2164:HOH:O	6:A:2168:HOH:O[5_555]	2.13	0.07

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	314/321 (98%)	308 (98%)	6 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	267/271 (98%)	261 (98%)	6 (2%)	64	34

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	ARG
1	A	40	ASN
1	A	98	ASP
1	A	124	LEU
1	A	126	GLN
1	A	172	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	ASN
1	A	48	HIS
1	A	92	HIS
1	A	117	GLN
1	A	172	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	229	HIS
1	A	237	GLN
1	A	242	HIS
1	A	291	HIS
1	A	315	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAP	A	1317	-	52,52,52	1.41	8 (15%)	80,80,80	3.27	28 (35%)
3	UVW	A	1318	-	7,7,7	7.66	4 (57%)	10,10,10	6.98	4 (40%)
4	TRS	A	1319	-	7,7,7	2.39	2 (28%)	9,9,9	5.11	6 (66%)
5	SO4	A	1320	-	4,4,4	1.05	0	6,6,6	0.21	0
5	SO4	A	1321	-	4,4,4	1.37	0	6,6,6	2.09	2 (33%)
4	TRS	A	1322	-	7,7,7	2.22	4 (57%)	9,9,9	7.36	5 (55%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	1317	-	-	0/35/67/67	0/3/5/5
3	UVW	A	1318	-	-	0/3/5/5	0/0/0/0
4	TRS	A	1319	-	-	0/9/9/9	0/0/0/0
5	SO4	A	1320	-	-	0/0/0/0	0/0/0/0
5	SO4	A	1321	-	-	0/0/0/0	0/0/0/0
4	TRS	A	1322	-	-	0/9/9/9	0/0/0/0

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1318	UVW	O2-C1	17.55	1.60	1.37
3	A	1318	UVW	P-O2	-7.41	1.48	1.60
3	A	1318	UVW	C1M-C1	-6.05	1.27	1.49
2	A	1317	NAP	C2N-N1N	3.98	1.40	1.35
2	A	1317	NAP	C2N-C3N	3.92	1.44	1.38
4	A	1319	TRS	C3-C	3.91	1.61	1.53
4	A	1319	TRS	O1-C1	3.68	1.54	1.42
4	A	1322	TRS	O1-C1	3.38	1.53	1.42
2	A	1317	NAP	C2D-C1D	3.12	1.57	1.53
4	A	1322	TRS	C-N	2.61	1.54	1.50
2	A	1317	NAP	C3B-C2B	-2.48	1.47	1.53
3	A	1318	UVW	P-O2P	-2.48	1.45	1.54
4	A	1322	TRS	C2-C	2.42	1.58	1.53
2	A	1317	NAP	C8A-N9A	2.41	1.40	1.36
2	A	1317	NAP	C5A-C4A	-2.13	1.35	1.40
4	A	1322	TRS	C3-C	2.08	1.57	1.53
2	A	1317	NAP	PA-O1A	-2.05	1.43	1.51
2	A	1317	NAP	C2D-C3D	-2.02	1.47	1.53

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1318	UVW	O2-C1-O1	-17.17	109.17	122.07
4	A	1322	TRS	O1-C1-C	16.98	148.75	111.55
2	A	1317	NAP	O4B-C1B-N9A	16.00	123.32	108.44
3	A	1318	UVW	P-O2-C1	-12.95	97.46	120.80
4	A	1322	TRS	C1-C-N	10.47	136.75	108.30
4	A	1319	TRS	C1-C-N	9.45	133.97	108.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1317	NAP	C4B-O4B-C1B	-8.68	100.32	109.75
4	A	1319	TRS	O1-C1-C	8.09	129.28	111.55
2	A	1317	NAP	C2D-C1D-N1N	-7.36	101.40	113.86
2	A	1317	NAP	O2A-PA-O3	-6.61	73.78	105.14
2	A	1317	NAP	O3X-P2B-O1X	-6.61	88.85	110.44
4	A	1319	TRS	C3-C-N	-6.44	90.79	108.30
4	A	1322	TRS	C2-C-N	-6.36	91.02	108.30
2	A	1317	NAP	O3X-P2B-O2B	-6.20	89.23	107.09
2	A	1317	NAP	O4B-C1B-C2B	6.12	112.67	106.95
2	A	1317	NAP	O4D-C1D-N1N	5.22	113.30	107.95
4	A	1322	TRS	C3-C-N	-5.06	94.55	108.30
2	A	1317	NAP	O3X-P2B-O2X	-4.83	88.82	107.61
2	A	1317	NAP	O4B-C4B-C3B	4.54	114.37	105.17
2	A	1317	NAP	O2X-P2B-O1X	4.54	125.27	110.44
2	A	1317	NAP	O2X-P2B-O2B	4.49	120.01	107.09
5	A	1321	SO4	O2-S-O1	4.40	124.08	109.53
4	A	1322	TRS	O3-C3-C	4.30	120.98	111.55
2	A	1317	NAP	C8A-N9A-C4A	-4.28	103.63	106.90
2	A	1317	NAP	C2B-C1B-N9A	-3.81	99.28	113.74
4	A	1319	TRS	O3-C3-C	-3.72	103.40	111.55
4	A	1319	TRS	C3-C-C1	-3.70	104.62	110.70
2	A	1317	NAP	O7N-C7N-N7N	-3.69	117.26	122.59
2	A	1317	NAP	O7N-C7N-C3N	3.43	123.44	119.58
2	A	1317	NAP	P2B-O2B-C2B	3.23	128.76	121.96
3	A	1318	UVW	O3P-P-O2	3.15	116.90	105.42
2	A	1317	NAP	N3A-C2A-N1A	-3.11	126.11	128.71
2	A	1317	NAP	O4D-C1D-C2D	-3.07	102.07	106.77
4	A	1319	TRS	C3-C-C2	-2.99	105.80	110.70
2	A	1317	NAP	O5B-C5B-C4B	-2.90	98.29	108.94
2	A	1317	NAP	O2A-PA-O1A	2.90	128.39	112.21
2	A	1317	NAP	O2B-P2B-O1X	2.80	114.62	106.79
2	A	1317	NAP	O2B-C2B-C3B	2.72	122.18	111.54
3	A	1318	UVW	O1-C1-C1M	2.70	134.84	124.96
2	A	1317	NAP	O3-PN-O1N	-2.64	102.52	108.83
2	A	1317	NAP	C5N-C4N-C3N	2.61	123.71	120.32
2	A	1317	NAP	PN-O3-PA	-2.55	121.99	132.95
2	A	1317	NAP	O4B-C4B-C5B	2.51	118.31	109.36
5	A	1321	SO4	O4-S-O3	-2.51	98.49	109.08
2	A	1317	NAP	C3N-C2N-N1N	-2.09	116.85	120.36

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.