



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 11:39 PM GMT

PDB ID : 1E7W
Title : ONE ACTIVE SITE, TWO MODES OF REDUCTION CORRELATE
THE MECHANISM OF LEISHMANIA PTERIDINE REDUCTASE WITH
PTERIN METABOLISM AND ANTIFOLATE DRUG RESISTANCE IN TR-
PANOSOMES
Authors : Gourley, D.G.; Hunter, W.N.
Deposited on : 2000-09-11
Resolution : 1.75 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	1304 (1.76-1.76)
Ramachandran outliers	78287	1288 (1.76-1.76)
Sidechain outliers	78261	1288 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	291	
1	B	291	

2 Entry composition i


There are 5 unique types of molecules in this entry. The entry contains 4584 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PTERIDINE REDUCTASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	267	Total	C	N	O	S	12	2	0
			1996	1260	353	372	11			
1	B	258	Total	C	N	O	S	20	1	0
			1938	1220	348	360	10			

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDEPHOSPHATE (three-letter code: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is METHOTREXATE (three-letter code: MTX) (formula: $C_{20}H_{22}N_8O_5$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			33	20	8	5		
3	B	1	Total	C	N	O	0	0
			33	20	8	5		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	265	Total	O	0	0
			265	265		
5	B	211	Total	O	0	0
			211	211		

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: PTERIDINE REDUCTASE



• Molecule 1: PTERIDINE REDUCTASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	80.31Å 80.80Å 90.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.75	Depositor
% Data completeness (in resolution range)	98.2 (30.00-1.75)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.45	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.196 , 0.244	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4584	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, MTX, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.81	0/2044	1.53	22/2786 (0.8%)
1	B	0.65	0/1976	1.42	21/2684 (0.8%)
All	All	0.74	0/4020	1.48	43/5470 (0.8%)

There are no bond length outliers.

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	287	ARG	NE-CZ-NH2	17.29	128.94	120.30
1	A	242	ARG	NE-CZ-NH1	15.02	127.81	120.30
1	A	88	ARG	NE-CZ-NH2	11.67	126.13	120.30
1	B	287	ARG	NE-CZ-NH1	-10.51	115.04	120.30
1	A	287	ARG	NE-CZ-NH2	10.42	125.51	120.30
1	A	218	ARG	NE-CZ-NH2	-10.07	115.27	120.30
1	A	242	ARG	NE-CZ-NH2	-9.64	115.48	120.30
1	A	218	ARG	CD-NE-CZ	8.67	135.74	123.60
1	A	206	ARG	NE-CZ-NH2	-8.42	116.09	120.30
1	B	206	ARG	NE-CZ-NH2	-8.34	116.13	120.30
1	A	242	ARG	CD-NE-CZ	8.28	135.19	123.60
1	B	181	ASP	CB-CG-OD1	8.08	125.57	118.30
1	B	54	ARG	NE-CZ-NH1	7.89	124.25	120.30
1	A	211	GLU	OE1-CD-OE2	-7.45	114.36	123.30
1	B	17	ARG	NE-CZ-NH1	7.43	124.01	120.30
1	B	137	GLU	CB-CA-C	7.37	125.14	110.40
1	B	55	ARG	NE-CZ-NH2	-7.13	116.73	120.30
1	B	170	ARG	NE-CZ-NH1	-7.11	116.75	120.30
1	A	218	ARG	NH1-CZ-NH2	7.00	127.10	119.40
1	B	202	GLU	OE1-CD-OE2	-6.55	115.43	123.30
1	A	17	ARG	NE-CZ-NH2	-6.43	117.08	120.30
1	A	17	ARG	CD-NE-CZ	6.28	132.39	123.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	242	ARG	CB-CA-C	6.25	122.89	110.40
1	A	231	ASP	CB-CG-OD2	-6.17	112.74	118.30
1	B	102	ARG	CD-NE-CZ	6.12	132.17	123.60
1	A	152	TYR	CB-CG-CD1	-6.10	117.34	121.00
1	B	150	ALA	CB-CA-C	5.98	119.08	110.10
1	B	161	ARG	CD-NE-CZ	-5.83	115.44	123.60
1	A	206	ARG	NE-CZ-NH1	5.77	123.18	120.30
1	B	17	ARG	CD-NE-CZ	5.74	131.63	123.60
1	A	244	LYS	O-C-N	5.70	131.83	122.70
1	B	161	ARG	CG-CD-NE	5.68	123.73	111.80
1	A	37	TYR	CB-CG-CD1	-5.54	117.68	121.00
1	A	218	ARG	NE-CZ-NH1	-5.33	117.64	120.30
1	B	218	ARG	CD-NE-CZ	5.26	130.97	123.60
1	A	153	PHE	CB-CG-CD2	-5.21	117.15	120.80
1	B	20	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	B	248	TYR	CB-CG-CD2	-5.13	117.92	121.00
1	A	39	ARG	NE-CZ-NH2	-5.13	117.74	120.30
1	B	105	VAL	CA-CB-CG1	5.08	118.52	110.90
1	B	142	ASP	CB-CG-OD1	5.06	122.86	118.30
1	A	150	ALA	N-CA-CB	5.04	117.16	110.10
1	B	189	LEU	CA-CB-CG	5.00	126.81	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1996	0	2008	25	0
1	B	1938	0	1950	27	0
2	A	48	0	26	0	0
2	B	48	0	25	0	0
3	A	33	0	20	7	0
3	B	33	0	18	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	8	0	12	0	0
4	B	4	0	6	0	0
5	A	265	0	0	6	1
5	B	211	0	0	8	2
All	All	4584	0	4065	56	2

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 7.

All (56) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:244:LYS:HA	1:A:244:LYS:HE2	1.33	1.07
1:A:232:ASP:OD2	3:A:301:MTX:H7	1.77	0.84
1:A:244:LYS:HE2	1:A:244:LYS:CA	2.10	0.81
1:B:191:TYR:OH	3:B:301:MTX:O2	2.07	0.72
1:B:39[A]:ARG:HH11	1:B:39[A]:ARG:HG2	1.58	0.69
1:A:87:THR:OG1	1:B:133:ARG:NH1	2.26	0.68
1:B:39[A]:ARG:HG2	1:B:39[A]:ARG:NH1	2.09	0.67
3:B:301:MTX:HG1	5:B:2130:HOH:O	1.95	0.66
1:A:134:GLU:O	1:A:138:THR:HG23	1.97	0.64
1:B:238:TRP:CE3	1:B:238:TRP:HA	2.33	0.63
1:B:12:THR:HA	1:B:36:HIS:HB3	1.85	0.58
1:A:144:PHE:CE2	1:A:193:ILE:HG23	2.39	0.57
3:B:301:MTX:CG	5:B:2130:HOH:O	2.53	0.57
1:B:26:LEU:HG	1:B:262:ILE:HD11	1.87	0.57
1:A:244:LYS:HA	1:A:244:LYS:CE	2.22	0.55
3:B:301:MTX:HB2	5:B:2130:HOH:O	2.07	0.55
1:A:191:TYR:OH	3:A:301:MTX:HA	2.07	0.54
1:A:144:PHE:CE2	1:B:149:ILE:CD1	2.91	0.54
1:A:175:SER:HB2	5:A:2224:HOH:O	2.09	0.53
1:A:74:VAL:HG23	5:A:2091:HOH:O	2.09	0.52
1:B:191:TYR:HE1	3:B:301:MTX:HG2	1.74	0.52
1:B:7:PRO:HB2	1:B:31:TYR:CE2	2.46	0.50
3:A:301:MTX:HG2	3:A:301:MTX:O	2.12	0.50
1:B:238:TRP:HZ3	1:B:241:HIS:CG	2.31	0.49
1:B:16:LYS:HA	1:B:20:ARG:HB2	1.95	0.48
1:A:87:THR:O	1:A:91:GLU:HG3	2.14	0.47
1:B:38:HIS:HD2	5:B:2204:HOH:O	1.98	0.46
1:B:39[A]:ARG:HH11	1:B:39[A]:ARG:CG	2.23	0.46
1:A:38:HIS:HD2	5:A:2255:HOH:O	1.99	0.46
1:A:226:LEU:HD22	3:A:301:MTX:HM2	1.97	0.46
1:A:149:ILE:CD1	1:B:144:PHE:CE2	2.99	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:81:ALA:HB1	1:A:82:PRO:CD	2.47	0.45
3:A:301:MTX:H15	3:A:301:MTX:HM1	1.55	0.45
1:A:232:ASP:OD2	3:A:301:MTX:C7	2.59	0.45
1:A:213:ALA:N	1:A:214:PRO:CD	2.79	0.45
1:A:12:THR:HA	1:A:36:HIS:HB3	1.98	0.45
3:B:301:MTX:H15	3:B:301:MTX:HM1	1.57	0.44
1:A:229:LEU:HB2	1:A:238:TRP:CD1	2.53	0.43
3:A:301:MTX:H16	5:A:2259:HOH:O	2.18	0.43
1:A:74:VAL:O	5:A:2092:HOH:O	2.21	0.43
1:A:136:MET:HE1	1:B:86:PHE:CE2	2.54	0.43
3:B:301:MTX:CB	5:B:2130:HOH:O	2.67	0.43
1:A:246:PRO:O	1:A:249:GLN:NE2	2.52	0.43
1:B:238:TRP:HD1	5:B:2038:HOH:O	2.00	0.43
1:B:97:TYR:O	1:B:101:GLY:N	2.36	0.43
1:B:191:TYR:OH	3:B:301:MTX:CT	2.66	0.42
1:B:191:TYR:HH	3:B:301:MTX:CT	2.25	0.42
1:B:161:ARG:HD2	5:B:2072:HOH:O	2.19	0.42
1:B:230:VAL:O	1:B:231:ASP:C	2.57	0.42
1:B:191:TYR:HE1	3:B:301:MTX:CG	2.33	0.42
1:B:87:THR:O	1:B:91:GLU:HG3	2.20	0.41
1:A:148:ALA:C	1:A:151:PRO:HD2	2.41	0.41
1:A:16:LYS:HG2	5:A:2003:HOH:O	2.20	0.41
1:B:230:VAL:HG22	5:B:2038:HOH:O	2.20	0.41
1:B:238:TRP:CZ3	1:B:241:HIS:CG	3.09	0.40
1:B:155:ILE:HG12	1:B:176:ILE:HD13	2.02	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
5:A:2133:HOH:O	5:B:2131:HOH:O[2_555]	1.91	0.29
5:B:2148:HOH:O	5:B:2168:HOH:O[2_555]	2.16	0.04

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/291 (90%)	248 (94%)	14 (5%)	1 (0%)	43	21
1	B	251/291 (86%)	238 (95%)	12 (5%)	1 (0%)	43	21
All	All	514/582 (88%)	486 (95%)	26 (5%)	2 (0%)	43	21

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	180	VAL
1	B	180	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	210/225 (93%)	207 (99%)	3 (1%)	78	62
1	B	201/225 (89%)	193 (96%)	8 (4%)	42	16
All	All	411/450 (91%)	400 (97%)	11 (3%)	60	30

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	74	VAL
1	A	138	THR
1	A	242	ARG
1	B	16	LYS
1	B	39[A]	ARG
1	B	39[B]	ARG
1	B	161	ARG
1	B	189	LEU
1	B	229	LEU
1	B	231	ASP
1	B	275	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	HIS
1	A	241	HIS
1	A	249	GLN
1	B	38	HIS
1	B	57	ASN
1	B	63	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	A	1289	-	3,3,3	0.71	0	2,2,2	0.36	0
4	EDO	A	1290	-	3,3,3	0.54	0	2,2,2	0.27	0
2	NDP	A	300	-	52,52,52	1.70	13 (25%)	80,80,80	2.51	18 (22%)
3	MTX	A	301	-	35,35,35	1.66	7 (20%)	49,49,49	2.48	18 (36%)
4	EDO	B	1289	-	3,3,3	0.86	0	2,2,2	0.81	0
2	NDP	B	300	-	52,52,52	1.45	9 (17%)	80,80,80	2.64	21 (26%)
3	MTX	B	301	-	35,35,35	2.01	7 (20%)	49,49,49	3.58	14 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	1289	-	-	0/1/1/1	0/0/0/0
4	EDO	A	1290	-	-	0/1/1/1	0/0/0/0
2	NDP	A	300	-	-	0/35/77/77	0/3/5/5
3	MTX	A	301	-	-	0/25/25/25	0/1/3/3
4	EDO	B	1289	-	-	0/1/1/1	0/0/0/0
2	NDP	B	300	-	-	0/35/77/77	0/3/5/5
3	MTX	B	301	-	-	0/25/25/25	0/1/3/3

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	301	MTX	C7-N8	5.73	1.42	1.31
3	B	301	MTX	CM-N10	5.61	1.54	1.46
2	A	300	NDP	C4A-N9A	-4.21	1.31	1.37
3	A	301	MTX	C7-N8	4.16	1.39	1.31
2	A	300	NDP	C4N-C3N	-4.14	1.42	1.50
3	A	301	MTX	C9-N10	-4.09	1.39	1.46
3	B	301	MTX	C9-N10	-3.93	1.40	1.46
3	A	301	MTX	CM-N10	3.83	1.51	1.46
2	A	300	NDP	C6N-C5N	3.81	1.41	1.33
2	B	300	NDP	C4A-N9A	-3.65	1.32	1.37
2	A	300	NDP	C7N-C3N	3.64	1.55	1.47
3	B	301	MTX	CA-N	-3.62	1.37	1.45
2	B	300	NDP	C4N-C5N	-3.59	1.41	1.49
2	B	300	NDP	C4N-C3N	-3.53	1.43	1.50
3	A	301	MTX	C11-C	-3.48	1.42	1.50
3	B	301	MTX	C6-N5	3.41	1.40	1.32
3	B	301	MTX	C11-C	-3.27	1.43	1.50
2	A	300	NDP	PN-O2N	-3.16	1.40	1.55
2	A	300	NDP	P2B-O3X	-3.01	1.43	1.54
2	A	300	NDP	C2N-N1N	2.99	1.42	1.36
2	A	300	NDP	C4N-C5N	-2.98	1.42	1.49
2	B	300	NDP	C7N-C3N	2.86	1.53	1.47
2	A	300	NDP	PA-O3	2.63	1.64	1.59
2	A	300	NDP	PA-O2A	-2.59	1.43	1.55
3	A	301	MTX	C6-N5	2.56	1.38	1.32
3	B	301	MTX	C2-N3	2.44	1.40	1.35
2	B	300	NDP	C6N-C5N	2.44	1.38	1.33
3	A	301	MTX	C9-C6	2.33	1.55	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	300	NDP	PA-O2A	-2.32	1.44	1.55
2	B	300	NDP	P2B-O3X	-2.31	1.46	1.54
2	B	300	NDP	C6N-N1N	2.21	1.44	1.37
2	A	300	NDP	C2N-C3N	2.20	1.39	1.34
2	A	300	NDP	P2B-O2X	-2.16	1.46	1.54
3	A	301	MTX	C2-N3	2.15	1.39	1.35
2	B	300	NDP	C2N-N1N	2.11	1.40	1.36
2	A	300	NDP	PN-O5D	2.04	1.68	1.59

All (71) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	300	NDP	O4B-C1B-N9A	17.66	124.86	108.44
2	A	300	NDP	O4B-C1B-N9A	14.78	122.19	108.44
3	B	301	MTX	CA-N-C	13.71	152.40	121.80
3	B	301	MTX	CB-CA-N	13.49	136.53	110.83
2	A	300	NDP	C8A-N9A-C4A	7.16	112.36	106.90
3	B	301	MTX	C9-N10-C14	6.73	133.36	119.36
2	B	300	NDP	N3A-C2A-N1A	-6.06	123.64	128.71
3	B	301	MTX	N1-C2-N3	-6.04	118.00	127.54
3	A	301	MTX	CG-CB-CA	5.68	124.14	112.99
2	B	300	NDP	N3A-C4A-N9A	5.39	135.16	125.43
3	A	301	MTX	CA-N-C	5.36	133.77	121.80
3	A	301	MTX	N1-C2-N3	-5.35	119.09	127.54
3	B	301	MTX	C6-C9-N10	5.20	122.87	113.79
2	A	300	NDP	N3A-C2A-N1A	-4.99	124.53	128.71
3	B	301	MTX	CM-N10-C14	-4.79	110.69	119.58
3	B	301	MTX	C2-N1-C8A	4.57	121.36	115.30
3	A	301	MTX	C2-N1-C8A	4.50	121.26	115.30
3	A	301	MTX	O-C-C11	-4.48	113.14	121.01
3	A	301	MTX	C9-N10-C14	4.47	128.66	119.36
3	A	301	MTX	CM-N10-C14	-4.46	111.30	119.58
2	A	300	NDP	N3A-C4A-N9A	4.15	132.93	125.43
3	B	301	MTX	O-C-C11	-4.07	113.87	121.01
3	A	301	MTX	CB-CA-N	3.95	118.37	110.83
2	A	300	NDP	C4N-C5N-C6N	-3.88	115.50	122.61
2	A	300	NDP	C3N-C2N-N1N	-3.78	117.69	123.05
3	A	301	MTX	C7-C6-N5	3.57	123.23	120.75
3	A	301	MTX	C6-C7-N8	-3.55	119.42	123.16
3	B	301	MTX	CB-CG-CD	3.55	121.49	112.88
3	B	301	MTX	C6-C7-N8	-3.53	119.44	123.16
2	A	300	NDP	O7N-C7N-C3N	-3.42	114.09	120.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	MTX	NA2-C2-N3	3.25	122.81	117.19
3	B	301	MTX	N8-C8A-N1	3.23	120.55	116.19
2	A	300	NDP	C4A-C5A-N7A	3.02	112.11	109.52
2	B	300	NDP	C1B-N9A-C4A	-3.02	121.42	126.64
2	A	300	NDP	O4D-C1D-N1N	3.00	114.40	108.05
2	B	300	NDP	C3B-C2B-C1B	2.96	108.48	102.73
2	A	300	NDP	O2B-C2B-C1B	2.94	121.25	110.36
2	A	300	NDP	C5A-C4A-N9A	-2.91	102.96	107.16
2	A	300	NDP	O3X-P2B-O2B	-2.80	99.03	107.09
3	A	301	MTX	O2-CT-O1	2.79	130.39	124.07
2	A	300	NDP	C5N-C4N-C3N	2.78	120.14	112.60
2	A	300	NDP	C5A-C6A-N6A	2.75	126.94	120.72
3	B	301	MTX	NA2-C2-N1	2.72	123.56	117.96
3	B	301	MTX	C7-N8-C8A	2.70	119.88	116.85
2	B	300	NDP	C5A-C6A-N6A	2.67	126.75	120.72
3	A	301	MTX	C16-C11-C12	2.65	122.42	118.63
2	A	300	NDP	O2B-P2B-O1X	-2.57	99.61	106.79
2	B	300	NDP	C4A-C5A-N7A	2.56	111.71	109.52
2	B	300	NDP	C5A-C4A-N3A	-2.56	120.14	125.70
2	B	300	NDP	O3B-C3B-C2B	2.54	118.69	111.20
3	A	301	MTX	N8-C8A-N1	2.50	119.57	116.19
2	B	300	NDP	O4B-C4B-C5B	2.49	118.23	109.36
2	A	300	NDP	N7A-C8A-N9A	-2.47	107.38	114.36
2	B	300	NDP	C8A-N9A-C4A	2.42	108.75	106.90
2	B	300	NDP	C6A-C5A-C4A	2.42	121.68	117.25
2	B	300	NDP	O3X-P2B-O2X	2.41	117.00	107.61
2	B	300	NDP	O3X-P2B-O2B	-2.40	100.18	107.09
2	B	300	NDP	O4D-C1D-N1N	2.38	113.10	108.05
2	B	300	NDP	P2B-O2B-C2B	2.32	126.85	121.96
3	A	301	MTX	C13-C12-C11	-2.26	118.06	120.76
3	A	301	MTX	O1-CT-CA	-2.23	113.70	121.86
2	B	300	NDP	C4B-O4B-C1B	2.22	112.16	109.75
3	B	301	MTX	C4-C4A-C8A	2.20	118.71	116.87
2	B	300	NDP	O4B-C1B-C2B	-2.20	104.89	106.95
3	A	301	MTX	C15-C16-C11	-2.14	118.20	120.76
2	A	300	NDP	O3X-P2B-O2X	2.14	115.93	107.61
2	B	300	NDP	O7N-C7N-N7N	2.11	128.27	122.93
3	A	301	MTX	C4A-C4-NA4	-2.09	115.99	120.72
2	A	300	NDP	C3B-C2B-C1B	2.09	106.78	102.73
2	B	300	NDP	C3N-C2N-N1N	-2.07	120.11	123.05
2	B	300	NDP	O4B-C4B-C3B	2.00	109.23	105.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.