



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 27, 2014 – 11:41 AM GMT

PDB ID : 1E9N
Title : A SECOND DIVALENT METAL ION IN THE ACTIVE SITE OF A
NEW CRYSTAL FORM OF HUMAN APURINIC/APYRIMIDINICEN-
DONUCLEASE, APE1, AND ITS IMPLICATIONS FOR THE CATALYTIC
MECHANISM
Authors : Beernink, P.T.; Segelke, B.W.; Rupp, B.
Deposited on : 2000-10-24
Resolution : 2.20 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	3751 (2.20-2.20)
Ramachandran outliers	78287	3681 (2.20-2.20)
Sidechain outliers	78261	3682 (2.20-2.20)
RSRZ outliers	66119	2939 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	318	
1	B	318	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4689 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-(APURINIC OR APYRIMIDINIC SITE) LYASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	274	Total	C	N	O	S	0	0	0
			2166	1385	375	397	9			
1	B	274	Total	C	N	O	S	0	0	0
			2170	1387	375	399	9			

- Molecule 2 is LEAD (II) ION (three-letter code: PB) (formula: Pb).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Pb	0	0
			2	2		
2	A	2	Total	Pb	0	0
			2	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	168	Total	O	0	0
			168	168		
3	B	181	Total	O	0	0
			181	181		

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	137.52Å 45.02Å 125.70Å 90.00° 108.03° 90.00°	Depositor
Resolution (Å)	20.00 – 2.20 12.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	93.0 (20.00-2.20) 92.5 (12.00-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	88.58 (at 2.21Å)	Xtriage
Refinement program	TNT 5F	Depositor
R, R_{free}	0.186 , 0.252 0.191 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	28.0	Xtriage
Anisotropy	0.143	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 68.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 34641 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4689	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 19.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.10	9/2223 (0.4%)	1.36	26/3013 (0.9%)
1	B	1.11	9/2227 (0.4%)	1.35	21/3018 (0.7%)
All	All	1.11	18/4450 (0.4%)	1.36	47/6031 (0.8%)

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	183	GLU	CD-OE2	7.60	1.34	1.25
1	A	183	GLU	CD-OE2	7.49	1.33	1.25
1	A	107	GLU	CD-OE2	7.28	1.33	1.25
1	B	101	GLU	CD-OE2	7.11	1.33	1.25
1	B	86	GLU	CD-OE2	7.07	1.33	1.25
1	A	101	GLU	CD-OE2	6.81	1.33	1.25
1	B	217	GLU	CD-OE2	6.42	1.32	1.25
1	B	154	GLU	CD-OE2	6.26	1.32	1.25
1	B	242	GLU	CD-OE2	6.03	1.32	1.25
1	A	161	GLU	CD-OE2	5.58	1.31	1.25
1	A	46	GLU	CD-OE2	5.46	1.31	1.25
1	B	161	GLU	CD-OE2	5.42	1.31	1.25
1	B	190	GLU	CD-OE2	5.41	1.31	1.25
1	A	242	GLU	CD-OE2	5.29	1.31	1.25
1	A	217	GLU	CD-OE2	5.28	1.31	1.25
1	B	216	GLU	CD-OE2	5.18	1.31	1.25
1	A	86	GLU	CD-OE2	5.12	1.31	1.25
1	A	190	GLU	CD-OE2	5.09	1.31	1.25

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	251	ASP	CB-CG-OD2	-10.20	109.12	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	251	ASP	CB-CG-OD1	8.75	126.18	118.30
1	B	210	ASP	CB-CG-OD2	-8.62	110.54	118.30
1	A	210	ASP	CB-CG-OD2	-8.61	110.55	118.30
1	B	156	ARG	NE-CZ-NH1	8.25	124.42	120.30
1	A	47	ASP	CB-CG-OD1	8.02	125.52	118.30
1	B	193	ARG	NE-CZ-NH1	7.64	124.12	120.30
1	A	47	ASP	CB-CG-OD2	-7.62	111.44	118.30
1	A	156	ARG	NE-CZ-NH1	7.54	124.07	120.30
1	B	156	ARG	NE-CZ-NH2	-7.39	116.61	120.30
1	B	185	ARG	NE-CZ-NH1	7.22	123.91	120.30
1	A	118	TYR	CB-CG-CD2	-7.21	116.67	121.00
1	B	193	ARG	NE-CZ-NH2	-7.05	116.78	120.30
1	B	210	ASP	CB-CG-OD1	7.03	124.63	118.30
1	A	251	ASP	CB-CG-OD2	-7.01	111.99	118.30
1	A	90	ASP	CB-CG-OD2	-6.99	112.01	118.30
1	A	148	ASP	CB-CG-OD2	-6.90	112.09	118.30
1	A	67	TRP	CD1-CG-CD2	-6.90	100.78	106.30
1	A	251	ASP	CB-CG-OD1	6.75	124.37	118.30
1	A	221	ARG	NE-CZ-NH1	6.71	123.65	120.30
1	B	50	ASP	CB-CG-OD2	-6.70	112.27	118.30
1	A	163	ASP	CB-CG-OD2	-6.53	112.42	118.30
1	A	185	ARG	NE-CZ-NH1	6.46	123.53	120.30
1	B	297	ASP	CB-CG-OD1	6.38	124.04	118.30
1	B	47	ASP	CB-CG-OD2	-6.29	112.64	118.30
1	B	90	ASP	CB-CG-OD2	-6.23	112.69	118.30
1	A	281	ARG	NE-CZ-NH1	6.17	123.39	120.30
1	A	283	ASP	CB-CG-OD2	-5.97	112.93	118.30
1	A	90	ASP	CB-CG-OD1	5.84	123.56	118.30
1	B	148	ASP	CB-CG-OD2	-5.70	113.17	118.30
1	A	210	ASP	CB-CG-OD1	5.62	123.36	118.30
1	A	262	TYR	CB-CG-CD1	-5.60	117.64	121.00
1	A	189	ASP	CB-CG-OD2	-5.50	113.35	118.30
1	A	152	ASP	CB-CG-OD2	-5.50	113.36	118.30
1	A	281	ARG	NE-CZ-NH2	-5.47	117.57	120.30
1	A	297	ASP	CB-CG-OD1	5.40	123.16	118.30
1	B	50	ASP	CB-CG-OD1	5.39	123.15	118.30
1	A	297	ASP	CB-CG-OD2	-5.36	113.47	118.30
1	A	50	ASP	CB-CG-OD1	5.34	123.11	118.30
1	B	287	LEU	CB-CA-C	-5.27	100.18	110.20
1	B	163	ASP	CB-CG-OD2	-5.20	113.62	118.30
1	B	221	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	B	47	ASP	CB-CG-OD1	5.15	122.94	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	189	ASP	CB-CG-OD2	-5.15	113.67	118.30
1	A	148	ASP	CB-CG-OD1	5.14	122.92	118.30
1	A	50	ASP	CB-CG-OD2	-5.14	113.68	118.30
1	B	45	TYR	CB-CG-CD1	-5.04	117.97	121.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2166	0	2130	60	0
1	B	2170	0	2134	54	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	168	0	0	11	0
3	B	181	0	0	10	0
All	All	4689	0	4264	114	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 13.

All (114) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:71:GLY:HA2	1:A:98:LYS:HG3	1.50	0.92
1:A:78:LYS:CE	3:A:2026:HOH:O	2.34	0.75
1:B:54:SER:HB2	1:B:55:PRO:HD2	1.67	0.75
1:B:104:LEU:HD21	1:B:119:TRP:CE2	2.25	0.72
1:B:134:LEU:N	1:B:134:LEU:HD12	2.05	0.72
1:A:134:LEU:HD12	1:A:134:LEU:N	2.06	0.71
1:B:315:TYR:O	1:B:316:LEU:HD23	1.92	0.69
1:A:56:SER:HB3	3:A:2153:HOH:O	1.92	0.68
1:B:44:LEU:HD12	3:B:2002:HOH:O	1.94	0.68
1:B:96:GLU:HG3	1:B:171:TYR:CZ	2.29	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:71:GLY:HA2	1:A:98:LYS:CG	2.24	0.66
1:A:54:SER:HB2	1:A:55:PRO:HD2	1.78	0.66
1:A:78:LYS:HE3	3:A:2026:HOH:O	1.92	0.66
1:B:108:LEU:HD12	1:B:119:TRP:CZ2	2.32	0.65
1:B:56:SER:HB3	3:B:2013:HOH:O	1.97	0.65
1:A:81:LEU:HD11	1:A:108:LEU:CD1	2.29	0.63
1:A:45:TYR:HB2	1:A:262:TYR:O	2.00	0.61
1:A:68:ASN:HD22	1:A:68:ASN:C	2.03	0.61
1:A:81:LEU:HD11	1:A:108:LEU:HD12	1.82	0.61
1:A:166:VAL:HG23	1:A:203:LYS:HG2	1.83	0.60
1:A:78:LYS:HG3	3:A:2026:HOH:O	2.03	0.59
1:B:121:ALA:HB1	1:B:122:PRO:HD2	1.86	0.57
1:A:118:TYR:CD1	1:A:118:TYR:N	2.72	0.57
1:A:318:LEU:HB2	3:A:2020:HOH:O	2.04	0.57
1:B:149:GLU:HG2	3:B:2069:HOH:O	2.04	0.57
1:A:95:GLN:HB3	1:A:171:TYR:HB2	1.87	0.57
1:B:162:PHE:O	1:B:203:LYS:HE3	2.05	0.57
1:A:113:GLY:O	1:A:136:ARG:HG3	2.04	0.57
1:B:81:LEU:O	1:B:85:LYS:CG	2.53	0.56
1:A:81:LEU:HB2	3:A:2029:HOH:O	2.08	0.54
1:A:172:VAL:HG13	1:A:173:PRO:HD2	1.88	0.54
1:A:96:GLU:OE2	3:A:2039:HOH:O	2.19	0.54
1:A:269:TYR:HB2	1:A:270:MET:HE2	1.89	0.53
1:A:72:LEU:HD22	1:A:108:LEU:HD21	1.90	0.53
1:B:150:GLU:OE2	1:B:187:ARG:NH1	2.38	0.52
1:B:259:ASN:O	1:B:261:PRO:HD3	2.10	0.51
1:A:110:GLU:O	1:A:112:PRO:N	2.43	0.51
1:B:105:PRO:O	1:B:108:LEU:HB2	2.10	0.51
1:A:78:LYS:HE2	3:A:2026:HOH:O	2.03	0.51
1:A:107:GLU:N	1:A:107:GLU:OE1	2.29	0.51
1:B:44:LEU:HD13	1:B:44:LEU:N	2.25	0.51
1:A:269:TYR:HB3	1:A:270:MET:HE1	1.93	0.51
1:B:81:LEU:O	1:B:85:LYS:HG3	2.11	0.50
1:A:269:TYR:HB2	1:A:270:MET:CE	2.40	0.50
1:B:183:GLU:HB2	3:B:2087:HOH:O	2.11	0.50
1:B:308:ASP:OD1	3:B:2178:HOH:O	2.20	0.50
1:A:110:GLU:O	1:A:111:LEU:C	2.49	0.50
1:B:108:LEU:HD12	1:B:119:TRP:HZ2	1.75	0.49
1:B:304:ALA:HB3	1:B:311:PRO:HD2	1.93	0.49
1:B:109:GLN:HG2	1:B:110:GLU:OE2	2.12	0.49
1:A:285:PHE:CD2	1:A:312:ILE:HD12	2.48	0.49
1:A:240:PHE:O	1:A:243:LEU:HB3	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:113:GLY:O	1:A:136:ARG:HA	2.13	0.49
1:B:81:LEU:O	1:B:85:LYS:HG2	2.12	0.49
1:A:292:LEU:N	1:A:293:PRO:HD2	2.28	0.49
1:A:101:GLU:HA	1:A:104:LEU:HG	1.95	0.48
1:B:136:ARG:NH2	3:B:2047:HOH:O	2.43	0.48
1:B:292:LEU:N	1:B:293:PRO:HD2	2.28	0.48
1:A:182:LEU:O	1:A:185:ARG:HB3	2.14	0.48
1:B:55:PRO:HD3	1:B:295:LEU:O	2.12	0.48
1:A:247:VAL:N	1:A:248:PRO:HA	2.27	0.47
1:B:272:ASN:O	1:B:276:LYS:HG3	2.15	0.47
1:B:292:LEU:N	1:B:293:PRO:CD	2.77	0.47
1:B:215:HIS:HB3	1:B:219:ASP:OD2	2.14	0.47
1:A:193:ARG:HD3	3:A:2124:HOH:O	2.13	0.47
1:B:81:LEU:HB2	3:B:2020:HOH:O	2.15	0.47
1:B:258:PRO:HD2	3:B:2141:HOH:O	2.14	0.47
1:A:81:LEU:HD23	1:A:81:LEU:HA	1.66	0.46
1:A:111:LEU:HA	1:A:112:PRO:HD3	1.51	0.46
1:B:304:ALA:HB3	1:B:311:PRO:CD	2.44	0.46
1:B:221:ARG:HG2	1:B:278:VAL:HA	1.97	0.46
1:A:194:LYS:HD3	3:A:2098:HOH:O	2.15	0.46
1:B:254:ARG:HD3	1:B:254:ARG:HA	1.61	0.46
1:A:292:LEU:N	1:A:293:PRO:CD	2.78	0.46
1:B:224:LYS:HG2	3:B:2118:HOH:O	2.15	0.46
1:B:192:PHE:O	1:B:195:PHE:HB3	2.16	0.46
1:B:247:VAL:N	1:B:248:PRO:HA	2.29	0.46
1:A:267:TRP:CD1	1:A:274:ARG:HA	2.50	0.46
1:A:150:GLU:OE2	1:A:187:ARG:NH1	2.48	0.45
1:A:68:ASN:ND2	1:A:68:ASN:C	2.70	0.45
1:B:150:GLU:OE1	1:B:187:ARG:NH1	2.49	0.45
1:B:54:SER:HB2	1:B:55:PRO:CD	2.43	0.44
1:A:134:LEU:CD1	1:A:134:LEU:N	2.79	0.44
1:B:59:PRO:HD2	3:B:2014:HOH:O	2.18	0.44
1:A:278:VAL:O	1:A:278:VAL:HG12	2.17	0.44
1:A:265:THR:O	1:A:309:HIS:HA	2.18	0.44
1:A:269:TYR:CB	1:A:270:MET:HE1	2.48	0.44
1:A:64:ILE:O	1:A:313:THR:HA	2.18	0.44
1:B:111:LEU:HA	1:B:112:PRO:HD3	1.49	0.44
1:A:280:TRP:CD1	1:A:280:TRP:N	2.85	0.44
1:B:106:ALA:C	1:B:108:LEU:N	2.70	0.43
1:B:159:VAL:HG22	1:B:168:VAL:HG22	1.99	0.43
1:A:73:ARG:NH1	1:A:103:LYS:O	2.42	0.43
1:B:43:ALA:C	1:B:44:LEU:HD13	2.38	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:55:PRO:HD3	1:A:295:LEU:O	2.18	0.43
1:A:269:TYR:CB	1:A:270:MET:CE	2.97	0.43
1:B:285:PHE:CD2	1:B:312:ILE:HD12	2.54	0.42
1:B:199:LEU:HA	1:B:199:LEU:HD23	1.64	0.42
1:A:254:ARG:HA	1:A:254:ARG:HD3	1.58	0.42
1:A:199:LEU:HD23	1:A:199:LEU:HA	1.60	0.42
1:B:104:LEU:HD21	1:B:119:TRP:CD2	2.54	0.42
1:B:81:LEU:HA	1:B:81:LEU:HD23	1.58	0.42
1:A:69:VAL:HB	1:A:75:TRP:CG	2.54	0.42
1:B:205:LEU:HD12	1:B:206:VAL:N	2.35	0.42
1:B:73:ARG:HG2	1:B:105:PRO:HG3	2.02	0.41
1:B:51:GLN:HE21	1:B:53:THR:H	1.68	0.41
1:A:299:LYS:HB3	1:A:299:LYS:HE3	1.75	0.41
1:B:121:ALA:HB1	1:B:122:PRO:CD	2.51	0.41
1:A:73:ARG:HG3	3:A:2041:HOH:O	2.21	0.41
1:A:231:GLY:H	1:A:236:GLU:CD	2.24	0.41
1:B:97:THR:O	1:B:98:LYS:HB2	2.21	0.41
1:A:118:TYR:CE2	1:A:142:VAL:HG21	2.56	0.41
1:B:69:VAL:HG22	1:B:95:GLN:O	2.20	0.41
1:A:54:SER:HB2	1:A:55:PRO:CD	2.49	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	270/318 (85%)	256 (95%)	13 (5%)	1 (0%)	43	45
1	B	270/318 (85%)	261 (97%)	9 (3%)	0	100	100
All	All	540/636 (85%)	517 (96%)	22 (4%)	1 (0%)	56	62

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	262	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	230/266 (86%)	209 (91%)	21 (9%)	14	13
1	B	231/266 (87%)	215 (93%)	16 (7%)	22	22
All	All	461/532 (87%)	424 (92%)	37 (8%)	17	16

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	LEU
1	A	56	SER
1	A	68	ASN
1	A	77	LYS
1	A	98	LYS
1	A	100	SER
1	A	108	LEU
1	A	118	TYR
1	A	126	GLU
1	A	134	LEU
1	A	136	ARG
1	A	140	LEU
1	A	149	GLU
1	A	181	ARG
1	A	203	LYS
1	A	224	LYS
1	A	228	LYS
1	A	254	ARG
1	A	271	MET
1	A	280	TRP
1	A	302	SER
1	B	44	LEU
1	B	52	LYS
1	B	77	LYS
1	B	79	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	86	GLU
1	B	108	LEU
1	B	109	GLN
1	B	134	LEU
1	B	140	LEU
1	B	149	GLU
1	B	181	ARG
1	B	203	LYS
1	B	220	LEU
1	B	224	LYS
1	B	254	ARG
1	B	280	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	GLN
1	A	68	ASN
1	A	153	GLN
1	A	212	ASN
1	A	229	ASN
1	A	255	HIS
1	B	51	GLN
1	B	109	GLN
1	B	116	HIS
1	B	153	GLN
1	B	212	ASN
1	B	229	ASN
1	B	272	ASN
1	B	277	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	274/318 (86%)	-0.55	4 (1%) 70 71	19, 32, 65, 80	0
1	B	274/318 (86%)	-0.65	2 (0%) 84 86	19, 31, 61, 78	0
All	All	548/636 (86%)	-0.60	6 (1%) 77 78	19, 32, 64, 80	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	271	MET	3.5
1	A	270	MET	3.1
1	A	109	GLN	2.8
1	A	44	LEU	2.5
1	B	123	SER	2.3
1	B	106	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	PB	A	1320	1/1	0.04	-3.05	56,56,56,56	0
2	PB	A	1319	1/1	0.04	-4.39	63,63,63,63	0
2	PB	B	1320	1/1	0.03	-5.69	58,58,58,58	0
2	PB	B	1319	1/1	0.02	-6.20	53,53,53,53	0

6.5 Other polymers ⓘ

There are no such residues in this entry.