



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 7, 2014 – 09:17 PM EDT

PDB ID : 2E9T
Title : Foot-and-mouth disease virus RNA-polymerase RNA dependent in complex with a template-primer RNA and 5F-UTP
Authors : Ferrer-Orta, C.; Arias, A.; Perez-Luque, R.; Escarmis, C.; Domingo, E.; Verdaguier, N.
Deposited on : 2007-01-26
Resolution : 2.60 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : **FAILED**
Xtriage (Phenix) : dev-1439
EDS : stable22978
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22978

1 Overall quality at a glance

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | Similar resolution (#Entries, resolution range(Å)) |
|-----------------------|-----------------------------|---|
| R_{free} | 66092 | 1718 (2.60-2.60) |
| Clashscore | 79885 | 2154 (2.60-2.60) |
| Ramachandran outliers | 78287 | 2113 (2.60-2.60) |
| Sidechain outliers | 78261 | 2113 (2.60-2.60) |
| RSRZ outliers | 66119 | 1718 (2.60-2.60) |
| RNA backbone | 1838 | 1002 (3.12-2.08) |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | B | 8 | |
| 1 | E | 8 | |
| 2 | C | 7 | |
| 2 | F | 7 | |
| 3 | A | 476 | |
| 3 | D | 476 | |

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

| Mol | Type | Chain | Res | Geometry | Electron density |
|-----|------|-------|-----|----------|------------------|
| 4 | MG | A | 780 | - | X |

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8205 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 5'-R(P*UP*AP*GP*GP*GP*CP*CP*C)-3'.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|---|---------|---------|-------|
| 1 | B | 8 | Total | C | N | O | P | 0 | 0 | 0 |
| | | | 171 | 76 | 31 | 56 | 8 | | | |
| 1 | E | 8 | Total | C | N | O | P | 0 | 0 | 0 |
| | | | 171 | 76 | 31 | 56 | 8 | | | |

- Molecule 2 is a RNA chain called 5'-R(*GP*GP*GP*CP*CP*CP*(5FU))-3'.

| Mol | Chain | Residues | Atoms | | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------|---------|--------|---------|---------|--------|---------|---------|-------|
| 2 | C | 7 | Total 147 | C 66 | F 1 | N 26 | O 48 | P 6 | 0 | 0 | 0 |
| 2 | F | 7 | Total 147 | C 66 | F 1 | N 26 | O 48 | P 6 | 0 | 0 | 0 |

- Molecule 3 is a protein called RNA-dependent RNA polymerase.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|---------|-------|
| 3 | A | 474 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3741 | 2378 | 647 | 695 | 21 | | | |
| 3 | D | 474 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 3741 | 2378 | 647 | 695 | 21 | | | |

There are 12 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|------------------|------------|
| A | 471 | ALA | - | CLONING ARTIFACT | UNP Q0QEE1 |
| A | 472 | ALA | - | CLONING ARTIFACT | UNP Q0QEE1 |
| A | 473 | LEU | - | CLONING ARTIFACT | UNP Q0QEE1 |
| A | 474 | GLU | - | CLONING ARTIFACT | UNP Q0QEE1 |
| A | 475 | HIS | - | CLONING ARTIFACT | UNP Q0QEE1 |
| A | 476 | HIS | - | CLONING ARTIFACT | UNP Q0QEE1 |
| D | 471 | ALA | - | CLONING ARTIFACT | UNP Q0QEE1 |
| D | 472 | ALA | - | CLONING ARTIFACT | UNP Q0QEE1 |

Continued on next page...


Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|------------------|------------|
| D | 473 | LEU | - | CLONING ARTIFACT | UNP Q0QEE1 |
| D | 474 | GLU | - | CLONING ARTIFACT | UNP Q0QEE1 |
| D | 475 | HIS | - | CLONING ARTIFACT | UNP Q0QEE1 |
| D | 476 | HIS | - | CLONING ARTIFACT | UNP Q0QEE1 |

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|-----------------|---------|---------|
| 4 | A | 2 | Total Mg 2 2 | 0 | 0 |
| 4 | D | 2 | Total Mg 2 2 | 0 | 0 |

- Molecule 5 is PYROPHOSPHATE (three-letter code: PPV) (formula: H₄O₇P₂).



| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|--------------------|---------|---------|
| 5 | A | 1 | Total O P 9 7 2 | 0 | 0 |
| 5 | D | 1 | Total O P 9 7 2 | 0 | 0 |

- Molecule 6 is water.

| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|------------------|---------|---------|
| 6 | A | 35 | Total O 35 35 | 0 | 0 |

Continued on next page...


Continued from previous page...

| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|-----|-------|----------|-------------|---------|---------|---------|
| 6 | B | 2 | Total 2 | O 2 | 0 | 0 |
| 6 | C | 1 | Total 1 | O 1 | 0 | 0 |
| 6 | D | 24 | Total 24 | O 24 | 0 | 0 |
| 6 | E | 2 | Total 2 | O 2 | 0 | 0 |
| 6 | F | 1 | Total 1 | O 1 | 0 | 0 |

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 5'-R(P*UP*AP*GP*GP*GP*CP*CP*C)-3'



- Molecule 1: 5'-R(P*UP*AP*GP*GP*GP*CP*CP*C)-3'




- Molecule 2: 5'-R(*GP*GP*GP*CP*CP*CP*(5FU))-3'



- Molecule 2: 5'-R(*GP*GP*GP*CP*CP*CP*(5FU))-3'




- Molecule 3: RNA-dependent RNA polymerase



● Molecule 3: RNA-dependent RNA polymerase

Chain D: 



4 Data and refinement statistics

| Property | Value | Source |
|---|---|------------------|
| Space group | P 31 2 1 | Depositor |
| Cell constants a, b, c, α , β , γ | 95.60Å 95.60Å 201.16Å 90.00° 90.00° 120.00° | Depositor |
| Resolution (Å) | 20.00 – 2.60 29.88 – 2.60 | Depositor EDS |
| % Data completeness (in resolution range) | 100.0 (20.00-2.60) 100.0 (29.88-2.60) | Depositor EDS |
| R_{merge} | 0.90 | Depositor |
| R_{sym} | 0.74 | Depositor |
| $\langle I/\sigma(I) \rangle$ ¹ | 3.19 (at 2.61Å) | Xtriage |
| Refinement program | REFMAC 5.2.0019 | Depositor |
| R, R_{free} | 0.233 , 0.289 0.233 , 0.285 | Depositor DCC |
| R_{free} test set | 1694 reflections (5.32%) | DCC |
| Wilson B-factor (Å ²) | 45.2 | Xtriage |
| Anisotropy | 0.080 | Xtriage |
| Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²) | 0.37 , 43.6 | EDS |
| Estimated twinning fraction | 0.028 for -h,-k,l | Xtriage |
| L-test for twinning | $\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$ | Xtriage |
| Outliers | 1 of 33529 reflections (0.003%) | Xtriage |
| F_o, F_c correlation | 0.93 | EDS |
| Total number of atoms | 8205 | wwPDB-VP |
| Average B, all atoms (Å ²) | 40.0 | wwPDB-VP |

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 81.22 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 3.7341e-07. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 5FU, PPV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|-------------|-------------|----------------|
| | | RMSZ | # $ Z > 5$ | RMSZ | # $ Z > 5$ |
| 1 | B | 1.01 | 0/190 | 1.71 | 4/294 (1.4%) |
| 1 | E | 1.06 | 0/190 | 1.72 | 3/294 (1.0%) |
| 2 | C | 0.84 | 0/140 | 1.37 | 0/217 |
| 2 | F | 0.87 | 0/140 | 1.50 | 0/217 |
| 3 | A | 0.64 | 0/3830 | 0.69 | 0/5186 |
| 3 | D | 0.65 | 0/3830 | 0.70 | 0/5186 |
| All | All | 0.67 | 0/8320 | 0.82 | 7/11394 (0.1%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 3 | D | 0 | 1 |

There are no bond length outliers.

All (7) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-------------|-------|-------------|----------|
| 1 | B | 910 | C | C1'-O4'-C4' | -6.98 | 104.31 | 109.90 |
| 1 | E | 909 | C | O4'-C1'-N1 | 6.64 | 113.51 | 108.20 |
| 1 | B | 909 | C | O4'-C1'-N1 | 6.59 | 113.48 | 108.20 |
| 1 | E | 908 | C | O4'-C1'-N1 | 6.33 | 113.27 | 108.20 |
| 1 | B | 910 | C | O4'-C1'-N1 | 6.12 | 113.09 | 108.20 |
| 1 | E | 903 | U | O4'-C1'-N1 | 5.70 | 112.76 | 108.20 |
| 1 | B | 905 | G | C1'-O4'-C4' | -5.21 | 105.74 | 109.90 |

There are no chirality outliers.

All (1) planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|---------|
| 3 | D | 371 | ASP | Peptide |

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | B | 171 | 0 | 88 | 14 | 0 |
| 1 | E | 171 | 0 | 88 | 11 | 0 |
| 2 | C | 147 | 0 | 77 | 6 | 0 |
| 2 | F | 147 | 0 | 77 | 6 | 0 |
| 3 | A | 3741 | 0 | 3669 | 72 | 0 |
| 3 | D | 3741 | 0 | 3669 | 68 | 0 |
| 4 | A | 2 | 0 | 0 | 0 | 0 |
| 4 | D | 2 | 0 | 0 | 0 | 0 |
| 5 | A | 9 | 0 | 0 | 0 | 0 |
| 5 | D | 9 | 0 | 0 | 0 | 0 |
| 6 | A | 35 | 0 | 0 | 7 | 0 |
| 6 | B | 2 | 0 | 0 | 0 | 0 |
| 6 | C | 1 | 0 | 0 | 0 | 0 |
| 6 | D | 24 | 0 | 0 | 1 | 0 |
| 6 | E | 2 | 0 | 0 | 0 | 0 |
| 6 | F | 1 | 0 | 0 | 0 | 0 |
| All | All | 8205 | 0 | 7668 | 156 | 0 |

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 10.

All (156) close contacts within the same asymmetric unit are listed below.

| Atom-1 | Atom-2 | Distance(Å) | Clash(Å) |
|-----------------|-----------------|-------------|----------|
| 3:D:467:CYS:SG | 3:D:470:ALA:HB3 | 1.64 | 1.37 |
| 3:A:467:CYS:SG | 3:A:470:ALA:HB3 | 1.74 | 1.26 |
| 3:A:85:LEU:HD11 | 3:A:203:MET:CE | 1.72 | 1.19 |
| 3:D:85:LEU:HD11 | 3:D:203:MET:CE | 1.83 | 1.08 |
| 3:D:85:LEU:HD11 | 3:D:203:MET:HE1 | 1.01 | 1.01 |
| 3:D:467:CYS:SG | 3:D:470:ALA:CB | 2.49 | 1.00 |
| 3:A:85:LEU:CD1 | 3:A:203:MET:HE1 | 1.94 | 0.97 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Distance(Å) | Clash(Å) |
|------------------|------------------|-------------|----------|
| 3:A:85:LEU:HD11 | 3:A:203:MET:HE1 | 0.97 | 0.95 |
| 3:A:120:PRO:HD2 | 6:A:979:HOH:O | 1.65 | 0.94 |
| 3:D:12:ARG:HH11 | 3:D:12:ARG:HG2 | 1.33 | 0.93 |
| 3:A:121:TRP:CD2 | 6:A:979:HOH:O | 2.23 | 0.91 |
| 3:D:85:LEU:CD1 | 3:D:203:MET:HE1 | 1.97 | 0.90 |
| 3:A:12:ARG:HH11 | 3:A:12:ARG:HG2 | 1.33 | 0.90 |
| 3:D:467:CYS:O | 3:D:467:CYS:SG | 2.32 | 0.88 |
| 3:D:12:ARG:HH11 | 3:D:12:ARG:CG | 1.87 | 0.87 |
| 3:A:467:CYS:SG | 3:A:470:ALA:CB | 2.62 | 0.85 |
| 3:A:121:TRP:CE2 | 6:A:979:HOH:O | 2.30 | 0.85 |
| 3:A:12:ARG:HH11 | 3:A:12:ARG:CG | 1.90 | 0.84 |
| 3:D:89:LEU:HD11 | 3:D:203:MET:CE | 2.13 | 0.78 |
| 3:A:321:ARG:HH11 | 3:A:356:HIS:HD2 | 1.32 | 0.77 |
| 3:A:467:CYS:SG | 3:A:467:CYS:O | 2.42 | 0.76 |
| 3:D:89:LEU:HD11 | 3:D:203:MET:HE2 | 1.68 | 0.75 |
| 1:E:904:A:O4' | 3:D:299:GLY:HA2 | 1.88 | 0.74 |
| 3:A:121:TRP:CG | 6:A:979:HOH:O | 2.39 | 0.73 |
| 1:B:903:U:H5'' | 3:A:115:THR:HB | 1.70 | 0.72 |
| 2:F:919:C:H2' | 2:F:920:C:C6 | 2.25 | 0.72 |
| 3:A:56:ILE:HG23 | 3:A:180:ILE:HG21 | 1.72 | 0.71 |
| 2:F:919:C:H2' | 2:F:920:C:H6 | 1.56 | 0.70 |
| 3:D:322:HIS:ND1 | 3:D:356:HIS:HE1 | 1.91 | 0.69 |
| 3:D:280:ASN:ND2 | 3:D:293:GLU:HG2 | 2.08 | 0.68 |
| 3:D:56:ILE:HG23 | 3:D:180:ILE:HG21 | 1.75 | 0.68 |
| 3:D:321:ARG:HH11 | 3:D:356:HIS:HD2 | 1.40 | 0.67 |
| 1:E:904:A:C1' | 3:D:299:GLY:HA2 | 2.24 | 0.66 |
| 3:A:322:HIS:ND1 | 3:A:356:HIS:HE1 | 1.94 | 0.66 |
| 3:A:89:LEU:HD11 | 3:A:203:MET:CE | 2.26 | 0.65 |
| 2:C:918:C:H2' | 2:C:919:C:C6 | 2.31 | 0.65 |
| 3:A:467:CYS:HG | 3:A:470:ALA:HB3 | 1.62 | 0.64 |
| 1:B:904:A:O4' | 3:A:299:GLY:HA2 | 1.98 | 0.63 |
| 3:D:12:ARG:HG2 | 3:D:12:ARG:NH1 | 2.07 | 0.63 |
| 3:D:250:SER:HB2 | 6:D:1967:HOH:O | 1.99 | 0.62 |
| 3:A:89:LEU:HD11 | 3:A:203:MET:HE2 | 1.80 | 0.62 |
| 3:A:37:ALA:HA | 3:A:173:VAL:HG22 | 1.82 | 0.62 |
| 3:A:121:TRP:CD1 | 6:A:979:HOH:O | 2.52 | 0.62 |
| 3:A:85:LEU:CD1 | 3:A:203:MET:CE | 2.65 | 0.61 |
| 3:A:115:THR:O | 3:A:128:ARG:HD3 | 2.00 | 0.61 |
| 3:D:37:ALA:HA | 3:D:173:VAL:HG22 | 1.81 | 0.61 |
| 3:A:327:GLU:OE1 | 3:A:327:GLU:HA | 2.00 | 0.61 |
| 3:A:12:ARG:HG2 | 3:A:12:ARG:NH1 | 2.09 | 0.61 |
| 3:D:238:ASP:HB2 | 3:D:383:VAL:HG12 | 1.83 | 0.61 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Distance(Å) | Clash(Å) |
|------------------|------------------|-------------|----------|
| 1:B:910:C:H42 | 2:C:915:G:H1 | 1.49 | 0.60 |
| 3:A:9:VAL:HG11 | 6:A:982:HOH:O | 2.01 | 0.60 |
| 1:B:903:U:H5' | 3:A:116:ALA:H | 1.67 | 0.60 |
| 3:D:12:ARG:NH1 | 3:D:12:ARG:CG | 2.58 | 0.59 |
| 3:A:13:VAL:O | 3:A:286:GLU:HA | 2.03 | 0.59 |
| 3:D:89:LEU:HD11 | 3:D:203:MET:HE3 | 1.84 | 0.59 |
| 1:B:904:A:O2' | 3:A:301:SER:HA | 2.02 | 0.58 |
| 2:C:915:G:H5'' | 2:C:915:G:C8 | 2.38 | 0.58 |
| 3:D:13:VAL:O | 3:D:286:GLU:HA | 2.04 | 0.58 |
| 2:C:918:C:H2' | 2:C:919:C:H6 | 1.69 | 0.57 |
| 3:D:115:THR:O | 3:D:128:ARG:HD3 | 2.04 | 0.57 |
| 3:A:120:PRO:CD | 6:A:979:HOH:O | 2.37 | 0.56 |
| 2:F:918:C:H2' | 2:F:919:C:C6 | 2.41 | 0.56 |
| 3:D:152:LYS:HB3 | 3:D:154:GLU:HG3 | 1.87 | 0.56 |
| 3:D:15:VAL:HG11 | 3:D:161:THR:O | 2.06 | 0.56 |
| 3:A:280:ASN:ND2 | 3:A:293:GLU:HG2 | 2.21 | 0.55 |
| 3:D:15:VAL:HG23 | 3:D:16:MET:H | 1.71 | 0.54 |
| 3:D:48:GLU:OE1 | 3:D:48:GLU:HA | 2.06 | 0.54 |
| 3:D:96:LEU:HG | 3:D:100:GLU:HB3 | 1.89 | 0.54 |
| 3:A:56:ILE:HD11 | 3:A:163:LEU:HD21 | 1.90 | 0.54 |
| 3:D:356:HIS:O | 3:D:359:SER:OG | 2.19 | 0.53 |
| 3:D:355:PRO:HA | 3:D:358:LYS:HB2 | 1.90 | 0.53 |
| 3:D:314:TYR:CD1 | 3:D:360:LEU:HD13 | 2.43 | 0.53 |
| 3:A:188:HIS:HE1 | 3:A:277:THR:OG1 | 1.92 | 0.53 |
| 3:A:96:LEU:HG | 3:A:100:GLU:HB3 | 1.89 | 0.53 |
| 3:D:368:ASP:O | 3:D:368:ASP:OD1 | 2.27 | 0.53 |
| 1:E:905:G:H2' | 1:E:906:G:C8 | 2.44 | 0.53 |
| 3:A:392:MET:SD | 3:A:397:GLY:O | 2.67 | 0.53 |
| 3:A:398:PHE:HE2 | 3:A:467:CYS:SG | 2.31 | 0.52 |
| 3:A:48:GLU:HA | 3:A:48:GLU:OE1 | 2.10 | 0.52 |
| 3:D:327:GLU:OE1 | 3:D:327:GLU:HA | 2.10 | 0.51 |
| 3:D:280:ASN:HD21 | 3:D:293:GLU:HG2 | 1.74 | 0.51 |
| 3:D:51:VAL:HB | 3:D:54:GLU:HB2 | 1.92 | 0.51 |
| 3:A:355:PRO:HA | 3:A:358:LYS:HB2 | 1.93 | 0.51 |
| 3:A:314:TYR:CD1 | 3:A:360:LEU:HD13 | 2.45 | 0.51 |
| 3:A:56:ILE:HD11 | 3:A:163:LEU:CD2 | 2.41 | 0.51 |
| 3:A:56:ILE:CD1 | 3:A:163:LEU:HD21 | 2.42 | 0.50 |
| 3:A:238:ASP:HB2 | 3:A:383:VAL:HG12 | 1.93 | 0.50 |
| 1:E:903:U:H5' | 3:D:116:ALA:H | 1.76 | 0.50 |
| 3:A:152:LYS:HB3 | 3:A:154:GLU:HG3 | 1.94 | 0.50 |
| 2:F:921:5FU:O3' | 3:D:338:ASP:OD1 | 2.26 | 0.49 |
| 3:D:392:MET:SD | 3:D:397:GLY:O | 2.69 | 0.49 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Distance(Å) | Clash(Å) |
|-----------------|------------------|-------------|----------|
| 1:B:904:A:C1' | 3:A:299:GLY:HA2 | 2.43 | 0.49 |
| 1:B:906:G:H2' | 1:B:907:G:O4' | 2.13 | 0.49 |
| 3:A:370:SER:O | 3:A:372:LYS:N | 2.46 | 0.49 |
| 3:D:188:HIS:HE1 | 3:D:277:THR:OG1 | 1.96 | 0.48 |
| 3:A:4:VAL:CG2 | 3:A:291:THR:HG22 | 2.44 | 0.48 |
| 3:A:51:VAL:HB | 3:A:54:GLU:HB2 | 1.94 | 0.48 |
| 1:E:904:A:O4' | 3:D:299:GLY:CA | 2.59 | 0.48 |
| 3:A:244:PHE:HA | 3:A:362:GLN:HE22 | 1.78 | 0.48 |
| 2:C:920:C:H5'' | 3:A:387:LYS:HE2 | 1.95 | 0.48 |
| 3:D:244:PHE:HA | 3:D:362:GLN:HE22 | 1.79 | 0.48 |
| 3:D:168:ARG:HB2 | 3:D:173:VAL:HG23 | 1.96 | 0.48 |
| 1:E:903:U:H1' | 3:D:181:VAL:HG11 | 1.96 | 0.48 |
| 3:D:85:LEU:CD1 | 3:D:203:MET:CE | 2.74 | 0.47 |
| 3:A:220:ASP:OD1 | 3:A:433:HIS:HE1 | 1.97 | 0.47 |
| 3:A:15:VAL:HG11 | 3:A:161:THR:O | 2.13 | 0.47 |
| 3:A:368:ASP:O | 3:A:368:ASP:OD1 | 2.33 | 0.47 |
| 3:A:168:ARG:HB2 | 3:A:173:VAL:HG23 | 1.96 | 0.46 |
| 1:B:903:U:H5' | 3:A:116:ALA:CB | 2.46 | 0.46 |
| 3:A:89:LEU:HD11 | 3:A:203:MET:HE3 | 1.96 | 0.46 |
| 3:A:96:LEU:HD22 | 3:A:193:ARG:O | 2.15 | 0.46 |
| 3:D:121:TRP:CD2 | 3:D:131:LEU:HD21 | 2.51 | 0.46 |
| 3:D:245:ASP:CG | 3:D:307:ASN:HD21 | 2.19 | 0.46 |
| 3:A:117:PRO:HA | 3:A:128:ARG:HD2 | 1.99 | 0.45 |
| 1:B:904:A:H2' | 1:B:905:G:O4' | 2.15 | 0.45 |
| 3:A:354:LYS:HB2 | 3:A:355:PRO:HD3 | 1.99 | 0.45 |
| 1:E:904:A:C8 | 3:D:299:GLY:HA2 | 2.52 | 0.45 |
| 1:E:905:G:H2' | 1:E:906:G:H8 | 1.82 | 0.45 |
| 3:D:215:VAL:HA | 3:D:336:TYR:CE1 | 2.51 | 0.45 |
| 3:A:121:TRP:CD2 | 3:A:131:LEU:HD21 | 2.53 | 0.44 |
| 3:A:96:LEU:HB2 | 3:A:194:MET:HA | 1.99 | 0.44 |
| 1:B:904:A:C8 | 3:A:299:GLY:HA2 | 2.53 | 0.44 |
| 3:D:438:GLU:HA | 3:D:438:GLU:OE1 | 2.17 | 0.44 |
| 3:D:354:LYS:HB2 | 3:D:355:PRO:HD3 | 2.00 | 0.44 |
| 3:D:51:VAL:O | 3:D:55:VAL:HG23 | 2.18 | 0.44 |
| 3:D:56:ILE:HG23 | 3:D:180:ILE:CG2 | 2.47 | 0.44 |
| 3:D:96:LEU:HB2 | 3:D:194:MET:HA | 2.00 | 0.43 |
| 3:D:89:LEU:HB3 | 3:D:202:GLN:HG2 | 2.01 | 0.43 |
| 2:C:915:G:H2' | 2:C:915:G:N3 | 2.32 | 0.43 |
| 3:D:117:PRO:HA | 3:D:128:ARG:HD2 | 2.00 | 0.43 |
| 3:D:16:MET:CE | 3:D:41:ASN:OD1 | 2.66 | 0.43 |
| 3:D:96:LEU:HD22 | 3:D:193:ARG:O | 2.19 | 0.43 |
| 3:D:428:ALA:HB1 | 3:D:458:LEU:HD11 | 2.01 | 0.43 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Distance(Å) | Clash(Å) |
|------------------|-----------------|-------------|----------|
| 3:D:5:ASP:HB3 | 3:D:291:THR:HB | 2.01 | 0.43 |
| 3:D:370:SER:O | 3:D:372:LYS:N | 2.52 | 0.42 |
| 3:D:371:ASP:HA | 3:D:372:LYS:HE2 | 2.01 | 0.42 |
| 1:B:903:U:C5' | 3:A:116:ALA:H | 2.33 | 0.42 |
| 3:A:56:ILE:HG23 | 3:A:180:ILE:CG2 | 2.45 | 0.42 |
| 3:A:56:ILE:CD1 | 3:A:163:LEU:CD2 | 2.97 | 0.42 |
| 1:E:906:G:OP2 | 3:D:109:ASP:OD2 | 2.38 | 0.42 |
| 2:F:920:C:H5'' | 3:D:387:LYS:HE2 | 2.00 | 0.42 |
| 3:A:12:ARG:CG | 3:A:12:ARG:NH1 | 2.60 | 0.41 |
| 1:B:903:U:H2' | 1:B:904:A:C8 | 2.54 | 0.41 |
| 3:A:103:LYS:NZ | 3:A:135:GLU:O | 2.48 | 0.41 |
| 3:A:5:ASP:HB3 | 3:A:291:THR:HB | 2.01 | 0.41 |
| 2:F:918:C:H2' | 2:F:919:C:H6 | 1.85 | 0.41 |
| 1:E:904:A:O2' | 3:D:301:SER:HA | 2.20 | 0.41 |
| 1:E:906:G:H2' | 1:E:907:G:O4' | 2.21 | 0.41 |
| 3:A:17:ARG:HE | 3:A:17:ARG:HB2 | 1.68 | 0.41 |
| 1:B:905:G:H2' | 1:B:906:G:C8 | 2.55 | 0.41 |
| 3:D:56:ILE:HD11 | 3:D:163:LEU:CD2 | 2.50 | 0.41 |
| 3:D:1:GLY:N | 3:D:60:HIS:HD2 | 2.19 | 0.41 |
| 3:A:16:MET:CE | 3:A:41:ASN:OD1 | 2.70 | 0.40 |
| 3:A:43:ASP:HA | 3:A:44:PRO:HD3 | 1.89 | 0.40 |
| 1:B:904:A:O4' | 3:A:299:GLY:CA | 2.68 | 0.40 |
| 3:D:136:ASN:HD22 | 3:D:136:ASN:HA | 1.65 | 0.40 |

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|-----------|---------|----------|-------------|----|
| 3 | A | 472/476 (99%) | 449 (95%) | 17 (4%) | 6 (1%) | 18 | 35 |
| 3 | D | 472/476 (99%) | 446 (94%) | 22 (5%) | 4 (1%) | 27 | 53 |
| All | All | 944/952 (99%) | 895 (95%) | 39 (4%) | 10 (1%) | 21 | 42 |

All (10) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | A | 371 | ASP |
| 3 | D | 371 | ASP |
| 3 | A | 106 | ASP |
| 3 | A | 468 | GLY |
| 3 | D | 106 | ASP |
| 3 | A | 372 | LYS |
| 3 | A | 394 | TYR |
| 3 | D | 372 | LYS |
| 3 | A | 370 | SER |
| 3 | D | 394 | TYR |

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|-----------|----------|-------------|----|
| 3 | A | 397/399 (100%) | 375 (94%) | 22 (6%) | 30 | 56 |
| 3 | D | 397/399 (100%) | 377 (95%) | 20 (5%) | 34 | 61 |
| All | All | 794/798 (100%) | 752 (95%) | 42 (5%) | 32 | 58 |

All (42) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | A | 12 | ARG |
| 3 | A | 41 | ASN |
| 3 | A | 54 | GLU |
| 3 | A | 87 | SER |
| 3 | A | 96 | LEU |
| 3 | A | 128 | ARG |
| 3 | A | 135 | GLU |
| 3 | A | 136 | ASN |
| 3 | A | 147 | LEU |
| 3 | A | 148 | LYS |
| 3 | A | 154 | GLU |
| 3 | A | 190 | LEU |
| 3 | A | 221 | VAL |
| 3 | A | 223 | TRP |
| 3 | A | 242 | SER |
| 3 | A | 311 | ASN |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | A | 358 | LYS |
| 3 | A | 360 | LEU |
| 3 | A | 376 | LEU |
| 3 | A | 394 | TYR |
| 3 | A | 417 | ARG |
| 3 | A | 473 | LEU |
| 3 | D | 12 | ARG |
| 3 | D | 41 | ASN |
| 3 | D | 54 | GLU |
| 3 | D | 87 | SER |
| 3 | D | 96 | LEU |
| 3 | D | 135 | GLU |
| 3 | D | 136 | ASN |
| 3 | D | 147 | LEU |
| 3 | D | 148 | LYS |
| 3 | D | 190 | LEU |
| 3 | D | 221 | VAL |
| 3 | D | 223 | TRP |
| 3 | D | 311 | ASN |
| 3 | D | 335 | SER |
| 3 | D | 358 | LYS |
| 3 | D | 360 | LEU |
| 3 | D | 376 | LEU |
| 3 | D | 394 | TYR |
| 3 | D | 417 | ARG |
| 3 | D | 473 | LEU |

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | A | 60 | HIS |
| 3 | A | 86 | HIS |
| 3 | A | 136 | ASN |
| 3 | A | 160 | GLN |
| 3 | A | 188 | HIS |
| 3 | A | 254 | ASN |
| 3 | A | 307 | ASN |
| 3 | A | 311 | ASN |
| 3 | A | 356 | HIS |
| 3 | A | 362 | GLN |
| 3 | D | 60 | HIS |
| 3 | D | 124 | GLN |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | D | 136 | ASN |
| 3 | D | 160 | GLN |
| 3 | D | 188 | HIS |
| 3 | D | 254 | ASN |
| 3 | D | 307 | ASN |
| 3 | D | 311 | ASN |
| 3 | D | 356 | HIS |
| 3 | D | 362 | GLN |

5.3.3 RNA ⓘ

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|-------------|-------------------|-----------------|
| 1 | B | 7/8 (87%) | 1 (14%) | 0 |
| 1 | E | 7/8 (87%) | 1 (14%) | 0 |
| 2 | C | 6/7 (85%) | 1 (16%) | 0 |
| 2 | F | 6/7 (85%) | 1 (16%) | 0 |
| All | All | 26/30 (86%) | 4 (15%) | 0 |

All (4) RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | B | 905 | G |
| 2 | C | 916 | G |
| 1 | E | 905 | G |
| 2 | F | 917 | G |

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

Mogul failed to run properly - this section will therefore be empty.

5.5 Carbohydrates ⓘ

Mogul failed to run properly - this section will therefore be empty.

5.6 Ligand geometry ⓘ

Mogul failed to run properly - this section will therefore be empty.

5.7 Other polymers ⓘ

Mogul failed to run properly - this section will therefore be empty.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

| Mol | Chain | Analysed | <RSRZ> | #RSRZ>2 | OWAB(Å ²) | Q<0.9 |
|-----|-------|---------------|--------|---------------|-----------------------|----------|
| 1 | B | 8/8 (100%) | 2.08 | 4 (50%) 0 0 | 46, 55, 70, 88 | 8 (100%) |
| 1 | E | 8/8 (100%) | 2.22 | 4 (50%) 0 0 | 51, 53, 67, 91 | 8 (100%) |
| 2 | C | 7/7 (100%) | 1.84 | 3 (42%) 1 0 | 34, 44, 73, 78 | 7 (100%) |
| 2 | F | 7/7 (100%) | 1.86 | 3 (42%) 1 0 | 38, 45, 68, 68 | 7 (100%) |
| 3 | A | 474/476 (99%) | 0.38 | 29 (6%) 21 17 | 34, 39, 44, 47 | 0 |
| 3 | D | 474/476 (99%) | 0.37 | 30 (6%) 19 16 | 34, 39, 44, 47 | 0 |
| All | All | 978/982 (99%) | 0.43 | 73 (7%) 14 11 | 34, 39, 46, 91 | 30 (3%) |

All (73) RSRZ outliers are listed below:

| Mol | Chain | Res | Type | RSRZ |
|-----|-------|-----|------|------|
| 3 | D | 371 | ASP | 6.8 |
| 3 | A | 371 | ASP | 6.4 |
| 3 | A | 370 | SER | 6.0 |
| 2 | C | 915 | G | 5.1 |
| 3 | D | 14 | HIS | 4.9 |
| 1 | E | 903 | U | 4.7 |
| 1 | B | 903 | U | 4.6 |
| 3 | A | 469 | ASP | 4.6 |
| 3 | D | 16 | MET | 4.5 |
| 3 | A | 9 | VAL | 4.4 |
| 2 | F | 916 | G | 4.4 |
| 3 | A | 8 | ASP | 4.2 |
| 3 | D | 473 | LEU | 4.1 |
| 3 | A | 287 | ASN | 4.1 |
| 3 | D | 474 | GLU | 3.9 |
| 3 | D | 152 | LYS | 3.9 |
| 3 | D | 369 | LYS | 3.9 |
| 3 | D | 370 | SER | 3.8 |
| 3 | D | 13 | VAL | 3.8 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | RSRZ |
|-----|-------|-----|------|------|
| 3 | D | 12 | ARG | 3.8 |
| 2 | C | 916 | G | 3.7 |
| 3 | D | 471 | ALA | 3.6 |
| 3 | D | 287 | ASN | 3.6 |
| 3 | A | 14 | HIS | 3.5 |
| 2 | F | 915 | G | 3.5 |
| 3 | D | 469 | ASP | 3.5 |
| 3 | A | 127 | ARG | 3.5 |
| 3 | A | 473 | LEU | 3.5 |
| 3 | D | 127 | ARG | 3.4 |
| 3 | A | 394 | TYR | 3.4 |
| 3 | D | 9 | VAL | 3.4 |
| 3 | A | 49 | GLY | 3.3 |
| 1 | B | 904 | A | 3.3 |
| 3 | A | 7 | ARG | 3.3 |
| 3 | A | 48 | GLU | 3.2 |
| 1 | E | 904 | A | 3.2 |
| 3 | A | 16 | MET | 3.2 |
| 3 | D | 48 | GLU | 3.2 |
| 3 | D | 17 | ARG | 3.1 |
| 2 | F | 917 | G | 3.1 |
| 3 | D | 5 | ASP | 3.0 |
| 3 | A | 470 | ALA | 3.0 |
| 3 | A | 152 | LYS | 3.0 |
| 3 | A | 5 | ASP | 3.0 |
| 3 | A | 12 | ARG | 2.9 |
| 3 | D | 10 | GLU | 2.9 |
| 3 | A | 369 | LYS | 2.8 |
| 3 | D | 42 | LYS | 2.8 |
| 3 | D | 394 | TYR | 2.8 |
| 3 | D | 15 | VAL | 2.7 |
| 3 | A | 114 | ASP | 2.7 |
| 1 | B | 909 | C | 2.7 |
| 2 | C | 917 | G | 2.7 |
| 3 | A | 28 | GLY | 2.6 |
| 1 | E | 909 | C | 2.5 |
| 3 | A | 13 | VAL | 2.5 |
| 1 | B | 910 | C | 2.4 |
| 3 | D | 125 | GLY | 2.4 |
| 3 | D | 7 | ARG | 2.4 |
| 1 | E | 910 | C | 2.4 |
| 3 | A | 149 | LEU | 2.3 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | RSRZ |
|-----|-------|-----|------|------|
| 3 | D | 49 | GLY | 2.3 |
| 3 | D | 449 | LEU | 2.3 |
| 3 | A | 471 | ALA | 2.2 |
| 3 | D | 41 | ASN | 2.2 |
| 3 | D | 324 | GLU | 2.2 |
| 3 | D | 114 | ASP | 2.1 |
| 3 | A | 123 | LEU | 2.1 |
| 3 | D | 47 | ASN | 2.1 |
| 3 | A | 472 | ALA | 2.0 |
| 3 | A | 154 | GLU | 2.0 |
| 3 | A | 41 | ASN | 2.0 |
| 3 | A | 417 | ARG | 2.0 |

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

| Mol | Type | Chain | Res | Atoms | RSR | LLDF | B-factors(Å ²) | Q<0.9 |
|-----|------|-------|-----|-------|------|-------|----------------------------|-------|
| 2 | 5FU | F | 921 | 21/22 | 0.24 | 0.06 | 20,48,52,53 | 21 |
| 2 | 5FU | C | 921 | 21/22 | 0.19 | -0.45 | 20,42,44,46 | 21 |

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

| Mol | Type | Chain | Res | Atoms | RSR | LLDF | B-factors(Å ²) | Q<0.9 |
|-----|------|-------|-----|-------|------|------|----------------------------|-------|
| 4 | MG | A | 780 | 1/1 | 0.29 | 3.46 | 41,41,41,41 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Atoms | RSR | LLDF | B-factors(\AA^2) | Q<0.9 |
|-----|------|-------|------|-------|------|------|-----------------------------|-------|
| 5 | PPV | A | 930 | 9/9 | 0.24 | 1.48 | 80,81,84,84 | 9 |
| 5 | PPV | D | 1930 | 9/9 | 0.22 | 0.57 | 78,79,79,80 | 9 |
| 4 | MG | D | 1780 | 1/1 | 0.23 | 0.50 | 38,38,38,38 | 0 |
| 4 | MG | A | 781 | 1/1 | 0.23 | - | 57,57,57,57 | 0 |
| 4 | MG | D | 1781 | 1/1 | 0.35 | - | 66,66,66,66 | 0 |

6.5 Other polymers ⓘ

There are no such residues in this entry.